



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 26, 2024 – 06:11 PM JST

PDB ID : 8XFY
Title : The Crystal Structure of RSK2 from Biortus.
Authors : Wang, F.; Cheng, W.; Lv, Z.; Lin, D.; Pan, W.
Deposited on : 2023-12-14
Resolution : 3.20 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.36
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.36


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 3.20 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	1133 (3.20-3.20)
Clashscore	141614	1253 (3.20-3.20)
Ramachandran outliers	138981	1234 (3.20-3.20)
Sidechain outliers	138945	1233 (3.20-3.20)
RSRZ outliers	127900	1095 (3.20-3.20)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	320	 84% 6% 10%
1	B	320	 81% 6% 13%
1	C	320	 79% 6% 15%
1	D	320	 75% 6% 19%
1	E	320	 76% 6% 18%
1	F	320	 73% 6% 20%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	G	320	<p>% 79% 7% 14%</p>
1	H	320	<p>% 78% 9% 13%</p>
1	I	320	<p>3% 74% 7% 19%</p>
1	J	320	<p>5% 75% 6% 20%</p>

2 Entry composition [i](#)


There are 3 unique types of molecules in this entry. The entry contains 22210 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Ribosomal protein S6 kinase alpha-3.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	289	Total 2354	C 1521	N 403	O 419	S 11	0	0	0
1	B	277	Total 2251	C 1460	N 380	O 401	S 10	0	0	0
1	C	272	Total 2208	C 1435	N 369	O 394	S 10	0	0	0
1	D	260	Total 2102	C 1367	N 353	O 372	S 10	0	0	0
1	E	261	Total 2112	C 1373	N 355	O 374	S 10	0	0	0
1	F	255	Total 2066	C 1346	N 348	O 362	S 10	0	0	0
1	G	276	Total 2244	C 1452	N 387	O 394	S 11	0	0	0
1	H	277	Total 2245	C 1454	N 385	O 395	S 11	0	0	0
1	I	260	Total 2102	C 1367	N 353	O 372	S 10	0	0	0
1	J	257	Total 2084	C 1356	N 352	O 366	S 10	0	0	0

- Molecule 2 is 2,6-bis(fluoranyl)-4-[4-(4-morpholin-4-ylphenyl)pyridin-3-yl]phenol (three-letter code: A1LU8) (formula: C₂₁H₁₈F₂N₂O₂) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	
			Total	C	F	N			O
2	A	1	Total	C	F	N	O	0	0
			27	21	2	2	2		
2	B	1	Total	C	F	N	O	0	0
			27	21	2	2	2		
2	C	1	Total	C	F	N	O	0	0
			27	21	2	2	2		
2	D	1	Total	C	F	N	O	0	0
			27	21	2	2	2		
2	E	1	Total	C	F	N	O	0	0
			27	21	2	2	2		
2	F	1	Total	C	F	N	O	0	0
			27	21	2	2	2		
2	G	1	Total	C	F	N	O	0	0
			27	21	2	2	2		
2	H	1	Total	C	F	N	O	0	0
			27	21	2	2	2		
2	I	1	Total	C	F	N	O	0	0
			27	21	2	2	2		
2	J	1	Total	C	F	N	O	0	0
			27	21	2	2	2		

- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	28	Total	O	0	0
			28	28		
3	B	22	Total	O	0	0
			22	22		

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	C	16	Total 16	O 16	0	0
3	D	15	Total 15	O 15	0	0
3	E	15	Total 15	O 15	0	0
3	F	15	Total 15	O 15	0	0
3	G	13	Total 13	O 13	0	0
3	H	30	Total 30	O 30	0	0
3	I	11	Total 11	O 11	0	0
3	J	7	Total 7	O 7	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Ribosomal protein S6 kinase alpha-3




- Molecule 1: Ribosomal protein S6 kinase alpha-3



- Molecule 1: Ribosomal protein S6 kinase alpha-3




- Molecule 1: Ribosomal protein S6 kinase alpha-3












- Molecule 1: Ribosomal protein S6 kinase alpha-3




- Molecule 1: Ribosomal protein S6 kinase alpha-3




- Molecule 1: Ribosomal protein S6 kinase alpha-3




- Molecule 1: Ribosomal protein S6 kinase alpha-3



- Molecule 1: Ribosomal protein S6 kinase alpha-3



- Molecule 1: Ribosomal protein S6 kinase alpha-3



4 Data and refinement statistics i

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	34.06Å 273.37Å 170.34Å 90.00° 92.14° 90.00°	Depositor
Resolution (Å)	48.21 – 3.20 48.17 – 3.20	Depositor EDS
% Data completeness (in resolution range)	99.4 (48.21-3.20) 99.4 (48.17-3.20)	Depositor EDS
R_{merge}	0.23	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.33 (at 3.19Å)	Xtrriage
Refinement program	REFMAC 5.8.0419	Depositor
R, R_{free}	0.229 , 0.303 0.231 , 0.299	Depositor DCC
R_{free} test set	2573 reflections (5.06%)	wwPDB-VP
Wilson B-factor (Å ²)	48.9	Xtrriage
Anisotropy	0.142	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.32 , 50.4	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtrriage
Estimated twinning fraction	0.057 for h,-k,-l	Xtrriage
F_o, F_c correlation	0.92	EDS
Total number of atoms	22210	wwPDB-VP
Average B, all atoms (Å ²)	54.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 32.56 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 9.2073e-04. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: A1LU8

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.26	0/2408	0.48	0/3234
1	B	0.26	0/2305	0.47	0/3099
1	C	0.26	0/2261	0.46	0/3042
1	D	0.26	0/2151	0.46	0/2894
1	E	0.26	0/2161	0.46	0/2906
1	F	0.26	0/2114	0.45	0/2842
1	G	0.26	0/2294	0.46	0/3079
1	H	0.26	0/2295	0.48	0/3082
1	I	0.26	0/2151	0.46	0/2894
1	J	0.26	0/2133	0.45	0/2868
All	All	0.26	0/22273	0.46	0/29940

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2354	0	2375	11	0
1	B	2251	0	2261	15	0
1	C	2208	0	2219	13	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	D	2102	0	2129	13	0
1	E	2112	0	2142	12	0
1	F	2066	0	2100	11	0
1	G	2244	0	2286	12	0
1	H	2245	0	2290	17	0
1	I	2102	0	2129	15	0
1	J	2084	0	2114	10	0
2	A	27	0	0	0	0
2	B	27	0	0	1	0
2	C	27	0	0	1	0
2	D	27	0	0	0	0
2	E	27	0	0	1	0
2	F	27	0	0	1	0
2	G	27	0	0	1	0
2	H	27	0	0	1	0
2	I	27	0	0	1	0
2	J	27	0	0	0	0
3	A	28	0	0	0	0
3	B	22	0	0	1	0
3	C	16	0	0	1	0
3	D	15	0	0	0	0
3	E	15	0	0	0	0
3	F	15	0	0	0	0
3	G	13	0	0	0	0
3	H	30	0	0	1	0
3	I	11	0	0	0	0
3	J	7	0	0	0	0
All	All	22210	0	22045	123	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

All (123) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:122:LEU:HD21	1:C:211:ASP:HB3	1.77	0.66
1:F:316:ASP:HB3	1:F:319:GLU:HB2	1.80	0.64
1:H:59:GLY:HA3	1:H:136:ALA:HB3	1.79	0.64
1:B:190:ILE:HD11	1:B:247:GLN:HA	1.81	0.61
1:I:159:LEU:HD12	1:I:165:PHE:CZ	2.36	0.61
1:H:211:ASP:OD1	2:H:401:A1LU8:O2	2.20	0.59

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:J:233:GLU:HG2	1:J:266:LEU:HD13	1.84	0.59
1:B:190:ILE:HD11	1:B:247:GLN:CA	2.36	0.56
1:B:119:ARG:NH1	3:B:501:HOH:O	2.39	0.56
1:I:159:LEU:HD11	1:I:261:MET:HG2	1.87	0.56
1:E:228:PHE:HB2	1:E:242:ARG:HH21	1.69	0.56
1:A:151:ARG:HB2	1:A:348:THR:HG23	1.86	0.56
1:H:109:VAL:O	1:H:114:ARG:N	2.40	0.54
1:G:123:VAL:HG23	1:G:124:GLU:HG2	1.89	0.54
1:D:233:GLU:HG2	1:D:266:LEU:HD13	1.89	0.54
1:I:121:ILE:HD11	1:I:189:ILE:HG12	1.88	0.54
1:A:283:ALA:O	1:A:305:ARG:NH1	2.41	0.54
1:E:211:ASP:OD1	2:E:401:A1LU8:O2	2.27	0.52
1:F:211:ASP:OD1	2:F:401:A1LU8:O2	2.28	0.52
1:F:233:GLU:HG2	1:F:266:LEU:HD13	1.90	0.52
1:E:283:ALA:O	1:E:305:ARG:NH1	2.43	0.51
1:A:217:GLU:O	1:A:218:SER:C	2.48	0.51
1:E:170:VAL:HG22	1:E:261:MET:HB3	1.92	0.51
1:H:59:GLY:CA	1:H:136:ALA:HB3	2.40	0.51
1:G:121:ILE:HG21	1:G:214:LEU:HB3	1.93	0.51
1:I:233:GLU:HG2	1:I:266:LEU:HD13	1.93	0.51
1:E:120:ASP:O	1:E:123:VAL:HG22	2.12	0.50
1:B:150:LEU:HD12	1:B:200:LEU:HD13	1.95	0.49
1:B:155:LEU:HD13	1:B:201:LEU:HD21	1.94	0.49
1:J:159:LEU:O	1:J:163:VAL:N	2.45	0.48
1:G:87:LYS:HG2	1:G:92:ASP:HB2	1.95	0.48
1:A:59:GLY:HA3	1:A:136:ALA:HB3	1.96	0.48
1:C:63:ALA:HB2	1:C:135:TYR:HB3	1.94	0.48
1:J:199:ILE:HG23	1:J:207:ILE:HG23	1.95	0.47
1:H:118:GLU:O	1:H:119:ARG:HB2	2.14	0.47
1:C:150:LEU:HD22	1:C:208:LYS:HG3	1.96	0.47
1:D:165:PHE:HB3	1:D:169:ASP:HB2	1.96	0.47
1:D:170:VAL:HG21	1:D:262:LEU:CD2	2.45	0.47
1:E:233:GLU:HG2	1:E:266:LEU:HD13	1.96	0.47
1:F:150:LEU:HD21	1:F:208:LYS:HB2	1.97	0.47
1:D:170:VAL:HG21	1:D:262:LEU:HD23	1.97	0.46
1:I:172:PHE:CD2	1:I:343:PRO:HD3	2.51	0.46
1:D:289:GLN:HG3	1:J:228:PHE:CD2	2.51	0.46
1:D:125:VAL:HG11	1:D:130:ILE:HG21	1.97	0.46
1:J:139:THR:HG22	1:J:140:GLU:HG2	1.98	0.46
1:B:194:LEU:HD23	1:B:253:SER:HB2	1.97	0.46
1:B:194:LEU:HD23	1:B:253:SER:CB	2.46	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:154:ASP:HA	1:C:200:LEU:HA	1.98	0.46
1:I:127:HIS:HB2	1:I:183:HIS:CD2	2.51	0.46
1:B:211:ASP:OD1	2:B:401:A1LU8:O2	2.34	0.46
1:C:190:ILE:HD11	1:C:247:GLN:HA	1.97	0.45
1:D:125:VAL:CG1	1:D:130:ILE:HG21	2.47	0.45
1:E:194:LEU:HD23	1:E:253:SER:HB2	1.98	0.45
1:B:190:ILE:HD11	1:B:247:GLN:CB	2.47	0.45
1:H:70:LEU:HD23	1:H:83:PHE:CE2	2.52	0.45
1:E:289:GLN:HG3	1:G:228:PHE:CD2	2.51	0.45
1:H:200:LEU:HD13	1:H:210:THR:CG2	2.47	0.45
1:A:233:GLU:HG2	1:A:266:LEU:HD13	1.98	0.45
1:E:292:SER:HA	1:G:274:LYS:HE2	1.98	0.45
1:A:162:GLU:O	1:A:163:VAL:HB	2.16	0.44
1:C:159:LEU:HD23	1:C:165:PHE:CE1	2.52	0.44
1:H:119:ARG:HG2	3:H:509:HOH:O	2.17	0.44
1:D:134:HIS:NE2	1:D:148:ASP:OD1	2.50	0.44
1:H:233:GLU:HG2	1:H:266:LEU:HD13	1.99	0.44
1:H:287:MET:HE1	1:H:299:LEU:HB2	2.00	0.44
1:D:170:VAL:HG22	1:D:261:MET:HB3	2.00	0.44
1:I:170:VAL:HG13	1:I:261:MET:HE3	1.98	0.44
1:I:211:ASP:OD1	2:I:401:A1LU8:O2	2.36	0.43
1:B:342:PRO:HA	1:B:343:PRO:HD3	1.92	0.43
1:H:127:HIS:HB2	1:H:183:HIS:CD2	2.53	0.43
1:H:158:ARG:HD2	1:H:344:PHE:CD2	2.53	0.43
1:C:193:ASP:O	1:C:198:ASN:ND2	2.52	0.43
1:G:102:LEU:HD13	1:G:118:GLU:HG3	1.99	0.43
1:I:200:LEU:HD13	1:I:210:THR:CG2	2.49	0.43
1:B:356:TYR:CE2	1:H:110:ARG:HG2	2.54	0.43
1:A:170:VAL:HG21	1:A:262:LEU:HD23	2.00	0.43
1:B:286:GLY:HA3	1:F:242:ARG:HH21	1.84	0.43
1:C:211:ASP:OD1	2:C:401:A1LU8:O2	2.37	0.43
1:F:159:LEU:O	1:F:163:VAL:N	2.49	0.42
1:A:113:VAL:HG11	3:C:506:HOH:O	2.20	0.42
1:C:246:THR:OG1	1:C:247:GLN:N	2.52	0.42
1:G:79:PHE:CG	1:G:80:GLY:N	2.87	0.42
1:G:139:THR:HG22	1:G:140:GLU:N	2.34	0.42
1:G:211:ASP:OD1	2:G:401:A1LU8:O2	2.38	0.42
1:E:162:GLU:O	1:E:163:VAL:HB	2.20	0.42
1:F:193:ASP:OD2	1:F:195:LYS:NZ	2.52	0.42
1:G:70:LEU:HD23	1:G:83:PHE:CD2	2.54	0.42
1:I:272:ASP:N	1:I:272:ASP:OD1	2.53	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:H:170:VAL:HG22	1:H:261:MET:HB3	2.00	0.42
1:G:93:ALA:O	1:G:94:ARG:HB2	2.19	0.42
1:H:162:GLU:O	1:H:163:VAL:HB	2.20	0.42
1:E:242:ARG:HB3	1:E:242:ARG:NH1	2.35	0.42
1:A:79:PHE:CG	1:A:80:GLY:N	2.88	0.41
1:I:150:LEU:HD21	1:I:208:LYS:HD2	2.02	0.41
1:I:167:GLU:O	1:I:171:LYS:HB2	2.20	0.41
1:C:348:THR:HG23	1:C:350:ARG:HG2	2.02	0.41
1:J:170:VAL:HG22	1:J:261:MET:HB3	2.01	0.41
1:J:170:VAL:HG21	1:J:262:LEU:HD23	2.02	0.41
1:C:122:LEU:HD21	1:C:211:ASP:CB	2.47	0.41
1:C:211:ASP:HA	1:C:214:LEU:HG	2.03	0.41
1:E:193:ASP:O	1:E:198:ASN:ND2	2.54	0.41
1:H:117:MET:O	1:H:120:ASP:HB2	2.21	0.41
1:H:229:CYS:SG	1:H:230:GLY:N	2.94	0.41
1:B:284:LYS:HA	1:B:305:ARG:HH12	1.85	0.41
1:D:195:LYS:HD3	1:D:197:GLU:HB2	2.02	0.41
1:D:262:LEU:HD13	1:D:291:LEU:HD22	2.03	0.41
1:A:70:LEU:HD23	1:A:83:PHE:CE2	2.55	0.41
1:B:336:TYR:CD1	1:B:336:TYR:C	2.93	0.41
1:D:246:THR:OG1	1:D:247:GLN:N	2.54	0.41
1:C:266:LEU:O	1:I:243:ARG:NH2	2.51	0.41
1:D:93:ALA:O	1:D:94:ARG:HB2	2.19	0.41
1:F:279:MET:O	1:F:283:ALA:HB3	2.21	0.41
1:J:228:PHE:HB2	1:J:242:ARG:HH21	1.85	0.41
1:G:283:ALA:O	1:G:305:ARG:NH1	2.51	0.41
1:I:211:ASP:HA	1:I:214:LEU:HG	2.03	0.40
1:I:211:ASP:HB2	1:I:214:LEU:HD12	2.03	0.40
1:J:86:LYS:HG2	1:J:96:LEU:HD23	2.02	0.40
1:B:59:GLY:HA3	1:B:136:ALA:HB3	2.03	0.40
1:J:122:LEU:HD21	1:J:211:ASP:HB2	2.02	0.40
1:F:155:LEU:HD13	1:F:201:LEU:HD21	2.03	0.40
1:F:233:GLU:HG3	1:F:276:THR:HG21	2.02	0.40
1:A:151:ARG:HE	1:A:350:ARG:HH11	1.70	0.40
1:F:170:VAL:HG21	1:F:262:LEU:CD2	2.51	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	283/320 (88%)	268 (95%)	15 (5%)	0	100	100
1	B	271/320 (85%)	258 (95%)	13 (5%)	0	100	100
1	C	266/320 (83%)	253 (95%)	13 (5%)	0	100	100
1	D	254/320 (79%)	241 (95%)	13 (5%)	0	100	100
1	E	255/320 (80%)	242 (95%)	13 (5%)	0	100	100
1	F	249/320 (78%)	237 (95%)	12 (5%)	0	100	100
1	G	270/320 (84%)	255 (94%)	15 (6%)	0	100	100
1	H	271/320 (85%)	253 (93%)	18 (7%)	0	100	100
1	I	254/320 (79%)	246 (97%)	8 (3%)	0	100	100
1	J	251/320 (78%)	239 (95%)	12 (5%)	0	100	100
All	All	2624/3200 (82%)	2492 (95%)	132 (5%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	254/282 (90%)	254 (100%)	0	100	100
1	B	242/282 (86%)	242 (100%)	0	100	100
1	C	238/282 (84%)	237 (100%)	1 (0%)	91	95
1	D	227/282 (80%)	227 (100%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	E	229/282 (81%)	229 (100%)	0	100	100
1	F	223/282 (79%)	222 (100%)	1 (0%)	91	95
1	G	242/282 (86%)	240 (99%)	2 (1%)	81	93
1	H	242/282 (86%)	241 (100%)	1 (0%)	91	95
1	I	227/282 (80%)	226 (100%)	1 (0%)	91	95
1	J	225/282 (80%)	224 (100%)	1 (0%)	91	95
All	All	2349/2820 (83%)	2342 (100%)	7 (0%)	92	96

All (7) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	C	191	TYR
1	F	191	TYR
1	G	135	TYR
1	G	137	PHE
1	H	191	TYR
1	I	68	PHE
1	J	191	TYR

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

10 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	A1LU8	C	401	-	30,30,30	0.48	0	41,42,42	1.03	5 (12%)
2	A1LU8	B	401	-	30,30,30	0.44	0	41,42,42	1.12	4 (9%)
2	A1LU8	D	401	-	30,30,30	0.45	0	41,42,42	0.94	5 (12%)
2	A1LU8	F	401	-	30,30,30	0.48	0	41,42,42	1.05	5 (12%)
2	A1LU8	H	401	-	30,30,30	0.45	0	41,42,42	1.07	4 (9%)
2	A1LU8	A	401	-	30,30,30	0.48	0	41,42,42	1.03	5 (12%)
2	A1LU8	I	401	-	30,30,30	0.50	0	41,42,42	0.98	5 (12%)
2	A1LU8	J	401	-	30,30,30	0.51	0	41,42,42	1.04	5 (12%)
2	A1LU8	E	401	-	30,30,30	0.44	0	41,42,42	1.08	5 (12%)
2	A1LU8	G	401	-	30,30,30	0.43	0	41,42,42	1.01	4 (9%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	A1LU8	C	401	-	-	0/12/20/20	0/4/4/4
2	A1LU8	B	401	-	-	0/12/20/20	0/4/4/4
2	A1LU8	D	401	-	-	0/12/20/20	0/4/4/4
2	A1LU8	F	401	-	-	0/12/20/20	0/4/4/4
2	A1LU8	H	401	-	-	0/12/20/20	0/4/4/4
2	A1LU8	A	401	-	-	0/12/20/20	0/4/4/4
2	A1LU8	I	401	-	-	0/12/20/20	0/4/4/4
2	A1LU8	J	401	-	-	0/12/20/20	0/4/4/4
2	A1LU8	E	401	-	-	0/12/20/20	0/4/4/4
2	A1LU8	G	401	-	-	0/12/20/20	0/4/4/4

There are no bond length outliers.

All (47) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	F	401	A1LU8	F1-C20-C19	3.41	119.67	117.13
2	B	401	A1LU8	F1-C20-C19	3.39	119.65	117.13
2	B	401	A1LU8	F2-C18-C19	3.16	119.48	117.13
2	C	401	A1LU8	F1-C20-C19	3.11	119.44	117.13
2	E	401	A1LU8	F1-C20-C19	3.07	119.41	117.13
2	E	401	A1LU8	F2-C18-C19	3.02	119.37	117.13
2	J	401	A1LU8	F2-C18-C19	2.91	119.29	117.13
2	A	401	A1LU8	F2-C18-C19	2.90	119.29	117.13
2	H	401	A1LU8	F1-C20-C19	2.85	119.25	117.13
2	D	401	A1LU8	F2-C18-C19	2.80	119.21	117.13
2	A	401	A1LU8	F1-C20-C19	2.79	119.20	117.13
2	G	401	A1LU8	F1-C20-C19	2.79	119.20	117.13
2	G	401	A1LU8	F2-C18-C19	2.70	119.13	117.13
2	C	401	A1LU8	F2-C18-C19	2.68	119.12	117.13
2	H	401	A1LU8	F2-C18-C19	2.62	119.08	117.13
2	J	401	A1LU8	F1-C20-C19	2.62	119.08	117.13
2	F	401	A1LU8	F2-C18-C19	2.60	119.06	117.13
2	B	401	A1LU8	C21-C20-C19	-2.60	121.76	123.79
2	I	401	A1LU8	F1-C20-C19	2.60	119.06	117.13
2	B	401	A1LU8	C17-C18-C19	-2.60	121.76	123.79
2	H	401	A1LU8	C17-C18-C19	-2.56	121.78	123.79
2	I	401	A1LU8	F2-C18-C19	2.54	119.02	117.13
2	H	401	A1LU8	C21-C20-C19	-2.51	121.82	123.79
2	F	401	A1LU8	C21-C20-C19	-2.46	121.86	123.79
2	E	401	A1LU8	C21-C20-C19	-2.45	121.87	123.79
2	C	401	A1LU8	C21-C20-C19	-2.43	121.89	123.79
2	J	401	A1LU8	C21-C20-C19	-2.43	121.89	123.79
2	G	401	A1LU8	C17-C18-C19	-2.41	121.91	123.79
2	A	401	A1LU8	C21-C20-C19	-2.41	121.91	123.79
2	D	401	A1LU8	F1-C20-C19	2.36	118.89	117.13
2	F	401	A1LU8	C17-C18-C19	-2.33	121.97	123.79
2	C	401	A1LU8	C17-C18-C19	-2.32	121.97	123.79
2	G	401	A1LU8	C21-C20-C19	-2.31	121.98	123.79
2	A	401	A1LU8	C17-C18-C19	-2.30	121.99	123.79
2	E	401	A1LU8	C17-C18-C19	-2.24	122.04	123.79
2	I	401	A1LU8	C17-C18-C19	-2.21	122.06	123.79
2	D	401	A1LU8	C17-C18-C19	-2.20	122.06	123.79
2	D	401	A1LU8	C4-N1-C5	2.20	124.03	118.09
2	I	401	A1LU8	C21-C20-C19	-2.15	122.11	123.79
2	E	401	A1LU8	C1-N1-C5	2.14	123.87	118.09
2	D	401	A1LU8	C21-C20-C19	-2.10	122.15	123.79
2	A	401	A1LU8	C4-N1-C5	2.08	123.71	118.09
2	I	401	A1LU8	C4-N1-C5	2.08	123.71	118.09

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	J	401	A1LU8	C17-C18-C19	-2.02	122.21	123.79
2	F	401	A1LU8	C1-N1-C5	2.01	123.54	118.09
2	J	401	A1LU8	C1-N1-C5	2.01	123.52	118.09
2	C	401	A1LU8	C4-N1-C5	2.01	123.52	118.09

There are no chirality outliers.


There are no torsion outliers.


There are no ring outliers.


7 monomers are involved in 7 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	C	401	A1LU8	1	0
2	B	401	A1LU8	1	0
2	F	401	A1LU8	1	0
2	H	401	A1LU8	1	0
2	I	401	A1LU8	1	0
2	E	401	A1LU8	1	0
2	G	401	A1LU8	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.


























5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	289/320 (90%)	-0.23	1 (0%) 94 92	22, 39, 76, 103	0
1	B	277/320 (86%)	-0.16	1 (0%) 92 89	27, 48, 77, 113	0
1	C	272/320 (85%)	0.05	11 (4%) 38 25	33, 57, 90, 116	0
1	D	260/320 (81%)	0.04	6 (2%) 60 47	33, 55, 91, 122	0
1	E	261/320 (81%)	0.22	17 (6%) 18 11	32, 57, 98, 122	0
1	F	255/320 (79%)	0.14	7 (2%) 54 39	31, 54, 85, 125	0
1	G	276/320 (86%)	-0.05	4 (1%) 75 63	30, 50, 80, 101	0
1	H	277/320 (86%)	-0.23	2 (0%) 87 81	23, 41, 74, 100	0
1	I	260/320 (81%)	0.06	9 (3%) 44 28	28, 52, 96, 136	0
1	J	257/320 (80%)	0.22	16 (6%) 20 11	37, 61, 108, 137	0
All	All	2684/3200 (83%)	0.00	74 (2%) 53 37	22, 51, 90, 137	0

All (74) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	E	348	THR	6.9
1	D	348	THR	4.1
1	J	85	VAL	4.0
1	D	347	ALA	4.0
1	E	64	ASP	3.9
1	G	228	PHE	3.7
1	I	348	THR	3.6
1	I	347	ALA	3.4
1	F	63	ALA	3.4
1	J	139	THR	3.3
1	F	88	ILE	3.1
1	C	140	GLU	3.1
1	J	86	LYS	3.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	E	140	GLU	3.0
1	J	92	ASP	3.0
1	E	347	ALA	3.0
1	J	138	GLN	3.0
1	E	141	GLY	2.9
1	J	69	GLU	2.9
1	E	139	THR	2.9
1	E	104	LYS	2.9
1	D	346	PRO	2.9
1	I	346	PRO	2.9
1	J	88	ILE	2.9
1	J	345	LYS	2.8
1	C	62	LYS	2.7
1	C	63	ALA	2.7
1	D	63	ALA	2.7
1	D	139	THR	2.7
1	J	346	PRO	2.7
1	B	118	GLU	2.7
1	E	69	GLU	2.6
1	I	139	THR	2.6
1	C	137	PHE	2.6
1	F	203	GLU	2.6
1	J	347	ALA	2.6
1	I	137	PHE	2.6
1	J	96	LEU	2.5
1	F	66	SER	2.5
1	I	89	SER	2.5
1	D	88	ILE	2.4
1	E	142	LYS	2.4
1	G	204	GLU	2.4
1	C	66	SER	2.3
1	E	121	ILE	2.3
1	H	228	PHE	2.3
1	A	58	GLU	2.3
1	G	59	GLY	2.3
1	G	90	GLY	2.3
1	C	64	ASP	2.3
1	E	103	LYS	2.3
1	H	106	THR	2.3
1	E	85	VAL	2.3
1	F	68	PHE	2.3
1	J	74	LEU	2.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	J	68	PHE	2.2
1	E	96	LEU	2.2
1	F	137	PHE	2.2
1	J	79	PHE	2.2
1	C	138	GLN	2.1
1	F	70	LEU	2.1
1	I	140	GLU	2.1
1	C	61	GLU	2.1
1	J	84	LEU	2.1
1	C	89	SER	2.1
1	E	344	PHE	2.1
1	J	95	GLN	2.1
1	C	348	THR	2.1
1	I	85	VAL	2.0
1	E	86	LYS	2.0
1	I	65	PRO	2.0
1	C	139	THR	2.0
1	E	123	VAL	2.0
1	E	218	SER	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q<0.9' lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	A1LU8	D	401	27/27	0.92	0.35	52,59,63,64	0
2	A1LU8	C	401	27/27	0.93	0.39	50,55,57,57	0
2	A1LU8	J	401	27/27	0.93	0.38	48,51,55,56	0
2	A1LU8	G	401	27/27	0.94	0.31	38,43,53,54	0

Continued on next page...

Continued from previous page...




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
2	A1LU8	I	401	27/27	0.94	0.34	41,42,51,52	0
2	A1LU8	F	401	27/27	0.94	0.33	42,48,69,69	0
2	A1LU8	E	401	27/27	0.95	0.32	44,50,67,68	0
2	A1LU8	A	401	27/27	0.96	0.30	30,33,44,45	0
2	A1LU8	B	401	27/27	0.97	0.23	38,41,44,45	0
2	A1LU8	H	401	27/27	0.97	0.23	28,32,46,46	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.






Electron density around A1LU8 C 401:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around A1LU8 J 401:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around A1LU8 G 401:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around A1LU8 I 401:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around A1LU8 F 401:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around A1LU8 E 401:


$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




Electron density around A1LU8 A 401:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)







6.5 Other polymers [i](#)

There are no such residues in this entry.