



Full wwPDB X-ray Structure Validation Report ⓘ

Nov 22, 2023 – 10:21 PM JST

PDB ID : 7XHH
Title : High-resolution X-ray cocrystal structure of USP7 in complex with X4
Authors : Sun, H.B.; Wen, X.A.
Deposited on : 2022-04-08
Resolution : 2.10 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.36
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.36


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.10 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	5197 (2.10-2.10)
Clashscore	141614	5710 (2.10-2.10)
Ramachandran outliers	138981	5647 (2.10-2.10)
Sidechain outliers	138945	5648 (2.10-2.10)
RSRZ outliers	127900	5083 (2.10-2.10)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	348	 11% 67% 30% ..
1	B	348	 11% 81% 17% ..

2 Entry composition [i](#)


There are 3 unique types of molecules in this entry. The entry contains 5846 atoms, of which 58 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Ubiquitin carboxyl-terminal hydrolase 7.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	343	Total	C	N	O	S	0	0	0
			2785	1758	474	537	16			
1	B	343	Total	C	N	O	S	0	0	0
			2787	1761	474	536	16			

- Molecule 2 is 3-[4-(aminomethyl)phenyl]-6-[[1-[[2-chloranyl-4-(1,2,4-oxadiazol-3-yl)phenyl]methyl]-4-oxidanyl-piperidin-4-yl]methyl]-2-methyl-pyrazolo[4,3-d]pyrimidin-7-one (three-letter code: DYO) (formula: C₂₈H₂₉ClN₈O₃) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	
			Total	C	Cl	H	N			O
2	A	1	Total	C	Cl	H	N	O	0	0
			69	28	1	29	8	3		
2	B	1	Total	C	Cl	H	N	O	0	0
			69	28	1	29	8	3		


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	61	Total 61	O 61	0	0
3	B	75	Total 75	O 75	0	0


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Ubiquitin carboxyl-terminal hydrolase 7



- Molecule 1: Ubiquitin carboxyl-terminal hydrolase 7



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	76.03Å 68.90Å 81.79Å 90.00° 100.32° 90.00°	Depositor
Resolution (Å)	34.45 – 2.10 34.45 – 2.10	Depositor EDS
% Data completeness (in resolution range)	97.2 (34.45-2.10) 98.9 (34.45-2.10)	Depositor EDS
R_{merge}	0.08	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.62 (at 2.10Å)	Xtrriage
Refinement program	PHENIX 1.20.1_4487	Depositor
R, R_{free}	0.196 , 0.218 0.199 , 0.203	Depositor DCC
R_{free} test set	2430 reflections (5.03%)	wwPDB-VP
Wilson B-factor (Å ²)	49.8	Xtrriage
Anisotropy	0.289	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.32 , 52.3	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	5846	wwPDB-VP
Average B, all atoms (Å ²)	66.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 43.06 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 1.8623e-04. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: DYO

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.45	0/2844	0.60	0/3836
1	B	0.47	0/2846	0.60	0/3839
All	All	0.46	0/5690	0.60	0/7675

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2785	0	2707	107	0
1	B	2787	0	2713	43	0
2	A	40	29	0	2	0
2	B	40	29	0	2	0
3	A	61	0	0	25	0
3	B	75	0	0	3	0
All	All	5788	58	5420	150	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 14.

All (150) close contacts within the same asymmetric unit are listed below, sorted by their clash

magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:472:LYS:CA	3:A:701:HOH:O	1.92	1.16
1:A:472:LYS:HB2	3:A:701:HOH:O	1.45	1.09
1:A:472:LYS:N	3:A:701:HOH:O	1.85	1.05
1:A:472:LYS:CB	3:A:701:HOH:O	1.93	1.04
1:B:308:GLU:OE2	3:B:701:HOH:O	1.81	0.98
1:B:449:ILE:HD11	1:B:521:GLU:HG2	1.49	0.95
1:A:394:LYS:HD2	1:A:438:GLN:HB2	1.48	0.91
1:A:307:VAL:O	1:A:311:MET:HG3	1.70	0.90
1:A:251:ASP:HB3	1:A:254:LYS:HE2	1.58	0.85
1:A:250:ASP:N	3:A:704:HOH:O	2.04	0.84
1:A:547:GLU:O	3:A:702:HOH:O	1.96	0.84
1:B:550:ILE:O	3:B:702:HOH:O	2.01	0.78
1:A:410:MET:HE2	1:A:421:ILE:HG21	1.66	0.77
1:A:355:LYS:HD3	1:A:410:MET:CE	2.15	0.77
1:A:374:ASP:HB3	1:A:388:GLU:HG2	1.66	0.76
1:A:335:LYS:O	3:A:703:HOH:O	2.02	0.76
1:B:320:ILE:HB	1:B:321:PRO:HD3	1.68	0.76
1:A:277:LYS:HD3	1:A:277:LYS:H	1.52	0.74
1:B:410:MET:HB3	1:B:421:ILE:HD11	1.71	0.72
1:A:495:GLU:OE2	3:A:706:HOH:O	2.08	0.72
1:A:355:LYS:HD3	1:A:410:MET:HE2	1.72	0.72
1:A:442:PRO:O	3:A:705:HOH:O	2.07	0.71
1:A:251:ASP:CB	1:A:254:LYS:HE2	2.21	0.70
1:A:219:GLN:NE2	1:A:277:LYS:HD2	2.07	0.70
1:B:301:ARG:NH1	1:B:305:ASP:OD1	2.25	0.69
1:A:250:ASP:CB	3:A:704:HOH:O	2.40	0.69
1:A:374:ASP:CB	1:A:388:GLU:HG2	2.23	0.68
1:A:301:ARG:HD3	1:A:305:ASP:CG	2.14	0.67
1:A:277:LYS:H	1:A:277:LYS:CD	2.08	0.67
1:B:269:HIS:HE1	1:B:536:ILE:HD12	1.60	0.67
1:B:412:ASP:OD2	1:B:414:GLN:HB2	1.95	0.66
1:A:251:ASP:OD2	1:A:254:LYS:NZ	2.25	0.66
1:A:252:SER:HB2	1:A:262:ARG:HH22	1.61	0.66
1:A:250:ASP:CA	3:A:704:HOH:O	2.42	0.66
1:B:308:GLU:HA	1:B:311:MET:HE2	1.79	0.65
1:A:251:ASP:OD1	1:A:253:SER:N	2.30	0.65
1:B:449:ILE:CD1	1:B:521:GLU:HG2	2.23	0.64
1:B:449:ILE:HD11	1:B:521:GLU:CG	2.26	0.64
1:A:322:LYS:HE3	1:B:534:HIS:ND1	2.13	0.63
1:A:269:HIS:HE1	1:A:536:ILE:HD12	1.64	0.63
1:A:252:SER:HB2	1:A:262:ARG:NH2	2.13	0.63

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:495:GLU:N	1:B:495:GLU:OE1	2.30	0.62
1:A:541:VAL:O	1:A:545:GLN:HG3	1.98	0.62
1:B:424:ARG:O	3:B:703:HOH:O	2.16	0.62
1:A:277:LYS:HE2	3:A:711:HOH:O	1.99	0.62
1:B:353:SER:O	1:B:363:SER:OG	2.15	0.61
1:A:234:PHE:CD1	1:A:471:PRO:HB3	2.37	0.60
1:A:281:LYS:HA	1:A:286:GLU:OE2	2.02	0.59
1:B:370:VAL:CG1	1:B:390:GLU:HB2	2.33	0.59
1:A:547:GLU:HA	3:A:702:HOH:O	2.03	0.59
1:A:355:LYS:HD3	1:A:410:MET:HE1	1.84	0.59
1:A:277:LYS:NZ	3:A:711:HOH:O	2.35	0.58
1:A:301:ARG:HH22	1:A:348:TYR:CB	2.17	0.58
1:B:234:PHE:CD1	1:B:471:PRO:HB3	2.39	0.58
1:A:292:MET:HG2	1:A:461:HIS:CG	2.39	0.58
1:A:250:ASP:HB3	1:A:255:SER:HB2	1.86	0.58
1:A:240:LYS:NZ	1:A:529:GLN:HE21	2.03	0.57
1:B:370:VAL:HG13	1:B:390:GLU:HB2	1.86	0.57
1:A:318:GLY:O	1:A:321:PRO:HD2	2.05	0.57
1:A:325:ARG:HD2	1:A:346:ASP:CG	2.26	0.56
1:A:487:ARG:NH1	3:A:713:HOH:O	2.39	0.56
1:B:252:SER:HA	1:B:258:LEU:HD23	1.89	0.55
1:A:443:LYS:C	3:A:705:HOH:O	2.44	0.54
1:A:472:LYS:C	3:A:701:HOH:O	2.34	0.54
1:A:277:LYS:CE	3:A:711:HOH:O	2.56	0.54
1:A:325:ARG:HD2	1:A:346:ASP:OD2	2.08	0.54
1:A:301:ARG:HD3	1:A:305:ASP:OD2	2.08	0.53
1:A:250:ASP:HB2	3:A:704:HOH:O	2.07	0.53
1:B:343:ARG:NH1	1:B:343:ARG:HB3	2.23	0.53
1:A:248:GLU:HA	1:A:248:GLU:OE1	2.07	0.53
1:A:277:LYS:HD3	1:A:277:LYS:N	2.22	0.53
1:A:410:MET:HE2	1:A:421:ILE:CG2	2.38	0.53
1:A:464:HIS:HA	3:A:707:HOH:O	2.10	0.52
1:B:351:GLN:HB3	1:B:407:MET:HE2	1.91	0.52
1:A:411:TYR:OH	1:A:416:ASP:OD1	2.28	0.51
1:B:494:ILE:HB	1:B:495:GLU:OE1	2.11	0.51
1:A:534:HIS:NE2	1:B:322:LYS:HD3	2.26	0.51
1:B:269:HIS:NE2	1:B:533:ASP:HB3	2.25	0.51
1:A:301:ARG:HD3	1:A:305:ASP:OD1	2.10	0.50
1:A:251:ASP:CG	1:A:254:LYS:HG3	2.32	0.50
1:A:490:LYS:HG2	1:A:494:ILE:HD12	1.93	0.50
1:A:357:LYS:HE2	1:A:366:ASP:CB	2.42	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:308:GLU:OE1	1:B:311:MET:CE	2.60	0.49
1:A:357:LYS:HE2	1:A:366:ASP:HB2	1.94	0.49
1:A:374:ASP:O	1:A:377:ASN:OD1	2.31	0.49
1:A:448:TYR:HB3	1:A:518:TYR:HB3	1.94	0.48
1:A:289:ASP:OD2	1:A:293:GLN:NE2	2.46	0.48
1:B:292:MET:HG2	1:B:461:HIS:CG	2.47	0.48
1:A:544:LEU:O	1:A:547:GLU:HB2	2.14	0.48
1:A:551:GLU:N	3:A:708:HOH:O	2.23	0.48
1:A:275:GLY:HA3	1:A:277:LYS:HZ3	1.79	0.48
1:A:251:ASP:OD1	1:A:252:SER:N	2.46	0.47
1:A:411:TYR:C	1:A:411:TYR:CD1	2.86	0.47
1:B:448:TYR:HB3	1:B:518:TYR:HB3	1.96	0.47
1:A:252:SER:HA	1:A:258:LEU:HD23	1.97	0.47
1:A:410:MET:CE	1:A:421:ILE:HG21	2.43	0.46
1:B:320:ILE:HB	1:B:321:PRO:CD	2.43	0.46
1:A:415:THR:OG1	1:A:417:GLN:HG2	2.16	0.46
2:A:601:DYO:C07	2:A:601:DYO:O11	2.64	0.46
1:A:328:MET:HG2	1:A:347:TYR:HD2	1.80	0.46
1:A:320:ILE:HB	1:A:321:PRO:HD3	1.98	0.45
1:A:547:GLU:CA	3:A:702:HOH:O	2.60	0.45
1:A:410:MET:CE	1:A:421:ILE:CG2	2.94	0.45
1:A:247:THR:O	1:A:543:ARG:NH1	2.49	0.45
1:A:251:ASP:OD1	1:A:251:ASP:C	2.54	0.45
1:A:441:ASP:OD1	1:A:443:LYS:N	2.44	0.45
1:A:551:GLU:CB	3:A:708:HOH:O	2.65	0.44
1:B:269:HIS:HE1	1:B:536:ILE:CD1	2.26	0.44
1:A:222:THR:CB	1:A:225:MET:HE2	2.47	0.44
1:B:330:SER:OG	1:B:343:ARG:HG2	2.17	0.44
1:A:275:GLY:HA3	1:A:277:LYS:NZ	2.34	0.43
1:A:380:ASP:HA	1:A:386:LEU:HD23	2.00	0.43
1:A:412:ASP:OD2	1:A:414:GLN:HB2	2.18	0.43
1:B:407:MET:HA	2:B:601:DYO:N20	2.34	0.43
1:A:489:THR:OG1	1:A:492:GLU:HG3	2.19	0.43
1:A:301:ARG:HH22	1:A:348:TYR:HB3	1.83	0.43
2:B:601:DYO:O11	2:B:601:DYO:C07	2.66	0.43
1:A:266:GLU:HB3	1:A:274:VAL:HG22	2.00	0.42
1:B:330:SER:HB3	1:B:393:VAL:HG12	2.02	0.42
1:B:331:TYR:OH	1:B:370:VAL:HG22	2.18	0.42
1:B:231:THR:CG2	1:B:517:VAL:HG21	2.50	0.42
1:B:308:GLU:OE1	1:B:311:MET:HE3	2.19	0.42
1:A:285:TRP:CD1	1:A:285:TRP:N	2.87	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:318:GLY:C	1:A:321:PRO:HD2	2.38	0.42
1:A:441:ASP:OD1	1:A:443:LYS:HB2	2.19	0.42
1:B:491:GLU:HA	1:B:495:GLU:OE1	2.19	0.42
1:A:353:SER:O	1:A:363:SER:OG	2.35	0.42
1:A:386:LEU:HD23	1:A:386:LEU:HA	1.80	0.42
1:B:243:TYR:CD2	1:B:536:ILE:HG12	2.55	0.42
1:B:449:ILE:HD13	1:B:524:LEU:HD22	2.02	0.42
1:A:243:TYR:CD2	1:A:536:ILE:HG12	2.55	0.42
1:A:491:GLU:HG3	1:A:495:GLU:OE1	2.20	0.41
1:B:246:PRO:HA	1:B:248:GLU:OE2	2.19	0.41
1:A:251:ASP:CB	1:A:254:LYS:CE	2.96	0.41
1:A:407:MET:HA	2:A:601:DYO:N20	2.35	0.41
1:A:457:SER:OG	1:A:511:THR:OG1	2.26	0.41
1:A:376:ASP:OD1	1:A:376:ASP:O	2.38	0.41
1:A:454:LEU:HD13	1:A:515:MET:HG2	2.02	0.41
1:A:265:TYR:CG	1:A:544:LEU:HD23	2.55	0.41
1:A:444:ASP:N	3:A:705:HOH:O	2.54	0.41
1:A:328:MET:HG2	1:A:347:TYR:CD2	2.56	0.41
1:A:421:ILE:HG21	1:A:421:ILE:HD13	1.70	0.41
1:A:464:HIS:HD2	3:A:707:HOH:O	2.04	0.41
1:B:416:ASP:O	1:B:417:GLN:HG2	2.20	0.41
1:A:256:VAL:HG22	1:A:282:SER:OG	2.20	0.41
1:A:301:ARG:NE	1:A:301:ARG:HA	2.36	0.41
1:A:503:ASP:O	1:A:504:ASP:CB	2.69	0.40
1:B:449:ILE:HD12	1:B:521:GLU:HA	2.02	0.40
1:B:454:LEU:HB2	1:B:515:MET:HB3	2.03	0.40
1:B:343:ARG:HB3	1:B:343:ARG:CZ	2.51	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	339/348 (97%)	330 (97%)	9 (3%)	0	100	100
1	B	339/348 (97%)	332 (98%)	7 (2%)	0	100	100
All	All	678/696 (97%)	662 (98%)	16 (2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	310/315 (98%)	292 (94%)	18 (6%)	20	17
1	B	310/315 (98%)	296 (96%)	14 (4%)	27	27
All	All	620/630 (98%)	588 (95%)	32 (5%)	23	21

All (32) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	271	ASP
1	A	301	ARG
1	A	308	GLU
1	A	322	LYS
1	A	349	ASP
1	A	363	SER
1	A	403	HIS
1	A	409	PHE
1	A	457	SER
1	A	469	LEU
1	A	470	ASN
1	A	501	HIS
1	A	512	ASN
1	A	521	GLU
1	A	533	ASP
1	A	534	HIS
1	A	539	GLN
1	A	551	GLU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	244	MET
1	B	253	SER
1	B	325	ARG
1	B	343	ARG
1	B	349	ASP
1	B	363	SER
1	B	403	HIS
1	B	434	ASP
1	B	457	SER
1	B	470	ASN
1	B	501	HIS
1	B	504	ASP
1	B	533	ASP
1	B	539	GLN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (4) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	269	HIS
1	A	529	GLN
1	B	269	HIS
1	B	438	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	DYO	B	601	-	38,45,45	5.53	24 (63%)	47,66,66	2.26	12 (25%)
2	DYO	A	601	-	38,45,45	5.47	20 (52%)	47,66,66	2.32	15 (31%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	DYO	B	601	-	-	1/19/31/31	0/6/6/6
2	DYO	A	601	-	-	3/19/31/31	0/6/6/6

All (44) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	601	DYO	C07-N04	13.40	1.45	1.29
2	A	601	DYO	C12-N10	-13.19	1.22	1.47
2	A	601	DYO	C07-N04	13.10	1.44	1.29
2	B	601	DYO	C12-N10	-12.80	1.22	1.47
2	B	601	DYO	C14-C13	8.74	1.53	1.39
2	B	601	DYO	C15-C14	8.61	1.52	1.38
2	A	601	DYO	C15-C14	8.58	1.52	1.38
2	A	601	DYO	C14-C13	8.27	1.52	1.39
2	B	601	DYO	C18-C17	8.23	1.53	1.38
2	A	601	DYO	C18-C13	7.85	1.52	1.39
2	B	601	DYO	C18-C13	7.83	1.52	1.39
2	A	601	DYO	C29-C28	7.53	1.52	1.38
2	B	601	DYO	C25-C26	7.48	1.52	1.38
2	A	601	DYO	C25-C26	7.29	1.52	1.38
2	B	601	DYO	C29-C28	7.28	1.52	1.38
2	A	601	DYO	C18-C17	7.20	1.51	1.38
2	A	601	DYO	C15-C16	7.09	1.52	1.39
2	B	601	DYO	C15-C16	6.77	1.51	1.39
2	B	601	DYO	C26-C27	6.66	1.53	1.38

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	601	DYO	C28-C27	6.62	1.53	1.38
2	B	601	DYO	C25-C24	6.58	1.53	1.39
2	B	601	DYO	C28-C27	6.58	1.53	1.38
2	A	601	DYO	C25-C24	6.36	1.52	1.39
2	A	601	DYO	C26-C27	6.35	1.52	1.38
2	A	601	DYO	C32-C09	-6.33	1.46	1.52
2	A	601	DYO	C01-N04	6.17	1.50	1.38
2	B	601	DYO	C01-N04	6.05	1.50	1.38
2	B	601	DYO	C17-C16	6.03	1.52	1.39
2	B	601	DYO	C29-C24	6.00	1.52	1.39
2	A	601	DYO	C29-C24	6.00	1.52	1.39
2	A	601	DYO	C17-C16	5.99	1.52	1.39
2	B	601	DYO	C32-C09	-5.68	1.47	1.52
2	B	601	DYO	C34-C09	-5.54	1.47	1.52
2	B	601	DYO	C07-N05	5.43	1.44	1.36
2	A	601	DYO	C34-C09	-5.37	1.47	1.52
2	A	601	DYO	C07-N05	5.22	1.43	1.36
2	A	601	DYO	C03-N05	3.83	1.44	1.39
2	B	601	DYO	O11-C09	3.46	1.50	1.44
2	B	601	DYO	C03-N05	3.21	1.43	1.39
2	A	601	DYO	O11-C09	2.87	1.49	1.44
2	B	601	DYO	C22-N21	-2.14	1.34	1.36
2	B	601	DYO	O06-C03	-2.13	1.18	1.22
2	B	601	DYO	C12-C13	2.09	1.55	1.51
2	B	601	DYO	C02-C03	2.07	1.53	1.47

All (27) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	601	DYO	N05-C07-N04	-7.00	120.25	126.34
2	B	601	DYO	N05-C07-N04	-6.76	120.46	126.34
2	B	601	DYO	C24-C22-C01	-5.60	121.91	130.75
2	A	601	DYO	C24-C22-C01	-5.31	122.36	130.75
2	A	601	DYO	C09-C08-N05	-4.84	104.55	114.00
2	B	601	DYO	C16-C36-N40	4.54	125.02	119.12
2	B	601	DYO	C09-C08-N05	-4.52	105.17	114.00
2	B	601	DYO	C24-C22-N21	4.38	129.93	123.38
2	A	601	DYO	C16-C36-N40	4.23	124.62	119.12
2	A	601	DYO	C24-C22-N21	4.18	129.64	123.38
2	B	601	DYO	C38-N37-C36	4.16	107.45	102.14
2	A	601	DYO	C38-N37-C36	3.88	107.09	102.14
2	B	601	DYO	C22-C01-C02	3.26	107.80	104.94

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	601	DYO	O06-C03-C02	-3.14	118.63	124.19
2	A	601	DYO	C15-C14-C13	-3.10	119.66	122.42
2	A	601	DYO	C22-C01-C02	3.06	107.63	104.94
2	B	601	DYO	C32-C33-N10	2.88	114.08	111.23
2	B	601	DYO	C02-C03-N05	2.55	119.47	114.36
2	A	601	DYO	C02-C03-N05	2.46	119.28	114.36
2	B	601	DYO	O06-C03-C02	-2.44	119.87	124.19
2	A	601	DYO	C17-C16-C15	2.38	121.53	118.16
2	B	601	DYO	C01-N04-C07	2.33	118.87	116.57
2	A	601	DYO	C01-N04-C07	2.16	118.70	116.57
2	A	601	DYO	C18-C13-C14	2.09	120.35	116.91
2	B	601	DYO	C07-N05-C03	-2.09	120.27	121.90
2	A	601	DYO	C28-C27-C26	2.08	121.44	118.17
2	A	601	DYO	C34-C35-N10	2.03	113.24	111.23

There are no chirality outliers.

All (4) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	601	DYO	C15-C16-C36-N40
2	B	601	DYO	N10-C12-C13-C14
2	A	601	DYO	C15-C16-C36-N37
2	A	601	DYO	C17-C16-C36-N40



There are no ring outliers.

2 monomers are involved in 4 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	B	601	DYO	2	0
2	A	601	DYO	2	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient

equivalents in the CSD to analyse the geometry.



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	343/348 (98%)	0.62	39 (11%) 5 6	44, 66, 99, 158	0
1	B	343/348 (98%)	0.54	37 (10%) 5 7	42, 61, 100, 145	0
All	All	686/696 (98%)	0.58	76 (11%) 5 7	42, 63, 99, 158	0

All (76) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	417	GLN	7.3
1	B	414	GLN	6.9
1	A	414	GLN	6.3
1	A	413	PRO	5.8
1	B	415	THR	5.6
1	B	411	TYR	5.4
1	A	502	ASP	5.4
1	B	413	PRO	5.3
1	A	534	HIS	5.2
1	B	503	ASP	5.0
1	B	210	HIS	4.8
1	A	207	SER	4.7
1	A	210	HIS	4.6
1	B	416	ASP	4.4
1	A	443	LYS	4.3
1	B	412	ASP	4.2
1	A	252	SER	4.0
1	B	232	LEU	3.9
1	A	411	TYR	3.8
1	A	412	ASP	3.7
1	B	228	LEU	3.4
1	A	410	MET	3.3
1	B	234	PHE	3.2
1	A	300	CYS	3.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	304	LEU	3.1
1	A	234	PHE	3.1
1	A	415	THR	3.0
1	A	376	ASP	3.0
1	B	376	ASP	2.9
1	B	442	PRO	2.8
1	A	503	ASP	2.8
1	A	440	THR	2.8
1	B	300	CYS	2.8
1	B	233	PHE	2.7
1	B	443	LYS	2.7
1	A	417	GLN	2.7
1	B	375	GLY	2.7
1	A	454	LEU	2.7
1	A	303	LEU	2.7
1	B	469	LEU	2.7
1	B	231	THR	2.6
1	A	228	LEU	2.6
1	A	232	LEU	2.6
1	A	509	HIS	2.6
1	A	253	SER	2.6
1	B	377	ASN	2.6
1	A	501	HIS	2.6
1	B	534	HIS	2.6
1	A	233	PHE	2.5
1	B	502	ASP	2.5
1	B	517	VAL	2.5
1	A	442	PRO	2.4
1	B	209	LYS	2.4
1	A	419	ILE	2.4
1	A	235	THR	2.4
1	A	231	THR	2.3
1	A	375	GLY	2.3
1	B	304	LEU	2.3
1	A	439	LYS	2.2
1	A	209	LYS	2.2
1	A	409	PHE	2.2
1	B	501	HIS	2.2
1	A	517	VAL	2.2
1	B	230	GLN	2.2
1	B	454	LEU	2.2
1	B	386	LEU	2.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	439	LYS	2.2
1	B	452	ALA	2.2
1	B	410	MET	2.1
1	B	252	SER	2.1
1	B	505	LEU	2.1
1	B	419	ILE	2.1
1	A	515	MET	2.1
1	B	378	LYS	2.1
1	A	469	LEU	2.0
1	A	467	VAL	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	DYO	A	601	40/40	0.89	0.16	48,62,79,95	0
2	DYO	B	601	40/40	0.89	0.14	42,57,74,91	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around DY0 A 601:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around DY0 B 601:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.