



Full wwPDB X-ray Structure Validation Report ⓘ

May 28, 2020 – 09:05 pm BST

PDB ID : 1XIK
Title : RIBONUCLEOSIDE-DIPHOSPHATE REDUCTASE 1 BETA CHAIN
Authors : Logan, D.T.; Su, X.-D.; Aberg, A.; Regnstrom, K.; Hajdu, J.; Eklund, H.; Nordlund, P.
Deposited on : 1996-08-06
Resolution : 1.70 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Xtriage (Phenix) : 1.13
EDS : 2.11
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.11


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.70 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	141614	4695 (1.70-1.70)
Ramachandran outliers	138981	4610 (1.70-1.70)
Sidechain outliers	138945	4610 (1.70-1.70)
RSRZ outliers	127900	4222 (1.70-1.70)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	375	 7% 58% 29% 6% 9%
1	B	375	 5% 62% 22% 6% 9%

2 Entry composition [i](#)

There are 4 unique types of molecules in this entry. The entry contains 5931 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called PROTEIN R2 OF RIBONUCLEOTIDE REDUCTASE.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	340	2789	1784	464	527	14	0	1	0
1	B	341	2802	1790	468	529	15	0	3	0

- Molecule 2 is FE (II) ION (three-letter code: FE2) (formula: Fe).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	B	2	Total	Fe	0	0
			2	2		
2	A	2	Total	Fe	0	0
			2	2		

- Molecule 3 is MERCURY (II) ION (three-letter code: HG) (formula: Hg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	B	4	Total	Hg	0	0
			4	4		
3	A	6	Total	Hg	0	0
			6	6		


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	148	Total	O	0	0
			148	148		
4	B	178	Total	O	0	0
			178	178		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: PROTEIN R2 OF RIBONUCLEOTIDE REDUCTASE



• Molecule 1: PROTEIN R2 OF RIBONUCLEOTIDE REDUCTASE



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	73.44Å 83.53Å 113.70Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	15.00 – 1.70 19.89 – 1.70	Depositor EDS
% Data completeness (in resolution range)	97.0 (15.00-1.70) 98.7 (19.89-1.70)	Depositor EDS
R_{merge}	0.06	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	5.41 (at 1.70Å)	Xtrriage
Refinement program	TNT	Depositor
R, R_{free}	0.206 , 0.280 0.193 , (Not available)	Depositor DCC
R_{free} test set	No test flags present.	wwPDB-VP
Wilson B-factor (Å ²)	23.1	Xtrriage
Anisotropy	0.315	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.38 , 94.0	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.97	EDS
Total number of atoms	5931	wwPDB-VP
Average B, all atoms (Å ²)	36.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.60% of the height of the origin peak. No significant pseudotranslation is detected.*

¹ Intensities estimated from amplitudes.

² Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality i

5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: FE2, HG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.73	0/2858	1.17	10/3877 (0.3%)
1	B	0.73	0/2881	1.16	15/3907 (0.4%)
All	All	0.73	0/5739	1.17	25/7784 (0.3%)

There are no bond length outliers.

All (25) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	84	ASP	CB-CG-OD1	9.76	127.08	118.30
1	A	315	ARG	NE-CZ-NH1	8.08	124.34	120.30
1	A	132	ASP	C-N-CD	-7.62	103.84	120.60
1	A	84	ASP	CB-CG-OD2	-6.46	112.49	118.30
1	B	89	ARG	NE-CZ-NH2	-6.37	117.12	120.30
1	B	186	LEU	CB-CG-CD2	6.27	121.66	111.00
1	A	189	LEU	CB-CG-CD2	-5.99	100.81	111.00
1	B	95	LEU	CB-CG-CD2	-5.99	100.82	111.00
1	B	149	ARG	NE-CZ-NH1	5.78	123.19	120.30
1	B	251	LEU	CB-CG-CD1	5.74	120.76	111.00
1	B	120	ARG	N-CA-CB	-5.63	100.46	110.60
1	A	275	LEU	CB-CG-CD1	-5.50	101.65	111.00
1	B	323	LEU	CB-CG-CD2	5.48	120.32	111.00
1	A	234	ILE	CG1-CB-CG2	-5.45	99.40	111.40
1	B	25	VAL	CB-CA-C	-5.39	101.16	111.40
1	B	120	ARG	NE-CZ-NH2	-5.36	117.62	120.30
1	B	120	ARG	CA-CB-CG	5.31	125.08	113.40
1	B	274	ASP	CB-CG-OD1	5.27	123.04	118.30
1	A	25	VAL	CB-CA-C	-5.24	101.45	111.40
1	A	89	ARG	NE-CZ-NH1	5.22	122.91	120.30
1	B	297	ILE	CB-CA-C	5.20	122.00	111.60
1	B	90	SER	N-CA-C	5.17	124.94	111.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	269	LYS	CD-CE-NZ	5.14	123.53	111.70
1	B	315[A]	ARG	NE-CZ-NH2	5.12	122.86	120.30
1	B	315[B]	ARG	NE-CZ-NH2	5.12	122.86	120.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2789	0	2731	107	0
1	B	2802	0	2749	114	0
2	A	2	0	0	0	0
2	B	2	0	0	0	0
3	A	6	0	0	0	0
3	B	4	0	0	0	0
4	A	148	0	0	2	0
4	B	178	0	0	10	0
All	All	5931	0	5480	213	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 19.

All (213) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:205:ALA:HB1	1:A:315:ARG:HD3	1.26	1.12
1:A:287:ALA:HB2	1:A:304:LEU:HD12	1.27	1.10
1:B:72:ILE:HG12	1:B:290:LEU:HD13	1.33	1.08
1:B:205:ALA:HB1	1:B:315[B]:ARG:HG3	1.41	1.02
1:B:301:LYS:HD3	1:B:301:LYS:H	1.28	0.99
1:B:246:GLN:HE22	1:B:315[B]:ARG:HH21	1.17	0.88
1:A:205:ALA:HB1	1:A:315:ARG:CD	2.06	0.85
1:B:286:TRP:CZ2	1:B:290:LEU:HG	2.12	0.84
1:A:287:ALA:HB2	1:A:304:LEU:CD1	2.08	0.83

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:286:TRP:CD1	1:A:290:LEU:HD22	2.13	0.83
1:A:145:GLN:HG2	1:A:289:TYR:CG	2.13	0.83
1:B:72:ILE:HG23	1:B:290:LEU:HD11	1.61	0.83
1:B:72:ILE:HG12	1:B:290:LEU:CD1	2.08	0.81
1:B:68:HIS:CE1	1:B:69:GLU:HG3	2.16	0.80
1:B:163:MET:HG3	1:B:192:LYS:HE3	1.63	0.79
1:B:144:GLU:HG2	1:B:148:LYS:HE3	1.64	0.78
1:B:221:ARG:NH1	1:B:297:ILE:HG13	1.99	0.77
1:B:290:LEU:HB3	1:B:291:PHE:CD1	2.19	0.77
1:A:205:ALA:CB	1:A:315:ARG:HD3	2.12	0.77
1:B:258:ASP:OD2	1:B:261:MET:HB2	1.85	0.75
1:A:219:ALA:HB1	1:A:338:TRP:CH2	2.21	0.75
1:A:143:ASN:O	1:A:147:GLN:HG3	1.87	0.75
1:A:286:TRP:NE1	1:A:290:LEU:HD22	2.00	0.74
1:B:221:ARG:CZ	1:B:297:ILE:HG13	2.17	0.74
1:B:79:TYR:CE1	1:B:149:ARG:HG2	2.22	0.73
1:B:301:LYS:H	1:B:301:LYS:CD	2.02	0.72
1:A:221:ARG:NH1	1:A:296:MET:HE3	2.05	0.71
1:A:228:ALA:O	1:A:232:ARG:HG3	1.91	0.71
1:A:163:MET:SD	1:A:192:LYS:HG3	2.32	0.70
1:A:307:TYR:O	1:A:310:TYR:HB3	1.92	0.69
1:A:335:ILE:HD13	1:A:339:LEU:HD22	1.76	0.68
1:A:227:ASN:O	1:A:231:ILE:HG12	1.94	0.68
1:A:300:ASN:OD1	1:A:303:ILE:HD12	1.95	0.67
1:A:335:ILE:HD13	1:A:339:LEU:CD2	2.25	0.67
1:B:246:GLN:NE2	1:B:315[B]:ARG:HH21	1.93	0.66
1:B:62:TYR:O	1:B:70:LYS:HE3	1.96	0.66
1:B:205:ALA:O	1:B:315[A]:ARG:NH1	2.29	0.66
1:A:126:ILE:HD12	1:A:137:PHE:CZ	2.31	0.65
1:B:286:TRP:CH2	1:B:290:LEU:HG	2.31	0.65
1:B:51:GLU:CD	1:B:51:GLU:H	1.99	0.65
1:A:287:ALA:CB	1:A:304:LEU:HD12	2.15	0.65
1:A:130:VAL:HG12	1:A:131:ASN:N	2.12	0.65
1:A:132:ASP:O	1:A:135:VAL:HG23	1.97	0.65
1:B:290:LEU:HD12	1:B:291:PHE:CE1	2.33	0.63
1:B:301:LYS:HD3	1:B:301:LYS:N	2.09	0.63
1:A:149:ARG:HD2	1:A:286:TRP:CD2	2.34	0.63
1:B:291:PHE:HB2	1:B:301:LYS:HD2	1.80	0.63
1:A:32:LYS:HD3	1:A:33:TYR:CE2	2.34	0.63
1:A:145:GLN:HG2	1:A:289:TYR:CB	2.29	0.62
1:A:145:GLN:HG2	1:A:289:TYR:HB2	1.81	0.62

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:296:MET:HE3	1:B:299:LEU:HB3	1.80	0.62
1:B:72:ILE:HG23	1:B:290:LEU:CD1	2.30	0.62
1:A:287:ALA:CB	1:A:301:LYS:HG3	2.31	0.61
1:B:139:ASP:O	1:B:143:ASN:HB2	2.00	0.61
1:A:307:TYR:CG	1:A:332:ILE:HD11	2.36	0.60
1:A:82:LEU:HD12	1:B:5:PHE:CE2	2.36	0.60
1:B:147:GLN:HG2	4:B:494:HOH:O	2.01	0.60
1:B:300:ASN:OD1	1:B:302:ASP:N	2.34	0.60
1:B:163:MET:SD	1:B:192:LYS:HD2	2.42	0.60
1:B:299:LEU:HD21	1:B:304:LEU:HD13	1.83	0.60
1:A:280:ALA:O	1:A:284:LYS:HG3	2.01	0.60
1:A:187:ARG:HD2	1:A:260:GLU:OE2	2.01	0.60
1:B:149:ARG:HD3	1:B:286:TRP:HB2	1.82	0.59
1:A:130:VAL:HG12	1:A:131:ASN:H	1.66	0.59
1:A:159:GLU:O	1:A:163:MET:HG3	2.03	0.59
1:B:145:GLN:HA	1:B:145:GLN:NE2	2.16	0.59
1:A:145:GLN:HA	1:A:145:GLN:NE2	2.18	0.59
1:B:296:MET:HG2	1:B:297:ILE:N	2.18	0.58
1:B:54:ASP:OD1	1:B:56:SER:HB3	2.02	0.58
1:B:24:ASN:OD1	1:B:25:VAL:N	2.29	0.58
1:A:232:ARG:HD2	1:A:338:TRP:HE3	1.70	0.57
1:B:177:VAL:O	1:B:180:LYS:HG2	2.05	0.57
1:B:127:ARG:NH1	1:B:127:ARG:HG3	2.20	0.57
1:B:252:LEU:HD22	1:B:261:MET:HG2	1.86	0.57
1:A:149:ARG:NH1	1:A:286:TRP:NE1	2.53	0.57
1:A:139:ASP:O	1:A:143:ASN:HB2	2.05	0.56
1:B:242:LEU:HD11	1:B:315[B]:ARG:NH2	2.22	0.55
1:B:60:ILE:HD12	4:B:552:HOH:O	2.07	0.55
1:A:155:SER:O	1:A:159:GLU:HG3	2.07	0.55
1:B:172:GLU:OE2	1:B:185:SER:HA	2.07	0.55
1:B:323:LEU:HD23	1:B:323:LEU:N	2.22	0.54
1:A:151:GLU:HG2	1:A:152:GLY:N	2.21	0.54
1:A:149:ARG:HD2	1:A:286:TRP:CE3	2.42	0.54
1:B:82:LEU:HD23	1:B:82:LEU:C	2.28	0.54
1:A:62:TYR:O	1:A:65:LEU:HB2	2.08	0.54
1:B:105:GLU:O	1:B:109:GLU:HG3	2.08	0.54
1:B:5:PHE:HD1	1:B:7:GLN:HE21	1.55	0.53
1:A:335:ILE:HG23	1:A:339:LEU:HD22	1.90	0.53
1:B:281:GLN:NE2	4:B:445:HOH:O	2.41	0.53
1:A:138:ASP:O	1:B:9:LYS:HE3	2.09	0.53
1:B:268:CYS:HA	4:B:549:HOH:O	2.07	0.53

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:291:PHE:HD2	1:B:295:SER:HB3	1.73	0.53
1:A:9:LYS:HG3	4:B:384:HOH:O	2.09	0.53
1:A:330:ASN:ND2	1:A:336:ASN:HD21	2.07	0.52
1:B:79:TYR:CZ	1:B:149:ARG:HG2	2.44	0.52
1:B:267:GLU:HG2	4:B:523:HOH:O	2.09	0.52
1:B:290:LEU:HB3	1:B:291:PHE:HD1	1.71	0.52
1:B:5:PHE:HD1	1:B:7:GLN:NE2	2.08	0.52
1:A:134:SER:O	1:A:138:ASP:HB2	2.10	0.52
1:A:187:ARG:HH11	1:A:187:ARG:HG2	1.73	0.52
1:B:178:ASN:HB2	1:B:180:LYS:HE2	1.91	0.52
1:B:291:PHE:HB2	1:B:301:LYS:CD	2.40	0.52
1:A:333:PRO:HA	1:A:336:ASN:ND2	2.25	0.51
1:A:317:GLN:HB2	1:A:323:LEU:HD21	1.92	0.51
1:A:297:ILE:O	1:A:297:ILE:HG22	2.11	0.51
1:B:151:GLU:OE2	1:B:152:GLY:N	2.44	0.51
1:B:232:ARG:NH2	1:B:337:THR:O	2.44	0.51
1:B:286:TRP:CE2	1:B:290:LEU:HG	2.45	0.50
1:A:93:VAL:HG13	4:A:454:HOH:O	2.11	0.50
1:B:221:ARG:NH2	1:B:296:MET:HG3	2.27	0.50
1:A:149:ARG:NH1	1:A:286:TRP:CE2	2.79	0.50
1:A:187:ARG:NH2	1:A:267:GLU:OE2	2.34	0.50
1:A:50:PRO:O	1:A:53:VAL:N	2.43	0.50
1:B:143:ASN:ND2	4:B:518:HOH:O	2.42	0.49
1:B:143:ASN:O	1:B:147:GLN:HG3	2.12	0.49
1:B:178:ASN:HB2	1:B:180:LYS:NZ	2.27	0.49
1:B:275:LEU:C	1:B:275:LEU:HD12	2.32	0.49
1:B:31:GLN:HG3	1:B:34:ASP:HA	1.95	0.49
1:B:271:GLU:HB2	4:B:549:HOH:O	2.13	0.49
1:A:300:ASN:CG	1:A:303:ILE:HD12	2.32	0.48
1:B:221:ARG:HH21	1:B:296:MET:HG3	1.78	0.48
1:B:127:ARG:HG3	1:B:127:ARG:HH11	1.78	0.48
1:B:72:ILE:CG1	1:B:290:LEU:HD13	2.24	0.48
1:A:287:ALA:HB1	1:A:301:LYS:HG3	1.95	0.48
1:A:68:HIS:O	1:A:72:ILE:HG13	2.13	0.48
1:B:127:ARG:CG	1:B:127:ARG:HH11	2.25	0.48
1:B:149:ARG:O	1:B:149:ARG:HG3	2.12	0.48
1:A:286:TRP:HE1	1:A:290:LEU:HD22	1.77	0.48
1:A:171:GLY:O	1:A:175:HIS:HE1	1.97	0.48
1:B:221:ARG:O	1:B:222:GLU:HB3	2.13	0.48
1:A:203:LEU:HD23	1:A:203:LEU:C	2.33	0.48
1:A:123:THR:O	1:A:127:ARG:HG2	2.13	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:288:ASP:OD1	1:A:301:LYS:HD3	2.13	0.47
1:B:52:GLU:O	1:B:52:GLU:HG2	2.14	0.47
1:A:287:ALA:HB3	1:A:301:LYS:CD	2.44	0.47
1:A:178:ASN:HD21	1:B:175:HIS:CD2	2.33	0.47
1:B:328:ARG:CZ	1:B:331:PRO:HB3	2.45	0.47
1:B:172:GLU:HG3	1:B:173:GLY:N	2.30	0.47
1:B:219:ALA:HB2	1:B:228:ALA:HB2	1.96	0.47
1:A:50:PRO:HG3	1:A:121:SER:HB3	1.97	0.47
1:A:149:ARG:NH1	1:A:286:TRP:CD1	2.83	0.47
1:A:62:TYR:HA	1:A:65:LEU:HG	1.96	0.47
1:A:109:GLU:OE2	1:B:88:GLY:O	2.33	0.46
1:A:31:GLN:HE21	1:A:31:GLN:HB3	1.11	0.46
1:B:260:GLU:HG2	1:B:264:ILE:HD11	1.97	0.46
1:B:74:ILE:HA	1:B:74:ILE:HD13	1.75	0.46
1:A:145:GLN:HG2	1:A:289:TYR:CD2	2.49	0.46
1:A:307:TYR:HA	1:A:331:PRO:CG	2.45	0.46
1:A:339:LEU:HD12	1:A:339:LEU:HA	1.65	0.46
1:A:145:GLN:CG	1:A:289:TYR:HB2	2.45	0.46
1:B:323:LEU:CD2	1:B:323:LEU:N	2.79	0.46
1:B:296:MET:CG	1:B:297:ILE:N	2.79	0.45
1:A:335:ILE:HD13	1:A:339:LEU:HD21	1.97	0.45
1:A:49:ARG:O	1:A:52:GLU:HB2	2.16	0.45
1:A:57:ARG:HG2	1:A:57:ARG:O	2.17	0.45
1:B:152:GLY:N	4:B:430:HOH:O	2.44	0.45
1:B:5:PHE:CD1	1:B:7:GLN:NE2	2.85	0.45
1:A:82:LEU:CD1	1:B:5:PHE:CE2	2.99	0.45
1:A:312:THR:O	1:A:316:MET:HG3	2.16	0.45
1:A:82:LEU:CD1	1:B:5:PHE:CZ	3.00	0.45
1:B:178:ASN:HB2	1:B:180:LYS:CE	2.46	0.44
1:A:66:PRO:O	1:A:69:GLU:N	2.49	0.44
1:B:103:GLU:HG2	1:B:104:LEU:N	2.33	0.44
1:B:286:TRP:CH2	1:B:290:LEU:CD1	3.00	0.44
1:A:144:GLU:O	1:A:148:LYS:HB2	2.18	0.44
1:A:186:LEU:O	1:A:190:LYS:HG3	2.18	0.44
1:B:299:LEU:HD11	1:B:304:LEU:HD13	1.98	0.44
1:B:287:ALA:HB2	1:B:304:LEU:HD23	1.99	0.44
1:A:96:LEU:HD21	1:A:109:GLU:HG3	1.99	0.44
1:B:82:LEU:HD13	1:B:146:ILE:HG22	2.00	0.44
1:A:196:CYS:O	1:A:200:VAL:HG23	2.18	0.43
1:B:242:LEU:HD22	1:B:242:LEU:O	2.18	0.43
1:B:134:SER:O	1:B:138:ASP:HB2	2.18	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:221:ARG:HH21	1:B:296:MET:CG	2.31	0.43
1:A:182:VAL:HA	4:A:461:HOH:O	2.18	0.43
1:A:175:HIS:CD2	1:B:178:ASN:HD21	2.36	0.43
1:B:196:CYS:O	1:B:200:VAL:HG23	2.19	0.43
1:B:261:MET:HA	1:B:264:ILE:HD12	2.00	0.43
1:A:101:ILE:HD12	1:A:103:GLU:CD	2.38	0.43
1:A:145:GLN:NE2	1:A:145:GLN:CA	2.81	0.43
1:A:147:GLN:HB2	1:A:147:GLN:HE21	1.47	0.43
1:A:49:ARG:HH22	1:B:41:GLU:HB3	1.83	0.43
1:A:13:LEU:HD23	1:A:13:LEU:HA	1.85	0.42
1:A:212:PHE:CD1	1:A:212:PHE:N	2.86	0.42
1:A:87:GLN:NE2	1:A:87:GLN:HA	2.33	0.42
1:B:47:PHE:HE2	1:B:49:ARG:CZ	2.33	0.42
1:A:145:GLN:CG	1:A:289:TYR:CD2	3.03	0.42
1:A:74:ILE:CG2	1:A:78:LYS:HE3	2.49	0.42
1:B:49:ARG:O	1:B:52:GLU:HB3	2.20	0.42
1:A:292:ARG:HD2	1:A:292:ARG:O	2.19	0.42
1:A:74:ILE:HG22	1:A:78:LYS:HE3	2.02	0.42
1:B:65:LEU:HD21	1:B:223:LEU:HD13	2.02	0.42
1:B:205:ALA:HB1	1:B:315[A]:ARG:HD2	2.00	0.42
1:A:130:VAL:CG1	1:A:131:ASN:N	2.79	0.41
1:A:74:ILE:HA	1:A:74:ILE:HD13	1.80	0.41
1:B:149:ARG:HD2	1:B:283:GLU:OE1	2.19	0.41
1:B:291:PHE:CB	1:B:301:LYS:CD	2.99	0.41
1:B:95:LEU:HA	1:B:95:LEU:HD23	1.82	0.41
1:A:252:LEU:HA	1:A:252:LEU:HD23	1.94	0.41
1:A:281:GLN:NE2	1:A:285:ASP:OD1	2.53	0.41
1:A:147:GLN:H	1:A:147:GLN:HG3	1.55	0.41
1:A:286:TRP:NE1	1:A:290:LEU:CD2	2.80	0.41
1:B:291:PHE:CD1	1:B:291:PHE:N	2.89	0.41
1:B:163:MET:SD	1:B:192:LYS:CD	3.09	0.41
1:A:79:TYR:OH	1:A:207:ARG:HD3	2.22	0.40
1:B:297:ILE:HD11	4:B:452:HOH:O	2.20	0.40
1:B:303:ILE:HD13	1:B:303:ILE:HG23	1.77	0.40
1:B:163:MET:SD	1:B:192:LYS:CE	3.09	0.40
1:B:300:ASN:ND2	1:B:303:ILE:HG13	2.37	0.40
1:A:167:TRP:HA	1:A:184:VAL:HG11	2.04	0.40
1:A:301:LYS:O	1:A:305:CYS:SG	2.80	0.40
1:A:330:ASN:HD22	1:A:336:ASN:HD21	1.68	0.40
1:B:49:ARG:HA	1:B:50:PRO:HD2	1.95	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	339/375 (90%)	325 (96%)	12 (4%)	2 (1%)	25	11
1	B	342/375 (91%)	337 (98%)	4 (1%)	1 (0%)	41	24
All	All	681/750 (91%)	662 (97%)	16 (2%)	3 (0%)	34	18

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	296	MET
1	A	297	ILE
1	A	298	GLY

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	308/340 (91%)	284 (92%)	24 (8%)	12	3
1	B	311/340 (92%)	279 (90%)	32 (10%)	7	1
All	All	619/680 (91%)	563 (91%)	56 (9%)	10	2

All (56) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	31	GLN
1	A	42	LYS
1	A	52	GLU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	58	ASP
1	A	67	GLU
1	A	127	ARG
1	A	135	VAL
1	A	146	ILE
1	A	147	GLN
1	A	214[A]	CYS
1	A	214[B]	CYS
1	A	232	ARG
1	A	271	GLU
1	A	290	LEU
1	A	292	ARG
1	A	296	MET
1	A	302	ASP
1	A	304	LEU
1	A	315	ARG
1	A	328	ARG
1	A	329	SER
1	A	332	ILE
1	A	335	ILE
1	A	339	LEU
1	B	31	GLN
1	B	38	LYS
1	B	51	GLU
1	B	52	GLU
1	B	56	SER
1	B	60	ILE
1	B	63	GLN
1	B	74	ILE
1	B	127	ARG
1	B	151	GLU
1	B	169	LEU
1	B	170	LEU
1	B	172	GLU
1	B	180	LYS
1	B	186	LEU
1	B	206	ILE
1	B	222	GLU
1	B	232	ARG
1	B	242	LEU
1	B	269	LYS
1	B	275	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	276	PHE
1	B	278	GLN
1	B	290	LEU
1	B	292	ARG
1	B	295	SER
1	B	297	ILE
1	B	301	LYS
1	B	303	ILE
1	B	305[A]	CYS
1	B	305[B]	CYS
1	B	323	LEU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (28) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	30	GLN
1	A	31	GLN
1	A	68	HIS
1	A	87	GLN
1	A	145	GLN
1	A	147	GLN
1	A	175	HIS
1	A	201	ASN
1	A	250	ASN
1	A	278	GLN
1	A	281	GLN
1	A	326	GLN
1	A	336	ASN
1	B	7	GLN
1	B	12	GLN
1	B	30	GLN
1	B	76	ASN
1	B	80	GLN
1	B	87	GLN
1	B	128	ASN
1	B	131	ASN
1	B	145	GLN
1	B	175	HIS
1	B	201	ASN
1	B	227	ASN
1	B	246	GLN
1	B	247	HIS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	326	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

Of 14 ligands modelled in this entry, 14 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	340/375 (90%)	0.18	25 (7%) 14 16	18, 31, 70, 93	0
1	B	341/375 (90%)	0.14	19 (5%) 24 27	16, 29, 61, 98	0
All	All	681/750 (90%)	0.16	44 (6%) 18 21	16, 30, 65, 98	0

All (44) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	294	GLY	10.8
1	B	291	PHE	7.2
1	B	289	TYR	6.9
1	B	293	ASP	6.8
1	B	292	ARG	5.9
1	B	297	ILE	5.1
1	A	339	LEU	5.1
1	B	295	SER	4.9
1	A	337	THR	4.7
1	A	338	TRP	4.1
1	B	296	MET	4.1
1	A	289	TYR	4.0
1	A	334	TRP	4.0
1	A	292	ARG	4.0
1	B	340	VAL	4.0
1	B	290	LEU	3.8
1	A	290	LEU	3.7
1	A	144	GLU	3.6
1	A	297	ILE	3.4
1	A	340	VAL	3.4
1	B	135	VAL	2.9
1	A	135	VAL	2.8
1	A	295	SER	2.8
1	A	333	PRO	2.7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	142	THR	2.7
1	A	193	LEU	2.7
1	B	256	ALA	2.6
1	B	1	ALA	2.6
1	B	222	GLU	2.6
1	B	327	THR	2.5
1	A	288	ASP	2.5
1	B	299	LEU	2.5
1	A	296	MET	2.5
1	B	68	HIS	2.5
1	B	52	GLU	2.5
1	B	214[A]	CYS	2.3
1	A	303	ILE	2.3
1	A	335	ILE	2.3
1	A	294	GLY	2.2
1	A	132	ASP	2.2
1	A	287	ALA	2.2
1	A	148	LYS	2.1
1	A	291	PHE	2.1
1	A	293	ASP	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	HG	A	383	1/1	0.91	0.15	26,26,26,26	1
3	HG	A	379	1/1	0.97	0.04	36,36,36,36	1
3	HG	B	381	1/1	0.97	0.06	37,37,37,37	1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
3	HG	A	380	1/1	0.98	0.06	38,38,38,38	1
3	HG	A	382	1/1	0.98	0.09	32,32,32,32	1
3	HG	B	380	1/1	0.99	0.04	34,34,34,34	1
3	HG	B	378	1/1	0.99	0.03	35,35,35,35	1
2	FE2	B	376	1/1	0.99	0.04	20,20,20,20	0
3	HG	A	381	1/1	0.99	0.04	27,27,27,27	1
2	FE2	A	377	1/1	0.99	0.03	19,19,19,19	0
2	FE2	B	377	1/1	1.00	0.03	26,26,26,26	0
3	HG	A	378	1/1	1.00	0.03	33,33,33,33	1
3	HG	B	379	1/1	1.00	0.02	36,36,36,36	1
2	FE2	A	376	1/1	1.00	0.05	17,17,17,17	0

6.5 Other polymers [\(i\)](#)

There are no such residues in this entry.