



Full wwPDB X-ray Structure Validation Report ⓘ

Aug 15, 2023 – 08:10 PM EDT

PDB ID : 1XJK
Title : Structural mechanism of allosteric substrate specificity in a ribonucleotide reductase: dGTP-ADP complex
Authors : Larsson, K.-M.; Jordan, A.; Eliasson, R.; Reichard, P.; Logan, D.T.; Nordlund, P.
Deposited on : 2004-09-23
Resolution : 2.12 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.35
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.35


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.12 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	6241 (2.14-2.10)
Clashscore	141614	6778 (2.14-2.10)
Ramachandran outliers	138981	6705 (2.14-2.10)
Sidechain outliers	138945	6706 (2.14-2.10)
RSRZ outliers	127900	6112 (2.14-2.10)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	644	 9% 78% 16% ••
1	B	644	 7% 73% 20% • 6%

2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 10248 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called ribonucleotide reductase, B12-dependent.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	624	5005	3208	848	929	20	0	0	0
1	B	608	4878	3125	830	903	20	0	0	0

There are 4 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	205	SER	TYR	SEE REMARK 999	UNP O33839
A	519	ASP	GLU	conflict	UNP O33839
B	205	SER	TYR	SEE REMARK 999	UNP O33839
B	519	ASP	GLU	conflict	UNP O33839

- Molecule 2 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	1	Total	Mg	0	0
			1	1		
2	B	1	Total	Mg	0	0
			1	1		

- Molecule 3 is ADENOSINE-5'-DIPHOSPHATE (three-letter code: ADP) (formula: C₁₀H₁₅N₅O₁₀P₂).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
			Total	C	N	O	P		
3	A	1	Total	C	N	O	P	0	0
			27	10	5	10	2		
3	B	1	Total	C	N	O	P	0	0
			27	10	5	10	2		

- Molecule 4 is 2'-DEOXYGUANOSINE-5'-TRIPHOSPHATE (three-letter code: DGT) (formula: C₁₀H₁₆N₅O₁₃P₃).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
			Total	C	N	O	P		
4	A	1	Total	C	N	O	P	0	0
			31	10	5	13	3		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
			Total	C	N	O	P		
4	B	1	31	10	5	13	3	0	0


- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	139	Total	O	0	0
			139	139		
5	B	108	Total	O	0	0
			108	108		


3 Residue-property plots [i](#)


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: ribonucleotide reductase, B12-dependent



- Molecule 1: ribonucleotide reductase, B12-dependent





4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	118.12Å 122.86Å 106.06Å 90.00° 103.46° 90.00°	Depositor
Resolution (Å)	22.70 – 2.12 22.68 – 2.12	Depositor EDS
% Data completeness (in resolution range)	97.0 (22.70-2.12) 97.0 (22.68-2.12)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	0.05	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.09 (at 2.11Å)	Xtrriage
Refinement program	REFMAC 5.1.24	Depositor
R, R_{free}	0.205 , 0.256 0.203 , 0.252	Depositor DCC
R_{free} test set	4113 reflections (5.09%)	wwPDB-VP
Wilson B-factor (Å ²)	38.9	Xtrriage
Anisotropy	0.354	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.37 , 51.8	EDS
L-test for twinning ²	$\langle L \rangle = 0.47$, $\langle L^2 \rangle = 0.30$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	10248	wwPDB-VP
Average B, all atoms (Å ²)	45.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.15% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: ADP, MG, DGT

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.85	3/5104 (0.1%)	0.88	3/6890 (0.0%)
1	B	0.82	0/4973	0.85	1/6711 (0.0%)
All	All	0.84	3/10077 (0.0%)	0.86	4/13601 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	B	0	1

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	605	ALA	CA-CB	5.54	1.64	1.52
1	A	247	PHE	CD2-CE2	5.33	1.50	1.39
1	A	385	GLU	CG-CD	5.14	1.59	1.51

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	623	ARG	NE-CZ-NH1	9.30	124.95	120.30
1	A	623	ARG	NE-CZ-NH2	-7.25	116.67	120.30
1	B	414	ASP	CB-CG-OD1	6.50	124.15	118.30
1	A	257	LEU	CA-CB-CG	5.34	127.59	115.30

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	B	63	LYS	Peptide

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	5005	0	5057	70	0
1	B	4878	0	4929	104	0
2	A	1	0	0	0	0
2	B	1	0	0	0	0
3	A	27	0	12	2	0
3	B	27	0	12	4	0
4	A	31	0	12	0	0
4	B	31	0	12	0	0
5	A	139	0	0	1	0
5	B	108	0	0	2	0
All	All	10248	0	10034	171	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 9.

All (171) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:230:LYS:CA	1:B:231:GLU:HB2	1.72	1.19
1:B:230:LYS:HA	1:B:231:GLU:CB	1.84	1.06
1:B:428:HIS:CD2	1:B:480:ARG:HH22	1.83	0.96
1:B:428:HIS:HD2	1:B:480:ARG:HH22	0.91	0.90
1:B:449:TYR:HE1	1:B:473:MET:CE	1.85	0.90
1:B:230:LYS:HA	1:B:231:GLU:HB2	0.90	0.89
1:B:230:LYS:HG3	1:B:231:GLU:HB3	1.56	0.87
1:A:601:MET:HE1	1:A:610:VAL:HG22	1.58	0.85
1:A:601:MET:CE	1:A:610:VAL:HG22	2.06	0.85
1:B:428:HIS:HD2	1:B:480:ARG:NH2	1.74	0.83
1:B:257:LEU:HD22	1:B:262:GLY:HA3	1.61	0.82
1:B:449:TYR:HE1	1:B:473:MET:HE1	1.42	0.81
1:B:122:TYR:O	1:B:125:ARG:HD3	1.83	0.79

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:230:LYS:HG3	1:B:231:GLU:CB	2.16	0.76
1:A:320:ASN:HB2	1:A:321:PRO:HD2	1.68	0.76
1:B:1:MET:HB3	1:B:350:ASP:OD1	1.85	0.75
1:A:229:LYS:HG3	1:A:243:LEU:HD22	1.70	0.74
1:B:601:MET:HE3	1:B:610:VAL:HG22	1.69	0.73
1:B:601:MET:CE	1:B:610:VAL:HG22	2.20	0.72
1:B:449:TYR:CE1	1:B:473:MET:CE	2.72	0.71
1:A:457:PRO:HD3	1:A:473:MET:CE	2.22	0.70
1:A:449:TYR:HE1	1:A:473:MET:CE	2.05	0.70
1:A:516:VAL:CG1	1:A:524:GLU:HB3	2.22	0.69
1:B:70:ARG:HH11	1:B:70:ARG:HG3	1.58	0.68
1:A:531:GLN:HG3	1:A:534:ARG:HH12	1.58	0.68
1:A:38:GLU:HG2	1:A:43:ASP:HB3	1.75	0.68
1:A:592:ASP:O	1:A:623:ARG:NH2	2.28	0.67
1:A:257:LEU:HD22	1:A:262:GLY:HA3	1.77	0.65
1:B:322:CYS:HB2	3:B:1002:ADP:O3'	1.96	0.65
1:A:531:GLN:HG3	1:A:534:ARG:NH1	2.12	0.65
1:A:408:ASN:HB3	1:A:575:ILE:HG23	1.79	0.64
1:B:50:ARG:NH2	1:B:108:LYS:O	2.30	0.64
1:B:393:ILE:HD11	1:B:587:PHE:CE1	2.32	0.64
1:A:457:PRO:HD3	1:A:473:MET:HE1	1.79	0.64
1:B:230:LYS:CG	1:B:231:GLU:HB3	2.28	0.64
1:A:486:LEU:O	1:A:593:ASN:HB2	1.98	0.64
1:B:449:TYR:CE1	1:B:473:MET:HE3	2.35	0.62
1:A:122:TYR:O	1:A:125:ARG:HD3	1.99	0.62
1:B:449:TYR:CE1	1:B:473:MET:HE1	2.31	0.62
1:B:230:LYS:CA	1:B:231:GLU:CB	2.60	0.62
1:A:172:PRO:HG3	1:A:220:PRO:HG2	1.81	0.61
1:B:54:THR:O	1:B:57:LEU:HB2	2.01	0.60
1:A:601:MET:HE3	1:A:610:VAL:HG22	1.81	0.60
1:B:534:ARG:HA	1:B:542:LEU:HD11	1.84	0.59
1:B:540:GLU:HA	1:B:543:LYS:HB2	1.83	0.59
1:A:516:VAL:HG11	1:A:524:GLU:HB3	1.83	0.58
1:B:487:THR:O	1:B:488:ILE:HD13	2.02	0.58
1:B:255:LEU:CD2	1:B:619:ARG:HG3	2.33	0.58
1:B:255:LEU:HD21	1:B:619:ARG:HG3	1.83	0.58
1:A:449:TYR:HE1	1:A:473:MET:HE1	1.68	0.58
1:B:230:LYS:CG	1:B:231:GLU:CB	2.82	0.58
1:A:128:LEU:HD13	1:B:179:GLY:HA2	1.86	0.57
1:B:113:MET:HE2	1:B:118:TYR:CE2	2.39	0.57
1:B:408:ASN:HB3	1:B:575:ILE:HG23	1.86	0.57

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:504:LEU:CD1	1:B:597:LYS:HD2	2.35	0.56
1:B:546:GLU:O	1:B:550:ILE:HG13	2.04	0.56
1:B:24:ARG:HA	1:B:28:PHE:CD2	2.42	0.55
1:B:322:CYS:HB2	3:B:1002:ADP:HO3'	1.71	0.55
1:B:393:ILE:HD11	1:B:587:PHE:HE1	1.71	0.55
1:B:327:LEU:HD22	1:B:331:GLU:HB3	1.88	0.55
1:B:311:TYR:CD1	1:B:312:PRO:HA	2.42	0.54
1:B:31:ASP:HB3	1:B:37:LEU:HD21	1.88	0.54
1:A:457:PRO:HD3	1:A:473:MET:HE2	1.90	0.54
1:B:212:MET:HB2	1:B:321:PRO:HA	1.88	0.53
1:B:537:LEU:HD13	1:B:565:ILE:HG21	1.91	0.53
1:B:21:ILE:O	1:B:25:ASP:HB2	2.08	0.53
1:B:381:LYS:O	1:B:385:GLU:HG3	2.09	0.53
1:A:171:ARG:HG3	1:A:175:SER:OG	2.09	0.53
1:B:70:ARG:HH11	1:B:70:ARG:CG	2.21	0.53
1:A:429:ARG:O	1:A:432:TYR:HB3	2.09	0.52
1:A:519:ASP:O	1:A:520:ASP:C	2.48	0.52
1:A:229:LYS:HD3	1:A:238:LEU:O	2.10	0.52
1:B:63:LYS:HB2	1:B:64:LYS:O	2.10	0.52
1:B:134:CYS:O	1:B:332:ALA:HA	2.09	0.52
1:A:166:ASN:HB2	1:A:317:ASN:O	2.09	0.52
1:B:407:TYR:CZ	1:B:506:PRO:HD3	2.44	0.52
1:B:472:VAL:O	1:B:476:THR:HG23	2.10	0.52
1:B:141:ASP:HB2	1:B:169:GLU:O	2.10	0.51
1:A:537:LEU:HD13	1:A:565:ILE:HG21	1.91	0.51
1:A:180:THR:C	1:A:182:GLY:H	2.14	0.51
1:B:457:PRO:HD3	1:B:473:MET:CE	2.40	0.51
1:A:74:TRP:HA	1:A:77:ILE:HG22	1.93	0.51
1:A:449:TYR:CE1	1:A:473:MET:CE	2.92	0.51
1:B:50:ARG:NH1	1:B:108:LYS:O	2.42	0.51
1:B:428:HIS:CE1	1:B:485:LEU:HD12	2.47	0.50
1:A:488:ILE:HG21	1:A:504:LEU:HG	1.94	0.50
1:B:251:LYS:HE2	1:B:618:LEU:HA	1.93	0.50
1:B:476:THR:HB	1:B:480:ARG:HE	1.77	0.50
1:B:441:PHE:HB3	1:B:481:ARG:O	2.12	0.50
1:A:512:TYR:CE2	1:A:528:TYR:HD2	2.29	0.49
1:B:320:ASN:ND2	3:B:1002:ADP:O3'	2.45	0.49
1:B:616:GLU:O	1:B:620:THR:HG23	2.13	0.49
1:A:128:LEU:HD11	1:B:178:ALA:O	2.13	0.49
1:B:236:ALA:O	1:B:237:VAL:HG13	2.12	0.49
1:A:324:GLU:HG2	1:A:325:ILE:HG12	1.94	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:614:TYR:O	1:B:617:ALA:HB3	2.12	0.49
1:A:449:TYR:CE1	1:A:473:MET:HE3	2.48	0.48
1:B:30:LYS:HE2	1:B:36:TYR:CE1	2.48	0.48
1:B:476:THR:HA	1:B:479:PHE:O	2.14	0.48
1:A:320:ASN:ND2	3:A:1001:ADP:O3'	2.46	0.48
1:B:469:ILE:O	1:B:473:MET:HG2	2.14	0.48
1:B:239:ASN:H	1:B:239:ASN:ND2	2.11	0.47
1:B:539:PRO:O	1:B:540:GLU:HB3	2.13	0.47
1:A:516:VAL:HG13	1:A:518:LYS:H	1.79	0.47
1:B:292:LYS:O	1:B:632:SER:HB2	2.14	0.47
1:B:487:THR:C	1:B:488:ILE:HD13	2.34	0.47
1:A:144:GLU:OE2	1:B:151:LYS:NZ	2.47	0.47
1:A:440:ASN:ND2	1:A:444:LEU:HD12	2.30	0.47
1:B:230:LYS:CB	1:B:231:GLU:HB2	2.41	0.47
1:B:623:ARG:HD2	5:B:1008:HOH:O	2.14	0.47
1:A:406:PRO:HB3	1:A:567:LYS:O	2.15	0.47
1:B:131:LEU:HD12	1:B:368:VAL:HG13	1.97	0.47
1:B:286:ILE:HG23	1:B:296:PRO:HG2	1.95	0.47
1:B:504:LEU:HD13	1:B:597:LYS:HD2	1.96	0.47
1:A:227:ASP:O	1:A:230:LYS:HB2	2.14	0.47
1:A:449:TYR:HE1	1:A:473:MET:HE3	1.79	0.47
1:A:588:GLN:O	1:A:588:GLN:HG3	2.16	0.46
1:B:72:LYS:O	1:B:110:ILE:HD11	2.15	0.46
1:B:239:ASN:H	1:B:239:ASN:HD22	1.64	0.46
1:A:584:GLN:HB2	1:A:597:LYS:HG2	1.97	0.46
1:A:320:ASN:HB2	1:A:321:PRO:CD	2.43	0.46
1:A:469:ILE:O	1:A:473:MET:HG2	2.16	0.46
1:A:57:LEU:HD13	1:A:71:ILE:CD1	2.45	0.46
1:A:407:TYR:CZ	1:A:506:PRO:HD3	2.50	0.46
1:A:512:TYR:CE2	1:A:528:TYR:CD2	3.04	0.46
1:A:629:ARG:O	1:A:632:SER:OG	2.34	0.46
1:B:490:PRO:HD2	3:B:1002:ADP:H5'2	1.98	0.45
1:B:230:LYS:HG3	1:B:231:GLU:HB2	1.98	0.45
1:A:396:PHE:CZ	1:A:416:ALA:HB2	2.52	0.45
1:A:311:TYR:CD1	1:A:312:PRO:HA	2.53	0.44
1:A:368:VAL:O	1:A:372:ASN:HB2	2.17	0.44
1:A:202:LYS:NZ	3:A:1001:ADP:N1	2.64	0.44
1:B:416:ALA:HB1	1:B:587:PHE:CE2	2.53	0.44
1:B:504:LEU:HD11	1:B:597:LYS:HD2	1.98	0.44
1:B:70:ARG:CG	1:B:70:ARG:NH1	2.80	0.44
1:A:241:PHE:HB3	1:A:243:LEU:HD13	1.99	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:375:PRO:C	1:A:376:ILE:HG13	2.39	0.43
1:B:458:PHE:HB2	1:B:589:ARG:O	2.17	0.43
1:A:70:ARG:HD3	1:A:70:ARG:HA	1.58	0.43
1:A:292:LYS:O	1:A:632:SER:HB3	2.19	0.43
1:B:265:GLU:OE1	1:B:276:LYS:HG3	2.17	0.43
1:A:75:GLU:OE1	1:A:118:TYR:OH	2.29	0.43
1:B:408:ASN:HB2	1:B:579:ASP:OD2	2.18	0.43
1:B:335:LEU:HD22	1:B:390:GLY:HA3	1.99	0.43
1:A:519:ASP:HA	1:A:522:THR:HB	2.01	0.43
1:B:449:TYR:OH	1:B:457:PRO:HG3	2.19	0.43
1:B:143:ILE:HD13	1:B:143:ILE:HA	1.90	0.42
1:B:389:LEU:HD12	1:B:485:LEU:HD23	2.01	0.42
1:A:56:GLU:HB2	1:A:71:ILE:HG12	2.02	0.42
1:A:89:PRO:HA	1:A:336:GLY:HA2	2.00	0.42
1:B:445:GLU:HG3	5:B:1112:HOH:O	2.18	0.42
1:A:90:ASN:C	1:A:90:ASN:HD22	2.20	0.42
1:B:64:LYS:O	1:B:65:ASN:HB2	2.19	0.42
1:B:230:LYS:CG	1:B:231:GLU:HB2	2.49	0.42
1:B:187:PRO:HG3	1:B:219:HIS:CE1	2.55	0.42
1:A:551:GLU:HG2	1:A:552:LYS:HG3	2.02	0.41
1:B:430:THR:HG22	1:B:434:LEU:HD22	2.02	0.41
1:A:505:GLU:OE2	1:A:597:LYS:HA	2.21	0.41
1:A:612:ASN:ND2	5:A:1095:HOH:O	2.54	0.41
1:B:251:LYS:HE3	1:B:300:PHE:CD2	2.56	0.41
1:B:31:ASP:O	1:B:33:ASP:N	2.54	0.41
1:A:349:VAL:O	1:A:351:LEU:N	2.54	0.41
1:B:57:LEU:HD21	1:B:119:GLU:HG3	2.03	0.41
1:B:406:PRO:HB3	1:B:567:LYS:O	2.21	0.40
1:A:617:ALA:HB1	1:A:622:VAL:HG21	2.03	0.40
1:B:90:ASN:HD22	1:B:90:ASN:C	2.25	0.40
1:B:601:MET:HE1	1:B:610:VAL:HG22	1.97	0.40
1:A:127:HIS:CD2	1:A:127:HIS:H	2.38	0.40
1:B:57:LEU:HD21	1:B:119:GLU:HA	2.03	0.40
1:B:457:PRO:HD3	1:B:473:MET:HE1	2.04	0.40
1:B:457:PRO:HD3	1:B:473:MET:HE2	2.04	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	618/644 (96%)	578 (94%)	36 (6%)	4 (1%)	25	20
1	B	600/644 (93%)	562 (94%)	33 (6%)	5 (1%)	19	14
All	All	1218/1288 (95%)	1140 (94%)	69 (6%)	9 (1%)	22	17

All (9) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	66	GLU
1	A	519	ASP
1	A	523	LYS
1	A	630	ASP
1	B	32	LEU
1	B	513	THR
1	A	524	GLU
1	B	460	MET
1	B	237	VAL

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	550/566 (97%)	519 (94%)	31 (6%)	21	18
1	B	535/566 (94%)	509 (95%)	26 (5%)	25	22
All	All	1085/1132 (96%)	1028 (95%)	57 (5%)	22	20

All (57) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	3	LEU
1	A	8	SER
1	A	57	LEU
1	A	90	ASN
1	A	102	LYS
1	A	144	GLU
1	A	175	SER
1	A	218	ASN
1	A	243	LEU
1	A	254	ILE
1	A	257	LEU
1	A	345	ASN
1	A	359	GLN
1	A	419	LEU
1	A	444	LEU
1	A	474	LYS
1	A	485	LEU
1	A	504	LEU
1	A	513	THR
1	A	514	ARG
1	A	517	THR
1	A	520	ASP
1	A	538	ASN
1	A	546	GLU
1	A	551	GLU
1	A	561	VAL
1	A	570	VAL
1	A	577	PRO
1	A	603	GLN
1	A	623	ARG
1	A	632	SER
1	B	3	LEU
1	B	9	ARG
1	B	17	LYS
1	B	40	LYS
1	B	63	LYS
1	B	66	GLU
1	B	70	ARG
1	B	90	ASN
1	B	114	THR
1	B	237	VAL
1	B	250	ASP

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	257	LEU
1	B	282	LEU
1	B	295	ASP
1	B	419	LEU
1	B	434	LEU
1	B	444	LEU
1	B	454	ASN
1	B	464	ASN
1	B	468	GLU
1	B	471	GLU
1	B	504	LEU
1	B	512	TYR
1	B	547	LYS
1	B	596	SER
1	B	601	MET

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (20) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	127	HIS
1	A	181	HIS
1	A	320	ASN
1	A	345	ASN
1	A	346	ASN
1	A	355	GLN
1	A	359	GLN
1	A	531	GLN
1	A	538	ASN
1	A	600	ASN
1	A	603	GLN
1	A	612	ASN
1	B	20	GLN
1	B	127	HIS
1	B	239	ASN
1	B	320	ASN
1	B	346	ASN
1	B	428	HIS
1	B	584	GLN
1	B	603	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 6 ligands modelled in this entry, 2 are monoatomic - leaving 4 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	DGT	A	1003	2	26,33,33	1.86	5 (19%)	32,52,52	2.01	8 (25%)
3	ADP	A	1001	-	24,29,29	1.15	2 (8%)	29,45,45	2.14	6 (20%)
4	DGT	B	1004	2	26,33,33	1.58	4 (15%)	32,52,52	1.95	10 (31%)
3	ADP	B	1002	-	24,29,29	1.68	7 (29%)	29,45,45	2.13	6 (20%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	DGT	A	1003	2	-	1/18/34/34	0/3/3/3
3	ADP	A	1001	-	-	2/12/32/32	0/3/3/3
4	DGT	B	1004	2	-	0/18/34/34	0/3/3/3
3	ADP	B	1002	-	-	4/12/32/32	0/3/3/3

All (18) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	B	1002	ADP	O4'-C1'	5.28	1.48	1.41
4	A	1003	DGT	PG-O3G	4.67	1.65	1.50
4	A	1003	DGT	C5-C6	-4.53	1.38	1.47
4	B	1004	DGT	C5-C6	-4.16	1.39	1.47
4	B	1004	DGT	PG-O3G	3.81	1.62	1.50
3	A	1001	ADP	O4'-C1'	3.65	1.46	1.41
3	B	1002	ADP	PB-O3B	3.05	1.66	1.54
4	B	1004	DGT	C5-C4	-2.32	1.37	1.43
3	B	1002	ADP	O4'-C4'	2.29	1.50	1.45
4	A	1003	DGT	PG-O1G	-2.29	1.46	1.54
3	B	1002	ADP	PB-O2B	2.28	1.63	1.54
3	A	1001	ADP	PB-O3B	2.24	1.63	1.54
4	B	1004	DGT	PA-O1A	-2.20	1.45	1.55
4	A	1003	DGT	C6-N1	2.20	1.41	1.37
3	B	1002	ADP	PA-O2A	2.15	1.65	1.55
3	B	1002	ADP	PA-O5'	2.13	1.67	1.59
4	A	1003	DGT	O4'-C1'	-2.09	1.37	1.42
3	B	1002	ADP	C2'-C1'	2.02	1.56	1.53

All (30) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	B	1002	ADP	O2A-PA-O5'	-6.88	75.81	107.75
3	A	1001	ADP	O2A-PA-O5'	-5.75	81.02	107.75
3	A	1001	ADP	O5'-PA-O1A	-5.70	86.80	109.07
3	B	1002	ADP	N3-C2-N1	-4.70	121.33	128.68
4	A	1003	DGT	C2-N1-C6	-4.66	116.53	125.10
3	A	1001	ADP	PA-O3A-PB	-4.66	116.85	132.83
3	B	1002	ADP	O5'-PA-O1A	-4.43	91.74	109.07
4	A	1003	DGT	O6-C6-C5	-4.28	116.01	124.37
4	A	1003	DGT	C5-C6-N1	4.26	121.47	113.95
3	A	1001	ADP	N3-C2-N1	-4.03	122.38	128.68
4	B	1004	DGT	O6-C6-N1	-3.91	116.04	120.65
4	B	1004	DGT	N1-C2-N3	-3.63	116.54	123.32
4	A	1003	DGT	PB-O3B-PG	-3.61	120.45	132.83
4	B	1004	DGT	PA-O3A-PB	-3.54	120.67	132.83
4	A	1003	DGT	C2'-C1'-N9	-3.54	106.11	114.27
4	B	1004	DGT	PB-O3B-PG	-3.53	120.72	132.83
4	B	1004	DGT	N2-C2-N3	3.49	126.53	119.74
4	B	1004	DGT	O2G-PG-O1G	3.40	120.64	107.64
3	B	1002	ADP	O2A-PA-O1A	3.38	128.96	112.24
4	B	1004	DGT	C5-C6-N1	3.05	119.34	113.95

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	A	1003	DGT	O2G-PG-O1G	2.97	118.97	107.64
3	A	1001	ADP	O2A-PA-O1A	2.91	126.61	112.24
3	B	1002	ADP	O2B-PB-O3A	-2.79	95.29	104.64
3	A	1001	ADP	C4-C5-N7	-2.70	106.58	109.40
3	B	1002	ADP	O3B-PB-O3A	2.39	112.67	104.64
4	A	1003	DGT	C2'-C3'-C4'	-2.31	97.96	102.76
4	A	1003	DGT	O4'-C4'-C5'	-2.26	101.92	109.37
4	B	1004	DGT	C8-N7-C5	2.16	107.11	102.99
4	B	1004	DGT	O2G-PG-O3G	-2.12	102.38	110.68
4	B	1004	DGT	O1A-PA-O5'	2.09	117.47	107.75

There are no chirality outliers.

All (7) torsion outliers are listed below:



Mol	Chain	Res	Type	Atoms
3	A	1001	ADP	PA-O3A-PB-O3B
3	B	1002	ADP	C5'-O5'-PA-O2A
3	B	1002	ADP	C5'-O5'-PA-O3A
3	B	1002	ADP	O4'-C4'-C5'-O5'
3	B	1002	ADP	C3'-C4'-C5'-O5'
3	A	1001	ADP	PA-O3A-PB-O1B
4	A	1003	DGT	PA-O3A-PB-O2B



There are no ring outliers.

2 monomers are involved in 6 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	1001	ADP	2	0
3	B	1002	ADP	4	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	624/644 (96%)	0.44	55 (8%) 10 12	24, 41, 72, 104	0
1	B	608/644 (94%)	0.40	43 (7%) 16 19	27, 43, 73, 91	0
All	All	1232/1288 (95%)	0.42	98 (7%) 12 15	24, 42, 73, 104	0

All (98) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	521	GLY	7.3
1	B	236	ALA	7.1
1	B	513	THR	6.6
1	A	517	THR	6.3
1	A	518	LYS	6.3
1	A	32	LEU	6.0
1	B	231	GLU	6.0
1	A	523	LYS	6.0
1	A	522	THR	5.9
1	A	526	LEU	5.8
1	A	519	ASP	5.4
1	B	514	ARG	5.3
1	B	181	HIS	5.1
1	A	181	HIS	5.1
1	B	180	THR	5.1
1	B	32	LEU	4.9
1	A	515	PHE	4.7
1	B	559	PRO	4.7
1	A	516	VAL	4.5
1	B	179	GLY	4.4
1	B	182	GLY	4.3
1	A	524	GLU	4.2
1	A	525	PRO	4.2
1	B	178	ALA	4.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	65	ASN	3.9
1	A	65	ASN	3.9
1	A	560	ASP	3.8
1	A	551	GLU	3.8
1	A	520	ASP	3.8
1	A	204	GLY	3.8
1	A	205	SER	3.6
1	A	231	GLU	3.6
1	B	48	VAL	3.6
1	A	483	VAL	3.5
1	B	540	GLU	3.4
1	B	17	LYS	3.4
1	A	633	LEU	3.3
1	A	35	ASN	3.2
1	B	547	LYS	3.0
1	B	21	ILE	3.0
1	A	33	ASP	3.0
1	A	51	VAL	2.9
1	A	34	GLY	2.9
1	A	309	PRO	2.8
1	A	48	VAL	2.8
1	A	182	GLY	2.7
1	A	9	ARG	2.7
1	A	555	LEU	2.7
1	B	64	LYS	2.7
1	B	551	GLU	2.7
1	B	25	ASP	2.7
1	B	313	HIS	2.6
1	B	45	ALA	2.6
1	A	547	LYS	2.6
1	B	82	LEU	2.6
1	A	62	TYR	2.6
1	A	449	TYR	2.6
1	A	453	ASP	2.6
1	B	33	ASP	2.6
1	B	544	ARG	2.5
1	A	478	GLU	2.5
1	B	94	LEU	2.5
1	B	104	ASP	2.5
1	A	527	LEU	2.5
1	B	533	LEU	2.5
1	A	454	ASN	2.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	483	VAL	2.4
1	B	44	VAL	2.4
1	B	625	ILE	2.4
1	A	66	GLU	2.4
1	A	627	VAL	2.4
1	A	346	ASN	2.3
1	A	543	LYS	2.3
1	A	82	LEU	2.3
1	B	557	ASP	2.3
1	A	93	THR	2.3
1	B	543	LYS	2.3
1	A	364	PHE	2.3
1	A	49	ALA	2.3
1	B	479	PHE	2.3
1	B	484	ALA	2.3
1	A	150	VAL	2.2
1	B	560	ASP	2.2
1	B	555	LEU	2.2
1	B	63	LYS	2.2
1	A	471	GLU	2.1
1	A	176	PHE	2.1
1	A	24	ARG	2.1
1	A	377	ASP	2.1
1	A	479	PHE	2.1
1	A	52	VAL	2.1
1	A	63	LYS	2.0
1	B	453	ASP	2.0
1	B	531	GLN	2.0
1	B	512	TYR	2.0
1	B	478	GLU	2.0
1	B	485	LEU	2.0
1	A	104	ASP	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands



In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
3	ADP	B	1002	27/27	0.91	0.19	38,56,66,66	0
2	MG	B	1006	1/1	0.94	0.08	44,44,44,44	0
3	ADP	A	1001	27/27	0.95	0.15	41,60,65,65	0
4	DGT	B	1004	31/31	0.95	0.10	24,31,52,52	0
4	DGT	A	1003	31/31	0.96	0.08	32,36,49,52	0
2	MG	A	1005	1/1	0.97	0.07	46,46,46,46	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around ADP B 1002:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around ADP A 1001:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around DGT B 1004:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around DGT A 1003:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.