



# Full wwPDB X-ray Structure Validation Report ⓘ

Mar 14, 2018 – 01:42 pm GMT

PDB ID : 1XK6  
Title : Crystal Structure- P1 form- of Escherichia coli Crotonobetainyl-CoA: carnitine CoA Transferase (CaiB)  
Authors : Rangarajan, E.S.; Li, Y.; Iannuzzi, P.; Cygler, M.; Matte, A.  
Deposited on : 2004-09-27  
Resolution : 1.85 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Xtriage (Phenix) : 1.13  
EDS : trunk31020  
Percentile statistics : 20171227.v01 (using entries in the PDB archive December 27th 2017)  
Refmac : 5.8.0158  
CCP4 : 7.0 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : trunk31020


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*





The reported resolution of this entry is 1.85 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	111664	2111 (1.86-1.86)
Clashscore	122126	2258 (1.86-1.86)
Ramachandran outliers	120053	2234 (1.86-1.86)
Sidechain outliers	120020	2234 (1.86-1.86)
RSRZ outliers	108989	2075 (1.86-1.86)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	408	
1	B	408	
1	C	408	
1	D	408	

## 2 Entry composition

There are 2 unique types of molecules in this entry. The entry contains 14136 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Crotonobetainyl-CoA:carnitine CoA-transferase.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
			Total	C	N	O	S	Se			
1	A	402	3144	2014	522	585	7	16	0	0	0
1	B	402	3144	2014	522	585	7	16	0	0	0
1	C	402	3144	2014	522	585	7	16	0	0	0
1	D	402	3144	2014	522	585	7	16	0	0	0

There are 76 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-2	GLY	-	CLONING ARTIFACT	UNP P31572
A	-1	SER	-	CLONING ARTIFACT	UNP P31572
A	0	HIS	-	CLONING ARTIFACT	UNP P31572
A	6	MSE	MET	MODIFIED RESIDUE	UNP P31572
A	32	MSE	MET	MODIFIED RESIDUE	UNP P31572
A	86	MSE	MET	MODIFIED RESIDUE	UNP P31572
A	161	MSE	MET	MODIFIED RESIDUE	UNP P31572
A	200	MSE	MET	MODIFIED RESIDUE	UNP P31572
A	204	MSE	MET	MODIFIED RESIDUE	UNP P31572
A	207	MSE	MET	MODIFIED RESIDUE	UNP P31572
A	212	MSE	MET	MODIFIED RESIDUE	UNP P31572
A	213	MSE	MET	MODIFIED RESIDUE	UNP P31572
A	221	MSE	MET	MODIFIED RESIDUE	UNP P31572
A	225	MSE	MET	MODIFIED RESIDUE	UNP P31572
A	248	MSE	MET	MODIFIED RESIDUE	UNP P31572
A	346	MSE	MET	MODIFIED RESIDUE	UNP P31572
A	357	MSE	MET	MODIFIED RESIDUE	UNP P31572
A	371	MSE	MET	MODIFIED RESIDUE	UNP P31572
A	376	MSE	MET	MODIFIED RESIDUE	UNP P31572
B	-2	GLY	-	CLONING ARTIFACT	UNP P31572
B	-1	SER	-	CLONING ARTIFACT	UNP P31572

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
B	0	HIS	-	CLONING ARTIFACT	UNP P31572
B	6	MSE	MET	MODIFIED RESIDUE	UNP P31572
B	32	MSE	MET	MODIFIED RESIDUE	UNP P31572
B	86	MSE	MET	MODIFIED RESIDUE	UNP P31572
B	161	MSE	MET	MODIFIED RESIDUE	UNP P31572
B	200	MSE	MET	MODIFIED RESIDUE	UNP P31572
B	204	MSE	MET	MODIFIED RESIDUE	UNP P31572
B	207	MSE	MET	MODIFIED RESIDUE	UNP P31572
B	212	MSE	MET	MODIFIED RESIDUE	UNP P31572
B	213	MSE	MET	MODIFIED RESIDUE	UNP P31572
B	221	MSE	MET	MODIFIED RESIDUE	UNP P31572
B	225	MSE	MET	MODIFIED RESIDUE	UNP P31572
B	248	MSE	MET	MODIFIED RESIDUE	UNP P31572
B	346	MSE	MET	MODIFIED RESIDUE	UNP P31572
B	357	MSE	MET	MODIFIED RESIDUE	UNP P31572
B	371	MSE	MET	MODIFIED RESIDUE	UNP P31572
B	376	MSE	MET	MODIFIED RESIDUE	UNP P31572
C	-2	GLY	-	CLONING ARTIFACT	UNP P31572
C	-1	SER	-	CLONING ARTIFACT	UNP P31572
C	0	HIS	-	CLONING ARTIFACT	UNP P31572
C	6	MSE	MET	MODIFIED RESIDUE	UNP P31572
C	32	MSE	MET	MODIFIED RESIDUE	UNP P31572
C	86	MSE	MET	MODIFIED RESIDUE	UNP P31572
C	161	MSE	MET	MODIFIED RESIDUE	UNP P31572
C	200	MSE	MET	MODIFIED RESIDUE	UNP P31572
C	204	MSE	MET	MODIFIED RESIDUE	UNP P31572
C	207	MSE	MET	MODIFIED RESIDUE	UNP P31572
C	212	MSE	MET	MODIFIED RESIDUE	UNP P31572
C	213	MSE	MET	MODIFIED RESIDUE	UNP P31572
C	221	MSE	MET	MODIFIED RESIDUE	UNP P31572
C	225	MSE	MET	MODIFIED RESIDUE	UNP P31572
C	248	MSE	MET	MODIFIED RESIDUE	UNP P31572
C	346	MSE	MET	MODIFIED RESIDUE	UNP P31572
C	357	MSE	MET	MODIFIED RESIDUE	UNP P31572
C	371	MSE	MET	MODIFIED RESIDUE	UNP P31572
C	376	MSE	MET	MODIFIED RESIDUE	UNP P31572
D	-2	GLY	-	CLONING ARTIFACT	UNP P31572
D	-1	SER	-	CLONING ARTIFACT	UNP P31572
D	0	HIS	-	CLONING ARTIFACT	UNP P31572
D	6	MSE	MET	MODIFIED RESIDUE	UNP P31572
D	32	MSE	MET	MODIFIED RESIDUE	UNP P31572
D	86	MSE	MET	MODIFIED RESIDUE	UNP P31572

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
D	161	MSE	MET	MODIFIED RESIDUE	UNP P31572
D	200	MSE	MET	MODIFIED RESIDUE	UNP P31572
D	204	MSE	MET	MODIFIED RESIDUE	UNP P31572
D	207	MSE	MET	MODIFIED RESIDUE	UNP P31572
D	212	MSE	MET	MODIFIED RESIDUE	UNP P31572
D	213	MSE	MET	MODIFIED RESIDUE	UNP P31572
D	221	MSE	MET	MODIFIED RESIDUE	UNP P31572
D	225	MSE	MET	MODIFIED RESIDUE	UNP P31572
D	248	MSE	MET	MODIFIED RESIDUE	UNP P31572
D	346	MSE	MET	MODIFIED RESIDUE	UNP P31572
D	357	MSE	MET	MODIFIED RESIDUE	UNP P31572
D	371	MSE	MET	MODIFIED RESIDUE	UNP P31572
D	376	MSE	MET	MODIFIED RESIDUE	UNP P31572

- Molecule 2 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	A	351	Total O 351 351	0	0
2	B	360	Total O 360 360	0	0
2	C	423	Total O 423 423	0	0
2	D	426	Total O 426 426	0	0





## 4 Data and refinement statistics

Property	Value	Source
Space group	P 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	70.84Å 83.17Å 89.94Å 100.39° 110.01° 100.03°	Depositor
Resolution (Å)	48.54 – 1.85 48.54 – 1.85	Depositor EDS
% Data completeness (in resolution range)	95.3 (48.54-1.85) 95.4 (48.54-1.85)	Depositor EDS
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	0.06	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	3.00 (at 1.86Å)	Xtrriage
Refinement program	CNS 1.1, REFMAC 5.1.24	Depositor
R, $R_{free}$	0.177 , 0.215 0.179 , 0.214	Depositor DCC
$R_{free}$ test set	14911 reflections (9.98%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	17.3	Xtrriage
Anisotropy	0.019	Xtrriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.36 , 44.6	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.49$ , $\langle L^2 \rangle = 0.32$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
$F_o, F_c$ correlation	0.95	EDS
Total number of atoms	14136	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	19.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 56.89 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 2.5620e-05. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



## 5 Model quality i

### 5.1 Standard geometry i

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.37	0/3207	0.63	1/4324 (0.0%)
1	B	0.38	0/3207	0.64	6/4324 (0.1%)
1	C	0.39	0/3207	0.64	3/4324 (0.1%)
1	D	0.39	0/3207	0.68	6/4324 (0.1%)
All	All	0.38	0/12828	0.65	16/17296 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	D	0	2

There are no bond length outliers.

All (16) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed( $^{\circ}$ )	Ideal( $^{\circ}$ )
1	D	347	ASP	CB-CG-OD2	7.10	124.69	118.30
1	D	156	ASP	CB-CG-OD2	6.23	123.91	118.30
1	D	283	ARG	NE-CZ-NH2	-5.84	117.38	120.30
1	C	283	ARG	NE-CZ-NH2	-5.51	117.55	120.30
1	B	90	ASP	CB-CG-OD2	5.32	123.09	118.30
1	C	243	ASP	CB-CG-OD2	5.30	123.07	118.30
1	B	76	ASP	CB-CG-OD2	5.30	123.07	118.30
1	A	230	ASP	CB-CG-OD2	5.26	123.03	118.30
1	D	158	ASP	CB-CG-OD2	5.25	123.03	118.30
1	B	156	ASP	CB-CG-OD2	5.17	122.95	118.30
1	B	169	ASP	CB-CG-OD2	5.17	122.95	118.30
1	B	230	ASP	CB-CG-OD2	5.11	122.90	118.30
1	B	158	ASP	CB-CG-OD2	5.07	122.86	118.30
1	D	207	MSE	N-CA-C	5.02	124.55	111.00

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	90	ASP	CB-CG-OD2	5.01	122.81	118.30
1	D	207	MSE	CA-C-N	5.00	126.21	116.20

There are no chirality outliers.

All (2) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	D	207	MSE	Peptide
1	D	208	GLY	Peptide

## 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3144	0	3087	42	0
1	B	3144	0	3087	41	0
1	C	3144	0	3087	48	0
1	D	3144	0	3087	38	0
2	A	351	0	0	6	0
2	B	360	0	0	5	0
2	C	423	0	0	3	0
2	D	426	0	0	2	0
All	All	14136	0	12348	148	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

All (148) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:171:PHE:CB	1:C:204:MSE:HE1	1.76	1.15
1:C:171:PHE:HB2	1:C:204:MSE:HE1	1.33	1.09
1:A:346:MSE:HE1	1:A:372:PRO:HA	1.37	1.06
1:B:203:VAL:HG12	1:B:204:MSE:CE	1.89	1.03
1:A:199:ALA:HB2	1:C:337:ARG:HH12	1.27	0.98

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:127:GLY:HA3	1:C:337:ARG:NH1	1.86	0.91
1:C:171:PHE:HB3	1:C:204:MSE:HE1	1.50	0.90
1:D:32:MSE:HE3	1:D:35:GLU:HB2	1.53	0.88
1:C:32:MSE:HE3	1:C:35:GLU:HB2	1.55	0.87
1:B:346:MSE:HG2	1:B:376:MSE:HE1	1.57	0.87
1:B:203:VAL:HG12	1:B:204:MSE:HE3	1.57	0.85
1:A:337:ARG:HH12	1:C:199:ALA:CB	1.91	0.83
1:D:35:GLU:OE2	1:D:64:ARG:HD2	1.78	0.83
1:C:32:MSE:CE	1:C:35:GLU:HB2	2.08	0.83
1:B:131:THR:HG21	2:B:562:HOH:O	1.84	0.78
1:A:346:MSE:CE	1:A:372:PRO:HA	2.14	0.76
1:A:199:ALA:HB2	1:C:337:ARG:NH1	2.00	0.76
1:D:32:MSE:HE2	1:D:36:TRP:NE1	2.00	0.76
1:B:171:PHE:HB3	1:B:204:MSE:HE1	1.66	0.75
1:A:337:ARG:HH12	1:C:199:ALA:HB3	1.51	0.74
1:D:32:MSE:CE	1:D:35:GLU:HB2	2.19	0.72
1:A:346:MSE:CE	1:A:376:MSE:SE	2.88	0.71
1:B:103:ARG:NH1	1:B:136:ASN:OD1	2.25	0.69
1:B:65:ASN:HD21	1:B:368:TRP:H	1.41	0.68
1:D:32:MSE:HE2	1:D:36:TRP:CE2	2.28	0.68
1:A:6:MSE:CE	2:A:633:HOH:O	2.42	0.68
1:C:186:LYS:O	1:C:190:THR:HB	1.93	0.68
1:D:32:MSE:HE3	1:D:35:GLU:CB	2.24	0.67
1:B:171:PHE:CB	1:B:204:MSE:HE1	2.25	0.67
1:C:171:PHE:HB2	1:C:204:MSE:CE	2.20	0.66
1:C:32:MSE:HE3	1:C:35:GLU:CB	2.24	0.66
1:B:203:VAL:CG1	1:B:204:MSE:HE3	2.26	0.66
1:A:127:GLY:CA	1:C:337:ARG:NH1	2.59	0.65
1:D:346:MSE:HE2	1:D:370:GLY:O	1.97	0.64
1:A:260:PHE:HE2	1:A:274:ILE:HD13	1.60	0.64
1:A:346:MSE:HE1	1:A:376:MSE:SE	2.48	0.64
1:A:6:MSE:HE1	2:A:633:HOH:O	1.98	0.63
1:A:337:ARG:NH1	1:C:199:ALA:CB	2.60	0.63
1:C:32:MSE:HE2	1:C:36:TRP:NE1	2.14	0.63
1:C:97:LYS:HE2	1:C:138:PRO:HB3	1.81	0.63
1:A:267:HIS:HD2	2:A:545:HOH:O	1.81	0.62
1:C:32:MSE:CE	1:C:35:GLU:CB	2.77	0.62
1:A:267:HIS:HE1	1:D:190:THR:O	1.83	0.61
1:B:171:PHE:HB3	1:B:204:MSE:CE	2.30	0.61
1:D:346:MSE:HE1	1:D:369:ARG:HD3	1.83	0.60
1:D:230:ASP:O	1:D:283:ARG:NH2	2.24	0.60

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:131:THR:HG22	1:B:133:GLU:H	1.66	0.60
1:C:67:HIS:HD2	2:C:511:HOH:O	1.84	0.60
1:A:94:GLU:OE1	1:A:96:SER:HB2	2.01	0.60
1:C:282:HIS:CE1	1:C:284:ILE:HD13	2.38	0.59
1:D:205:LEU:O	1:D:208:GLY:HA3	2.02	0.59
1:B:204:MSE:HE2	1:B:204:MSE:HA	1.85	0.58
1:B:203:VAL:HG12	1:B:204:MSE:HE2	1.85	0.57
1:D:61:LEU:O	1:D:64:ARG:HG2	2.05	0.57
1:B:139:ALA:HB1	1:B:200:MSE:SE	2.56	0.56
1:D:33:PHE:HE1	1:D:181:LEU:HD13	1.71	0.56
1:C:32:MSE:HE3	1:C:35:GLU:HG3	1.87	0.55
1:A:323:LEU:O	1:C:152:ILE:HG12	2.06	0.55
1:D:241:CYS:SG	1:D:246:ILE:HG12	2.47	0.55
1:C:282:HIS:HE1	1:C:284:ILE:HD13	1.71	0.55
1:D:346:MSE:HE3	1:D:372:PRO:N	2.23	0.54
1:C:190:THR:HG22	1:C:192:LYS:H	1.73	0.54
1:C:243:ASP:HB3	1:C:305:ILE:HG22	1.90	0.54
1:D:346:MSE:CE	1:D:370:GLY:O	2.56	0.54
1:B:282:HIS:CE1	1:B:284:ILE:HG12	2.44	0.53
1:D:4:LEU:N	2:D:671:HOH:O	2.41	0.53
1:C:271:THR:HG22	1:C:273:GLU:H	1.74	0.52
1:C:32:MSE:HE3	1:C:35:GLU:CG	2.39	0.52
1:A:260:PHE:CE2	1:A:274:ILE:HD13	2.43	0.52
1:D:346:MSE:HE2	1:D:369:ARG:HG2	1.92	0.51
1:A:199:ALA:CB	1:C:337:ARG:NH1	2.73	0.51
1:D:346:MSE:CE	1:D:369:ARG:HD3	2.40	0.51
1:B:144:ALA:HB2	1:B:200:MSE:HE2	1.91	0.51
1:C:32:MSE:HE2	1:C:36:TRP:CE2	2.46	0.50
1:A:305:ILE:HD13	1:A:321:LYS:HG3	1.93	0.50
1:A:337:ARG:NH1	1:C:199:ALA:HB2	2.26	0.50
1:C:171:PHE:HB3	1:C:204:MSE:CE	2.33	0.50
1:B:59:PRO:HB2	1:B:371:MSE:SE	2.62	0.50
1:C:230:ASP:O	1:C:283:ARG:NH2	2.27	0.50
1:A:203:VAL:HG22	1:C:357:MSE:HE1	1.93	0.50
1:A:322:VAL:HG12	1:C:152:ILE:HG23	1.94	0.49
1:A:127:GLY:CA	1:C:337:ARG:HH12	2.25	0.49
1:D:32:MSE:CE	1:D:35:GLU:CB	2.87	0.49
1:A:6:MSE:HE1	1:A:39:GLU:HB2	1.94	0.48
1:B:203:VAL:C	1:B:204:MSE:HE2	2.33	0.48
1:B:171:PHE:CB	1:B:204:MSE:CE	2.91	0.48
1:A:346:MSE:HE3	1:A:376:MSE:SE	2.63	0.48

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:67:HIS:HD2	2:B:510:HOH:O	1.94	0.48
1:C:4:LEU:N	2:C:490:HOH:O	2.46	0.48
1:B:65:ASN:ND2	1:B:368:TRP:H	2.08	0.48
1:B:390:ASN:HB2	2:B:549:HOH:O	2.12	0.48
1:A:6:MSE:HE3	2:A:633:HOH:O	2.11	0.48
2:A:573:HOH:O	1:C:190:THR:HG21	2.14	0.48
1:B:144:ALA:CB	1:B:200:MSE:HE2	2.44	0.48
1:D:139:ALA:HB1	1:D:200:MSE:SE	2.64	0.48
1:B:110:VAL:HA	1:B:113:GLN:HE21	1.78	0.47
1:B:373:SER:OG	1:B:376:MSE:HE3	2.14	0.47
1:A:291:LEU:HD22	1:D:190:THR:HA	1.96	0.47
1:B:241:CYS:SG	1:B:246:ILE:HG12	2.54	0.47
1:B:346:MSE:HE1	1:B:369:ARG:NE	2.29	0.47
1:C:374:HIS:HD2	2:C:660:HOH:O	1.98	0.47
1:A:139:ALA:HB1	1:A:200:MSE:SE	2.65	0.46
1:C:51:THR:O	1:C:54:VAL:HG22	2.16	0.46
1:D:244:GLY:HA3	1:D:305:ILE:HD11	1.97	0.46
1:A:241:CYS:SG	1:A:246:ILE:HG12	2.56	0.46
1:A:161:MSE:HE1	1:C:161:MSE:HE1	1.97	0.46
1:A:203:VAL:HG22	1:C:357:MSE:CE	2.45	0.46
1:B:94:GLU:OE2	1:B:96:SER:HB2	2.15	0.46
1:D:16:ARG:HD3	1:D:88:THR:O	2.16	0.46
1:B:204:MSE:HE2	1:B:204:MSE:CA	2.45	0.46
1:C:376:MSE:HA	1:C:404:GLU:HG2	1.98	0.46
1:A:17:VAL:HB	1:A:40:VAL:HG22	1.96	0.45
1:C:139:ALA:HB1	1:C:200:MSE:SE	2.66	0.45
1:D:33:PHE:CE1	1:D:181:LEU:HD13	2.52	0.45
1:B:171:PHE:CG	1:B:204:MSE:HE1	2.51	0.45
1:B:209:GLN:HG3	1:D:354:PRO:HG2	1.98	0.45
1:B:252:GLY:HA3	1:B:255:GLN:OE1	2.16	0.45
1:C:152:ILE:H	1:C:152:ILE:HG13	1.69	0.45
1:A:48:TRP:HB2	2:A:734:HOH:O	2.16	0.45
1:D:32:MSE:HE3	1:D:35:GLU:HG3	1.97	0.45
1:A:265:LEU:HG	1:A:268:LEU:HD12	1.99	0.44
1:B:265:LEU:HG	1:B:268:LEU:HD12	2.00	0.44
1:D:346:MSE:HE3	1:D:372:PRO:CA	2.47	0.44
1:D:32:MSE:HE3	1:D:35:GLU:CG	2.47	0.44
1:A:288:TYR:O	1:A:292:VAL:HG23	2.18	0.44
1:B:274:ILE:HD11	1:B:286:CYS:SG	2.58	0.44
1:B:131:THR:HG22	1:B:133:GLU:N	2.33	0.44
1:B:359:LYS:HB2	1:D:197:ASP:HB3	2.00	0.43

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:32:MSE:CE	1:C:35:GLU:HG3	2.48	0.43
1:D:346:MSE:HE1	1:D:369:ARG:CD	2.48	0.43
1:A:6:MSE:CE	1:A:39:GLU:HB2	2.49	0.43
1:C:368:TRP:CE3	1:C:369:ARG:HB2	2.54	0.43
1:B:131:THR:HG23	2:B:479:HOH:O	2.18	0.43
1:C:271:THR:HG22	1:C:273:GLU:OE1	2.19	0.42
1:D:267:HIS:HD2	2:D:534:HOH:O	2.02	0.42
1:B:204:MSE:HE2	1:B:204:MSE:N	2.35	0.42
1:B:354:PRO:HG2	1:D:209:GLN:HG3	2.01	0.42
1:D:144:ALA:CB	1:D:200:MSE:HE2	2.50	0.42
1:A:368:TRP:CE3	1:A:369:ARG:HB2	2.54	0.41
1:D:188:ARG:HD3	1:D:188:ARG:HA	1.94	0.41
1:B:4:LEU:N	2:B:553:HOH:O	2.53	0.41
1:A:337:ARG:HH12	1:C:199:ALA:HB2	1.74	0.41
1:B:274:ILE:HD12	1:B:281:ILE:HD12	2.02	0.41
1:D:58:TYR:N	1:D:59:PRO:CD	2.84	0.41
1:A:18:VAL:HG22	1:A:41:ILE:HB	2.03	0.40
1:D:305:ILE:HD13	1:D:321:LYS:HG3	2.02	0.40
1:A:244:GLY:HA3	1:A:305:ILE:HD11	2.03	0.40
1:D:283:ARG:HD2	1:D:293:GLU:HG3	2.04	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	400/408 (98%)	387 (97%)	13 (3%)	0	100	100
1	B	400/408 (98%)	390 (98%)	10 (2%)	0	100	100
1	C	400/408 (98%)	390 (98%)	10 (2%)	0	100	100
1	D	400/408 (98%)	388 (97%)	12 (3%)	0	100	100
All	All	1600/1632 (98%)	1555 (97%)	45 (3%)	0	100	100

There are no Ramachandran outliers to report.

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	329/318 (104%)	322 (98%)	7 (2%)	56	40
1	B	329/318 (104%)	319 (97%)	10 (3%)	44	26
1	C	329/318 (104%)	324 (98%)	5 (2%)	67	56
1	D	329/318 (104%)	323 (98%)	6 (2%)	62	47
All	All	1316/1272 (104%)	1288 (98%)	28 (2%)	56	40

All (28) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	31	GLN
1	A	96	SER
1	A	181	LEU
1	A	265	LEU
1	A	296	LEU
1	A	346	MSE
1	A	357	MSE
1	B	31	GLN
1	B	75	LYS
1	B	96	SER
1	B	265	LEU
1	B	302	THR
1	B	315	LEU
1	B	346	MSE
1	B	357	MSE
1	B	361	LYS
1	B	390	ASN
1	C	152	ILE
1	C	190	THR
1	C	284	ILE
1	C	305	ILE
1	C	357	MSE

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	D	64	ARG
1	D	85	LEU
1	D	181	LEU
1	D	279	GLN
1	D	357	MSE
1	D	384	ASN

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (26) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	31	GLN
1	A	60	GLN
1	A	267	HIS
1	A	374	HIS
1	A	393	GLN
1	B	31	GLN
1	B	65	ASN
1	B	67	HIS
1	B	113	GLN
1	B	114	HIS
1	B	128	GLN
1	B	209	GLN
1	B	374	HIS
1	B	384	ASN
1	C	45	ASN
1	C	67	HIS
1	C	267	HIS
1	C	279	GLN
1	C	374	HIS
1	C	384	ASN
1	D	114	HIS
1	D	267	HIS
1	D	316	ASN
1	D	362	ASN
1	D	374	HIS
1	D	384	ASN

### 5.3.3 RNA

There are no RNA molecules in this entry.



## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 5.6 Ligand geometry [i](#)

There are no ligands in this entry.

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data [i](#)

### 6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	386/408 (94%)	-0.12	5 (1%) 77 78	8, 19, 32, 41	0
1	B	386/408 (94%)	-0.15	5 (1%) 77 78	8, 18, 29, 39	0
1	C	386/408 (94%)	-0.25	2 (0%) 90 91	8, 17, 27, 35	0
1	D	386/408 (94%)	-0.24	3 (0%) 86 87	8, 17, 27, 36	0
All	All	1544/1632 (94%)	-0.19	15 (0%) 82 82	8, 18, 29, 41	0

All (15) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	48	TRP	3.1
1	D	5	PRO	3.0
1	C	271	THR	3.0
1	B	48	TRP	2.9
1	A	390	ASN	2.8
1	A	393	GLN	2.6
1	A	347	ASP	2.5
1	D	48	TRP	2.4
1	B	393	GLN	2.3
1	B	218	GLY	2.2
1	A	389	GLU	2.2
1	D	405	ASP	2.2
1	C	48	TRP	2.2
1	B	347	ASP	2.1
1	B	394	GLU	2.0

### 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

### 6.4 Ligands [i](#)

There are no ligands in this entry.

### 6.5 Other polymers [i](#)

There are no such residues in this entry.