



Full wwPDB X-ray Structure Validation Report ⓘ

Jun 18, 2024 – 01:16 AM EDT

PDB ID : 5XQZ
Title : Structure of the MOB1-NDR2 complex
Authors : Wu, G.; Lin, K.
Deposited on : 2017-06-07
Resolution : 2.10 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtrriage (Phenix) : 1.13
EDS : 2.37.1
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.37.1


1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.10 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	5197 (2.10-2.10)
Clashscore	141614	5710 (2.10-2.10)
Ramachandran outliers	138981	5647 (2.10-2.10)
Sidechain outliers	138945	5648 (2.10-2.10)
RSRZ outliers	127900	5083 (2.10-2.10)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	193	<div style="display: flex; align-items: center;"> <div style="width: 3%; height: 10px; background-color: red; margin-right: 5px;"></div> <div style="width: 77%; height: 10px; background-color: green; margin-right: 5px;"></div> <div style="width: 12%; height: 10px; background-color: yellow; margin-right: 5px;"></div> <div style="width: 8%; height: 10px; background-color: orange; margin-right: 5px;"></div> <div style="width: 0%; height: 10px; background-color: grey; margin-right: 5px;"></div> </div> <p style="margin-left: 10px;">3% 77% 12% • 8%</p>
1	B	193	<div style="display: flex; align-items: center;"> <div style="width: 5%; height: 10px; background-color: red; margin-right: 5px;"></div> <div style="width: 78%; height: 10px; background-color: green; margin-right: 5px;"></div> <div style="width: 17%; height: 10px; background-color: yellow; margin-right: 5px;"></div> <div style="width: 5%; height: 10px; background-color: orange; margin-right: 5px;"></div> <div style="width: 0%; height: 10px; background-color: grey; margin-right: 5px;"></div> </div> <p style="margin-left: 10px;">5% 78% 17% 5%</p>
2	C	68	<div style="display: flex; align-items: center;"> <div style="width: 0%; height: 10px; background-color: red; margin-right: 5px;"></div> <div style="width: 57%; height: 10px; background-color: green; margin-right: 5px;"></div> <div style="width: 29%; height: 10px; background-color: yellow; margin-right: 5px;"></div> <div style="width: 9%; height: 10px; background-color: orange; margin-right: 5px;"></div> <div style="width: 5%; height: 10px; background-color: grey; margin-right: 5px;"></div> </div> <p style="margin-left: 10px;">% 57% 29% 9% •</p>
2	D	68	<div style="display: flex; align-items: center;"> <div style="width: 0%; height: 10px; background-color: red; margin-right: 5px;"></div> <div style="width: 69%; height: 10px; background-color: green; margin-right: 5px;"></div> <div style="width: 26%; height: 10px; background-color: yellow; margin-right: 5px;"></div> <div style="width: 5%; height: 10px; background-color: orange; margin-right: 5px;"></div> <div style="width: 0%; height: 10px; background-color: grey; margin-right: 5px;"></div> </div> <p style="margin-left: 10px;">% 69% 26% •</p>

2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 4415 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called MOB kinase activator 1A.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	178	1451	940	237	265	9	0	0	0
1	B	193	1570	1009	264	287	10	0	0	0

There are 18 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	24	ALA	-	expression tag	UNP Q9H8S9
A	25	ALA	-	expression tag	UNP Q9H8S9
A	26	HIS	-	expression tag	UNP Q9H8S9
A	27	HIS	-	expression tag	UNP Q9H8S9
A	28	SER	-	expression tag	UNP Q9H8S9
A	29	SER	-	expression tag	UNP Q9H8S9
A	30	GLY	-	expression tag	UNP Q9H8S9
A	31	HIS	-	expression tag	UNP Q9H8S9
A	32	MET	-	expression tag	UNP Q9H8S9
B	24	ALA	-	expression tag	UNP Q9H8S9
B	25	ALA	-	expression tag	UNP Q9H8S9
B	26	HIS	-	expression tag	UNP Q9H8S9
B	27	HIS	-	expression tag	UNP Q9H8S9
B	28	SER	-	expression tag	UNP Q9H8S9
B	29	SER	-	expression tag	UNP Q9H8S9
B	30	GLY	-	expression tag	UNP Q9H8S9
B	31	HIS	-	expression tag	UNP Q9H8S9
B	32	MET	-	expression tag	UNP Q9H8S9

- Molecule 2 is a protein called Serine/threonine-protein kinase 38-like.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
2	C	65	554	341	107	104	2	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
2	D	68	572	352	110	108	2	0	0	0


There are 10 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
C	20	SER	-	expression tag	UNP Q9Y2H1
C	21	SER	-	expression tag	UNP Q9Y2H1
C	22	GLY	-	expression tag	UNP Q9Y2H1
C	23	HIS	-	expression tag	UNP Q9Y2H1
C	24	MET	-	expression tag	UNP Q9Y2H1
D	20	SER	-	expression tag	UNP Q9Y2H1
D	21	SER	-	expression tag	UNP Q9Y2H1
D	22	GLY	-	expression tag	UNP Q9Y2H1
D	23	HIS	-	expression tag	UNP Q9Y2H1
D	24	MET	-	expression tag	UNP Q9Y2H1

- Molecule 3 is ZINC ION (three-letter code: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	1	Total	Zn	0	0
			1	1		
3	B	1	Total	Zn	0	0
			1	1		

- Molecule 4 is GLYCEROL (three-letter code: GOL) (formula: C₃H₈O₃).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	C	O	0	0
			6	3	3		
4	C	1	Total	C	O	0	0
			6	3	3		
4	B	1	Total	C	O	0	0
			6	3	3		


- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	73	Total	O	0	0
			73	73		
5	C	28	Total	O	0	0
			28	28		
5	B	105	Total	O	0	1
			105	105		
5	D	42	Total	O	0	0
			42	42		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: MOB kinase activator 1A




- Molecule 1: MOB kinase activator 1A



- Molecule 2: Serine/threonine-protein kinase 38-like



- Molecule 2: Serine/threonine-protein kinase 38-like



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	57.52Å 94.42Å 102.20Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	50.00 – 2.10 29.70 – 2.10	Depositor EDS
% Data completeness (in resolution range)	98.9 (50.00-2.10) 99.0 (29.70-2.10)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.10 (at 2.10Å)	Xtrriage
Refinement program	REFMAC 5.6.0117	Depositor
R, R_{free}	0.156 , 0.244 0.162 , 0.248	Depositor DCC
R_{free} test set	1665 reflections (5.10%)	wwPDB-VP
Wilson B-factor (Å ²)	34.7	Xtrriage
Anisotropy	0.253	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.36 , 51.8	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	4415	wwPDB-VP
Average B, all atoms (Å ²)	42.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 20.96 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 7.7614e-03. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: ZN, GOL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.81	0/1490	0.80	0/2020
1	B	0.83	0/1613	0.85	2/2184 (0.1%)
2	C	0.78	0/559	1.03	3/740 (0.4%)
2	D	0.76	0/577	0.94	1/764 (0.1%)
All	All	0.81	0/4239	0.88	6/5708 (0.1%)

There are no bond length outliers.

All (6) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	C	84	ARG	NE-CZ-NH1	-7.92	116.34	120.30
1	B	92	ARG	NE-CZ-NH1	-6.92	116.84	120.30
1	B	92	ARG	NE-CZ-NH2	6.59	123.59	120.30
2	C	79	ARG	NE-CZ-NH2	-6.21	117.20	120.30
2	C	84	ARG	NE-CZ-NH2	5.87	123.24	120.30
2	D	66	ARG	NE-CZ-NH2	5.26	122.93	120.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1451	0	1398	32	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	B	1570	0	1521	71	0
2	C	554	0	566	18	0
2	D	572	0	585	17	2
3	A	1	0	0	0	0
3	B	1	0	0	0	0
4	A	6	0	8	0	0
4	B	6	0	8	3	0
4	C	6	0	8	0	0
5	A	73	0	0	10	0
5	B	105	0	0	13	0
5	C	28	0	0	6	2
5	D	42	0	0	6	0
All	All	4415	0	4094	132	2

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 16.

All (132) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:215:ASP:HB2	1:B:216:ARG:C	1.15	1.52
1:B:27:HIS:CD2	1:B:28:SER:HB2	1.59	1.38
2:C:23:HIS:O	2:C:27:THR:HG22	1.26	1.35
1:B:216:ARG:HH11	1:B:216:ARG:CB	1.46	1.28
1:B:215:ASP:CB	1:B:216:ARG:C	2.02	1.26
1:B:216:ARG:HB2	1:B:216:ARG:NH1	1.56	1.21
1:B:127:ASP:HB2	5:B:1132:HOH:O	1.53	1.09
1:B:215:ASP:H	1:B:216:ARG:HA	1.18	1.09
1:A:33:GLU:HG3	1:A:34:ALA:H	1.16	1.03
1:B:215:ASP:N	1:B:216:ARG:HA	1.72	1.03
2:C:23:HIS:O	2:C:27:THR:CG2	2.08	1.00
1:A:211:LEU:HD23	1:A:211:LEU:N	1.74	0.98
1:A:33:GLU:CG	1:A:34:ALA:H	1.73	0.98
1:B:100:GLY:O	1:B:104:LYS:HE3	1.64	0.97
1:B:124:ASP:HA	5:B:1132:HOH:O	1.64	0.96
1:B:51:GLU:OE1	5:B:1101:HOH:O	1.82	0.95
1:A:135:LYS:HG2	1:A:138:VAL:HG23	1.45	0.95
1:B:215:ASP:HB2	1:B:216:ARG:O	1.66	0.95
1:B:215:ASP:N	1:B:216:ARG:CA	2.31	0.93
1:B:27:HIS:CD2	1:B:28:SER:CB	2.51	0.92
1:B:27:HIS:HD2	1:B:28:SER:CB	1.81	0.91

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:215:ASP:H	1:B:216:ARG:CA	1.82	0.91
1:B:216:ARG:HH11	1:B:216:ARG:HB2	0.75	0.89
1:A:69:ASN:HB3	1:A:119:MET:CE	2.02	0.89
1:A:69:ASN:HB3	1:A:119:MET:HE2	1.56	0.86
1:B:27:HIS:HD2	1:B:28:SER:HB2	1.09	0.86
1:B:212:GLY:O	1:B:216:ARG:NH1	2.09	0.86
1:B:107:ILE:HD13	1:B:108:LYS:N	1.93	0.83
1:B:29:SER:HA	1:B:30:GLY:C	2.01	0.80
1:A:211:LEU:N	1:A:211:LEU:CD2	2.44	0.80
2:C:30:ASN:HB2	5:C:215:HOH:O	1.81	0.79
1:B:216:ARG:O	1:B:216:ARG:CD	2.30	0.78
1:B:216:ARG:O	1:B:216:ARG:CG	2.33	0.77
1:A:97:TRP:CH2	5:A:1102:HOH:O	2.38	0.77
1:B:216:ARG:HH11	1:B:216:ARG:CG	1.98	0.76
1:A:86:VAL:HG22	5:A:1158:HOH:O	1.86	0.76
1:B:107:ILE:HD12	1:B:109:CYS:HB3	1.68	0.75
1:B:216:ARG:CB	1:B:216:ARG:NH1	2.30	0.75
1:B:216:ARG:C	1:B:216:ARG:HD3	2.06	0.75
1:B:28:SER:O	1:B:29:SER:CB	2.35	0.74
1:B:215:ASP:CA	1:B:216:ARG:C	2.55	0.74
2:D:49:LEU:C	2:D:49:LEU:HD13	2.09	0.73
1:B:25:ALA:O	5:B:1102:HOH:O	2.05	0.73
1:B:107:ILE:HG13	5:B:1202:HOH:O	1.89	0.73
2:D:50:GLU:OE1	5:D:101:HOH:O	2.07	0.72
1:A:105:LYS:HE3	1:A:106:PRO:HD2	1.72	0.72
1:B:216:ARG:O	1:B:216:ARG:HG3	1.91	0.71
1:A:199:ARG:HG3	5:A:1148:HOH:O	1.90	0.71
1:A:108:LYS:NZ	5:A:1101:HOH:O	2.24	0.70
1:B:100:GLY:O	1:B:104:LYS:CE	2.37	0.70
1:A:33:GLU:CG	1:A:34:ALA:N	2.45	0.69
2:D:40:GLU:O	2:D:44:THR:HG23	1.93	0.69
1:B:28:SER:O	1:B:29:SER:HB3	1.93	0.68
5:A:1154:HOH:O	2:C:75:THR:HG21	1.93	0.68
1:B:216:ARG:C	1:B:216:ARG:CD	2.61	0.68
1:A:211:LEU:HD23	1:A:211:LEU:H	1.56	0.67
1:B:44:ALA:HB1	2:D:35:LEU:HD21	1.76	0.67
1:A:33:GLU:HG3	1:A:34:ALA:N	2.01	0.66
1:A:135:LYS:HG2	1:A:138:VAL:CG2	2.23	0.66
2:D:84:ARG:HD3	5:D:114:HOH:O	1.96	0.64
1:B:29:SER:CA	1:B:30:GLY:C	2.66	0.63
2:D:20:SER:OG	5:D:102:HOH:O	2.15	0.63

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:C:66:ARG:NH2	5:C:201:HOH:O	2.32	0.62
1:B:216:ARG:NH1	1:B:216:ARG:CG	2.56	0.61
1:A:99:ASP:O	1:A:154:ARG:NH2	2.25	0.61
2:D:35:LEU:O	2:D:35:LEU:HD23	2.01	0.61
1:A:69:ASN:HB3	1:A:119:MET:HE3	1.83	0.60
1:B:107:ILE:HD13	1:B:107:ILE:C	2.21	0.60
1:B:129:GLU:OE1	5:B:1103:HOH:O	2.16	0.60
1:B:29:SER:HA	1:B:30:GLY:O	2.01	0.60
1:B:100:GLY:C	1:B:104:LYS:HE3	2.23	0.59
1:A:154:ARG:NH1	5:A:1102:HOH:O	2.36	0.59
1:B:107:ILE:HD13	1:B:108:LYS:C	2.24	0.58
2:C:71:ALA:O	2:C:75:THR:HG23	2.04	0.58
1:B:206:GLU:OE1	1:B:210:LYS:NZ	2.39	0.56
1:B:184:LYS:NZ	1:B:214:LYS:HD3	2.22	0.53
1:B:215:ASP:N	1:B:216:ARG:C	2.63	0.52
1:B:215:ASP:H	1:B:216:ARG:C	2.12	0.52
1:B:68:ILE:HD11	1:B:159:TYR:CE2	2.45	0.51
1:A:107:ILE:O	1:A:107:ILE:HG12	2.11	0.51
1:A:118:LEU:HD13	1:A:154:ARG:HB3	1.93	0.51
2:C:75:THR:HG22	5:C:206:HOH:O	2.10	0.51
1:B:184:LYS:HZ1	1:B:214:LYS:HD3	1.76	0.51
2:D:50:GLU:CD	5:D:101:HOH:O	2.46	0.51
1:B:28:SER:O	1:B:29:SER:OG	2.28	0.50
2:D:35:LEU:C	2:D:35:LEU:CD2	2.79	0.50
1:A:118:LEU:CD1	1:A:154:ARG:HB3	2.42	0.50
5:A:1133:HOH:O	2:C:82:ARG:HD3	2.10	0.49
1:B:90:GLY:H	1:B:165:GLN:HE21	1.62	0.48
1:B:136:ILE:HG23	5:B:1157:HOH:O	2.14	0.48
1:B:147:VAL:HG13	5:B:1151:HOH:O	2.14	0.48
1:B:63:ASP:OD1	4:B:1002:GOL:C1	2.62	0.47
5:A:1116:HOH:O	2:C:83:THR:HG21	2.14	0.47
2:C:66:ARG:HD3	5:C:221:HOH:O	2.14	0.47
1:B:107:ILE:CG1	5:B:1202:HOH:O	2.55	0.47
1:B:101:THR:CG2	5:B:1199:HOH:O	2.63	0.46
1:B:188:PHE:HE2	1:B:214:LYS:HE2	1.80	0.46
1:B:215:ASP:OD1	5:B:1104:HOH:O	2.20	0.46
1:B:101:THR:HG21	5:B:1199:HOH:O	2.15	0.46
1:A:74:THR:HG22	2:C:21:SER:HB3	1.96	0.46
1:B:90:GLY:H	1:B:165:GLN:NE2	2.13	0.46
1:A:105:LYS:HB3	1:A:105:LYS:HE2	1.67	0.45
1:A:51:GLU:OE2	2:C:75:THR:HB	2.16	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:D:49:LEU:C	2:D:49:LEU:CD1	2.83	0.45
1:A:125:GLN:HE21	1:A:131:LEU:CD1	2.30	0.45
2:C:34:ASN:HD21	2:C:38:GLN:HE21	1.64	0.44
1:B:107:ILE:C	1:B:107:ILE:CD1	2.85	0.44
1:A:161:HIS:CE1	1:A:165:GLN:HG3	2.53	0.44
1:B:178:HIS:HE1	2:D:29:GLU:OE2	2.00	0.44
2:D:55:GLU:OE2	5:D:103:HOH:O	2.21	0.44
1:A:199:ARG:NE	1:A:199:ARG:HA	2.33	0.44
2:C:35:LEU:HD22	5:C:208:HOH:O	2.17	0.43
1:B:199:ARG:HD3	1:B:199:ARG:HA	1.50	0.43
1:A:68:ILE:HD13	1:A:155:LEU:HB3	2.00	0.43
2:C:58:LEU:HD11	2:C:66:ARG:NH2	2.34	0.43
1:B:63:ASP:OD1	4:B:1002:GOL:H11	2.19	0.43
1:B:134:SER:HA	2:D:83:THR:HG21	2.00	0.42
2:D:35:LEU:O	2:D:35:LEU:CD2	2.67	0.42
1:A:51:GLU:OE2	2:C:75:THR:HG22	2.19	0.42
1:B:29:SER:HB2	1:B:31:HIS:N	2.34	0.42
1:B:184:LYS:NZ	5:B:1111:HOH:O	2.52	0.41
1:B:68:ILE:CD1	1:B:155:LEU:HB3	2.51	0.41
1:B:63:ASP:OD1	4:B:1002:GOL:H12	2.21	0.41
1:B:216:ARG:O	1:B:216:ARG:HD2	2.17	0.41
2:D:35:LEU:HD23	2:D:35:LEU:C	2.42	0.41
1:A:90:GLY:H	1:A:165:GLN:NE2	2.19	0.41
2:D:20:SER:N	5:D:112:HOH:O	2.54	0.41
2:D:86:GLY:O	2:D:87:LEU:HB2	2.21	0.40
5:A:1154:HOH:O	2:C:75:THR:CG2	2.61	0.40
1:B:27:HIS:O	1:B:28:SER:C	2.60	0.40
1:A:199:ARG:CG	5:A:1148:HOH:O	2.60	0.40
2:C:26:LEU:CD2	5:C:215:HOH:O	2.69	0.40

All (2) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:D:34:ASN:ND2	5:C:216:HOH:O[2_355]	2.04	0.16
2:D:30:ASN:OD1	5:C:216:HOH:O[2_355]	2.18	0.02

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	174/193 (90%)	172 (99%)	1 (1%)	1 (1%)	25	21
1	B	191/193 (99%)	188 (98%)	2 (1%)	1 (0%)	29	26
2	C	63/68 (93%)	63 (100%)	0	0	100	100
2	D	66/68 (97%)	66 (100%)	0	0	100	100
All	All	494/522 (95%)	489 (99%)	3 (1%)	2 (0%)	34	32

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	29	SER
1	A	103	ILE

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	157/171 (92%)	149 (95%)	8 (5%)	24	22
1	B	171/171 (100%)	156 (91%)	15 (9%)	10	6
2	C	60/62 (97%)	44 (73%)	16 (27%)	0	0
2	D	62/62 (100%)	53 (86%)	9 (14%)	3	1
All	All	450/466 (97%)	402 (89%)	48 (11%)	6	3

All (48) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	38	SER
1	A	99	ASP
1	A	105	LYS
1	A	107	ILE
1	A	135	LYS
1	A	172	GLN
1	A	199	ARG
1	A	211	LEU
2	C	25	LYS
2	C	26	LEU
2	C	27	THR
2	C	28	LEU
2	C	33	SER
2	C	35	LEU
2	C	37	LEU
2	C	40	GLU
2	C	46	GLN
2	C	47	LYS
2	C	64	LYS
2	C	65	LEU
2	C	72	ARG
2	C	75	THR
2	C	79	ARG
2	C	83	THR
1	B	26	HIS
1	B	28	SER
1	B	38	SER
1	B	104	LYS
1	B	105	LYS
1	B	107	ILE
1	B	108	LYS
1	B	136	ILE
1	B	197	ASP
1	B	199	ARG
1	B	200	GLU
1	B	210	LYS
1	B	213	SER
1	B	214	LYS
1	B	216	ARG
2	D	28	LEU
2	D	33	SER
2	D	34	ASN
2	D	35	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	D	55	GLU
2	D	60	ASP
2	D	65	LEU
2	D	72	ARG
2	D	81	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (12) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	60	ASN
1	A	125	GLN
1	A	165	GLN
1	A	172	GLN
1	A	178	HIS
2	C	34	ASN
1	B	27	HIS
1	B	60	ASN
1	B	102	ASN
1	B	165	GLN
1	B	178	HIS
1	B	205	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 5 ligands modelled in this entry, 2 are monoatomic - leaving 3 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
4	GOL	C	101	-	5,5,5	0.20	0	5,5,5	0.40	0
4	GOL	B	1002	-	5,5,5	0.56	0	5,5,5	0.95	0
4	GOL	A	1002	-	5,5,5	0.22	0	5,5,5	0.20	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	GOL	C	101	-	-	0/4/4/4	-
4	GOL	B	1002	-	-	4/4/4/4	-
4	GOL	A	1002	-	-	4/4/4/4	-

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (8) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	A	1002	GOL	O1-C1-C2-C3
4	A	1002	GOL	C1-C2-C3-O3
4	B	1002	GOL	O1-C1-C2-C3
4	B	1002	GOL	C1-C2-C3-O3
4	A	1002	GOL	O1-C1-C2-O2
4	A	1002	GOL	O2-C2-C3-O3
4	B	1002	GOL	O1-C1-C2-O2
4	B	1002	GOL	O2-C2-C3-O3

There are no ring outliers.

1 monomer is involved in 3 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	B	1002	GOL	3	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	178/193 (92%)	-0.01	5 (2%) 53 59	27, 42, 66, 101	2 (1%)
1	B	193/193 (100%)	-0.17	9 (4%) 31 37	22, 33, 61, 88	0
2	C	65/68 (95%)	-0.06	1 (1%) 73 77	32, 45, 60, 69	1 (1%)
2	D	68/68 (100%)	-0.17	1 (1%) 73 77	28, 44, 57, 70	1 (1%)
All	All	504/522 (96%)	-0.10	16 (3%) 47 54	22, 40, 61, 101	4 (0%)

All (16) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	103	ILE	7.8
1	A	102	ASN	5.3
1	B	29	SER	4.9
1	A	104	LYS	4.5
1	B	24	ALA	4.2
1	B	215	ASP	3.6
1	B	216	ARG	3.2
1	B	28	SER	2.9
2	C	21	SER	2.9
1	B	101	THR	2.5
1	B	25	ALA	2.4
1	B	104	LYS	2.3
1	B	100	GLY	2.3
1	A	98	ALA	2.2
1	A	172	GLN	2.2
2	D	44	THR	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q < 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
4	GOL	A	1002	6/6	0.87	0.16	57,64,73,84	0
4	GOL	C	101	6/6	0.89	0.12	65,67,74,82	0
4	GOL	B	1002	6/6	0.89	0.16	47,48,51,56	0
3	ZN	B	1001	1/1	1.00	0.08	28,28,28,28	0
3	ZN	A	1001	1/1	1.00	0.10	40,40,40,40	0

6.5 Other polymers [i](#)

There are no such residues in this entry.