



# Full wwPDB X-ray Structure Validation Report ⓘ

May 15, 2020 – 01:33 am BST

PDB ID : 4XVK  
Title : Binary complex of human polymerase nu and DNA with the finger domain closed  
Authors : Lee, Y.-S.; Yang, W.  
Deposited on : 2015-01-27  
Resolution : 2.95 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
Xtriage (Phenix) : 1.13  
EDS : 2.11  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.11


# 1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.95 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	3104 (3.00-2.92)
Clashscore	141614	3462 (3.00-2.92)
Ramachandran outliers	138981	3340 (3.00-2.92)
Sidechain outliers	138945	3343 (3.00-2.92)
RSRZ outliers	127900	2986 (3.00-2.92)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	666	
2	P	15	
3	T	12	

## 2 Entry composition

There are 6 unique types of molecules in this entry. The entry contains 5558 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called DNA polymerase nu.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	630	4971	3167	874	905	25	0	0	0

- Molecule 2 is a DNA chain called DNA (5'-D(\*GP\*AP\*TP\*CP\*TP\*GP\*AP\*CP\*GP\*CP\*TP\*AP\*CP\*GP\*G)-3').

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	P			
2	P	15	306	146	58	88	14	0	0	0

- Molecule 3 is a DNA chain called DNA (5'-D(\*TP\*CP\*CP\*GP\*TP\*AP\*GP\*CP\*GP\*TP\*CP\*A)-3').

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	P			
3	T	12	244	116	43	73	12	0	0	0

- Molecule 4 is 2-(N-MORPHOLINO)-ETHANESULFONIC ACID (three-letter code: MES) (formula: C<sub>6</sub>H<sub>13</sub>NO<sub>4</sub>S).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
			Total	C	N	O	S		
4	A	1	12	6	1	4	1	0	0

- Molecule 5 is SODIUM ION (three-letter code: NA) (formula: Na).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
			Total	Na		
5	A	1	1	1	0	0


- Molecule 6 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
			Total	O		
6	A	23	23	23	0	0
6	P	1	1	1	0	0

### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: DNA polymerase nu





## 4 Data and refinement statistics

Property	Value	Source
Space group	H 3 2	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	290.88Å 290.88Å 110.16Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	29.64 – 2.95 29.64 – 2.94	Depositor EDS
% Data completeness (in resolution range)	99.0 (29.64-2.95) 99.0 (29.64-2.94)	Depositor EDS
$R_{merge}$	0.08	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	2.35 (at 2.95Å)	Xtrriage
Refinement program	PHENIX 1.9_1692	Depositor
R, $R_{free}$	0.222 , 0.241 0.223 , 0.242	Depositor DCC
$R_{free}$ test set	1890 reflections (5.06%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	65.3	Xtrriage
Anisotropy	0.038	Xtrriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.29 , 44.7	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.51$ , $\langle L^2 \rangle = 0.34$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
$F_o, F_c$ correlation	0.92	EDS
Total number of atoms	5558	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	75.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.97% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup> Intensities estimated from amplitudes.

<sup>2</sup> Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: NA, MES

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.39	0/5065	0.53	1/6854 (0.0%)
2	P	0.42	0/343	1.18	0/528
3	T	0.44	0/272	1.20	1/417 (0.2%)
All	All	0.39	0/5680	0.65	2/7799 (0.0%)

There are no bond length outliers.

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	237	ASP	N-CA-C	-6.25	94.11	111.00
3	T	3	DG	O4'-C1'-N9	5.50	111.85	108.00

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4971	0	5071	157	0
2	P	306	0	170	8	0
3	T	244	0	136	5	0
4	A	12	0	12	1	0
5	A	1	0	0	0	0
6	A	23	0	0	7	0

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
6	P	1	0	0	0	0
All	All	5558	0	5389	163	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 15.

All (163) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:526:HIS:ND1	1:A:527:PRO:HD2	1.51	1.23
1:A:486:GLU:O	1:A:490:GLY:HA3	1.57	1.04
1:A:655:SER:HB2	1:A:666:VAL:HG23	1.37	1.03
1:A:835:GLU:OE1	1:A:835:GLU:N	1.92	1.02
1:A:448:GLU:N	1:A:448:GLU:OE1	2.00	0.95
1:A:526:HIS:ND1	1:A:527:PRO:CD	2.32	0.92
1:A:497:LEU:O	1:A:498:SER:OG	1.94	0.84
1:A:833:ALA:HB1	1:A:834:LEU:HA	1.58	0.83
1:A:446:ASN:C	1:A:448:GLU:OE1	2.17	0.83
1:A:699:VAL:HG13	1:A:703:GLU:HB3	1.60	0.82
1:A:699:VAL:CG1	1:A:703:GLU:HB3	2.09	0.81
1:A:463:GLU:OE2	1:A:592:PRO:HB3	1.81	0.81
1:A:236:ALA:O	1:A:237:ASP:OD1	1.99	0.80
1:A:447:LYS:N	1:A:448:GLU:OE1	2.15	0.80
1:A:655:SER:HB2	1:A:666:VAL:CG2	2.09	0.80
1:A:526:HIS:CE1	1:A:527:PRO:HD2	2.16	0.80
1:A:213:GLU:HG2	6:A:1003:HOH:O	1.82	0.79
1:A:699:VAL:HG12	1:A:700:PRO:O	1.85	0.77
1:A:654:PHE:O	1:A:658:THR:HG23	1.86	0.76
1:A:486:GLU:O	1:A:490:GLY:CA	2.34	0.76
1:A:655:SER:CB	1:A:666:VAL:HG23	2.13	0.76
1:A:663:ASP:O	1:A:664:VAL:HG13	1.88	0.74
1:A:835:GLU:HG2	1:A:836:LEU:H	1.53	0.73
1:A:448:GLU:HG2	1:A:449:GLU:N	2.03	0.73
1:A:694:ALA:HB1	1:A:699:VAL:O	1.90	0.72
1:A:741:ARG:NH2	1:A:774:ASP:OD1	2.23	0.71
1:A:428:GLU:OE2	1:A:741:ARG:NH1	2.22	0.71
1:A:240:PRO:O	1:A:241:VAL:HG22	1.90	0.71
1:A:832:GLN:OE1	1:A:833:ALA:HA	1.91	0.70
1:A:834:LEU:HB3	1:A:835:GLU:OE1	1.92	0.69
1:A:835:GLU:HG2	1:A:836:LEU:N	2.07	0.68
1:A:743:ARG:NH1	3:T:3:DG:OP1	2.27	0.66

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:492:LEU:HD13	1:A:526:HIS:CD2	2.31	0.66
1:A:527:PRO:O	1:A:531:ILE:HG12	1.96	0.66
1:A:810:GLU:HG2	1:A:812:PRO:HD2	1.78	0.65
1:A:288:SER:HB2	6:A:1005:HOH:O	1.96	0.65
1:A:540:LYS:NZ	2:P:11:DT:O2	2.29	0.65
1:A:719:LYS:HE3	1:A:723:ARG:HH11	1.62	0.65
1:A:526:HIS:CG	1:A:527:PRO:HD2	2.30	0.64
1:A:566:GLY:HA3	6:A:1008:HOH:O	1.96	0.64
1:A:701:ILE:O	1:A:704:ALA:HB3	1.98	0.64
1:A:520:ASN:OD1	1:A:523:ARG:NH1	2.31	0.63
1:A:720:ASP:HA	1:A:723:ARG:NH2	2.12	0.63
1:A:694:ALA:HA	1:A:699:VAL:HB	1.82	0.62
1:A:447:LYS:HB2	1:A:553:MET:HE3	1.82	0.62
1:A:495:HIS:CD2	1:A:496:LEU:CD2	2.82	0.62
1:A:836:LEU:O	1:A:836:LEU:HG	1.99	0.61
2:P:8:DC:H42	3:T:8:DG:H1	1.47	0.61
1:A:699:VAL:HG13	1:A:700:PRO:HD2	1.82	0.61
1:A:663:ASP:C	1:A:664:VAL:HG13	2.22	0.60
1:A:494:LEU:HD21	1:A:526:HIS:HB2	1.84	0.60
1:A:491:LYS:O	1:A:493:LYS:HG2	2.01	0.60
1:A:422:GLN:HG2	1:A:834:LEU:HD21	1.83	0.60
1:A:241:VAL:O	1:A:241:VAL:HG23	2.02	0.60
1:A:448:GLU:HG2	1:A:449:GLU:H	1.66	0.59
1:A:663:ASP:O	1:A:664:VAL:CG1	2.50	0.59
1:A:624:PHE:HB2	1:A:803:ASP:OD1	2.02	0.59
1:A:492:LEU:HB2	1:A:494:LEU:HD12	1.85	0.59
1:A:491:LYS:O	1:A:493:LYS:CG	2.51	0.59
1:A:525:LEU:HD12	1:A:525:LEU:N	2.18	0.59
1:A:694:ALA:HB2	1:A:704:ALA:HB2	1.85	0.59
1:A:446:ASN:O	1:A:450:MET:HB2	2.04	0.58
1:A:457:LEU:HD22	1:A:538:VAL:HG13	1.86	0.57
1:A:631:ILE:HD11	1:A:775:LEU:HD12	1.86	0.57
1:A:495:HIS:NE2	1:A:496:LEU:HD21	2.20	0.56
1:A:655:SER:HB3	1:A:674:ARG:HH11	1.70	0.56
1:A:447:LYS:HB2	1:A:553:MET:CE	2.36	0.56
1:A:655:SER:CB	1:A:666:VAL:CG2	2.78	0.56
1:A:253:ARG:HD2	1:A:270:VAL:HG21	1.87	0.55
1:A:730:HIS:O	1:A:749:HIS:HE1	1.89	0.55
1:A:448:GLU:CD	1:A:448:GLU:H	2.06	0.55
1:A:296:GLU:O	1:A:300:GLN:HG3	2.07	0.54
1:A:497:LEU:C	1:A:498:SER:HG	2.04	0.54

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:492:LEU:CB	1:A:494:LEU:HD12	2.39	0.53
1:A:495:HIS:CD2	1:A:496:LEU:HD23	2.43	0.53
1:A:369:VAL:O	1:A:373:CYS:HB2	2.09	0.52
1:A:446:ASN:CA	1:A:448:GLU:OE1	2.57	0.52
1:A:628:GLU:HB2	2:P:15:DG:H2''	1.92	0.52
1:A:525:LEU:CD1	1:A:525:LEU:N	2.73	0.52
1:A:664:VAL:HB	1:A:665:PRO:HD2	1.92	0.51
1:A:317:ILE:HG13	1:A:347:LEU:HB2	1.93	0.51
1:A:514:THR:O	1:A:536:ARG:NH1	2.44	0.51
1:A:586:PRO:HB3	1:A:606:SER:HB2	1.93	0.51
1:A:658:THR:HG21	1:A:674:ARG:HA	1.93	0.50
1:A:358:PRO:HG3	6:A:1022:HOH:O	2.11	0.50
1:A:719:LYS:HE3	1:A:723:ARG:NH1	2.25	0.50
1:A:457:LEU:O	1:A:461:LEU:HG	2.12	0.50
1:A:675:GLU:HA	1:A:678:LYS:HE3	1.93	0.50
1:A:448:GLU:CG	1:A:449:GLU:N	2.75	0.50
1:A:803:ASP:HB3	2:P:15:DG:OP1	2.11	0.50
1:A:494:LEU:HD23	1:A:525:LEU:CB	2.42	0.49
1:A:494:LEU:HD23	1:A:525:LEU:HB3	1.94	0.49
1:A:566:GLY:CA	6:A:1008:HOH:O	2.58	0.49
1:A:720:ASP:OD1	1:A:723:ARG:NH2	2.28	0.49
1:A:741:ARG:HG2	1:A:766:PHE:HZ	1.78	0.49
1:A:431:LEU:HD12	1:A:434:ILE:HD12	1.95	0.48
1:A:522:LEU:HD22	1:A:525:LEU:HD22	1.95	0.48
1:A:201:ARG:CZ	1:A:284:GLN:HG3	2.44	0.48
1:A:375:LYS:HG2	1:A:376:SER:H	1.79	0.48
2:P:1:DG:H2'	2:P:2:DA:C8	2.49	0.47
1:A:676:GLN:O	1:A:680:VAL:HG23	2.14	0.47
1:A:345:ILE:H	4:A:901:MES:H21	1.79	0.47
1:A:778:LEU:HD23	1:A:828:LEU:HG	1.96	0.47
1:A:354:TRP:HB2	1:A:565:THR:HG23	1.98	0.46
1:A:618:THR:HG23	1:A:814:ILE:HD11	1.96	0.46
1:A:214:MET:HE1	1:A:279:PRO:HG3	1.97	0.46
1:A:491:LYS:O	1:A:493:LYS:HG3	2.16	0.46
1:A:553:MET:CE	1:A:556:GLY:HA2	2.46	0.46
1:A:450:MET:HB3	1:A:550:LEU:HD21	1.97	0.46
1:A:469:HIS:CD2	1:A:476:PHE:H	2.34	0.46
1:A:374:GLU:OE1	1:A:374:GLU:N	2.48	0.45
1:A:835:GLU:CG	1:A:836:LEU:H	2.25	0.45
1:A:831:VAL:HB	1:A:836:LEU:HD23	1.98	0.45
1:A:430:PRO:HG2	1:A:781:ILE:HD13	1.98	0.45

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:T:8:DG:H2''	3:T:9:DT:H5'	1.99	0.45
1:A:239:THR:HA	1:A:240:PRO:HD2	1.79	0.45
1:A:615:LYS:HD2	1:A:616:GLY:HA2	1.98	0.44
3:T:10:DC:H2''	3:T:11:DA:C8	2.52	0.44
2:P:8:DC:N4	3:T:8:DG:H1	2.13	0.44
1:A:229:ASP:HB2	1:A:231:SER:N	2.32	0.44
1:A:303:ARG:NH1	1:A:335:ASP:OD2	2.46	0.44
1:A:469:HIS:CD2	1:A:475:ARG:HA	2.52	0.44
1:A:699:VAL:CG1	1:A:700:PRO:HD2	2.48	0.44
1:A:834:LEU:O	1:A:835:GLU:C	2.55	0.44
1:A:222:VAL:HB	1:A:250:LEU:HB3	1.99	0.44
1:A:229:ASP:N	1:A:230:GLY:HA2	2.33	0.44
1:A:277:ASP:HA	1:A:278:ASP:HA	1.77	0.44
1:A:350:ARG:NH2	1:A:363:PRO:O	2.46	0.44
1:A:495:HIS:CD2	1:A:496:LEU:HD21	2.51	0.44
1:A:769:GLN:HG2	6:A:1013:HOH:O	2.18	0.43
1:A:832:GLN:CD	1:A:833:ALA:HA	2.37	0.43
1:A:483:GLN:O	1:A:487:ILE:HG13	2.19	0.43
1:A:591:THR:HG22	1:A:601:LYS:O	2.18	0.43
1:A:321:ALA:HB3	1:A:432:ILE:HD13	2.00	0.43
1:A:734:CYS:SG	1:A:742:ARG:HB2	2.58	0.43
1:A:363:PRO:HG2	1:A:368:LEU:HD21	2.00	0.43
1:A:634:HIS:ND1	1:A:839:GLN:HG2	2.33	0.43
1:A:739:MET:HE2	1:A:836:LEU:HD22	2.00	0.43
1:A:591:THR:HG21	1:A:601:LYS:HG2	2.00	0.43
1:A:654:PHE:O	1:A:658:THR:CG2	2.62	0.43
1:A:235:GLY:HA2	1:A:381:VAL:HB	2.01	0.42
1:A:374:GLU:HA	1:A:375:LYS:HA	1.72	0.42
1:A:558:ILE:HD11	1:A:611:PHE:HE2	1.83	0.42
1:A:495:HIS:NE2	1:A:496:LEU:CD2	2.82	0.42
1:A:544:THR:HG22	1:A:545:PHE:CD1	2.54	0.42
1:A:282:TYR:CE2	1:A:284:GLN:HG2	2.54	0.42
1:A:540:LYS:HA	1:A:540:LYS:HD2	1.83	0.42
1:A:590:THR:O	1:A:592:PRO:HD3	2.19	0.42
1:A:322:LYS:HB3	1:A:322:LYS:HE2	1.88	0.42
1:A:337:SER:H	1:A:340:HIS:CE1	2.38	0.41
1:A:652:ASP:OD1	1:A:653:VAL:N	2.44	0.41
1:A:492:LEU:HA	1:A:492:LEU:HD23	1.94	0.41
1:A:571:ARG:CZ	1:A:769:GLN:HE21	2.33	0.41
1:A:628:GLU:CD	2:P:15:DG:H2''	2.41	0.41
1:A:747:ARG:HD3	1:A:755:LEU:HD13	2.02	0.41

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:832:GLN:HA	1:A:833:ALA:HA	1.86	0.41
1:A:492:LEU:CB	1:A:494:LEU:CD1	2.99	0.41
1:A:603:LEU:HD12	1:A:603:LEU:HA	1.82	0.41
1:A:450:MET:HG2	1:A:546:VAL:HG13	2.01	0.41
2:P:14:DG:H2'	2:P:15:DG:H5''	2.02	0.40
1:A:756:ARG:O	1:A:760:GLU:HG3	2.21	0.40
1:A:448:GLU:CG	1:A:449:GLU:H	2.34	0.40
1:A:385:TYR:OH	6:A:1001:HOH:O	2.11	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	620/666 (93%)	609 (98%)	11 (2%)	0	<a href="#">100</a> <a href="#">100</a>

There are no Ramachandran outliers to report.

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	548/577 (95%)	546 (100%)	2 (0%)	<a href="#">91</a> <a href="#">96</a>

All (2) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	197	PHE
1	A	702	GLN

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (1) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	749	HIS

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 5.6 Ligand geometry [i](#)

Of 2 ligands modelled in this entry, 1 is monoatomic - leaving 1 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
4	MES	A	901	-	12,12,12	2.29	1 (8%)	14,16,16	1.94	4 (28%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '2' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	MES	A	901	-	-	0/6/14/14	0/1/1/1

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	A	901	MES	C8-S	-7.69	1.66	1.77

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	A	901	MES	C5-N4-C3	4.43	118.79	108.83
4	A	901	MES	C6-C5-N4	-2.80	105.86	110.10
4	A	901	MES	O1S-S-C8	2.51	109.93	106.92
4	A	901	MES	O3S-S-C8	2.18	109.29	105.77

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	A	901	MES	1	0

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data

### 6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	630/666 (94%)	0.27	39 (6%) 20 12	29, 69, 139, 173	0
2	P	15/15 (100%)	-0.08	0 100 100	71, 85, 100, 105	0
3	T	12/12 (100%)	-0.22	1 (8%) 11 6	50, 71, 96, 119	0
All	All	657/693 (94%)	0.25	40 (6%) 21 12	29, 70, 139, 173	0

All (40) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	661	TRP	7.4
1	A	663	ASP	7.1
1	A	662	LYS	5.0
1	A	668	GLN	4.9
1	A	643	LYS	4.3
1	A	673	ASP	4.2
1	A	695	ALA	4.2
1	A	602	ILE	4.1
1	A	670	THR	3.8
1	A	696	CYS	3.8
1	A	671	HIS	3.4
1	A	659	SER	3.2
1	A	660	GLN	3.2
1	A	839	GLN	3.2
1	A	376	SER	3.2
1	A	664	VAL	3.1
1	A	667	GLU	3.0
1	A	697	LEU	3.0
1	A	701	ILE	3.0
1	A	666	VAL	3.0
1	A	374	GLU	2.8
1	A	690	LYS	2.8
1	A	238	GLN	2.8

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	A	655	SER	2.7
1	A	833	ALA	2.7
1	A	592	PRO	2.7
1	A	657	LEU	2.7
1	A	832	GLN	2.7
1	A	702	GLN	2.7
1	A	590	THR	2.6
1	A	658	THR	2.5
1	A	672	ALA	2.5
1	A	642	LEU	2.4
1	A	370	GLU	2.3
1	A	267	CYS	2.3
1	A	679	LYS	2.3
3	T	0	DT	2.3
1	A	776	CYS	2.2
1	A	751	HIS	2.2
1	A	615	LYS	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
5	NA	A	902	1/1	0.88	0.31	48,48,48,48	1
4	MES	A	901	12/12	0.93	0.17	49,67,86,92	0

## 6.5 Other polymers [i](#)

There are no such residues in this entry.