



# Full wwPDB X-ray Structure Validation Report ⓘ

Oct 6, 2024 – 06:17 PM JST

PDB ID : 5XWT  
Title : Crystal structure of PTPdelta Ig1-Fn1 in complex with SALM5 LRR-Ig  
Authors : Goto-Ito, S.; Yamagata, A.; Sato, Y.; Fukai, S.  
Deposited on : 2017-06-30  
Resolution : 4.18 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
Xtriage (Phenix) : 1.13  
EDS : 3.0  
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)  
CCP4 : 9.0.003 (Gargrove)  
Density-Fitness : 1.0.11  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.39


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 4.18 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.







Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	164625	1008 (4.54-3.82)
Clashscore	180529	1008 (4.50-3.86)
Ramachandran outliers	177936	1235 (4.56-3.80)
Sidechain outliers	177891	1220 (4.56-3.80)
RSRZ outliers	164620	1006 (4.54-3.82)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	402	 80% 15% 5%
1	C	402	 76% 17% 7%
2	B	367	 78% 16% 6%
2	D	367	 75% 19% 6%
3	E	2	 50% 50%
3	F	2	 100%

Continued on next page...

*Continued from previous page...*

Mol	Chain	Length	Quality of chain
3	H	2	 50% 50%
3	I	2	 50% 50%
3	J	2	 100%
4	G	3	 100%

## 2 Entry composition i

There are 5 unique types of molecules in this entry. The entry contains 11527 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Receptor-type tyrosine-protein phosphatase delta.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	382	2942	1838	515	576	13	0	0	0
1	C	374	2878	1799	505	561	13	0	0	0

There are 22 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	22	LEU	-	expression tag	UNP Q64487
A	23	MET	-	expression tag	UNP Q64487
A	24	GLY	-	expression tag	UNP Q64487
A	25	CYS	-	expression tag	UNP Q64487
A	26	VAL	-	expression tag	UNP Q64487
A	418	HIS	-	expression tag	UNP Q64487
A	419	HIS	-	expression tag	UNP Q64487
A	420	HIS	-	expression tag	UNP Q64487
A	421	HIS	-	expression tag	UNP Q64487
A	422	HIS	-	expression tag	UNP Q64487
A	423	HIS	-	expression tag	UNP Q64487
C	22	LEU	-	expression tag	UNP Q64487
C	23	MET	-	expression tag	UNP Q64487
C	24	GLY	-	expression tag	UNP Q64487
C	25	CYS	-	expression tag	UNP Q64487
C	26	VAL	-	expression tag	UNP Q64487
C	418	HIS	-	expression tag	UNP Q64487
C	419	HIS	-	expression tag	UNP Q64487
C	420	HIS	-	expression tag	UNP Q64487
C	421	HIS	-	expression tag	UNP Q64487
C	422	HIS	-	expression tag	UNP Q64487
C	423	HIS	-	expression tag	UNP Q64487

- Molecule 2 is a protein called Leucine-rich repeat and fibronectin type-III domain-containing protein 5.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
2	B	345	2730	1725	483	506	16	0	0	0
2	D	346	2739	1730	485	508	16	0	0	0

There are 10 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
B	380	HIS	-	expression tag	UNP Q96NI6
B	381	HIS	-	expression tag	UNP Q96NI6
B	382	HIS	-	expression tag	UNP Q96NI6
B	383	HIS	-	expression tag	UNP Q96NI6
B	384	HIS	-	expression tag	UNP Q96NI6
D	380	HIS	-	expression tag	UNP Q96NI6
D	381	HIS	-	expression tag	UNP Q96NI6
D	382	HIS	-	expression tag	UNP Q96NI6
D	383	HIS	-	expression tag	UNP Q96NI6
D	384	HIS	-	expression tag	UNP Q96NI6

- Molecule 3 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
			Total	C	N	O			
3	E	2	28	16	2	10	0	0	0
3	F	2	28	16	2	10	0	0	0
3	H	2	28	16	2	10	0	0	0
3	I	2	28	16	2	10	0	0	0
3	J	2	28	16	2	10	0	0	0

- Molecule 4 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
			Total	C	N	O			
4	G	3	42	24	3	15	0	0	0

- Molecule 5 is 2-acetamido-2-deoxy-beta-D-glucopyranose (three-letter code: NAG) (formula:  $C_8H_{15}NO_6$ ).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
			Total	C	N	O		
5	A	1	14	8	1	5	0	0
5	B	1	14	8	1	5	0	0
5	B	1	14	8	1	5	0	0
5	D	1	14	8	1	5	0	0


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Receptor-type tyrosine-protein phosphatase delta




- Molecule 1: Receptor-type tyrosine-protein phosphatase delta




- Molecule 2: Leucine-rich repeat and fibronectin type-III domain-containing protein 5







- Molecule 2: Leucine-rich repeat and fibronectin type-III domain-containing protein 5




- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose




- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



Chain J:  100%

MAG1  
MAG2

- Molecule 4: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain G:  100%

MAG1  
MAG2  
MAG3

## 4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	98.26Å 169.75Å 210.95Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	49.86 – 4.18 49.86 – 4.18	Depositor EDS
% Data completeness (in resolution range)	95.3 (49.86-4.18) 95.4 (49.86-4.18)	Depositor EDS
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	2.27 (at 4.14Å)	Xtrriage
Refinement program	PHENIX 1.9_1692	Depositor
R, $R_{free}$	0.261 , 0.311 0.269 , 0.314	Depositor DCC
$R_{free}$ test set	1300 reflections (4.88%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	95.0	Xtrriage
Anisotropy	0.596	Xtrriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.30 , 100.6	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.31$ , $\langle L^2 \rangle = 0.15$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
$F_o, F_c$ correlation	0.86	EDS
Total number of atoms	11527	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	137.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 25.98 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 2.8691e-03.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: NAG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.20	0/3005	0.38	0/4097
1	C	0.20	0/2937	0.38	0/4002
2	B	0.20	0/2787	0.40	0/3791
2	D	0.21	0/2796	0.40	0/3803
All	All	0.20	0/11525	0.39	0/15693

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2942	0	2911	39	0
1	C	2878	0	2854	39	1
2	B	2730	0	2735	31	0
2	D	2739	0	2743	41	1
3	E	28	0	25	1	0
3	F	28	0	25	0	0
3	H	28	0	25	1	0
3	I	28	0	25	1	0
3	J	28	0	25	0	0

*Continued on next page...*

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
4	G	42	0	37	0	0
5	A	14	0	13	0	0
5	B	28	0	26	0	0
5	D	14	0	13	0	0
All	All	11527	0	11457	142	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

All (142) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:331:LYS:H	1:A:354:ASN:HD21	1.33	0.75
1:A:75:ARG:HH11	1:A:98:ARG:HH21	1.40	0.68
1:C:259:SER:HB3	3:H:1:NAG:H81	1.75	0.68
2:D:306:LEU:HD21	2:D:372:LEU:HD11	1.76	0.68
1:A:146:ARG:HG2	1:A:147:THR:HG23	1.78	0.64
1:A:144:VAL:HG21	1:A:150:ALA:HB2	1.80	0.64
1:C:364:GLN:HG2	1:C:376:GLU:HG2	1.80	0.64
1:C:146:ARG:HG2	1:C:147:THR:HG23	1.81	0.63
2:D:317:ALA:HB3	2:D:360:SER:HB2	1.81	0.62
1:C:348:LEU:HD21	1:C:398:PHE:HB3	1.80	0.61
1:C:144:VAL:HG21	1:C:150:ALA:HB2	1.83	0.61
2:B:321:ILE:HG22	2:B:326:LYS:HG2	1.83	0.60
1:A:62:ILE:HD12	1:A:86:GLY:HA2	1.84	0.59
2:D:220:GLN:HE21	2:D:254:LEU:HA	1.67	0.59
1:A:75:ARG:NH2	1:A:93:PRO:O	2.36	0.59
2:D:321:ILE:HG22	2:D:326:LYS:HG2	1.85	0.58
2:B:45:VAL:HG11	2:B:70:ASP:HB3	1.86	0.58
1:C:73:ASN:HB3	1:C:76:PHE:HD1	1.69	0.57
1:C:62:ILE:HD12	1:C:86:GLY:HA2	1.85	0.57
1:A:73:ASN:HB3	1:A:76:PHE:HD1	1.70	0.57
1:A:249:PRO:HB2	1:A:322:ALA:HB2	1.87	0.57
2:D:338:ASP:O	2:D:339:ASN:HB2	2.04	0.56
2:B:28:ILE:HG12	2:B:33:LEU:HD13	1.87	0.56
1:C:401:VAL:HG11	1:C:408:ARG:HE	1.71	0.56
2:D:296:MET:HG3	2:D:298:VAL:HG23	1.89	0.55
2:B:201:ASP:OD1	2:B:203:THR:OG1	2.24	0.55
2:D:160:GLU:HA	2:D:183:ILE:HA	1.89	0.55
2:B:317:ALA:HB3	2:B:360:SER:HB2	1.88	0.54
2:D:45:VAL:HG21	2:D:70:ASP:CG	2.28	0.54

Continued on next page...

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:233:ARG:NH2	2:D:282:PHE:O	2.40	0.54
1:A:255:MET:HG2	1:A:327:LYS:HD2	1.90	0.53
1:A:348:LEU:HD21	1:A:398:PHE:HB3	1.89	0.53
2:D:126:HIS:HA	2:D:149:LEU:HA	1.91	0.53
2:B:174:HIS:HA	2:B:197:MET:HA	1.90	0.53
1:C:235:LEU:HG	1:C:237:GLU:HG2	1.92	0.53
2:D:49:ILE:O	2:D:51:ARG:NH1	2.42	0.52
2:B:37:CYS:HB2	2:B:58:LEU:HD23	1.91	0.52
2:D:246:CYS:N	2:D:284:CYS:SG	2.82	0.52
1:A:342:THR:HG1	1:A:345:SER:HG	1.58	0.51
1:C:364:GLN:HB2	1:C:399:ARG:HB2	1.92	0.51
1:A:331:LYS:N	1:A:354:ASN:HD21	2.07	0.51
2:D:344:ILE:HB	2:D:347:THR:HG22	1.93	0.51
1:A:185:LEU:HD12	1:A:198:ALA:HB3	1.93	0.51
1:C:273:TYR:HB3	1:C:289:MET:HG2	1.93	0.50
2:D:299:LEU:HD21	2:D:352:THR:HG23	1.91	0.50
1:A:75:ARG:NH2	1:A:99:ASP:OD2	2.45	0.50
1:A:364:GLN:HG2	1:A:376:GLU:HG2	1.93	0.50
1:C:331:LYS:N	1:C:354:ASN:OD1	2.39	0.50
2:B:322:SER:N	2:B:325:GLY:O	2.33	0.50
1:A:333:PRO:HG3	1:A:402:ALA:HB2	1.93	0.49
1:A:236:ARG:HG3	1:A:238:VAL:HG13	1.94	0.49
2:D:67:LYS:N	2:D:70:ASP:OD2	2.28	0.49
2:B:126:HIS:HA	2:B:149:LEU:HA	1.93	0.49
1:C:249:PRO:HB2	1:C:322:ALA:HB2	1.95	0.49
1:A:364:GLN:HB2	1:A:399:ARG:HB2	1.95	0.48
2:D:174:HIS:HB2	2:D:198:THR:HG22	1.95	0.48
2:B:125:LEU:HD21	2:B:128:LEU:HD13	1.94	0.48
2:D:174:HIS:HA	2:D:197:MET:HA	1.94	0.48
1:A:286:GLU:O	2:B:311:ARG:NH2	2.43	0.48
1:C:333:PRO:HG3	1:C:402:ALA:HB2	1.96	0.48
1:A:233:ARG:NH1	2:B:282:PHE:O	2.46	0.48
1:A:310:VAL:HG22	1:A:319:GLU:HG2	1.96	0.47
2:B:58:LEU:HB2	2:B:82:LEU:HD23	1.96	0.47
2:D:58:LEU:HB2	2:D:82:LEU:HD23	1.96	0.47
1:A:142:LYS:HE2	1:A:142:LYS:HB3	1.79	0.47
1:A:214:CYS:HB3	1:A:225:SER:HB3	1.97	0.47
2:B:110:ARG:NH1	2:D:158:ASN:OD1	2.47	0.47
2:B:49:ILE:O	2:B:51:ARG:NH1	2.48	0.47
2:D:135:LEU:HB3	2:D:159:LEU:HD21	1.96	0.47
1:A:40:GLN:HG2	1:A:50:PHE:HE1	1.80	0.46

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:182:ILE:HG12	1:C:201:ILE:HG23	1.96	0.46
1:C:274:VAL:O	1:C:294:ASN:ND2	2.41	0.46
1:C:142:LYS:HA	2:D:362:PRO:HA	1.97	0.46
2:D:303:ARG:HH22	3:I:2:NAG:H3	1.79	0.46
2:B:306:LEU:HD21	2:B:372:LEU:HD21	1.98	0.46
1:C:288:ASP:OD1	1:C:288:ASP:N	2.48	0.46
1:C:342:THR:OG1	1:C:345:SER:OG	2.22	0.46
2:D:201:ASP:OD1	2:D:203:THR:OG1	2.26	0.46
2:B:135:LEU:HB3	2:B:159:LEU:HD21	1.97	0.46
1:C:211:LYS:HD3	1:C:227:PRO:HB3	1.99	0.45
1:A:342:THR:OG1	1:A:345:SER:OG	2.27	0.45
2:B:254:LEU:HD23	2:B:256:ARG:HD2	1.98	0.45
1:C:240:ARG:HB3	1:C:315:LEU:HD11	1.99	0.45
2:D:125:LEU:HD21	2:D:128:LEU:HD13	1.99	0.45
1:C:168:LYS:NZ	1:C:207:SER:O	2.37	0.45
1:A:39:ASP:OD1	1:A:118:THR:OG1	2.27	0.45
1:A:233:ARG:HH21	2:B:280:GLU:HA	1.82	0.45
1:C:92:GLN:HA	1:C:93:PRO:HA	1.81	0.45
2:D:48:ASN:OD1	2:D:48:ASN:N	2.50	0.45
1:C:271:MET:HA	1:C:272:PRO:HD3	1.81	0.44
1:A:48:ALA:HB2	1:A:94:LEU:HD11	1.99	0.44
1:A:368:LYS:HD2	1:A:395:ASP:HB2	1.99	0.44
2:B:30:SER:HA	2:B:31:PRO:HA	1.70	0.44
1:C:181:ARG:HG2	1:C:182:ILE:HG13	1.99	0.44
1:C:236:ARG:HE	2:D:283:LEU:HD11	1.81	0.44
1:C:332:PRO:HA	1:C:333:PRO:HD3	1.86	0.44
1:A:150:ALA:HB3	1:A:201:ILE:HB	1.99	0.44
2:D:237:PHE:CE2	2:D:261:GLU:HG2	2.53	0.44
1:C:348:LEU:HD22	1:C:363:ILE:HD13	1.99	0.44
2:D:313:ASP:HA	2:D:314:PRO:HA	1.89	0.44
2:D:323:PRO:HG3	2:D:354:ALA:H	1.82	0.43
2:B:155:SER:O	2:B:157:ASN:ND2	2.51	0.43
1:C:142:LYS:HE2	1:C:142:LYS:HB3	1.80	0.43
1:C:185:LEU:HD12	1:C:198:ALA:HB3	2.01	0.43
1:C:200:GLN:NE2	1:C:202:GLU:OE2	2.52	0.43
2:D:286:PRO:HA	2:D:287:PRO:HD3	1.85	0.43
2:B:233:PHE:HE2	2:B:235:LEU:HB3	1.83	0.43
2:B:238:GLY:O	2:B:240:ASN:ND2	2.52	0.43
1:A:305:ALA:HA	3:E:1:NAG:H82	2.01	0.43
2:B:313:ASP:HA	2:B:314:PRO:HA	1.91	0.43
1:A:59:ARG:HA	1:A:60:PRO:HD3	1.85	0.43

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:77:LEU:HD21	2:B:80:LEU:HB2	2.01	0.43
1:A:108:SER:HB3	1:A:113:GLU:HG3	2.01	0.42
1:A:200:GLN:NE2	1:A:202:GLU:OE2	2.52	0.42
2:B:322:SER:HB2	2:B:323:PRO:HD2	2.01	0.42
2:B:237:PHE:CE2	2:B:261:GLU:HG2	2.55	0.42
1:C:286:GLU:O	2:D:311:ARG:NH2	2.41	0.42
1:A:332:PRO:HA	1:A:333:PRO:HD3	1.82	0.42
1:A:35:ARG:HE	1:A:51:ILE:HD13	1.85	0.42
1:A:143:VAL:HG22	1:A:231:TYR:HB2	2.01	0.42
2:D:194:LEU:HB3	2:D:197:MET:HG2	2.01	0.42
2:D:315:GLU:HA	2:D:316:PRO:HD3	1.83	0.42
2:D:238:GLY:O	2:D:240:ASN:ND2	2.53	0.42
2:D:335:LEU:HD23	2:D:336:VAL:H	1.84	0.42
2:B:160:GLU:HA	2:B:183:ILE:HA	2.02	0.41
2:D:155:SER:O	2:D:157:ASN:ND2	2.53	0.41
2:D:66:ILE:HD11	2:D:90:ILE:HG23	2.02	0.41
1:A:73:ASN:HB3	1:A:76:PHE:CD1	2.54	0.41
1:C:159:ASN:HA	1:C:160:PRO:HA	1.90	0.41
2:B:272:ARG:NH2	2:B:277:ILE:HG12	2.35	0.41
1:C:30:PRO:HA	1:C:31:PRO:HD3	1.87	0.41
2:D:20:CYS:HA	2:D:21:PRO:HD3	1.95	0.41
1:C:48:ALA:HB2	1:C:94:LEU:HD11	2.01	0.41
1:C:391:SER:HA	1:C:392:PRO:HD3	1.93	0.41
2:D:337:TYR:HB3	2:D:338:ASP:H	1.51	0.41
1:A:251:ASN:O	1:A:252:HIS:ND1	2.54	0.41
2:B:298:VAL:HG11	2:B:304:ALA:HB2	2.02	0.41
1:C:327:LYS:HB2	1:C:406:ILE:HD11	2.03	0.41
1:C:47:VAL:HG11	1:C:90:ARG:CZ	2.51	0.40
2:D:299:LEU:HD23	2:D:299:LEU:HA	1.87	0.40
2:B:82:LEU:HB2	2:B:106:LEU:HD23	2.03	0.40
2:D:65:ASN:OD1	2:D:65:ASN:N	2.54	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:393:TYR:OH	2:D:280:GLU:OE1[3_345]	2.17	0.03

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	378/402 (94%)	358 (95%)	20 (5%)	0	100	100
1	C	366/402 (91%)	347 (95%)	19 (5%)	0	100	100
2	B	341/367 (93%)	301 (88%)	40 (12%)	0	100	100
2	D	342/367 (93%)	304 (89%)	38 (11%)	0	100	100
All	All	1427/1538 (93%)	1310 (92%)	117 (8%)	0	100	100

There are no Ramachandran outliers to report.

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	331/347 (95%)	330 (100%)	1 (0%)	91	92
1	C	324/347 (93%)	323 (100%)	1 (0%)	91	92
2	B	312/332 (94%)	309 (99%)	3 (1%)	73	81
2	D	313/332 (94%)	310 (99%)	3 (1%)	73	81
All	All	1280/1358 (94%)	1272 (99%)	8 (1%)	84	88

All (8) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	338	VAL
2	B	56	LEU

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type
2	B	173	LEU
2	B	344	ILE
1	C	291	ILE
2	D	56	LEU
2	D	173	LEU
2	D	344	ILE

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (13) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	40	GLN
1	A	53	GLN
1	A	92	GLN
1	A	354	ASN
1	A	364	GLN
2	B	85	ASN
2	B	107	ASN
1	C	40	GLN
1	C	92	GLN
1	C	178	ASN
1	C	323	GLN
2	D	85	ASN
2	D	220	GLN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

13 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond

length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
3	NAG	E	1	1,3	14,14,15	1.56	2 (14%)	17,19,21	1.04	1 (5%)
3	NAG	E	2	3	14,14,15	1.54	2 (14%)	17,19,21	1.07	1 (5%)
3	NAG	F	1	2,3	14,14,15	1.50	2 (14%)	17,19,21	1.09	1 (5%)
3	NAG	F	2	3	14,14,15	1.55	2 (14%)	17,19,21	1.17	2 (11%)
4	NAG	G	1	1,4	14,14,15	1.51	3 (21%)	17,19,21	1.61	4 (23%)
4	NAG	G	2	4	14,14,15	1.46	2 (14%)	17,19,21	1.73	5 (29%)
4	NAG	G	3	4	14,14,15	1.51	2 (14%)	17,19,21	1.00	1 (5%)
3	NAG	H	1	1,3	14,14,15	1.38	2 (14%)	17,19,21	1.79	5 (29%)
3	NAG	H	2	3	14,14,15	1.63	4 (28%)	17,19,21	1.23	3 (17%)
3	NAG	I	1	2,3	14,14,15	1.67	4 (28%)	17,19,21	1.85	5 (29%)
3	NAG	I	2	3	14,14,15	1.56	3 (21%)	17,19,21	1.25	2 (11%)
3	NAG	J	1	2,3	14,14,15	1.44	2 (14%)	17,19,21	1.99	6 (35%)
3	NAG	J	2	3	14,14,15	1.60	2 (14%)	17,19,21	1.22	3 (17%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	NAG	E	1	1,3	-	0/6/23/26	0/1/1/1
3	NAG	E	2	3	-	2/6/23/26	0/1/1/1
3	NAG	F	1	2,3	-	2/6/23/26	0/1/1/1
3	NAG	F	2	3	-	1/6/23/26	0/1/1/1
4	NAG	G	1	1,4	-	2/6/23/26	0/1/1/1
4	NAG	G	2	4	-	0/6/23/26	0/1/1/1
4	NAG	G	3	4	-	1/6/23/26	0/1/1/1
3	NAG	H	1	1,3	-	2/6/23/26	0/1/1/1
3	NAG	H	2	3	-	2/6/23/26	0/1/1/1
3	NAG	I	1	2,3	-	1/6/23/26	0/1/1/1
3	NAG	I	2	3	-	0/6/23/26	0/1/1/1
3	NAG	J	1	2,3	-	1/6/23/26	0/1/1/1
3	NAG	J	2	3	-	0/6/23/26	0/1/1/1

All (32) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	I	1	NAG	O5-C1	4.21	1.50	1.43
3	J	2	NAG	O5-C1	4.11	1.50	1.43
3	H	2	NAG	O5-C1	4.08	1.50	1.43
3	E	1	NAG	O5-C1	3.94	1.50	1.43
3	I	2	NAG	O5-C1	3.93	1.50	1.43
3	E	2	NAG	O5-C1	3.87	1.49	1.43
3	F	2	NAG	O5-C1	3.82	1.49	1.43
3	F	1	NAG	O5-C1	3.78	1.49	1.43
4	G	3	NAG	O5-C1	3.78	1.49	1.43
4	G	2	NAG	O5-C1	3.49	1.49	1.43
3	H	1	NAG	O5-C1	3.45	1.49	1.43
4	G	1	NAG	O5-C1	3.39	1.49	1.43
3	J	1	NAG	O5-C1	3.30	1.49	1.43
3	H	1	NAG	C7-N2	2.59	1.43	1.34
3	E	2	NAG	C7-N2	2.58	1.43	1.34
3	F	1	NAG	C7-N2	2.57	1.43	1.34
3	I	1	NAG	C7-N2	2.56	1.43	1.34
3	J	2	NAG	C7-N2	2.54	1.43	1.34
3	F	2	NAG	C7-N2	2.53	1.43	1.34
3	E	1	NAG	C7-N2	2.53	1.43	1.34
4	G	1	NAG	C7-N2	2.52	1.43	1.34
3	J	1	NAG	C7-N2	2.48	1.42	1.34
3	H	2	NAG	C7-N2	2.46	1.42	1.34
4	G	3	NAG	C7-N2	2.43	1.42	1.34
4	G	2	NAG	C7-N2	2.43	1.42	1.34
3	I	2	NAG	C7-N2	2.40	1.42	1.34
3	I	1	NAG	C3-C2	-2.29	1.47	1.52
4	G	1	NAG	C3-C2	-2.23	1.47	1.52
3	H	2	NAG	O5-C5	2.20	1.47	1.43
3	H	2	NAG	C3-C2	-2.11	1.48	1.52
3	I	2	NAG	C3-C2	-2.07	1.48	1.52
3	I	1	NAG	O5-C5	2.04	1.47	1.43

All (39) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	I	1	NAG	C1-O5-C5	4.67	118.52	112.19
3	J	1	NAG	C3-C4-C5	4.30	117.91	110.24
3	H	1	NAG	C4-C3-C2	3.99	116.86	111.02
4	G	1	NAG	C3-C4-C5	3.80	117.02	110.24
4	G	2	NAG	C4-C3-C2	3.66	116.39	111.02
3	J	1	NAG	C4-C3-C2	3.15	115.63	111.02
4	G	2	NAG	C3-C4-C5	3.08	115.74	110.24

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	H	1	NAG	O4-C4-C3	2.96	117.19	110.35
3	H	1	NAG	O4-C4-C5	-2.93	102.03	109.30
3	I	1	NAG	O5-C1-C2	2.88	115.84	111.29
3	I	1	NAG	C4-C3-C2	-2.87	106.81	111.02
3	H	1	NAG	O3-C3-C2	-2.81	103.65	109.47
3	J	1	NAG	C1-O5-C5	-2.71	108.52	112.19
3	J	1	NAG	C2-N2-C7	-2.63	119.15	122.90
3	I	1	NAG	C2-N2-C7	-2.48	119.37	122.90
3	I	2	NAG	C2-N2-C7	-2.46	119.41	122.90
3	F	2	NAG	C8-C7-N2	2.42	120.20	116.10
3	H	2	NAG	C2-N2-C7	-2.41	119.47	122.90
3	F	2	NAG	C2-N2-C7	-2.37	119.53	122.90
3	J	1	NAG	O5-C5-C4	2.35	116.54	110.83
3	E	1	NAG	C8-C7-N2	2.34	120.06	116.10
3	F	1	NAG	C8-C7-N2	2.31	120.02	116.10
3	J	1	NAG	C8-C7-N2	2.30	120.00	116.10
3	E	2	NAG	C8-C7-N2	2.28	119.96	116.10
4	G	2	NAG	C2-N2-C7	-2.26	119.68	122.90
3	H	2	NAG	C8-C7-N2	2.24	119.89	116.10
3	I	1	NAG	C8-C7-N2	2.23	119.88	116.10
3	J	2	NAG	C8-C7-N2	2.22	119.86	116.10
3	I	2	NAG	C8-C7-N2	2.21	119.84	116.10
3	H	2	NAG	C1-O5-C5	2.18	115.14	112.19
4	G	2	NAG	C8-C7-N2	2.17	119.78	116.10
4	G	1	NAG	C4-C3-C2	2.17	114.20	111.02
4	G	2	NAG	C1-O5-C5	-2.13	109.31	112.19
3	J	2	NAG	C6-C5-C4	-2.08	108.13	113.00
3	H	1	NAG	C8-C7-N2	2.07	119.60	116.10
4	G	3	NAG	C2-N2-C7	-2.04	120.00	122.90
4	G	1	NAG	C2-N2-C7	-2.03	120.02	122.90
4	G	1	NAG	O5-C5-C4	2.03	115.76	110.83
3	J	2	NAG	C2-N2-C7	-2.01	120.05	122.90

There are no chirality outliers.

All (14) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	F	1	NAG	O5-C5-C6-O6
3	F	1	NAG	C4-C5-C6-O6
3	H	1	NAG	O5-C5-C6-O6
4	G	1	NAG	C4-C5-C6-O6
3	E	2	NAG	O5-C5-C6-O6

*Continued on next page...*

*Continued from previous page...*


Mol	Chain	Res	Type	Atoms
3	H	2	NAG	C4-C5-C6-O6
3	H	1	NAG	C4-C5-C6-O6
3	I	1	NAG	O5-C5-C6-O6
4	G	1	NAG	O5-C5-C6-O6
3	J	1	NAG	C4-C5-C6-O6
3	H	2	NAG	O5-C5-C6-O6
3	F	2	NAG	O5-C5-C6-O6
4	G	3	NAG	O5-C5-C6-O6
3	E	2	NAG	C4-C5-C6-O6


There are no ring outliers.


3 monomers are involved in 3 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	E	1	NAG	1	0
3	H	1	NAG	1	0
3	I	2	NAG	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.

















## 5.6 Ligand geometry [i](#)

4 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z  > 2$	Counts	RMSZ	# $ Z  > 2$
5	NAG	B	602	2	14,14,15	1.56	3 (21%)	17,19,21	1.12	2 (11%)
5	NAG	A	601	1	14,14,15	1.56	2 (14%)	17,19,21	1.17	1 (5%)
5	NAG	D	603	2	14,14,15	1.58	2 (14%)	17,19,21	1.15	2 (11%)
5	NAG	B	601	2	14,14,15	1.58	3 (21%)	17,19,21	1.36	3 (17%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	NAG	B	602	2	-	2/6/23/26	0/1/1/1
5	NAG	A	601	1	-	1/6/23/26	0/1/1/1
5	NAG	D	603	2	-	2/6/23/26	0/1/1/1
5	NAG	B	601	2	-	2/6/23/26	0/1/1/1

All (10) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	B	601	NAG	O5-C1	4.04	1.50	1.43
5	D	603	NAG	O5-C1	4.03	1.50	1.43
5	B	602	NAG	O5-C1	3.92	1.50	1.43
5	A	601	NAG	O5-C1	3.87	1.49	1.43
5	D	603	NAG	C7-N2	2.66	1.43	1.34
5	A	601	NAG	C7-N2	2.55	1.43	1.34
5	B	602	NAG	C7-N2	2.46	1.42	1.34
5	B	601	NAG	C7-N2	2.44	1.42	1.34
5	B	601	NAG	C3-C2	-2.02	1.48	1.52
5	B	602	NAG	C3-C2	-2.01	1.48	1.52

All (8) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	B	601	NAG	O5-C1-C2	2.86	115.80	111.29
5	D	603	NAG	C8-C7-N2	2.47	120.29	116.10
5	B	601	NAG	C1-O5-C5	2.41	115.45	112.19
5	A	601	NAG	C8-C7-N2	2.38	120.12	116.10
5	B	602	NAG	C2-N2-C7	-2.34	119.58	122.90
5	B	601	NAG	C8-C7-N2	2.19	119.81	116.10
5	B	602	NAG	C8-C7-N2	2.19	119.81	116.10
5	D	603	NAG	C6-C5-C4	-2.05	108.21	113.00

There are no chirality outliers.

All (7) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
5	D	603	NAG	O5-C5-C6-O6
5	D	603	NAG	C4-C5-C6-O6

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms
5	B	602	NAG	O5-C5-C6-O6
5	B	601	NAG	O5-C5-C6-O6
5	B	602	NAG	C4-C5-C6-O6
5	B	601	NAG	C4-C5-C6-O6
5	A	601	NAG	O5-C5-C6-O6

There are no ring outliers.

No monomer is involved in short contacts.

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data [i](#)

### 6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	382/402 (95%)	-0.19	1 (0%) 90 81	58, 128, 177, 207	0
1	C	374/402 (93%)	0.03	1 (0%) 90 81	81, 135, 338, 377	0
2	B	345/367 (94%)	-0.06	3 (0%) 81 66	60, 115, 209, 306	0
2	D	346/367 (94%)	-0.01	2 (0%) 85 73	63, 113, 206, 261	0
All	All	1447/1538 (94%)	-0.06	7 (0%) 87 75	58, 125, 254, 377	0

All (7) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	D	214	PRO	2.5
1	C	416	LEU	2.4
2	B	299	LEU	2.4
1	A	397	GLU	2.3
2	B	246	CYS	2.3
2	B	123	SER	2.2
2	D	246	CYS	2.1

### 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)


There are no non-standard protein/DNA/RNA residues in this entry.

### 6.3 Carbohydrates [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
3	NAG	J	2	14/15	0.26	0.15	183,232,244,245	0
4	NAG	G	3	14/15	0.39	0.14	120,170,195,195	0
4	NAG	G	2	14/15	0.46	0.13	155,178,185,197	0
4	NAG	G	1	14/15	0.58	0.13	157,179,189,212	0
3	NAG	H	1	14/15	0.59	0.12	142,181,194,195	0
3	NAG	J	1	14/15	0.61	0.13	179,217,228,237	0
3	NAG	I	2	14/15	0.67	0.14	214,233,267,268	0
3	NAG	H	2	14/15	0.67	0.12	184,214,245,245	0
3	NAG	F	2	14/15	0.73	0.11	154,192,216,220	0
3	NAG	E	2	14/15	0.79	0.10	159,170,184,191	0
3	NAG	E	1	14/15	0.82	0.08	119,152,160,163	0
3	NAG	I	1	14/15	0.84	0.11	177,206,225,225	0
3	NAG	F	1	14/15	0.89	0.07	162,185,203,207	0

The following is a graphical depiction of the model fit to experimental electron density for oligosaccharide. Each fit is shown from different orientation to approximate a three-dimensional view.



**Electron density around Chain F:**




$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)








**Electron density around Chain H:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around Chain I:**


$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)



**Electron density around Chain J:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)





## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q < 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q < 0.9
5	NAG	B	601	14/15	0.47	0.14	107,176,193,194	0
5	NAG	A	601	14/15	0.68	0.11	113,152,190,210	0
5	NAG	B	602	14/15	0.68	0.14	145,160,173,174	0
5	NAG	D	603	14/15	0.84	0.09	77,150,171,182	0

## 6.5 Other polymers [i](#)

There are no such residues in this entry.