

wwPDB X-ray Structure Validation Summary Report (i)

Nov 22, 2023 – 11:50 PM JST

PDB ID : 7XX0

Title : C281S glycylthricin complex

Authors : Wang, Y.L.; Li, T.L.

Deposited on : 2022-05-27

Resolution : 2.20 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
https://www.wwpdb.org/validation/2017/XrayValidationReportHelp
with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (1)) were used in the production of this report:

MolProbity: 4.02b-467

Mogul : 1.8.5 (274361), CSD as541be (2020)

Xtriage (Phenix) : 1.13

EDS: 2.36

buster-report : 1.1.7 (2018)

Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)

Refmac : 5.8.0158

CCP4 : 7.0.044 (Gargrove)

Ideal geometry (proteins) : Engh & Huber (2001) Ideal geometry (DNA, RNA) : Parkinson et al. (1996)


Validation Pipeline (wwPDB-VP) : 2.36

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure: $X\text{-}RAY\ DIFFRACTION$

The reported resolution of this entry is 2.20 Å.


Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive $(\# \mathrm{Entries})$	$\begin{array}{c} {\rm Similar\ resolution} \\ (\#{\rm Entries},\ {\rm resolution\ range}({\rm \AA})) \end{array}$
R_{free}	130704	4898 (2.20-2.20)
Clashscore	141614	5594 (2.20-2.20)
Ramachandran outliers	138981	5503 (2.20-2.20)
Sidechain outliers	138945	5504 (2.20-2.20)
RSRZ outliers	127900	4800 (2.20-2.20)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain	
1	A	512	% 87%	6% • 6%
1	В	512	88%	5% • 6%
1	С	512	86%	7% • 6%
1	D	512	5% 85%	8% • 6%
1	Е	512	% 87%	7% • 6%
1	F	512	% 87 %	6% • 6%





Continued from previous page...

Mol	Chain	Length	Quality of chain	
1	G	512	87%	7% • 6%
1	Н	512	85%	8% • 6%



2 Entry composition (i)

There are 5 unique types of molecules in this entry. The entry contains 32001 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

• Molecule 1 is a protein called N-formimidoyl fortimicin A synthase.

Mol	Chain	Residues		At	oms			ZeroOcc	AltConf	Trace
1	A	482	Total	С	N	О	S	0	0	0
1	A	402	3654	2293	660	690	11	0	U	
1	В	482	Total	С	N	О	S	0	1	0
1	Б	402	3662	2298	661	691	12	0	1	
1	С	482	Total	С	N	О	S	0	1	0
1		402	3662	2298	661	691	12	0	1	
1	D	480	Total	С	N	О	S	0	0	0
1	D	400	3638	2284	657	686	11	0	0	
1	Е	481	Total	С	N	О	S	0	0	0
1	12	401	3645	2288	658	688	11	0	0	
1	F	482	Total	С	N	О	S	0	1	0
1	Г	402	3662	2298	661	691	12	0	1	
1	G	482	Total	С	N	О	S	0	1	0
1	G	402	3662	2298	661	691	12		1	
1	Н	479	Total	С	N	О	S	0	0	0
1	11	419	3630	2280	656	683	11	0		

There are 176 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-20	MET	-	initiating methionine	UNP A0A125SZC1
A	-19	GLY	-	expression tag	UNP A0A125SZC1
A	-18	SER	-	expression tag	UNP A0A125SZC1
A	-17	SER	-	expression tag	UNP A0A125SZC1
A	-16	HIS	-	expression tag	UNP A0A125SZC1
A	-15	HIS	-	expression tag	UNP A0A125SZC1
A	-14	HIS	-	expression tag	UNP A0A125SZC1
A	-13	HIS	-	expression tag	UNP A0A125SZC1
A	-12	HIS	-	expression tag	UNP A0A125SZC1
A	-11	HIS	-	expression tag	UNP A0A125SZC1
A	-10	SER	-	expression tag	UNP A0A125SZC1
A	-9	SER	-	expression tag	UNP A0A125SZC1
A	-8	GLY	-	expression tag	UNP A0A125SZC1



 $Continued\ from\ previous\ page...$

Chain	Residue	Modelled	Actual	Comment	Reference
A	-7	LEU	-	expression tag	UNP A0A125SZC1
A	-6	VAL	-	expression tag	UNP A0A125SZC1
A	-5	PRO	-	expression tag	UNP A0A125SZC1
A	-4	ARG	-	expression tag	UNP A0A125SZC1
A	-3	GLY	-	expression tag	UNP A0A125SZC1
A	-2	SER	-	expression tag	UNP A0A125SZC1
A	-1	HIS	-	expression tag	UNP A0A125SZC1
A	0	MET	-	expression tag	UNP A0A125SZC1
A	281	SER	CYS	engineered mutation	UNP A0A125SZC1
В	-20	MET	-	initiating methionine	UNP A0A125SZC1
В	-19	GLY	-	expression tag	UNP A0A125SZC1
В	-18	SER	-	expression tag	UNP A0A125SZC1
В	-17	SER	-	expression tag	UNP A0A125SZC1
В	-16	HIS	-	expression tag	UNP A0A125SZC1
В	-15	HIS	-	expression tag	UNP A0A125SZC1
В	-14	HIS	-	expression tag	UNP A0A125SZC1
В	-13	HIS	-	expression tag	UNP A0A125SZC1
В	-12	HIS	-	expression tag	UNP A0A125SZC1
В	-11	HIS	-	expression tag	UNP A0A125SZC1
В	-10	SER	-	expression tag	UNP A0A125SZC1
В	-9	SER	-	expression tag	UNP A0A125SZC1
В	-8	GLY	-	expression tag	UNP A0A125SZC1
В	-7	LEU	-	expression tag	UNP A0A125SZC1
В	-6	VAL	-	expression tag	UNP A0A125SZC1
В	-5	PRO	-	expression tag	UNP A0A125SZC1
В	-4	ARG	-	expression tag	UNP A0A125SZC1
В	-3	GLY	-	expression tag	UNP A0A125SZC1
В	-2	SER	ı	expression tag	UNP A0A125SZC1
В	-1	HIS	-	expression tag	UNP A0A125SZC1
В	0	MET	-	expression tag	UNP A0A125SZC1
В	281	SER	CYS	engineered mutation	UNP A0A125SZC1
С	-20	MET	-	initiating methionine	UNP A0A125SZC1
С	-19	GLY	ı	expression tag	UNP A0A125SZC1
С	-18	SER	-	expression tag	UNP A0A125SZC1
С	-17	SER	ı	expression tag	UNP A0A125SZC1
С	-16	HIS	-	expression tag	UNP A0A125SZC1
С	-15	HIS	-	expression tag	UNP A0A125SZC1
С	-14	HIS	-	expression tag	UNP A0A125SZC1
С	-13	HIS	-	expression tag	UNP A0A125SZC1
С	-12	HIS	-	expression tag	UNP A0A125SZC1
С	-11	HIS	-	expression tag	UNP A0A125SZC1
С	-10	SER	-	expression tag	UNP A0A125SZC1



Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
С	-9	SER	-	expression tag	UNP A0A125SZC1
С	-8	GLY	-	expression tag	UNP A0A125SZC1
С	-7	LEU	-	expression tag	UNP A0A125SZC1
С	-6	VAL	-	expression tag	UNP A0A125SZC1
С	-5	PRO	-	expression tag	UNP A0A125SZC1
С	-4	ARG	-	expression tag	UNP A0A125SZC1
С	-3	GLY	-	expression tag	UNP A0A125SZC1
С	-2	SER	-	expression tag	UNP A0A125SZC1
С	-1	HIS	-	expression tag	UNP A0A125SZC1
С	0	MET	-	expression tag	UNP A0A125SZC1
С	281	SER	CYS	engineered mutation	UNP A0A125SZC1
D	-20	MET	-	initiating methionine	UNP A0A125SZC1
D	-19	GLY	-	expression tag	UNP A0A125SZC1
D	-18	SER	-	expression tag	UNP A0A125SZC1
D	-17	SER	-	expression tag	UNP A0A125SZC1
D	-16	HIS	-	expression tag	UNP A0A125SZC1
D	-15	HIS	-	expression tag	UNP A0A125SZC1
D	-14	HIS	-	expression tag	UNP A0A125SZC1
D	-13	HIS	-	expression tag	UNP A0A125SZC1
D	-12	HIS	-	expression tag	UNP A0A125SZC1
D	-11	HIS	ı	expression tag	UNP A0A125SZC1
D	-10	SER	ı	expression tag	UNP A0A125SZC1
D	-9	SER	-	expression tag	UNP A0A125SZC1
D	-8	GLY	-	expression tag	UNP A0A125SZC1
D	-7	LEU	-	expression tag	UNP A0A125SZC1
D	-6	VAL	-	expression tag	UNP A0A125SZC1
D	-5	PRO	-	expression tag	UNP A0A125SZC1
D	-4	ARG	-	expression tag	UNP A0A125SZC1
D	-3	GLY	-	expression tag	UNP A0A125SZC1
D	-2	SER	-	expression tag	UNP A0A125SZC1
D	-1	HIS	-	expression tag	UNP A0A125SZC1
D	0	MET	-	expression tag	UNP A0A125SZC1
D	281	SER	CYS	engineered mutation	UNP A0A125SZC1
Е	-20	MET	-	initiating methionine	UNP A0A125SZC1
Е	-19	GLY	-	expression tag	UNP A0A125SZC1
Е	-18	SER	ı	expression tag	UNP A0A125SZC1
Е	-17	SER	-	expression tag	UNP A0A125SZC1
E	-16	HIS	-	expression tag	UNP A0A125SZC1
E	-15	HIS	-	expression tag	UNP A0A125SZC1
E	-14	HIS	-	expression tag	UNP A0A125SZC1
Е	-13	HIS	-	expression tag	UNP A0A125SZC1
Е	-12	HIS	-	expression tag	UNP A0A125SZC1



Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
Е	-11	HIS	-	expression tag	UNP A0A125SZC1
Е	-10	SER	-	expression tag	UNP A0A125SZC1
Е	-9	SER	-	expression tag	UNP A0A125SZC1
Е	-8	GLY	-	expression tag	UNP A0A125SZC1
Е	-7	LEU	-	expression tag	UNP A0A125SZC1
Е	-6	VAL	-	expression tag	UNP A0A125SZC1
Е	-5	PRO	-	expression tag	UNP A0A125SZC1
Е	-4	ARG	-	expression tag	UNP A0A125SZC1
Е	-3	GLY	-	expression tag	UNP A0A125SZC1
Е	-2	SER	-	expression tag	UNP A0A125SZC1
Е	-1	HIS	-	expression tag	UNP A0A125SZC1
Е	0	MET	-	expression tag	UNP A0A125SZC1
Е	281	SER	CYS	engineered mutation	UNP A0A125SZC1
F	-20	MET	-	initiating methionine	UNP A0A125SZC1
F	-19	GLY	-	expression tag	UNP A0A125SZC1
F	-18	SER	-	expression tag	UNP A0A125SZC1
F	-17	SER	-	expression tag	UNP A0A125SZC1
F	-16	HIS	-	expression tag	UNP A0A125SZC1
F	-15	HIS	-	expression tag	UNP A0A125SZC1
F	-14	HIS	-	expression tag	UNP A0A125SZC1
F	-13	HIS	-	expression tag	UNP A0A125SZC1
F	-12	HIS	-	expression tag	UNP A0A125SZC1
F	-11	HIS	-	expression tag	UNP A0A125SZC1
F	-10	SER	-	expression tag	UNP A0A125SZC1
F	-9	SER	-	expression tag	UNP A0A125SZC1
F	-8	GLY	-	expression tag	UNP A0A125SZC1
F	-7	LEU	-	expression tag	UNP A0A125SZC1
F	-6	VAL	ı	expression tag	UNP A0A125SZC1
F	-5	PRO	-	expression tag	UNP A0A125SZC1
F	-4	ARG	-	expression tag	UNP A0A125SZC1
F	-3	GLY	ı	expression tag	UNP A0A125SZC1
F	-2	SER	ı	expression tag	UNP A0A125SZC1
F	-1	HIS	-	expression tag	UNP A0A125SZC1
F	0	MET	-	expression tag	UNP A0A125SZC1
F	281	SER	CYS	engineered mutation	UNP A0A125SZC1
G	-20	MET	-	initiating methionine	UNP A0A125SZC1
G	-19	GLY	-	expression tag	UNP A0A125SZC1
G	-18	SER	-	expression tag	UNP A0A125SZC1
G	-17	SER	_	expression tag	UNP A0A125SZC1
G	-16	HIS	-	expression tag	UNP A0A125SZC1
G	-15	HIS	-	expression tag	UNP A0A125SZC1
G	-14	HIS	-	expression tag	UNP A0A125SZC1




Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
G	-13	HIS	-	expression tag	UNP A0A125SZC1
G	-12	HIS	-	expression tag	UNP A0A125SZC1
G	-11	HIS	-	expression tag	UNP A0A125SZC1
G	-10	SER	-	expression tag	UNP A0A125SZC1
G	-9	SER	-	expression tag	UNP A0A125SZC1
G	-8	GLY	-	expression tag	UNP A0A125SZC1
G	-7	LEU	-	expression tag	UNP A0A125SZC1
G	-6	VAL	-	expression tag	UNP A0A125SZC1
G	-5	PRO	-	expression tag	UNP A0A125SZC1
G	-4	ARG	-	expression tag	UNP A0A125SZC1
G	-3	GLY	-	expression tag	UNP A0A125SZC1
G	-2	SER	-	expression tag	UNP A0A125SZC1
G	-1	HIS	-	expression tag	UNP A0A125SZC1
G	0	MET	-	expression tag	UNP A0A125SZC1
G	281	SER	CYS	engineered mutation	UNP A0A125SZC1
Н	-20	MET	-	initiating methionine	UNP A0A125SZC1
Н	-19	GLY	-	expression tag	UNP A0A125SZC1
Н	-18	SER	-	expression tag	UNP A0A125SZC1
Н	-17	SER	-	expression tag	UNP A0A125SZC1
Н	-16	HIS	-	expression tag	UNP A0A125SZC1
Н	-15	HIS	-	expression tag	UNP A0A125SZC1
Н	-14	HIS	-	expression tag	UNP A0A125SZC1
Н	-13	HIS	-	expression tag	UNP A0A125SZC1
Н	-12	HIS	-	expression tag	UNP A0A125SZC1
Н	-11	HIS	-	expression tag	UNP A0A125SZC1
Н	-10	SER	-	expression tag	UNP A0A125SZC1
Н	-9	SER	-	expression tag	UNP A0A125SZC1
Н	-8	GLY	-	expression tag	UNP A0A125SZC1
Н	-7	LEU	-	expression tag	UNP A0A125SZC1
Н	-6	VAL	-	expression tag	UNP A0A125SZC1
Н	-5	PRO	-	expression tag	UNP A0A125SZC1
Н	-4	ARG	-	expression tag	UNP A0A125SZC1
Н	-3	GLY	-	expression tag	UNP A0A125SZC1
Н	-2	SER	-	expression tag	UNP A0A125SZC1
Н	-1	HIS	-	expression tag	UNP A0A125SZC1
Н	0	MET	_	expression tag	UNP A0A125SZC1
Н	281	SER	CYS	engineered mutation	UNP A0A125SZC1

 \bullet Molecule 2 is FLAVIN-ADENINE DINUCLEOTIDE (three-letter code: FAD) (formula: $C_{27}H_{33}N_9O_{15}P_2)$ (labeled as "Ligand of Interest" by depositor).






Mol	Chain	Residues		Ato	oms			ZeroOcc	AltConf		
2	A	1	Total	С	N	О	Р	0	0		
2	A	1	53	27	9	15	2	0	0		
2	В	1	Total	С	N	О	Р	0	0		
2	Б	1	53	27	9	15	2	U	U		
2	С	1	Total	С	N	О	Р	0	0		
		1	53	27	9	15	2	U	0		
2	D	1	Total	С	N	О	Р	0	0		
	ע	1	53	27	9	15	2	U	U		
2	ID.	F	2 E	1	Total	С	N	О	Р	0	0
	نا	1	53	27	9	15	2	U	U		
2	F	1	Total	С	N	О	Р	0	0		
	I.	1	53	27	9	15	2	U	0		
2	G	1	Total	С	N	Ο	Р	0	0		
	G		53	27	9	15	2	0	U		
2	Н	1	Total	С	N	О	Р	0	0		
		1	53	27	9	15	2				

• Molecule 3 is [(2 {R},3 {R},4 {S},5 {R},6 {R})-6-[({E})-[(3 {a} {S},7 {R},7 {a} {S})-7-oxidanyl-4-oxidanylidene-3,3 {a},5,6,7,7 {a}-hexahydro-1 {H}-imidazo[4,5-c]pyridin-2-ylidene]amino]-5-(2-azanylethanoylamino)-2-(hydroxymethyl)-4-oxidanyl-oxan-3-yl] carbamate (three-letter code: I55) (formula: $C_{15}H_{25}N_7O_8$) (labeled as "Ligand of Interest" by depositor).






Mol	Chain	Residues	Α	ton	ns		ZeroOcc	AltConf
3	A	1	Total	С	N	О	0	0
3	A	1	30	15	7	8	U	0
3	В	1	Total	С	N	О	0	0
J	D	1	30	15	7	8	U	U
3	С	1	Total	С	N	O	0	0
		1	30	15	7	8	U	U
3	D	1	Total	С	N	O	0	0
	D		30	15	7	8	O	Ŭ
3	E	1	Total	\mathbf{C}	N	Ο	0	0
	L	1	30	15	7	8	U	U
3	F	1	Total	\mathbf{C}	N	Ο	0	0
	1	1	30	15	7	8	0	Ŭ
3	G	1	Total	\mathbf{C}	N	Ο	0	0
	J	1	30	15	7	8	J	
3	3 H	H 1	Total	\mathbf{C}	N	Ο	0	0
	11	1	30	15	7	8		

• Molecule 4 is GLYCINE (three-letter code: GLY) (formula: $C_2H_5NO_2$) (labeled as "Ligand of Interest" by depositor).





Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	1	Total C N O 5 2 1 2	0	0
4	В	1	Total C N O 5 2 1 2	0	0
4	С	1	Total C N O 5 2 1 2	0	0
4	D	1	Total C N O 5 2 1 2	0	0
4	Е	1	Total C N O 5 2 1 2	0	0
4	F	1	Total C N O 5 2 1 2	0	0
4	G	1	Total C N O 5 2 1 2	0	0
4	Н	1	Total C N O 5 2 1 2	0	0

• Molecule 5 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	292	Total O 292 292	0	0
5	В	290	Total O 290 290	0	0
5	С	260	Total O 260 260	0	0
5	D	187	Total O 187 187	0	0



Continued from previous page...


Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	E	298	Total O 298 298	0	0
5	F	302	Total O 302 302	0	0
5	G	249	Total O 249 249	0	0
5	Н	204	Total O 204 204	0	0



3 Residue-property plots (i)


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: N-formimidoyl fortimicin A synthase




• Molecule 1: N-formimidoyl fortimicin A synthase











4 Data and refinement statistics (i)

Property	Value	Source
Space group	P 1	Depositor
Cell constants	103.70Å 108.11Å 135.82Å	Depositor
a, b, c, α , β , γ	90.11° 89.95° 96.61°	Depositor
Resolution (Å)	29.85 - 2.20	Depositor
rtesolution (A)	29.83 - 2.20	EDS
% Data completeness	97.1 (29.85-2.20)	Depositor
(in resolution range)	96.9 (29.83-2.20)	EDS
R_{merge}	0.06	Depositor
R_{sym}	(Not available)	Depositor
$< I/\sigma(I) > 1$	3.22 (at 2.20Å)	Xtriage
Refinement program	REFMAC 5.8.0267	Depositor
R, R_{free}	0.184 , 0.206	Depositor
, and the second	0.189 , 0.210	DCC
R_{free} test set	14077 reflections (4.87%)	wwPDB-VP
Wilson B-factor (Å ²)	30.0	Xtriage
Anisotropy	0.006	Xtriage
Bulk solvent $k_{sol}(e/Å^3)$, $B_{sol}(Å^2)$	0.34, 20.7	EDS
L-test for twinning ²	$< L > = 0.50, < L^2> = 0.33$	Xtriage
	0.458 for -h,-k,l	
Estimated twinning fraction	0.011 for -k,-h,-l	Xtriage
	0.009 for k,h,-l	
F_o, F_c correlation	0.95	EDS
Total number of atoms	32001	wwPDB-VP
Average B, all atoms (\mathring{A}^2)	36.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: The largest off-origin peak in the Patterson function is 4.47% of the height of the origin peak. No significant pseudotranslation is detected.

²Theoretical values of <|L|>, $<L^2>$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



¹Intensities estimated from amplitudes.

5 Model quality (i)

5.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: I55, FAD

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond	Bond lengths		angles
IVIOI	Chain	RMSZ	# Z > 5	RMSZ	# Z > 5
1	A	0.64	0/3737	0.78	0/5092
1	В	0.65	0/3745	0.78	0/5102
1	С	0.67	0/3745	0.79	0/5102
1	D	0.63	0/3721	0.78	0/5070
1	Е	0.64	0/3728	0.78	0/5080
1	F	0.65	0/3745	0.77	0/5102
1	G	0.66	0/3745	0.78	0/5102
1	Н	0.63	0/3713	0.77	0/5059
All	All	0.65	0/29879	0.78	0/40709

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3654	0	3584	21	0
1	В	3662	0	3592	22	0
1	С	3662	0	3592	29	0
1	D	3638	0	3569	39	0
1	Е	3645	0	3576	19	0



Continued from previous page...

Mol	Chain	Non-H	- 0	H(added)	Clashes	Symm-Clashes
1	F	3662	0	3592	24	0
1	G	3662	0	3592	27	0
1	Н	3630	0	3565	32	0
2	A	53	0	31	1	0
2	В	53	0	31	0	0
2	С	53	0	31	0	0
2	D	53	0	31	1	0
2	Е	53	0	31	1	0
2	F	53	0	31	1	0
2	G	53	0	31	0	0
2	Н	53	0	31	1	0
3	A	30	0	0	0	0
3	В	30	0	0	0	0
3	С	30	0	0	0	0
3	D	30	0	0	0	0
3	Е	30	0	0	0	0
3	F	30	0	0	0	0
3	G	30	0	0	0	0
3	Н	30	0	0	0	0
4	A	5	0	2	0	0
4	В	5	0	2	0	0
4	С	5	0	2	0	0
4	D	5	0	2	0	0
4	\mathbf{E}	5	0	2	0	0
4	F	5	0	2	0	0
4	G	5	0	2	0	0
4	Н	5	0	2	0	0
5	A	292	0	0	4	0
5	В	290	0	0	2	0
5	С	260	0	0	5	0
5	D	187	0	0	0	0
5	E	298	0	0	3	0
5	F	302	0	0	2	0
5	G	249	0	0	3	0
5	Н	204	0	0	2	0
All	All	32001	0	28926	204	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

The worst 5 of 204 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.



Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:H:436:PRO:HA	1:H:439:MET:HE2	1.27	1.13
1:D:436:PRO:HA	1:D:439:MET:HE2	1.27	1.09
1:D:436:PRO:HA	1:D:439:MET:CE	1.94	0.97
1:C:435:TRP:HB3	1:C:439[B]:MET:HE3	1.49	0.94
1:H:436:PRO:HA	1:H:439:MET:CE	2.05	0.86

There are no symmetry-related clashes.

5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percer	ntiles
1	A	$480/512 \ (94\%)$	466 (97%)	14 (3%)	0	100	100
1	В	$481/512 \ (94\%)$	467 (97%)	14 (3%)	0	100	100
1	\mathbf{C}	$481/512 \ (94\%)$	467 (97%)	14 (3%)	0	100	100
1	D	$478/512 \ (93\%)$	464 (97%)	14 (3%)	0	100	100
1	E	$479/512\ (94\%)$	465 (97%)	14 (3%)	0	100	100
1	F	$481/512 \ (94\%)$	467 (97%)	14 (3%)	0	100	100
1	G	$481/512 \ (94\%)$	467 (97%)	14 (3%)	0	100	100
1	Н	477/512 (93%)	463 (97%)	14 (3%)	0	100	100
All	All	3838/4096 (94%)	3726 (97%)	112 (3%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was



analysed.	and	tha	total	number	\circ f	rogiduog
anaryseu,	anu	une	www	number	OI	residues.

Mol	Chain	Analysed	Rotameric	Outliers	Perce	ntiles
1	A	376/400 (94%)	365 (97%)	11 (3%)	42	54
1	В	377/400 (94%)	366 (97%)	11 (3%)	42	54
1	C	377/400 (94%)	365 (97%)	12 (3%)	39	50
1	D	374/400 (94%)	361 (96%)	13 (4%)	36	46
1	E	375/400 (94%)	365 (97%)	10 (3%)	44	57
1	F	377/400 (94%)	367 (97%)	10 (3%)	44	57
1	G	377/400 (94%)	367 (97%)	10 (3%)	44	57
1	Н	373/400 (93%)	358 (96%)	15 (4%)	31	40
All	All	3006/3200 (94%)	2914 (97%)	92 (3%)	40	51

5 of 92 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	F	77	LYS
1	G	386	ASP
1	F	137	LYS
1	F	452	ASP
1	G	457	THR

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (2) such sidechains are listed below:

Mol	Chain	Res	Type
1	В	10	GLN
1	D	319	ASN

5.3.3 RNA (i)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates (i)

There are no monosaccharides in this entry.



5.6 Ligand geometry (i)

24 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Nal	ol Type Chain Day			T :1-	Вс	ond leng	ths	В	ond ang	les
Mol	Type	Chain	Res	Link	Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	I55	G	702	-	28,32,32	0.67	0	31,46,46	1.06	2 (6%)
4	GLY	A	703	-	4,4,4	1.10	0	3,4,4	0.73	0
4	GLY	В	703	_	4,4,4	0.71	0	3,4,4	1.85	1 (33%)
4	GLY	F	703	-	4,4,4	0.64	0	3,4,4	1.71	1 (33%)
2	FAD	D	701	-	53,58,58	0.60	0	68,89,89	0.80	1 (1%)
3	I55	E	702	-	28,32,32	1.00	1 (3%)	31,46,46	1.12	2 (6%)
4	GLY	С	703	-	4,4,4	0.91	0	3,4,4	2.20	2 (66%)
2	FAD	F	701	-	53,58,58	0.68	0	68,89,89	0.79	3 (4%)
3	I55	F	702	-	28,32,32	1.33	1 (3%)	31,46,46	1.18	3 (9%)
4	GLY	E	703	-	4,4,4	1.05	0	3,4,4	0.81	0
2	FAD	В	701	-	53,58,58	0.68	1 (1%)	68,89,89	0.81	2 (2%)
2	FAD	Е	701	-	53,58,58	0.72	1 (1%)	68,89,89	0.90	3 (4%)
4	GLY	Н	703	-	4,4,4	1.04	0	3,4,4	0.87	0
2	FAD	Н	701	-	53,58,58	0.62	0	68,89,89	0.85	3 (4%)
4	GLY	D	703	-	4,4,4	0.97	0	3,4,4	1.16	0
3	I55	Н	702	_	28,32,32	0.79	1 (3%)	31,46,46	1.18	2 (6%)
3	I55	В	702	-	28,32,32	1.34	1 (3%)	31,46,46	1.16	2 (6%)
3	I55	A	702	-	28,32,32	1.08	1 (3%)	31,46,46	1.14	2 (6%)
2	FAD	G	701	-	53,58,58	0.60	0	68,89,89	0.85	2 (2%)
4	GLY	G	703	-	4,4,4	1.00	0	3,4,4	2.00	2 (66%)
2	FAD	A	701	-	53,58,58	0.71	0	68,89,89	0.88	3 (4%)
3	I55	D	702	-	28,32,32	1.03	2 (7%)	31,46,46	1.14	1 (3%)
3	I55	С	702	-	28,32,32	0.74	2 (7%)	31,46,46	1.01	1 (3%)
2	FAD	С	701	-	53,58,58	0.60	0	68,89,89	0.84	3 (4%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the



Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	I55	G	702	_	-	1/14/61/61	0/3/3/3
4	GLY	A	703	-	-	0/2/2/2	-
4	GLY	В	703	-	-	0/2/2/2	-
4	GLY	F	703	-	-	0/2/2/2	-
2	FAD	D	701	-	-	2/30/50/50	0/6/6/6
3	I55	E	702	_	-	1/14/61/61	0/3/3/3
4	GLY	С	703	_	-	0/2/2/2	-
2	FAD	F	701	_	-	3/30/50/50	0/6/6/6
3	I55	F	702	-	-	1/14/61/61	0/3/3/3
4	GLY	Е	703	-	-	0/2/2/2	-
2	FAD	В	701	_	-	1/30/50/50	0/6/6/6
2	FAD	E	701	_	-	2/30/50/50	0/6/6/6
4	GLY	Н	703	-	-	0/2/2/2	-
2	FAD	Н	701	-	-	2/30/50/50	0/6/6/6
4	GLY	D	703	-	-	0/2/2/2	-
3	I55	Н	702	-	-	1/14/61/61	0/3/3/3
3	I55	В	702	-	-	1/14/61/61	0/3/3/3
3	I55	A	702	-	-	1/14/61/61	0/3/3/3
2	FAD	G	701	_	-	2/30/50/50	0/6/6/6
4	GLY	G	703	-	-	0/2/2/2	-
2	FAD	A	701	-	-	2/30/50/50	0/6/6/6
3	I55	D	702	-	-	0/14/61/61	0/3/3/3
3	I55	С	702	-	-	1/14/61/61	0/3/3/3
2	FAD	С	701	-	-	4/30/50/50	0/6/6/6

The worst 5 of 11 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	$\operatorname{Observed}(\operatorname{\mathring{A}})$	$\operatorname{Ideal}(\operatorname{\AA})$
3	В	702	I55	C4-C3	-6.34	1.49	1.53
3	F	702	I55	C4-C3	-6.30	1.49	1.53
3	A	702	I55	C4-C3	-5.01	1.50	1.53
3	Е	702	I55	C4-C3	-4.26	1.50	1.53
3	D	702	I55	C4-C3	-4.09	1.50	1.53

The worst 5 of 41 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	\mathbf{Z}	$\mathbf{Observed}(^o)$	$\operatorname{Ideal}({}^{o})$
3	Н	702	I55	C10-N6-C5	-4.84	107.92	112.56
3	В	702	I55	C10-N6-C5	-4.29	108.45	112.56



Continued from previous page...

Mol	Chain	Res	Type	Atoms	\mathbf{Z}	$\operatorname{Observed}(^{o})$	$\operatorname{Ideal}({}^{o})$
3	F	702	I55	C10-N6-C5	-4.27	108.47	112.56
3	D	702	I55	C10-N6-C5	-4.17	108.56	112.56
3	A	702	I55	C10-N6-C5	-4.02	108.70	112.56

There are no chirality outliers.

5 of 25 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	С	701	FAD	O4B-C4B-C5B-O5B
2	С	701	FAD	C3B-C4B-C5B-O5B
2	Е	701	FAD	O4B-C4B-C5B-O5B
2	A	701	FAD	O4B-C4B-C5B-O5B
2	F	701	FAD	O4B-C4B-C5B-O5B


There are no ring outliers.

5 monomers are involved in 5 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	D	701	FAD	1	0
2	F	701	FAD	1	0
2	Е	701	FAD	1	0
2	Н	701	FAD	1	0
2	A	701	FAD	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less then 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.























































































































5.7 Other polymers (i)

There are no such residues in this entry.

5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.



6 Fit of model and data (i)

6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled '#RSRZ>2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95^{th} percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<rsrz></rsrz>	$\#\mathrm{RSRZ}{>}2$	$OWAB(A^2)$	Q<0.9
1	A	482/512 (94%)	0.24	3 (0%) 89 88	20, 30, 52, 76	0
1	В	482/512 (94%)	0.20	2 (0%) 92 91	19, 29, 50, 71	0
1	С	482/512 (94%)	0.37	10 (2%) 63 61	19, 32, 60, 82	0
1	D	480/512 (93%)	0.50	27 (5%) 24 23	21, 39, 77, 99	0
1	E	481/512 (93%)	0.21	3 (0%) 89 88	19, 30, 51, 79	0
1	F	482/512 (94%)	0.20	5 (1%) 82 81	19, 29, 49, 77	0
1	G	482/512 (94%)	0.37	11 (2%) 60 58	20, 32, 60, 84	0
1	Н	479/512 (93%)	0.46	25 (5%) 27 26	22, 39, 75, 97	0
All	All	3850/4096 (93%)	0.32	86 (2%) 62 59	19, 32, 63, 99	0

The worst 5 of 86 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	G	45	ALA	3.8
1	D	202	ILE	3.8
1	Н	219	PHE	3.6
1	D	36	VAL	3.6
1	D	220	LEU	3.5

6.2 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates (i)

There are no monosaccharides in this entry.



6.4 Ligands (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95^{th} percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	$\operatorname{B-factors}(\mathring{\mathrm{A}}^2)$	Q<0.9
4	GLY	С	703	5/5	0.86	0.18	42,46,47,47	0
2	FAD	G	701	53/53	0.87	0.17	34,46,56,58	0
2	FAD	С	701	53/53	0.88	0.17	34,47,55,56	0
3	I55	D	702	30/30	0.89	0.16	27,33,61,62	0
3	I55	A	702	30/30	0.90	0.18	20,30,56,58	0
3	I55	F	702	30/30	0.90	0.15	21,31,51,52	0
3	I55	С	702	30/30	0.90	0.16	23,33,60,61	0
3	I55	G	702	30/30	0.92	0.16	23,34,59,60	0
3	I55	Е	702	30/30	0.93	0.14	20,29,55,56	0
3	I55	В	702	30/30	0.93	0.14	22,30,52,54	0
3	I55	Н	702	30/30	0.94	0.15	26,34,62,63	0
2	FAD	Н	701	53/53	0.94	0.12	31,37,52,54	0
4	GLY	Е	703	5/5	0.94	0.12	25,26,30,30	0
2	FAD	A	701	53/53	0.95	0.11	21,25,27,28	0
4	GLY	D	703	5/5	0.95	0.11	33,33,37,37	0
2	FAD	D	701	53/53	0.95	0.12	32,38,56,58	0
4	GLY	A	703	5/5	0.96	0.11	24,25,29,29	0
4	GLY	В	703	5/5	0.96	0.10	27,27,29,31	0
2	FAD	Е	701	53/53	0.96	0.12	20,24,28,29	0
2	FAD	F	701	53/53	0.96	0.11	17,22,25,26	0
2	FAD	В	701	53/53	0.96	0.11	19,22,25,26	0
4	GLY	G	703	5/5	0.96	0.22	43,45,49,49	0
4	GLY	F	703	5/5	0.97	0.12	27,27,31,32	0
4	GLY	Н	703	5/5	0.97	0.12	35,35,38,40	0


The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around GLY C 703:

 $2 {
m mF}_o {
m -DF}_c$ (at 0.7 rmsd) in gray ${
m mF}_o {
m -DF}_c$ (at 3 rmsd) in purple (negative) and green (positive)










Electron density around FAD G 701:


 $2 \mathrm{mF}_o\text{-}\mathrm{DF}_c$ (at 0.7 rmsd) in gray $\mathrm{mF}_o\text{-}\mathrm{DF}_c$ (at 3 rmsd) in purple (negative) and green (positive)

























Electron density around I55 F 702: 2mF_o-DF_c (at 0.7 rmsd) in gray mF_o-DF_c (at 3 rmsd) in purple (negative) and green (positive)

















Electron density around I55 B 702: 2mF_o-DF_c (at 0.7 rmsd) in gray mF_o-DF_c (at 3 rmsd) in purple (negative) and green (positive)










Electron density around FAD H 701:

 $2 {\rm mF}_o\text{-}{\rm DF}_c$ (at 0.7 rmsd) in gray ${\rm mF}_o\text{-}{\rm DF}_c$ (at 3 rmsd) in purple (negative) and green (positive)










Electron density around GLY E 703:

 $2 \mathrm{mF}_o\text{-}\mathrm{DF}_c$ (at 0.7 rmsd) in gray $\mathrm{mF}_o\text{-}\mathrm{DF}_c$ (at 3 rmsd) in purple (negative) and green (positive)












Electron density around FAD A 701:

 $2 {\rm mF}_o\text{-}{\rm DF}_c$ (at 0.7 rmsd) in gray ${\rm mF}_o\text{-}{\rm DF}_c$ (at 3 rmsd) in purple (negative) and green (positive)









Electron density around GLY D 703:


 $2 \mathrm{mF}_o\text{-}\mathrm{DF}_c$ (at 0.7 rmsd) in gray $\mathrm{mF}_o\text{-}\mathrm{DF}_c$ (at 3 rmsd) in purple (negative) and green (positive)
















Electron density around GLY A 703:

 $2 {
m mF}_o {
m -DF}_c$ (at 0.7 rmsd) in gray ${
m mF}_o {
m -DF}_c$ (at 3 rmsd) in purple (negative) and green (positive)











Electron density around GLY B 703:

 $2 {\rm mF}_o\text{-}{\rm DF}_c$ (at 0.7 rmsd) in gray ${\rm mF}_o\text{-}{\rm DF}_c$ (at 3 rmsd) in purple (negative) and green (positive)










Electron density around FAD E 701:

 $2 {\rm mF}_o\text{-}{\rm DF}_c$ (at 0.7 rmsd) in gray ${\rm mF}_o\text{-}{\rm DF}_c$ (at 3 rmsd) in purple (negative) and green (positive)












Electron density around FAD F 701:

 $2 {\rm mF}_o\text{-}{\rm DF}_c$ (at 0.7 rmsd) in gray ${\rm mF}_o\text{-}{\rm DF}_c$ (at 3 rmsd) in purple (negative) and green (positive)










Electron density around FAD B 701:

 $2 {
m mF}_o {
m -DF}_c$ (at 0.7 rmsd) in gray ${
m mF}_o {
m -DF}_c$ (at 3 rmsd) in purple (negative) and green (positive)



















6.5 Other polymers (i)

There are no such residues in this entry.

