



Full wwPDB X-ray Structure Validation Report ⓘ

Nov 23, 2023 – 12:44 AM JST

PDB ID : 7XX6
Title : Crystal Structure of Nucleosome-H1.0 Linker Histone Assembly (sticky-169a DNA fragment)
Authors : Adhireksan, Z.; Qiuye, B.; Lee, P.L.; Sharma, D.; Padavattan, S.; Davey, C.A.
Deposited on : 2022-05-28
Resolution : 3.39 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Xtriage (Phenix) : 1.13
EDS : 2.36
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.36


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 3.39 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	1026 (3.48-3.32)
Ramachandran outliers	138981	1038 (3.48-3.32)
Sidechain outliers	138945	1038 (3.48-3.32)
RSRZ outliers	127900	2173 (3.50-3.30)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	138	
1	E	138	
1	K	138	
1	O	138	
1	U	138	
1	Y	138	
1	e	138	











Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	i	138	4% 68% 28%
2	B	105	74% 24%
2	F	105	76% 20%
2	L	105	5% 75% 24%
2	P	105	5% 73% 24%
2	V	105	75% 24%
2	Z	105	75% 5% 20%
2	f	105	2% 75% 24%
2	j	105	3% 73% 24%
3	C	132	% 77% 19%
3	G	132	2% 77% 9% 14%
3	M	132	6% 77% 20%
3	Q	132	5% 76% 20%
3	W	132	% 77% 19%
3	a	132	5% 80% 5% 14%
3	g	132	5% 80% 20%
3	k	132	2% 76% 20%
4	D	128	4% 70% 8% 23%
4	H	128	2% 67% 10% 23%
4	N	128	2% 74% 23%
4	R	128	5% 71% 5% 23%
4	X	128	4% 70% 8% 22%
4	b	128	4% 73% 5% 22%
4	h	128	4% 72% 5% 23%
4	l	128	4% 70% 6% 23%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
5	I	169	 99%
5	S	169	 98%
5	c	169	 100%
5	m	169	 99%
6	J	169	 98%
6	T	169	 98%
6	d	169	 99%
6	n	169	 98%
7	o	195	 33% 33% 6% 61%
7	p	195	 34% 33% 5% 62%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
8	CA	G	201	-	-	-	X
8	CA	d	104	-	-	-	X

2 Entry composition

There are 9 unique types of molecules in this entry. The entry contains 53518 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Histone H3.1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	99	816	514	158	140	4	0	0	0
1	E	99	816	514	158	140	4	0	0	0
1	K	100	825	520	160	141	4	0	0	0
1	O	99	816	514	158	140	4	0	0	0
1	U	99	816	514	158	140	4	0	0	0
1	Y	99	816	514	158	140	4	0	0	0
1	e	100	825	520	160	141	4	0	0	0
1	i	99	816	514	158	140	4	0	0	0

There are 16 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-2	GLY	-	expression tag	UNP P68431
A	-1	SER	-	expression tag	UNP P68431
E	-2	GLY	-	expression tag	UNP P68431
E	-1	SER	-	expression tag	UNP P68431
K	-2	GLY	-	expression tag	UNP P68431
K	-1	SER	-	expression tag	UNP P68431
O	-2	GLY	-	expression tag	UNP P68431
O	-1	SER	-	expression tag	UNP P68431
U	-2	GLY	-	expression tag	UNP P68431
U	-1	SER	-	expression tag	UNP P68431
Y	-2	GLY	-	expression tag	UNP P68431
Y	-1	SER	-	expression tag	UNP P68431
e	-2	GLY	-	expression tag	UNP P68431

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
e	-1	SER	-	expression tag	UNP P68431
i	-2	GLY	-	expression tag	UNP P68431
i	-1	SER	-	expression tag	UNP P68431

- Molecule 2 is a protein called Histone H4.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	80	Total	C	N	O	S	0	0	0
			638	401	125	111	1			
2	F	84	Total	C	N	O	S	0	0	0
			673	424	133	115	1			
2	L	80	Total	C	N	O	S	0	0	0
			638	401	125	111	1			
2	P	80	Total	C	N	O	S	0	0	0
			638	401	125	111	1			
2	V	80	Total	C	N	O	S	0	0	0
			638	401	125	111	1			
2	Z	84	Total	C	N	O	S	0	0	0
			673	424	133	115	1			
2	f	80	Total	C	N	O	S	0	0	0
			638	401	125	111	1			
2	j	80	Total	C	N	O	S	0	0	0
			638	401	125	111	1			

There are 16 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
B	-2	GLY	-	expression tag	UNP P62805
B	-1	SER	-	expression tag	UNP P62805
F	-2	GLY	-	expression tag	UNP P62805
F	-1	SER	-	expression tag	UNP P62805
L	-2	GLY	-	expression tag	UNP P62805
L	-1	SER	-	expression tag	UNP P62805
P	-2	GLY	-	expression tag	UNP P62805
P	-1	SER	-	expression tag	UNP P62805
V	-2	GLY	-	expression tag	UNP P62805
V	-1	SER	-	expression tag	UNP P62805
Z	-2	GLY	-	expression tag	UNP P62805
Z	-1	SER	-	expression tag	UNP P62805
f	-2	GLY	-	expression tag	UNP P62805
f	-1	SER	-	expression tag	UNP P62805
j	-2	GLY	-	expression tag	UNP P62805

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
j	-1	SER	-	expression tag	UNP P62805

- Molecule 3 is a protein called Histone H2A type 1-B/E.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
3	C	107	Total	C	N	O	0	0	0
			826	521	161	144			
3	G	114	Total	C	N	O	0	0	0
			873	549	173	151			
3	M	106	Total	C	N	O	0	0	0
			821	518	160	143			
3	Q	105	Total	C	N	O	0	0	0
			810	511	158	141			
3	W	107	Total	C	N	O	0	0	0
			826	521	161	144			
3	a	114	Total	C	N	O	0	0	0
			873	549	173	151			
3	g	106	Total	C	N	O	0	0	0
			821	518	160	143			
3	k	105	Total	C	N	O	0	0	0
			810	511	158	141			

There are 16 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
C	-2	GLY	-	expression tag	UNP P04908
C	-1	SER	-	expression tag	UNP P04908
G	-2	GLY	-	expression tag	UNP P04908
G	-1	SER	-	expression tag	UNP P04908
M	-2	GLY	-	expression tag	UNP P04908
M	-1	SER	-	expression tag	UNP P04908
Q	-2	GLY	-	expression tag	UNP P04908
Q	-1	SER	-	expression tag	UNP P04908
W	-2	GLY	-	expression tag	UNP P04908
W	-1	SER	-	expression tag	UNP P04908
a	-2	GLY	-	expression tag	UNP P04908
a	-1	SER	-	expression tag	UNP P04908
g	-2	GLY	-	expression tag	UNP P04908
g	-1	SER	-	expression tag	UNP P04908
k	-2	GLY	-	expression tag	UNP P04908
k	-1	SER	-	expression tag	UNP P04908

- Molecule 4 is a protein called Histone H2B type 1-J.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
4	D	99	Total	C	N	O	S	0	0	0
			784	492	146	144	2			
4	H	99	Total	C	N	O	S	0	0	0
			784	492	146	144	2			
4	N	98	Total	C	N	O	S	0	0	0
			775	486	144	143	2			
4	R	98	Total	C	N	O	S	0	0	0
			775	486	144	143	2			
4	X	100	Total	C	N	O	S	0	0	0
			788	494	147	145	2			
4	b	100	Total	C	N	O	S	0	0	0
			788	494	147	145	2			
4	h	98	Total	C	N	O	S	0	0	0
			775	486	144	143	2			
4	l	98	Total	C	N	O	S	0	0	0
			775	486	144	143	2			

There are 16 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
D	-2	GLY	-	expression tag	UNP P06899
D	-1	SER	-	expression tag	UNP P06899
H	-2	GLY	-	expression tag	UNP P06899
H	-1	SER	-	expression tag	UNP P06899
N	-2	GLY	-	expression tag	UNP P06899
N	-1	SER	-	expression tag	UNP P06899
R	-2	GLY	-	expression tag	UNP P06899
R	-1	SER	-	expression tag	UNP P06899
X	-2	GLY	-	expression tag	UNP P06899
X	-1	SER	-	expression tag	UNP P06899
b	-2	GLY	-	expression tag	UNP P06899
b	-1	SER	-	expression tag	UNP P06899
h	-2	GLY	-	expression tag	UNP P06899
h	-1	SER	-	expression tag	UNP P06899
l	-2	GLY	-	expression tag	UNP P06899
l	-1	SER	-	expression tag	UNP P06899

- Molecule 5 is a DNA chain called DNA (169-MER).

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
5	I	169	Total	C	N	O	P	0	0	0
			3462	1646	637	1011	168			

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
5	S	169	Total	C	N	O	P	0	0	0
			3462	1646	637	1011	168			
5	c	169	Total	C	N	O	P	0	0	0
			3462	1646	637	1011	168			
5	m	169	Total	C	N	O	P	0	0	0
			3462	1646	637	1011	168			

- Molecule 6 is a DNA chain called DNA (169-MER).

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
6	J	169	Total	C	N	O	P	0	0	0
			3461	1646	634	1013	168			
6	T	169	Total	C	N	O	P	0	0	0
			3461	1646	634	1013	168			
6	d	169	Total	C	N	O	P	0	0	0
			3461	1646	634	1013	168			
6	n	169	Total	C	N	O	P	0	0	0
			3461	1646	634	1013	168			

- Molecule 7 is a protein called Histone H1.0.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
7	o	76	Total	C	N	O	S	0	0	0
			583	362	109	111	1			
7	p	74	Total	C	N	O	S	0	0	0
			566	353	107	105	1			

There are 4 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
o	0	GLY	-	expression tag	UNP P07305
o	1	PRO	-	expression tag	UNP P07305
p	0	GLY	-	expression tag	UNP P07305
p	1	PRO	-	expression tag	UNP P07305

- Molecule 8 is CALCIUM ION (three-letter code: CA) (formula: Ca).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
8	C	1	Total	Ca	0	0
			1	1		
8	G	1	Total	Ca	0	0
			1	1		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
8	I	8	Total Ca 8 8	0	0
8	J	4	Total Ca 4 4	0	0
8	O	2	Total Ca 2 2	0	0
8	S	1	Total Ca 1 1	0	0
8	T	3	Total Ca 3 3	0	0
8	W	1	Total Ca 1 1	0	0
8	Y	1	Total Ca 1 1	0	0
8	a	2	Total Ca 2 2	0	0
8	c	7	Total Ca 7 7	0	0
8	d	8	Total Ca 8 8	0	0
8	i	1	Total Ca 1 1	0	0
8	j	1	Total Ca 1 1	0	0
8	m	2	Total Ca 2 2	0	0
8	n	2	Total Ca 2 2	0	0
8	o	1	Total Ca 1 1	0	0
8	p	1	Total Ca 1 1	0	0

- Molecule 9 is POTASSIUM ION (three-letter code: K) (formula: K).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
9	I	1	Total K 1 1	0	0
9	T	3	Total K 3 3	0	0
9	c	1	Total K 1 1	0	0

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
9	d	1	Total	K	0	0
			1	1		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Histone H3.1




- Molecule 1: Histone H3.1




- Molecule 1: Histone H3.1




- Molecule 1: Histone H3.1




- Molecule 1: Histone H3.1




• Molecule 1: Histone H3.1




• Molecule 1: Histone H3.1




• Molecule 1: Histone H3.1




• Molecule 2: Histone H4




• Molecule 2: Histone H4




• Molecule 2: Histone H4




• Molecule 2: Histone H4




- Molecule 2: Histone H4




- Molecule 2: Histone H4




- Molecule 2: Histone H4




- Molecule 2: Histone H4




- Molecule 3: Histone H2A type 1-B/E





- Molecule 3: Histone H2A type 1-B/E




- Molecule 3: Histone H2A type 1-B/E





• Molecule 3: Histone H2A type 1-B/E





• Molecule 3: Histone H2A type 1-B/E




• Molecule 3: Histone H2A type 1-B/E




• Molecule 3: Histone H2A type 1-B/E



• Molecule 3: Histone H2A type 1-B/E




• Molecule 4: Histone H2B type 1-J





• Molecule 4: Histone H2B type 1-J






● Molecule 4: Histone H2B type 1-J





● Molecule 4: Histone H2B type 1-J



● Molecule 4: Histone H2B type 1-J



● Molecule 4: Histone H2B type 1-J




● Molecule 4: Histone H2B type 1-J



● Molecule 4: Histone H2B type 1-J




● Molecule 5: DNA (169-MER)




- Molecule 5: DNA (169-MER)



- Molecule 5: DNA (169-MER)



- Molecule 5: DNA (169-MER)



- Molecule 6: DNA (169-MER)




- Molecule 6: DNA (169-MER)




- Molecule 6: DNA (169-MER)




• Molecule 6: DNA (169-MER)



• Molecule 7: Histone H1.0



• Molecule 7: Histone H1.0



4 Data and refinement statistics i

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	208.78Å 102.37Å 212.71Å 90.00° 101.12° 90.00°	Depositor
Resolution (Å)	48.83 – 3.39 48.83 – 3.39	Depositor EDS
% Data completeness (in resolution range)	98.9 (48.83-3.39) 98.9 (48.83-3.39)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.51 (at 3.40Å)	Xtrriage
Refinement program	REFMAC 5.8.0189	Depositor
R, R_{free}	0.227 , 0.296 0.230 , 0.290	Depositor DCC
R_{free} test set	2430 reflections (1.99%)	wwPDB-VP
Wilson B-factor (Å ²)	135.9	Xtrriage
Anisotropy	0.057	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.30 , 121.5	EDS
L-test for twinning ²	$\langle L \rangle = 0.40$, $\langle L^2 \rangle = 0.23$	Xtrriage
Estimated twinning fraction	0.000 for l,-k,h	Xtrriage
F_o, F_c correlation	0.97	EDS
Total number of atoms	53518	wwPDB-VP
Average B, all atoms (Å ²)	177.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 70.83 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 2.9170e-06. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: K, CA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.56	0/828	0.83	1/1109 (0.1%)
1	E	0.56	0/828	0.92	3/1109 (0.3%)
1	K	0.51	0/837	0.76	0/1120
1	O	0.52	0/828	0.74	0/1109
1	U	0.59	0/828	0.85	0/1109
1	Y	0.57	0/828	0.93	1/1109 (0.1%)
1	e	0.50	0/837	0.74	0/1120
1	i	0.52	0/828	0.76	0/1109
2	B	0.56	0/645	0.92	2/862 (0.2%)
2	F	0.59	0/680	0.92	1/908 (0.1%)
2	L	0.51	0/645	0.83	0/862
2	P	0.52	0/645	0.86	0/862
2	V	0.61	0/645	0.91	0/862
2	Z	0.59	0/680	0.94	1/908 (0.1%)
2	f	0.51	0/645	0.85	0/862
2	j	0.55	0/645	0.85	0/862
3	C	0.52	0/836	0.83	0/1128
3	G	0.57	0/883	0.85	2/1188 (0.2%)
3	M	0.51	0/831	0.78	0/1121
3	Q	0.47	0/820	0.69	0/1107
3	W	0.52	0/836	0.86	1/1128 (0.1%)
3	a	0.57	0/883	0.82	0/1188
3	g	0.47	0/831	0.76	1/1121 (0.1%)
3	k	0.46	0/820	0.70	0/1107
4	D	0.54	0/795	0.81	0/1062
4	H	0.54	0/795	0.86	0/1062
4	N	0.46	0/786	0.69	0/1051
4	R	0.47	0/786	0.73	0/1051
4	X	0.57	0/799	0.81	0/1067
4	b	0.55	0/799	0.85	0/1067
4	h	0.50	0/786	0.73	1/1051 (0.1%)
4	l	0.48	0/786	0.74	0/1051

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
5	I	0.45	0/3884	0.86	2/5993 (0.0%)
5	S	0.35	0/3884	0.86	3/5993 (0.1%)
5	c	0.47	0/3884	0.85	0/5993
5	m	0.36	0/3884	0.85	1/5993 (0.0%)
6	J	0.46	0/3882	0.85	4/5990 (0.1%)
6	T	0.35	0/3882	0.85	3/5990 (0.1%)
6	d	0.46	1/3882 (0.0%)	0.85	1/5990 (0.0%)
6	n	0.35	0/3882	0.84	3/5990 (0.1%)
7	o	0.64	0/589	0.75	0/785
7	p	0.72	0/572	0.79	0/762
All	All	0.47	1/57169 (0.0%)	0.84	31/82911 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
4	R	0	1
4	b	0	1
All	All	0	2

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
6	d	-57	DC	O3'-P	-5.24	1.54	1.61

All (31) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	I	10	DG	O5'-P-OP2	-7.60	98.86	105.70
3	W	81	ARG	NE-CZ-NH1	7.15	123.87	120.30
6	n	-10	DC	C1'-O4'-C4'	-6.12	103.98	110.10
1	E	134	ARG	NE-CZ-NH1	6.11	123.35	120.30
6	T	-10	DC	C1'-O4'-C4'	-6.08	104.02	110.10
2	B	95	ARG	NE-CZ-NH1	5.87	123.24	120.30
5	m	20	DG	C1'-O4'-C4'	-5.78	104.32	110.10
2	Z	68	ASP	CB-CG-OD1	5.77	123.50	118.30
6	J	-78	DT	C1'-O4'-C4'	-5.71	104.39	110.10
1	A	72	ARG	NE-CZ-NH1	5.63	123.12	120.30
6	n	84	DG	C1'-O4'-C4'	-5.62	104.47	110.10
2	B	35	ARG	NE-CZ-NH1	5.62	123.11	120.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	Y	134	ARG	NE-CZ-NH1	5.59	123.09	120.30
1	E	69	ARG	NE-CZ-NH2	-5.50	117.55	120.30
5	S	73	DA	C1'-O4'-C4'	-5.46	104.64	110.10
6	T	-14	DA	C1'-O4'-C4'	-5.34	104.76	110.10
1	E	83	ARG	NE-CZ-NH1	5.34	122.97	120.30
6	J	-77	DT	C1'-O4'-C4'	-5.28	104.82	110.10
6	J	-32	DC	C1'-O4'-C4'	-5.28	104.82	110.10
6	n	0	DT	C1'-O4'-C4'	-5.25	104.85	110.10
6	J	-36	DT	C1'-O4'-C4'	-5.24	104.86	110.10
6	d	-77	DT	C1'-O4'-C4'	-5.22	104.88	110.10
3	G	71	ARG	NE-CZ-NH1	5.22	122.91	120.30
5	S	-66	DA	C1'-O4'-C4'	-5.16	104.94	110.10
5	I	58	DC	O5'-P-OP1	-5.15	101.06	105.70
3	g	81	ARG	NE-CZ-NH1	5.11	122.85	120.30
5	S	-10	DC	C1'-O4'-C4'	-5.08	105.02	110.10
4	h	79	ARG	NE-CZ-NH1	5.06	122.83	120.30
3	G	32	ARG	NE-CZ-NH1	-5.02	117.79	120.30
2	F	19	ARG	NE-CZ-NH1	5.01	122.80	120.30
6	T	0	DT	C1'-O4'-C4'	-5.01	105.09	110.10

There are no chirality outliers.

All (2) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
4	R	51	ASP	Peptide
4	b	31	ARG	Peptide

5.2 Too-close contacts [i](#)

Due to software issues we are unable to calculate clashes - this section is therefore empty.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	97/138 (70%)	95 (98%)	2 (2%)	0	100	100
1	E	97/138 (70%)	89 (92%)	8 (8%)	0	100	100
1	K	98/138 (71%)	86 (88%)	9 (9%)	3 (3%)	4	23
1	O	97/138 (70%)	88 (91%)	8 (8%)	1 (1%)	15	46
1	U	97/138 (70%)	92 (95%)	5 (5%)	0	100	100
1	Y	97/138 (70%)	92 (95%)	3 (3%)	2 (2%)	7	30
1	e	98/138 (71%)	92 (94%)	5 (5%)	1 (1%)	15	46
1	i	97/138 (70%)	83 (86%)	12 (12%)	2 (2%)	7	30
2	B	78/105 (74%)	74 (95%)	4 (5%)	0	100	100
2	F	82/105 (78%)	76 (93%)	6 (7%)	0	100	100
2	L	78/105 (74%)	72 (92%)	6 (8%)	0	100	100
2	P	78/105 (74%)	66 (85%)	10 (13%)	2 (3%)	5	26
2	V	78/105 (74%)	75 (96%)	3 (4%)	0	100	100
2	Z	82/105 (78%)	78 (95%)	4 (5%)	0	100	100
2	f	78/105 (74%)	70 (90%)	8 (10%)	0	100	100
2	j	78/105 (74%)	70 (90%)	6 (8%)	2 (3%)	5	26
3	C	105/132 (80%)	99 (94%)	6 (6%)	0	100	100
3	G	112/132 (85%)	102 (91%)	9 (8%)	1 (1%)	17	49
3	M	104/132 (79%)	90 (86%)	13 (12%)	1 (1%)	15	46
3	Q	103/132 (78%)	97 (94%)	6 (6%)	0	100	100
3	W	105/132 (80%)	100 (95%)	5 (5%)	0	100	100
3	a	112/132 (85%)	97 (87%)	12 (11%)	3 (3%)	5	26
3	g	104/132 (79%)	97 (93%)	7 (7%)	0	100	100
3	k	103/132 (78%)	97 (94%)	5 (5%)	1 (1%)	15	46
4	D	97/128 (76%)	89 (92%)	7 (7%)	1 (1%)	15	46
4	H	97/128 (76%)	86 (89%)	7 (7%)	4 (4%)	3	18
4	N	96/128 (75%)	85 (88%)	11 (12%)	0	100	100
4	R	96/128 (75%)	88 (92%)	6 (6%)	2 (2%)	7	30
4	X	98/128 (77%)	89 (91%)	7 (7%)	2 (2%)	7	30
4	b	98/128 (77%)	84 (86%)	13 (13%)	1 (1%)	15	46
4	h	96/128 (75%)	88 (92%)	8 (8%)	0	100	100
4	l	96/128 (75%)	84 (88%)	10 (10%)	2 (2%)	7	30

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
7	o	74/195 (38%)	64 (86%)	8 (11%)	2 (3%)	5	26
7	p	72/195 (37%)	66 (92%)	3 (4%)	3 (4%)	3	18
All	All	3178/4414 (72%)	2900 (91%)	242 (8%)	36 (1%)	14	44

All (36) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
3	G	14	ALA
4	H	32	SER
4	X	104	GLY
3	a	13	LYS
3	a	14	ALA
2	j	25	ASN
2	j	26	ILE
7	p	42	ARG
4	D	104	GLY
4	H	104	GLY
1	K	43	PRO
1	O	43	PRO
2	P	26	ILE
4	R	104	GLY
4	b	104	GLY
1	i	76	GLN
3	k	116	LEU
4	l	104	GLY
7	o	97	LYS
4	R	32	SER
1	Y	77	ASP
1	e	38	PRO
4	l	32	SER
3	M	116	LEU
3	a	9	LYS
1	i	43	PRO
4	H	33	ARG
1	K	38	PRO
2	P	73	THR
7	o	44	GLY
7	p	80	VAL
4	H	81	ALA
7	p	40	LYS
1	K	51	ILE

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
4	X	54	ILE
1	Y	43	PRO

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	86/112 (77%)	84 (98%)	2 (2%)	50	74
1	E	86/112 (77%)	81 (94%)	5 (6%)	20	50
1	K	87/112 (78%)	82 (94%)	5 (6%)	20	50
1	O	86/112 (77%)	81 (94%)	5 (6%)	20	50
1	U	86/112 (77%)	84 (98%)	2 (2%)	50	74
1	Y	86/112 (77%)	81 (94%)	5 (6%)	20	50
1	e	87/112 (78%)	83 (95%)	4 (5%)	27	57
1	i	86/112 (77%)	83 (96%)	3 (4%)	36	65
2	B	65/80 (81%)	65 (100%)	0	100	100
2	F	69/80 (86%)	65 (94%)	4 (6%)	20	50
2	L	65/80 (81%)	64 (98%)	1 (2%)	65	82
2	P	65/80 (81%)	64 (98%)	1 (2%)	65	82
2	V	65/80 (81%)	64 (98%)	1 (2%)	65	82
2	Z	69/80 (86%)	65 (94%)	4 (6%)	20	50
2	f	65/80 (81%)	64 (98%)	1 (2%)	65	82
2	j	65/80 (81%)	64 (98%)	1 (2%)	65	82
3	C	85/101 (84%)	80 (94%)	5 (6%)	19	49
3	G	88/101 (87%)	79 (90%)	9 (10%)	7	26
3	M	85/101 (84%)	81 (95%)	4 (5%)	26	57
3	Q	83/101 (82%)	78 (94%)	5 (6%)	19	49
3	W	85/101 (84%)	80 (94%)	5 (6%)	19	49
3	a	88/101 (87%)	80 (91%)	8 (9%)	9	32

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
3	g	85/101 (84%)	84 (99%)	1 (1%)	71 85
3	k	83/101 (82%)	79 (95%)	4 (5%)	25 56
4	D	85/106 (80%)	76 (89%)	9 (11%)	6 24
4	H	85/106 (80%)	76 (89%)	9 (11%)	6 24
4	N	84/106 (79%)	81 (96%)	3 (4%)	35 63
4	R	84/106 (79%)	79 (94%)	5 (6%)	19 49
4	X	85/106 (80%)	77 (91%)	8 (9%)	8 30
4	b	85/106 (80%)	81 (95%)	4 (5%)	26 57
4	h	84/106 (79%)	79 (94%)	5 (6%)	19 49
4	l	84/106 (79%)	76 (90%)	8 (10%)	8 29
7	o	63/158 (40%)	52 (82%)	11 (18%)	2 7
7	p	61/158 (39%)	54 (88%)	7 (12%)	5 20
All	All	2700/3508 (77%)	2546 (94%)	154 (6%)	20 50

All (154) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	59	GLU
1	A	63	ARG
3	C	24	GLN
3	C	72	ASP
3	C	73	ASN
3	C	81	ARG
3	C	118	LYS
4	D	27	LYS
4	D	29	ARG
4	D	34	LYS
4	D	38	SER
4	D	85	LYS
4	D	86	ARG
4	D	88	THR
4	D	101	LEU
4	D	122	THR
1	E	37	LYS
1	E	48	LEU
1	E	65	LEU
1	E	129	ARG
1	E	134	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	F	19	ARG
2	F	20	LYS
2	F	23	ARG
2	F	27	GLN
3	G	9	LYS
3	G	13	LYS
3	G	24	GLN
3	G	29	ARG
3	G	73	ASN
3	G	74	LYS
3	G	81	ARG
3	G	90	ASP
3	G	118	LYS
4	H	29	ARG
4	H	42	TYR
4	H	46	LYS
4	H	52	THR
4	H	55	SER
4	H	63	ASN
4	H	80	LEU
4	H	85	LYS
4	H	87	SER
1	K	37	LYS
1	K	63	ARG
1	K	76	GLN
1	K	129	ARG
1	K	134	ARG
2	L	53	GLU
3	M	72	ASP
3	M	73	ASN
3	M	81	ARG
3	M	116	LEU
4	N	55	SER
4	N	86	ARG
4	N	122	THR
1	O	45	THR
1	O	48	LEU
1	O	76	GLN
1	O	83	ARG
1	O	129	ARG
2	P	24	ASP
3	Q	29	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
3	Q	41	GLU
3	Q	74	LYS
3	Q	76	THR
3	Q	118	LYS
4	R	29	ARG
4	R	32	SER
4	R	52	THR
4	R	80	LEU
4	R	85	LYS
1	U	59	GLU
1	U	63	ARG
2	V	95	ARG
3	W	24	GLN
3	W	81	ARG
3	W	107	VAL
3	W	118	LYS
3	W	119	LYS
4	X	29	ARG
4	X	32	SER
4	X	38	SER
4	X	85	LYS
4	X	86	ARG
4	X	88	THR
4	X	101	LEU
4	X	122	THR
1	Y	37	LYS
1	Y	48	LEU
1	Y	121	PRO
1	Y	129	ARG
1	Y	134	ARG
2	Z	19	ARG
2	Z	20	LYS
2	Z	23	ARG
2	Z	27	GLN
3	a	9	LYS
3	a	13	LYS
3	a	24	GLN
3	a	29	ARG
3	a	73	ASN
3	a	74	LYS
3	a	81	ARG
3	a	119	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
4	b	52	THR
4	b	57	LYS
4	b	80	LEU
4	b	85	LYS
1	e	63	ARG
1	e	76	GLN
1	e	80	THR
1	e	86	SER
2	f	24	ASP
3	g	81	ARG
4	h	28	LYS
4	h	38	SER
4	h	55	SER
4	h	56	SER
4	h	63	ASN
1	i	48	LEU
1	i	83	ARG
1	i	129	ARG
2	j	24	ASP
3	k	29	ARG
3	k	73	ASN
3	k	74	LYS
3	k	118	LYS
4	l	28	LYS
4	l	29	ARG
4	l	32	SER
4	l	52	THR
4	l	78	SER
4	l	80	LEU
4	l	85	LYS
4	l	88	THR
7	o	30	ASP
7	o	36	ILE
7	o	39	GLU
7	o	41	ASN
7	o	46	SER
7	o	47	ARG
7	o	59	LYS
7	o	77	THR
7	o	93	PHE
7	o	95	LEU
7	o	97	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
7	p	30	ASP
7	p	41	ASN
7	p	46	SER
7	p	47	ARG
7	p	60	VAL
7	p	70	LEU
7	p	73	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (43) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	108	ASN
2	B	64	ASN
3	C	24	GLN
4	D	82	HIS
4	D	95	GLN
1	E	108	ASN
3	G	24	GLN
3	G	31	HIS
3	G	38	ASN
4	H	95	GLN
1	K	108	ASN
3	M	89	ASN
4	N	63	ASN
4	N	67	ASN
1	O	93	GLN
3	Q	24	GLN
4	R	47	GLN
4	R	95	GLN
1	U	108	ASN
3	W	24	GLN
3	W	73	ASN
4	X	95	GLN
1	Y	108	ASN
2	Z	25	ASN
3	a	24	GLN
4	b	47	GLN
4	b	95	GLN
1	e	76	GLN
1	e	93	GLN
1	e	108	ASN
3	g	73	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
3	g	89	ASN
4	h	49	HIS
4	h	95	GLN
1	i	76	GLN
1	i	93	GLN
3	k	31	HIS
3	k	104	GLN
4	l	47	GLN
4	l	95	GLN
7	o	37	GLN
7	p	37	GLN
7	p	41	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 53 ligands modelled in this entry, 53 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	99/138 (71%)	0.17	3 (3%) 50 49	79, 108, 157, 189	0
1	E	99/138 (71%)	0.05	1 (1%) 82 81	84, 109, 153, 193	0
1	K	100/138 (72%)	0.37	6 (6%) 21 23	131, 173, 218, 250	0
1	O	99/138 (71%)	0.43	6 (6%) 21 22	118, 170, 224, 260	0
1	U	99/138 (71%)	0.23	3 (3%) 50 49	78, 107, 154, 203	0
1	Y	99/138 (71%)	0.09	1 (1%) 82 81	81, 110, 151, 194	0
1	e	100/138 (72%)	0.39	6 (6%) 21 23	133, 180, 228, 269	0
1	i	99/138 (71%)	0.42	6 (6%) 21 22	130, 170, 218, 246	0
2	B	80/105 (76%)	0.19	0 100 100	84, 108, 136, 192	0
2	F	84/105 (80%)	0.10	0 100 100	87, 109, 162, 192	0
2	L	80/105 (76%)	0.32	5 (6%) 20 21	133, 169, 216, 236	0
2	P	80/105 (76%)	0.27	5 (6%) 20 21	120, 156, 198, 206	0
2	V	80/105 (76%)	0.17	0 100 100	81, 106, 134, 185	0
2	Z	84/105 (80%)	0.08	0 100 100	88, 110, 160, 201	0
2	f	80/105 (76%)	0.39	2 (2%) 57 55	141, 176, 231, 244	0
2	j	80/105 (76%)	0.24	3 (3%) 40 39	125, 166, 198, 212	0
3	C	107/132 (81%)	0.13	1 (0%) 84 83	92, 115, 162, 200	0
3	G	114/132 (86%)	0.35	3 (2%) 56 54	87, 117, 195, 228	0
3	M	106/132 (80%)	0.45	8 (7%) 14 16	137, 172, 206, 250	0
3	Q	105/132 (79%)	0.42	6 (5%) 23 24	136, 178, 213, 231	0
3	W	107/132 (81%)	0.12	1 (0%) 84 83	90, 110, 163, 197	0
3	a	114/132 (86%)	0.56	7 (6%) 21 22	87, 112, 197, 240	0
3	g	106/132 (80%)	0.42	6 (5%) 23 24	137, 178, 208, 233	0
3	k	105/132 (79%)	0.40	3 (2%) 51 50	139, 187, 218, 244	0

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
4	D	99/128 (77%)	0.33	5 (5%) 28 28	94, 117, 177, 229	0
4	H	99/128 (77%)	0.28	3 (3%) 50 49	93, 117, 191, 225	0
4	N	98/128 (76%)	0.31	3 (3%) 49 48	122, 176, 214, 235	0
4	R	98/128 (76%)	0.28	6 (6%) 21 22	126, 167, 222, 258	0
4	X	100/128 (78%)	0.34	5 (5%) 28 29	91, 114, 191, 247	0
4	b	100/128 (78%)	0.34	5 (5%) 28 29	91, 114, 197, 256	0
4	h	98/128 (76%)	0.36	5 (5%) 28 28	133, 176, 214, 239	0
4	l	98/128 (76%)	0.33	5 (5%) 28 28	139, 181, 235, 261	0
5	I	169/169 (100%)	-0.59	2 (1%) 79 77	121, 160, 275, 354	0
5	S	169/169 (100%)	-0.34	1 (0%) 89 89	170, 217, 295, 343	0
5	c	169/169 (100%)	-0.58	2 (1%) 79 77	121, 156, 271, 324	0
5	m	169/169 (100%)	-0.35	3 (1%) 68 67	169, 226, 287, 362	0
6	J	169/169 (100%)	-0.61	3 (1%) 68 67	119, 162, 262, 356	0
6	T	169/169 (100%)	-0.32	4 (2%) 59 57	165, 221, 295, 341	0
6	d	169/169 (100%)	-0.63	1 (0%) 89 89	117, 159, 270, 370	0
6	n	169/169 (100%)	-0.32	3 (1%) 68 67	167, 224, 294, 317	0
7	o	76/195 (38%)	4.45	65 (85%) 0 0	206, 239, 263, 285	1 (1%)
7	p	74/195 (37%)	4.47	67 (90%) 0 0	201, 237, 264, 273	1 (1%)
All	All	4598/5766 (79%)	0.21	270 (5%) 22 23	78, 164, 252, 370	2 (0%)

All (270) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
7	p	90	SER	13.1
7	o	87	VAL	12.8
7	o	90	SER	10.0
3	a	120	THR	9.8
7	p	56	SER	9.8
7	o	28	TYR	9.6
7	o	60	VAL	9.3
3	M	117	PRO	9.1
7	o	89	ALA	9.1
7	p	89	ALA	8.8
7	p	77	THR	8.5
7	o	86	GLY	8.2
7	o	88	GLY	8.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
7	p	54	ILE	7.9
7	p	83	GLN	7.7
3	k	14	ALA	7.6
4	H	30	LYS	7.5
7	o	53	TYR	7.5
7	o	73	LYS	7.4
1	i	38	PRO	7.4
7	p	28	TYR	7.2
1	O	38	PRO	7.0
7	p	72	ILE	7.0
7	p	84	THR	7.0
4	b	27	LYS	6.9
3	g	120	THR	6.8
7	o	58	TYR	6.8
7	p	57	HIS	6.7
7	o	44	GLY	6.7
7	p	53	TYR	6.6
7	p	29	SER	6.5
7	o	77	THR	6.5
7	p	76	VAL	6.4
7	o	67	GLN	6.2
1	e	36	LYS	6.2
7	p	58	TYR	6.2
7	o	29	SER	6.2
7	o	50	ILE	6.1
7	p	32	ILE	6.1
7	p	78	THR	5.9
7	o	93	PHE	5.9
7	p	43	ALA	5.9
7	p	87	VAL	5.9
7	o	39	GLU	5.8
7	p	41	ASN	5.8
7	p	86	GLY	5.8
7	o	32	ILE	5.7
7	o	74	ARG	5.7
7	o	70	LEU	5.7
7	o	54	ILE	5.7
7	o	51	GLN	5.6
1	U	37	LYS	5.6
7	o	76	VAL	5.6
7	o	36	ILE	5.6
7	p	68	ILE	5.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
7	o	37	GLN	5.5
1	i	39	HIS	5.5
7	o	41	ASN	5.5
7	o	35	ALA	5.5
4	l	31	ARG	5.4
7	o	72	ILE	5.4
4	H	29	ARG	5.4
7	o	82	LYS	5.4
7	p	33	VAL	5.3
4	h	29	ARG	5.3
7	p	73	LYS	5.3
7	o	34	ALA	5.2
7	o	84	THR	5.2
7	o	38	ALA	5.2
4	X	26	GLY	5.1
7	p	88	GLY	5.1
7	p	69	LYS	5.1
3	a	8	GLY	5.0
4	D	27	LYS	5.0
7	p	59	LYS	5.0
7	p	37	GLN	4.9
7	o	78	THR	4.9
4	b	26	GLY	4.9
7	p	45	SER	4.8
7	p	65	ASP	4.8
7	p	66	SER	4.7
4	X	27	LYS	4.7
7	p	60	VAL	4.7
7	o	42	ARG	4.6
7	o	33	VAL	4.6
7	p	31	MET	4.6
7	p	70	LEU	4.6
7	p	38	ALA	4.5
3	G	120	THR	4.5
7	o	68	ILE	4.5
7	o	31	MET	4.5
3	a	9	LYS	4.5
1	U	38	PRO	4.4
1	i	37	LYS	4.4
4	X	28	LYS	4.3
7	p	74	ARG	4.3
7	o	56	SER	4.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
7	p	36	ILE	4.3
4	X	29	ARG	4.3
3	a	7	GLY	4.3
7	p	44	GLY	4.2
2	f	44	LYS	4.2
7	o	83	GLN	4.2
4	D	29	ARG	4.2
7	p	42	ARG	4.1
3	Q	14	ALA	4.0
7	p	39	GLU	4.0
4	b	29	ARG	4.0
7	p	79	GLY	4.0
7	o	46	SER	4.0
1	O	117	VAL	3.9
7	p	25	HIS	3.9
2	P	44	LYS	3.9
7	o	59	LYS	3.9
1	O	39	HIS	3.8
7	p	81	LEU	3.8
3	g	114	VAL	3.8
4	R	33	ARG	3.8
7	o	40	LYS	3.8
1	A	38	PRO	3.8
7	p	91	GLY	3.8
7	p	71	SER	3.8
7	o	43	ALA	3.7
7	o	57	HIS	3.7
3	g	119	LYS	3.7
7	p	96	ALA	3.7
1	e	38	PRO	3.7
7	p	46	SER	3.7
7	p	50	ILE	3.7
7	p	47	ARG	3.6
1	e	37	LYS	3.6
1	O	37	LYS	3.6
3	M	119	LYS	3.6
4	h	28	LYS	3.6
7	p	95	LEU	3.5
3	M	45	ALA	3.5
7	o	75	LEU	3.5
7	o	80	VAL	3.5
6	J	83	DT	3.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
4	R	31	ARG	3.5
4	H	27	LYS	3.4
4	h	121	TYR	3.4
7	o	71	SER	3.4
4	D	28	LYS	3.4
4	N	125	LYS	3.4
4	R	30	LYS	3.4
1	O	108	ASN	3.4
7	o	85	LYS	3.3
4	l	30	LYS	3.3
7	o	49	SER	3.3
7	o	91	GLY	3.3
7	p	82	LYS	3.3
1	A	37	LYS	3.2
7	p	93	PHE	3.2
7	p	49	SER	3.2
7	o	97	LYS	3.2
7	p	85	LYS	3.2
4	X	30	LYS	3.2
7	o	79	GLY	3.1
7	p	67	GLN	3.1
4	D	30	LYS	3.1
1	e	39	HIS	3.1
7	o	64	ALA	3.0
2	P	55	ARG	3.0
7	p	63	ASN	3.0
7	o	26	PRO	3.0
3	G	10	ALA	3.0
1	A	39	HIS	3.0
1	U	39	HIS	3.0
1	K	63	ARG	3.0
7	p	34	ALA	3.0
7	p	55	LYS	3.0
2	j	44	LYS	3.0
7	p	35	ALA	3.0
6	T	-69	DA	2.9
7	o	25	HIS	2.9
3	g	115	LEU	2.9
1	K	135	ALA	2.9
4	b	28	LYS	2.9
7	p	62	GLU	2.9
7	p	75	LEU	2.9

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
5	m	84	DG	2.8
5	S	84	DG	2.8
7	p	80	VAL	2.8
3	M	120	THR	2.8
7	o	95	LEU	2.8
7	o	69	LYS	2.7
7	o	63	ASN	2.7
7	o	81	LEU	2.7
7	o	45	SER	2.7
1	Y	39	HIS	2.7
3	g	50	TYR	2.6
1	i	40	ARG	2.6
1	O	113	HIS	2.6
4	l	42	TYR	2.6
4	D	31	ARG	2.6
4	R	42	TYR	2.6
2	j	102	GLY	2.6
6	n	33	DT	2.5
1	e	118	THR	2.5
6	J	82	DC	2.5
5	I	83	DT	2.5
4	N	28	LYS	2.5
3	M	34	LEU	2.5
2	L	29	ILE	2.5
1	i	108	ASN	2.4
1	K	104	PHE	2.4
3	k	109	PRO	2.4
2	f	54	THR	2.4
3	a	38	ASN	2.4
5	m	83	DT	2.4
6	d	83	DT	2.4
7	p	64	ALA	2.4
3	M	113	ALA	2.4
7	o	94	ARG	2.4
4	l	44	VAL	2.4
2	P	26	ILE	2.4
6	T	-68	DC	2.4
5	c	-82	DG	2.4
7	p	48	GLN	2.4
7	o	66	SER	2.4
1	K	97	GLU	2.4
7	o	52	LYS	2.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
3	C	119	LYS	2.3
4	h	30	LYS	2.3
6	J	86	DA	2.3
6	n	2	DC	2.3
2	L	23	ARG	2.3
7	o	98	SER	2.3
7	p	26	PRO	2.3
6	n	-77	DT	2.3
6	T	-82	DG	2.3
3	Q	21	ALA	2.3
3	W	14	ALA	2.3
3	Q	118	LYS	2.3
4	l	32	SER	2.3
7	p	94	ARG	2.2
3	M	116	LEU	2.2
3	Q	63	LEU	2.2
3	a	99	ARG	2.2
4	h	39	ILE	2.2
4	b	30	LYS	2.2
2	L	28	GLY	2.2
3	M	118	LYS	2.2
3	a	119	LYS	2.2
1	i	41	TYR	2.2
3	G	9	LYS	2.2
1	K	38	PRO	2.2
6	T	-71	DT	2.2
7	o	96	ALA	2.1
3	g	39	TYR	2.1
5	m	82	DC	2.1
1	e	108	ASN	2.1
2	L	44	LYS	2.1
5	I	-82	DG	2.1
3	Q	111	ILE	2.1
2	L	102	GLY	2.1
3	Q	115	LEU	2.1
4	R	52	THR	2.1
4	R	29	ARG	2.1
7	p	98	SER	2.1
7	p	92	SER	2.1
2	j	29	ILE	2.0
4	N	70	PHE	2.0
2	P	43	VAL	2.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	P	29	ILE	2.0
1	K	118	THR	2.0
3	k	24	GLN	2.0
1	E	39	HIS	2.0
5	c	82	DC	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
8	CA	I	105	1/1	0.24	0.18	163,163,163,163	0
8	CA	d	104	1/1	0.49	0.51	160,160,160,160	0
8	CA	i	201	1/1	0.56	0.13	170,170,170,170	0
8	CA	O	202	1/1	0.62	0.12	175,175,175,175	0
8	CA	c	105	1/1	0.66	0.11	145,145,145,145	0
8	CA	G	201	1/1	0.67	0.80	164,164,164,164	0
8	CA	o	201	1/1	0.68	0.22	157,157,157,157	0
9	K	T	105	1/1	0.71	0.15	172,172,172,172	0
8	CA	a	202	1/1	0.73	0.30	157,157,157,157	0
8	CA	p	201	1/1	0.73	0.27	155,155,155,155	0
8	CA	I	107	1/1	0.73	0.10	160,160,160,160	0
8	CA	J	101	1/1	0.74	0.23	133,133,133,133	0
8	CA	I	103	1/1	0.76	0.19	130,130,130,130	0
8	CA	O	201	1/1	0.77	0.17	157,157,157,157	0
8	CA	m	102	1/1	0.80	0.12	185,185,185,185	0
8	CA	T	102	1/1	0.80	0.32	163,163,163,163	0
8	CA	T	103	1/1	0.81	0.84	174,174,174,174	0
8	CA	c	106	1/1	0.81	0.17	153,153,153,153	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
8	CA	d	106	1/1	0.82	0.23	157,157,157,157	0
8	CA	J	103	1/1	0.82	0.16	158,158,158,158	0
8	CA	I	108	1/1	0.83	0.39	137,137,137,137	0
9	K	d	109	1/1	0.83	0.12	161,161,161,161	0
8	CA	C	201	1/1	0.85	0.28	145,145,145,145	0
9	K	I	109	1/1	0.85	0.09	141,141,141,141	0
8	CA	d	101	1/1	0.86	0.45	150,150,150,150	0
8	CA	d	107	1/1	0.86	0.16	152,152,152,152	0
8	CA	I	101	1/1	0.86	0.34	147,147,147,147	0
8	CA	d	105	1/1	0.86	0.48	144,144,144,144	0
8	CA	n	101	1/1	0.86	0.27	150,150,150,150	0
8	CA	c	107	1/1	0.87	0.40	149,149,149,149	0
8	CA	a	201	1/1	0.87	0.49	147,147,147,147	0
8	CA	J	104	1/1	0.87	0.15	130,130,130,130	0
8	CA	d	108	1/1	0.87	0.15	162,162,162,162	0
8	CA	W	201	1/1	0.88	0.36	146,146,146,146	0
8	CA	m	101	1/1	0.90	0.27	159,159,159,159	0
8	CA	c	103	1/1	0.91	0.10	135,135,135,135	0
8	CA	d	102	1/1	0.91	0.24	128,128,128,128	0
9	K	T	104	1/1	0.92	0.15	157,157,157,157	0
8	CA	Y	201	1/1	0.92	0.31	125,125,125,125	0
9	K	T	106	1/1	0.92	0.41	153,153,153,153	0
8	CA	j	201	1/1	0.92	0.11	156,156,156,156	0
8	CA	d	103	1/1	0.93	0.31	139,139,139,139	0
8	CA	n	102	1/1	0.94	0.28	166,166,166,166	0
9	K	c	108	1/1	0.94	0.11	143,143,143,143	0
8	CA	I	106	1/1	0.94	0.37	134,134,134,134	0
8	CA	J	102	1/1	0.95	0.60	165,165,165,165	0
8	CA	c	104	1/1	0.95	0.05	159,159,159,159	0
8	CA	S	101	1/1	0.95	0.38	159,159,159,159	0
8	CA	c	102	1/1	0.96	0.40	131,131,131,131	0
8	CA	T	101	1/1	0.96	0.10	160,160,160,160	0
8	CA	I	102	1/1	0.97	0.33	117,117,117,117	0
8	CA	I	104	1/1	0.97	0.12	148,148,148,148	0
8	CA	c	101	1/1	0.98	0.41	107,107,107,107	0

6.5 Other polymers [i](#)

There are no such residues in this entry.