



Full wwPDB X-ray Structure Validation Report ⓘ

Nov 30, 2022 – 06:09 PM JST

PDB ID : 7Y4I
Title : Crystal structure of SPINDLY in complex with GDP
Authors : Xu, S.T.; Wan, L.H.
Deposited on : 2022-06-14
Resolution : 2.85 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.31.3
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.31.3


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.85 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	3168 (2.90-2.82)
Clashscore	141614	3438 (2.90-2.82)
Ramachandran outliers	138981	3348 (2.90-2.82)
Sidechain outliers	138945	3351 (2.90-2.82)
RSRZ outliers	127900	3103 (2.90-2.82)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	914	 4% 70% 19% • 10%
1	B	914	 4% 69% 19% • 11%

2 Entry composition [i](#)

There are 3 unique types of molecules in this entry. The entry contains 12812 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Probable UDP-N-acetylglucosamine--peptide N-acetylglucosaminyltransferase SPINDLY.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	822	Total 6419	C 4083	N 1076	O 1211	S 49	0	0	0
1	B	815	Total 6360	C 4048	N 1064	O 1199	S 49	0	0	0

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	645	SER	CYS	engineered mutation	UNP Q96301
B	645	SER	CYS	engineered mutation	UNP Q96301

- Molecule 2 is GUANOSINE-5'-DIPHOSPHATE (three-letter code: GDP) (formula: C₁₀H₁₅N₅O₁₁P₂) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
			Total	C	N	O	P		
2	A	1	28	10	5	11	2	0	0


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	3	Total	O	0	0
			3	3		
3	B	2	Total	O	0	0
			2	2		

3 Residue-property plots


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Probable UDP-N-acetylglucosamine--peptide N-acetylglucosaminyltransferase SPINDLY



- Molecule 1: Probable UDP-N-acetylglucosamine--peptide N-acetylglucosaminyltransferase SPINDLY





4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	127.73Å 130.68Å 141.37Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	35.34 – 2.85 35.34 – 2.84	Depositor EDS
% Data completeness (in resolution range)	99.6 (35.34-2.85) 98.7 (35.34-2.84)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.43 (at 2.85Å)	Xtrriage
Refinement program	PHENIX 1.20.1_4487, PHENIX 1.20.1_4487	Depositor
R, R_{free}	0.213 , 0.270 0.214 , 0.272	Depositor DCC
R_{free} test set	2930 reflections (5.24%)	wwPDB-VP
Wilson B-factor (Å ²)	65.6	Xtrriage
Anisotropy	0.302	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.29 , 56.9	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtrriage
Estimated twinning fraction	0.000 for k,h,-l	Xtrriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	12812	wwPDB-VP
Average B, all atoms (Å ²)	86.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 40.21 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 2.8287e-04. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: GDP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.27	0/6562	0.48	0/8905
1	B	0.26	0/6502	0.47	0/8824
All	All	0.27	0/13064	0.48	0/17729

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	6419	0	6336	111	0
1	B	6360	0	6278	123	0
2	A	28	0	12	0	0
3	A	3	0	0	0	0
3	B	2	0	0	0	0
All	All	12812	0	12626	225	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 9.

All (225) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:549:ASP:H	1:B:552:LYS:HE3	1.43	0.83
1:A:545:ILE:HA	1:A:548:ILE:HD12	1.64	0.78
1:B:678:LEU:HD11	1:B:686:LEU:HB2	1.69	0.75
1:A:479:PRO:O	1:A:838:ARG:NH1	2.20	0.74
1:A:780:VAL:HG12	1:A:782:LEU:HD23	1.70	0.74
1:A:478:ASP:HB2	1:A:481:ARG:HB2	1.70	0.73
1:B:548:ILE:HG23	1:B:552:LYS:HD2	1.72	0.70
1:B:583:ARG:NH2	1:B:604:ASP:OD1	2.24	0.70
1:B:501:ILE:HD12	1:B:504:PRO:HG2	1.73	0.70
1:A:148:ALA:HA	1:A:181:ILE:HD11	1.73	0.69
1:A:686:LEU:HB3	1:A:716:VAL:HG12	1.74	0.69
1:A:570:GLY:HA3	1:A:594:TYR:HB2	1.75	0.69
1:B:468:PRO:HD2	1:B:551:LYS:HE2	1.75	0.69
1:B:500:PHE:HE2	1:B:748:THR:HG22	1.57	0.69
1:B:481:ARG:NH2	1:B:841:TRP:CH2	2.62	0.68
1:B:566:VAL:HG22	1:B:589:VAL:HB	1.75	0.67
1:A:395:THR:HA	1:A:426:ILE:HD13	1.75	0.67
1:A:812:MET:SD	1:A:812:MET:N	2.67	0.67
1:A:535:VAL:HG11	1:A:542:TRP:HE3	1.60	0.66
1:A:58:LYS:HE3	1:B:717:ASP:OD1	1.95	0.66
1:B:496:SER:HB3	1:B:748:THR:HG21	1.77	0.66
1:B:230:TYR:CD1	1:B:238:MET:HB3	2.31	0.66
1:A:58:LYS:NZ	1:B:716:VAL:O	2.29	0.65
1:B:611:LEU:HD23	1:B:775:SER:HA	1.79	0.65
1:B:312:ASP:OD1	1:B:342:ARG:NH2	2.28	0.65
1:B:628:LEU:HG	1:B:629:PRO:HD2	1.79	0.64
1:A:312:ASP:OD1	1:A:342:ARG:NH2	2.30	0.64
1:B:583:ARG:HA	1:B:588:GLN:NE2	2.11	0.64
1:B:640:GLU:OE2	1:B:640:GLU:N	2.31	0.64
1:B:506:THR:O	1:B:538:LYS:NZ	2.31	0.64
1:A:485:ILE:HD13	1:A:564:ILE:HB	1.80	0.63
1:B:518:TYR:HB3	1:B:545:ILE:HD13	1.80	0.63
1:B:498:SER:HA	1:B:501:ILE:HG22	1.81	0.63
1:B:656:THR:HG22	1:B:685:ARG:HB2	1.80	0.62
1:B:196:TYR:CD2	1:B:204:ASN:HB3	2.35	0.62
1:B:557:VAL:HG13	1:B:562:ILE:HB	1.81	0.62
1:B:76:ASN:ND2	1:B:79:ALA:H	1.98	0.62
1:A:56:ARG:NH1	1:B:717:ASP:OD2	2.33	0.61
1:A:567:GLU:OE2	1:A:570:GLY:N	2.28	0.61
1:B:53:LEU:HB3	1:B:58:LYS:HB2	1.83	0.61
1:A:47:LEU:HD21	1:A:78:GLU:HG2	1.82	0.60
1:A:553:ILE:O	1:A:557:VAL:HG23	2.02	0.60

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:570:GLY:HA3	1:B:594:TYR:HB2	1.84	0.60
1:A:237:GLU:OE1	1:A:237:GLU:N	2.25	0.60
1:B:605:TYR:CE2	1:B:840:MET:HG2	2.36	0.59
1:B:687:VAL:HG23	1:B:717:ASP:HB2	1.85	0.59
1:B:818:MET:HA	1:B:821:SER:HB3	1.84	0.59
1:A:706:LEU:HD13	1:A:716:VAL:HG11	1.86	0.58
1:B:476:LEU:HB3	1:B:481:ARG:NH1	2.18	0.58
1:B:549:ASP:OD1	1:B:550:GLU:N	2.37	0.57
1:A:323:HIS:HE1	1:B:323:HIS:NE2	2.02	0.57
1:B:606:ARG:HH21	1:B:621:GLN:HE22	1.53	0.57
1:B:812:MET:SD	1:B:812:MET:N	2.78	0.57
1:A:58:LYS:CE	1:B:717:ASP:OD1	2.52	0.56
1:A:681:VAL:HG23	1:A:798:VAL:HG12	1.88	0.56
1:A:836:ALA:O	1:A:840:MET:HG3	2.06	0.56
1:B:352:TYR:CZ	1:B:368:ASN:HB3	2.40	0.56
1:A:588:GLN:HB2	1:A:603:VAL:HA	1.88	0.56
1:A:151:LEU:HD23	1:A:181:ILE:HD12	1.88	0.56
1:B:545:ILE:HA	1:B:548:ILE:HD12	1.87	0.56
1:A:58:LYS:NZ	1:B:717:ASP:OD1	2.39	0.56
1:A:431:ARG:HH21	1:A:463:PHE:HZ	1.53	0.56
1:A:843:LYS:O	1:A:843:LYS:HD3	2.06	0.56
1:A:535:VAL:HG11	1:A:542:TRP:CE3	2.41	0.55
1:B:617:THR:HG22	1:B:619:GLN:H	1.71	0.55
1:B:238:MET:HA	1:B:241:THR:HG22	1.89	0.55
1:A:66:TYR:O	1:A:70:LEU:HD12	2.06	0.54
1:A:474:ASP:N	1:A:474:ASP:OD2	2.35	0.54
1:A:821:SER:HB2	1:A:823:VAL:HG22	1.88	0.54
1:A:691:LYS:HD2	1:A:721:LEU:HD12	1.90	0.54
1:A:782:LEU:HB3	1:A:785:LEU:CD1	2.37	0.54
1:B:129:GLU:OE1	1:B:129:GLU:N	2.31	0.54
1:B:611:LEU:HB3	1:B:775:SER:HB2	1.90	0.54
1:B:493:PHE:HD1	1:B:493:PHE:H	1.56	0.54
1:B:678:LEU:HD12	1:B:711:LEU:HD21	1.89	0.53
1:A:806:ALA:HA	1:A:809:LYS:HD3	1.90	0.53
1:A:595:PRO:HG3	1:A:744:TYR:CZ	2.43	0.53
1:B:83:LYS:HG2	1:B:87:LEU:HD13	1.90	0.53
1:B:175:TYR:O	1:B:179:LEU:HD12	2.09	0.53
1:A:85:ILE:HD11	1:A:116:HIS:NE2	2.24	0.52
1:A:533:ASP:O	1:A:537:LYS:HG3	2.10	0.52
1:B:94:ASN:OD1	1:B:94:ASN:N	2.43	0.52
1:B:846:LYS:C	1:B:846:LYS:HD3	2.31	0.52

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:760:CYS:O	1:A:777:LEU:HD11	2.09	0.52
1:B:780:VAL:HG13	1:B:818:MET:HB3	1.91	0.52
1:B:595:PRO:HG3	1:B:744:TYR:CZ	2.44	0.52
1:B:395:THR:HA	1:B:426:ILE:HD13	1.93	0.51
1:B:413:ILE:HD11	1:B:664:ALA:HB1	1.91	0.51
1:A:699:ARG:HG2	1:A:718:LEU:HD12	1.92	0.51
1:B:237:GLU:H	1:B:237:GLU:CD	2.14	0.51
1:B:701:ARG:O	1:B:705:THR:HG23	2.11	0.51
1:B:706:LEU:HD22	1:B:711:LEU:HD23	1.93	0.51
1:A:56:ARG:HH21	1:B:734:LEU:HD23	1.76	0.50
1:A:127:LEU:HB3	1:A:158:LEU:HD11	1.93	0.50
1:B:132:GLU:O	1:B:136:LYS:HG2	2.10	0.50
1:B:552:LYS:O	1:B:556:MET:HG3	2.10	0.50
1:B:735:MET:HG2	1:B:758:VAL:HG11	1.93	0.50
1:B:628:LEU:HD11	1:B:833:LEU:HA	1.94	0.50
1:A:549:ASP:OD1	1:A:550:GLU:N	2.44	0.50
1:B:49:TYR:O	1:B:53:LEU:HD12	2.11	0.50
1:B:613:ASP:O	1:B:627:ARG:NH1	2.45	0.50
1:B:237:GLU:OE2	1:B:237:GLU:N	2.33	0.50
1:B:450:ASP:O	1:B:454:GLU:HG3	2.12	0.49
1:B:737:ILE:HG12	1:B:800:LEU:HD22	1.95	0.49
1:A:412:ASN:ND2	1:A:415:MET:HG3	2.27	0.49
1:B:67:GLU:HA	1:B:70:LEU:HD12	1.94	0.49
1:A:462:ARG:HG2	1:A:465:ARG:HH12	1.77	0.49
1:A:374:THR:HG23	1:A:406:LEU:HD23	1.93	0.49
1:A:517:VAL:HG11	1:A:542:TRP:CZ3	2.47	0.49
1:B:230:TYR:HD1	1:B:238:MET:HB3	1.75	0.48
1:A:762:THR:HG23	1:A:777:LEU:HD12	1.95	0.48
1:A:194:VAL:O	1:A:198:GLU:HG2	2.13	0.48
1:A:480:GLU:N	1:A:480:GLU:OE1	2.47	0.48
1:B:189:TYR:CZ	1:B:211:LYS:HG2	2.49	0.48
1:A:277:VAL:O	1:A:281:VAL:HG23	2.12	0.48
1:B:90:GLN:N	1:B:90:GLN:OE1	2.47	0.48
1:B:173:GLN:O	1:B:177:GLU:HG3	2.14	0.48
1:A:667:THR:HG23	1:A:670:VAL:H	1.77	0.48
1:B:782:LEU:HD11	1:B:814:LEU:HD21	1.94	0.48
1:A:122:LYS:NZ	1:A:157:ASP:OD2	2.40	0.48
1:B:839:ASN:C	1:B:839:ASN:HD22	2.17	0.48
1:A:352:TYR:CZ	1:A:368:ASN:HB3	2.49	0.48
1:A:579:THR:O	1:A:584:PRO:HD3	2.14	0.48
1:A:56:ARG:NH2	1:B:734:LEU:HD23	2.29	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:101:SER:HA	1:A:104:ILE:HG13	1.96	0.47
1:A:500:PHE:CD2	1:A:633:LEU:HB3	2.47	0.47
1:B:350:GLU:O	1:B:354:MET:HG3	2.14	0.47
1:B:479:PRO:HA	1:B:841:TRP:CD1	2.49	0.47
1:B:658:GLY:O	1:B:738:SER:HA	2.15	0.47
1:A:484:THR:OG1	1:A:562:ILE:HA	2.14	0.47
1:B:510:TYR:CE2	1:B:538:LYS:HB2	2.50	0.47
1:A:191:ASN:O	1:A:195:VAL:HG23	2.15	0.47
1:B:510:TYR:CD2	1:B:538:LYS:HB2	2.49	0.47
1:A:221:GLU:OE1	1:A:221:GLU:N	2.37	0.46
1:A:134:TYR:HB3	1:A:151:LEU:HB2	1.96	0.46
1:B:500:PHE:CE2	1:B:748:THR:HG22	2.43	0.46
1:B:836:ALA:O	1:B:840:MET:HG3	2.16	0.46
1:A:568:LEU:HD22	1:A:592:ILE:HD12	1.98	0.46
1:B:189:TYR:CE2	1:B:211:LYS:HG2	2.51	0.46
1:B:684:SER:N	1:B:715:ARG:HH21	2.13	0.46
1:A:56:ARG:HG3	1:A:56:ARG:HH11	1.81	0.46
1:A:243:TYR:CZ	1:A:259:ASN:HB3	2.50	0.46
1:B:460:GLY:HA3	1:B:599:GLY:O	2.16	0.46
1:A:564:ILE:HG12	1:A:587:VAL:HB	1.97	0.45
1:A:805:THR:O	1:A:809:LYS:HG3	2.17	0.45
1:A:782:LEU:HB3	1:A:785:LEU:HD12	1.98	0.45
1:B:837:TYR:O	1:B:840:MET:HB2	2.16	0.45
1:A:470:TYR:CE2	1:A:558:ARG:HD2	2.52	0.45
1:A:501:ILE:O	1:A:501:ILE:HG13	2.17	0.45
1:A:339:TYR:CD2	1:A:347:LYS:HG2	2.51	0.45
1:A:754:LEU:C	1:A:818:MET:HE1	2.37	0.45
1:A:842:LYS:O	1:A:846:LYS:HG3	2.17	0.45
1:B:507:HIS:ND1	1:B:826:GLY:HA3	2.31	0.45
1:A:498:SER:HA	1:A:501:ILE:HG22	1.99	0.44
1:B:605:TYR:CD2	1:B:840:MET:HG2	2.52	0.44
1:B:476:LEU:HB3	1:B:481:ARG:HH11	1.83	0.44
1:B:818:MET:O	1:B:824:CYS:HB2	2.17	0.44
1:A:56:ARG:NH1	1:A:56:ARG:HG3	2.32	0.44
1:B:235:ASP:OD1	1:B:238:MET:HB2	2.18	0.44
1:B:608:THR:HG21	1:B:613:ASP:HB2	1.99	0.44
1:A:196:TYR:CD2	1:A:204:ASN:HB3	2.52	0.44
1:B:470:TYR:CD2	1:B:558:ARG:HD2	2.53	0.44
1:B:151:LEU:HD23	1:B:181:ILE:HG21	2.00	0.44
1:B:700:GLN:O	1:B:704:THR:HG23	2.18	0.44
1:B:76:ASN:HD22	1:B:79:ALA:H	1.62	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:737:ILE:HG12	1:B:800:LEU:CD2	2.48	0.44
1:A:654:PHE:HZ	1:B:52:ILE:HG21	1.83	0.43
1:B:172:ILE:HG23	1:B:192:LEU:HD21	2.00	0.43
1:B:628:LEU:HD21	1:B:833:LEU:HB2	2.01	0.43
1:B:648:PRO:HG3	1:B:733:SER:O	2.17	0.43
1:B:669:LYS:O	1:B:673:VAL:HG23	2.18	0.43
1:A:755:TYR:N	1:A:818:MET:HE1	2.34	0.43
1:A:721:LEU:HD23	1:A:721:LEU:HA	1.83	0.43
1:A:818:MET:HA	1:A:821:SER:OG	2.19	0.43
1:A:87:LEU:HD22	1:A:92:LYS:HD2	2.01	0.43
1:A:591:TRP:CD2	1:A:592:ILE:HG13	2.54	0.43
1:A:172:ILE:HG23	1:A:192:LEU:HD21	2.00	0.43
1:B:100:PHE:O	1:B:104:ILE:HG23	2.19	0.43
1:A:54:ARG:HG3	1:A:59:PHE:HE1	1.83	0.43
1:A:790:GLU:O	1:A:794:VAL:HG12	2.18	0.43
1:A:81:ILE:HD11	1:A:113:ALA:HB2	2.00	0.43
1:B:83:LYS:HZ3	1:B:99:CYS:HB3	1.82	0.43
1:B:809:LYS:HA	1:B:809:LYS:HD2	1.65	0.43
1:A:104:ILE:HD12	1:A:105:ARG:N	2.34	0.43
1:B:177:GLU:O	1:B:181:ILE:HG12	2.18	0.43
1:A:648:PRO:HB2	1:A:652:ASN:ND2	2.34	0.42
1:A:684:SER:H	1:A:715:ARG:NH2	2.17	0.42
1:A:599:GLY:HA2	1:A:622:VAL:HG21	2.01	0.42
1:B:732:TYR:CE2	1:B:753:SER:HA	2.55	0.42
1:A:532:ARG:HG3	1:A:542:TRP:CG	2.55	0.42
1:A:549:ASP:HB3	1:A:552:LYS:HG2	2.01	0.42
1:A:839:ASN:O	1:A:842:LYS:HB2	2.19	0.42
1:B:595:PRO:HB2	1:B:769:ALA:HB2	2.02	0.42
1:A:735:MET:HE3	1:A:735:MET:HB3	1.84	0.42
1:B:372:VAL:O	1:B:376:GLN:HG3	2.20	0.42
1:B:703:LEU:O	1:B:707:GLU:HG3	2.20	0.42
1:A:496:SER:HB3	1:A:748:THR:HG21	2.01	0.42
1:A:570:GLY:HA3	1:A:594:TYR:CB	2.44	0.42
1:A:765:GLY:HA3	1:A:770:HIS:CG	2.55	0.42
1:A:516:VAL:HG22	1:A:541:VAL:CG2	2.50	0.42
1:A:344:ASN:C	1:A:344:ASN:HD22	2.22	0.41
1:B:794:VAL:O	1:B:798:VAL:HG12	2.20	0.41
1:B:829:PHE:HE2	1:B:833:LEU:HD22	1.84	0.41
1:B:470:TYR:CE2	1:B:558:ARG:HD2	2.55	0.41
1:A:714:LYS:HB3	1:A:714:LYS:HE2	1.80	0.41
1:B:354:MET:O	1:B:358:ILE:HD12	2.20	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:172:ILE:HD13	1:B:196:TYR:HE1	1.84	0.41
1:A:591:TRP:CG	1:A:592:ILE:HG13	2.55	0.41
1:A:54:ARG:HD2	1:A:85:ILE:HG21	2.03	0.41
1:A:460:GLY:HA2	1:A:600:LEU:HD23	2.03	0.41
1:A:738:SER:O	1:A:760:CYS:HA	2.21	0.41
1:B:696:ASP:CG	1:B:699:ARG:HE	2.24	0.41
1:A:269:THR:O	1:A:273:LEU:HG	2.20	0.41
1:A:484:THR:HA	1:A:514:LYS:O	2.20	0.41
1:B:719:LEU:HA	1:B:720:PRO:HD3	1.94	0.41
1:B:813:SER:O	1:B:817:LEU:HB2	2.21	0.41
1:A:237:GLU:O	1:A:241:THR:HG23	2.21	0.41
1:A:740:ASP:OD2	1:A:741:THR:N	2.54	0.41
1:B:153:ILE:HG12	1:B:185:TYR:CE1	2.56	0.41
1:B:473:TRP:HA	1:B:558:ARG:NH2	2.36	0.41
1:B:531:PHE:O	1:B:535:VAL:HG23	2.21	0.41
1:A:281:VAL:HG13	1:A:301:LEU:HD23	2.03	0.40
1:A:823:VAL:HG23	1:A:824:CYS:SG	2.61	0.40
1:B:206:LEU:HD21	1:B:230:TYR:CE2	2.56	0.40
1:B:284:TYR:CZ	1:B:300:ASN:HB3	2.56	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	818/914 (90%)	813 (99%)	5 (1%)	0	100	100
1	B	811/914 (89%)	807 (100%)	4 (0%)	0	100	100
All	All	1629/1828 (89%)	1620 (99%)	9 (1%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	691/774 (89%)	656 (95%)	35 (5%)	24	52
1	B	683/774 (88%)	659 (96%)	24 (4%)	36	67
All	All	1374/1548 (89%)	1315 (96%)	59 (4%)	29	59

All (59) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	24	SER
1	A	27	SER
1	A	63	LEU
1	A	70	LEU
1	A	105	ARG
1	A	127	LEU
1	A	163	LYS
1	A	167	ASN
1	A	219	TYR
1	A	238	MET
1	A	255	ILE
1	A	279	GLN
1	A	286	LYS
1	A	344	ASN
1	A	396	TYR
1	A	474	ASP
1	A	475	ASN
1	A	508	HIS
1	A	514	LYS
1	A	515	VAL
1	A	556	MET
1	A	565	LEU
1	A	613	ASP
1	A	630	ASP
1	A	651	SER
1	A	688	VAL
1	A	713	SER

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	716	VAL
1	A	724	PHE
1	A	729	MET
1	A	744	TYR
1	A	766	SER
1	A	812	MET
1	A	825	ASN
1	A	838	ARG
1	B	27	SER
1	B	67	GLU
1	B	83	LYS
1	B	92	LYS
1	B	211	LYS
1	B	214	LEU
1	B	219	TYR
1	B	253	PHE
1	B	396	TYR
1	B	412	ASN
1	B	478	ASP
1	B	493	PHE
1	B	519	SER
1	B	538	LYS
1	B	552	LYS
1	B	569	THR
1	B	583	ARG
1	B	651	SER
1	B	709	LEU
1	B	744	TYR
1	B	747	THR
1	B	766	SER
1	B	818	MET
1	B	839	ASN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (9) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	279	GLN
1	A	323	HIS
1	A	726	HIS
1	A	728	HIS
1	B	76	ASN
1	B	167	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	588	GLN
1	B	652	ASN
1	B	839	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

1 ligand is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	GDP	A	1901	-	24,30,30	0.93	1 (4%)	30,47,47	1.32	4 (13%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '2' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	GDP	A	1901	-	-	3/12/32/32	0/3/3/3

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	1901	GDP	C6-N1	-2.32	1.34	1.37

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	1901	GDP	C3'-C2'-C1'	3.32	105.98	100.98
2	A	1901	GDP	PA-O3A-PB	-3.13	122.10	132.83
2	A	1901	GDP	C5-C6-N1	2.31	118.03	113.95
2	A	1901	GDP	C8-N7-C5	2.28	107.34	102.99

There are no chirality outliers.


All (3) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	1901	GDP	PA-O3A-PB-O2B
2	A	1901	GDP	C3'-C4'-C5'-O5'
2	A	1901	GDP	PA-O3A-PB-O1B

There are no ring outliers.

No monomer is involved in short contacts.

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	822/914 (89%)	0.11	33 (4%) 38 32	40, 84, 133, 168	0
1	B	815/914 (89%)	0.13	33 (4%) 38 32	37, 83, 134, 178	0
All	All	1637/1828 (89%)	0.12	66 (4%) 38 32	37, 84, 134, 178	0

All (66) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	723	LEU	6.4
1	B	724	PHE	4.3
1	B	62	ALA	4.1
1	A	726	HIS	4.0
1	B	747	THR	3.9
1	B	77	VAL	3.9
1	B	746	GLY	3.8
1	A	20	PHE	3.8
1	A	748	THR	3.7
1	A	21	SER	3.5
1	A	541	VAL	3.5
1	A	749	THR	3.5
1	A	724	PHE	3.4
1	A	747	THR	3.3
1	B	841	TRP	3.3
1	A	642	GLY	3.3
1	B	100	PHE	3.2
1	B	87	LEU	3.2
1	A	542	TRP	3.2
1	B	533	ASP	3.2
1	A	750	THR	3.1
1	B	86	CYS	3.1
1	A	631	CYS	3.0
1	B	61	ASP	3.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	93	GLY	2.9
1	B	634	CYS	2.9
1	B	23	GLY	2.9
1	A	760	CYS	2.8
1	A	646	PRO	2.8
1	B	536	LEU	2.8
1	A	641	ALA	2.7
1	B	85	ILE	2.7
1	A	746	GLY	2.7
1	A	659	SER	2.6
1	B	461	TRP	2.6
1	A	535	VAL	2.6
1	B	749	THR	2.5
1	B	726	HIS	2.5
1	A	555	SER	2.5
1	A	723	LEU	2.5
1	B	81	ILE	2.5
1	A	751	CYS	2.4
1	B	88	GLN	2.4
1	B	465	ARG	2.4
1	A	532	ARG	2.3
1	A	847	GLY	2.3
1	B	750	THR	2.3
1	B	848	GLU	2.3
1	A	645	SER	2.3
1	B	643	PRO	2.3
1	B	66	TYR	2.2
1	A	644	VAL	2.2
1	B	220	ALA	2.2
1	A	471	THR	2.2
1	B	646	PRO	2.2
1	A	536	LEU	2.1
1	A	372	VAL	2.1
1	A	124	GLU	2.1
1	B	760	CYS	2.1
1	B	727	ASP	2.1
1	B	812	MET	2.1
1	A	634	CYS	2.1
1	A	478	ASP	2.1
1	B	83	LYS	2.0
1	A	730	GLN	2.0
1	B	640	GLU	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)


There are no monosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	GDP	A	1901	28/28	0.74	0.38	161,168,183,190	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.



6.5 Other polymers [i](#)

There are no such residues in this entry.