



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 3, 2025 – 12:23 PM JST

PDB ID : 8Y9T
Title : Crystal structure of nanobody MY6322 bound to human serum albumin (HSA)
Authors : Ding, Y.; Zhong, P.Y.
Deposited on : 2024-02-07
Resolution : 2.40 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Xtrriage (Phenix) : 1.21
EDS : 3.0
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)
CCP4 : 9.0.004 (Gargrove)
Density-Fitness : 1.0.11
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.40


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.40 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	164625	4642 (2.40-2.40)
Clashscore	180529	5218 (2.40-2.40)
Ramachandran outliers	177936	5158 (2.40-2.40)
Sidechain outliers	177891	5159 (2.40-2.40)
RSRZ outliers	164620	4642 (2.40-2.40)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	591	
2	B	126	

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 5356 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Albumin.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	543	4326	2735	726	826	39	0	1	0

- Molecule 2 is a protein called nanobody MY6322.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
2	B	126	977	606	174	191	6	0	2	0


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	48	Total	O	0	0
			48	48		
3	B	5	Total	O	0	0
			5	5		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Albumin



• Molecule 2: nanobody MY6322



4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	167.95Å 73.70Å 86.01Å 90.00° 118.74° 90.00°	Depositor
Resolution (Å)	75.41 – 2.40 75.41 – 2.40	Depositor EDS
% Data completeness (in resolution range)	99.1 (75.41-2.40) 99.1 (75.41-2.40)	Depositor EDS
R_{merge}	0.08	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.88 (at 2.40Å)	Xtrriage
Refinement program	REFMAC 5.8.0425	Depositor
R, R_{free}	0.263 , 0.324 0.277 , 0.326	Depositor DCC
R_{free} test set	1823 reflections (5.03%)	wwPDB-VP
Wilson B-factor (Å ²)	55.2	Xtrriage
Anisotropy	0.110	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 66.2	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.34$	Xtrriage
Estimated twinning fraction	0.019 for -h-2*1,-k,l	Xtrriage
F_o, F_c correlation	0.92	EDS
Total number of atoms	5356	wwPDB-VP
Average B, all atoms (Å ²)	83.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.60% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality i

5.1 Standard geometry i

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.49	0/4402	0.79	6/5924 (0.1%)
2	B	0.41	0/1003	0.73	1/1351 (0.1%)
All	All	0.47	0/5405	0.78	7/7275 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	9
2	B	0	7
All	All	0	16

There are no bond length outliers.

All (7) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed($^{\circ}$)	Ideal($^{\circ}$)
1	A	253	CYS	CB-CA-C	-11.63	87.14	110.40
2	B	32	TYR	N-CA-CB	-7.41	97.27	110.60
1	A	481	LEU	N-CA-CB	-6.08	98.23	110.40
1	A	252	GLU	N-CA-CB	-5.87	100.04	110.60
1	A	39	HIS	CB-CA-C	5.55	121.50	110.40
1	A	476	CYS	CB-CA-C	5.05	120.51	110.40
1	A	315	VAL	N-CA-CB	-5.01	100.47	111.50

There are no chirality outliers.

All (16) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	144	ARG	Sidechain
1	A	145	ARG	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
1	A	160	ARG	Sidechain
1	A	186	ARG	Sidechain
1	A	218	ARG	Sidechain
1	A	348	ARG	Sidechain
1	A	445	ARG	Sidechain
1	A	472	ARG	Sidechain
1	A	521	ARG	Sidechain
2	B	105	ARG	Sidechain
2	B	116	ARG	Sidechain
2	B	31	ARG	Sidechain
2	B	59	ARG	Sidechain
2	B	67	ARG	Sidechain
2	B	72	ARG	Sidechain
2	B	87	ARG	Sidechain

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4326	0	4270	134	0
2	B	977	0	937	17	0
3	A	48	0	0	3	0
3	B	5	0	0	1	0
All	All	5356	0	5207	151	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 15.

All (151) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:461:CYS:SG	1:A:484:ARG:NH1	2.39	0.95
1:A:145:ARG:HD3	1:A:146:HIS:HB2	1.60	0.83
1:A:305:LEU:HD21	1:A:333:GLU:HB3	1.66	0.77
1:A:142:ILE:O	1:A:145:ARG:HG3	1.85	0.77
1:A:26:ALA:HB2	1:A:250:LEU:HD22	1.68	0.76

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:96:PRO:HA	1:A:99:ASN:HD22	1.52	0.73
1:A:306:ALA:HA	1:A:310:VAL:HG13	1.70	0.73
1:A:307:ALA:HA	1:A:311:GLU:HB2	1.71	0.72
1:A:149:PHE:HB3	1:A:154:LEU:HD11	1.70	0.72
1:A:287:SER:HA	1:A:290:ILE:HD13	1.73	0.71
1:A:95:GLU:HB3	1:A:96:PRO:HD2	1.73	0.69
2:B:30:SER:O	2:B:53:SER:HB2	1.92	0.69
1:A:290:ILE:O	1:A:293:VAL:HG12	1.93	0.69
1:A:192:SER:O	1:A:195:LYS:HG3	1.94	0.67
1:A:75:CYS:HG	1:A:91:CYS:HG	1.42	0.67
1:A:283:LEU:HD12	1:A:284:LEU:N	2.09	0.67
1:A:10:ARG:HH21	1:A:252:GLU:HB3	1.61	0.66
1:A:95:GLU:O	1:A:98:ARG:HG3	1.94	0.66
1:A:43:VAL:O	1:A:46:VAL:HG22	1.96	0.65
1:A:154:LEU:HA	1:A:157:PHE:CE2	2.33	0.63
1:A:20:LYS:HD2	1:A:47:THR:HG21	1.80	0.63
2:B:42:GLY:N	3:B:201:HOH:O	2.20	0.62
1:A:307:ALA:O	1:A:308:ASP:HB2	1.99	0.62
1:A:50:ALA:O	1:A:53:CYS:SG	2.59	0.61
1:A:164:ALA:O	1:A:167:GLU:HG3	2.00	0.61
1:A:137:LYS:HA	1:A:140:TYR:CD2	2.36	0.60
1:A:150:TYR:OH	1:A:241:VAL:HG12	2.01	0.60
1:A:137:LYS:HA	1:A:140:TYR:CE2	2.37	0.59
1:A:39:HIS:HB3	1:A:42:LEU:HD23	1.83	0.59
1:A:141:GLU:HG2	1:A:142:ILE:N	2.17	0.59
1:A:283:LEU:CD1	1:A:284:LEU:HD22	2.33	0.58
1:A:131:GLU:H	1:A:131:GLU:CD	2.07	0.58
1:A:503:ASN:OD1	1:A:504:ALA:N	2.36	0.58
1:A:24:LEU:HG	1:A:139:LEU:HD21	1.84	0.57
1:A:48:GLU:HA	1:A:51:LYS:HD2	1.86	0.57
1:A:305:LEU:HD21	1:A:333:GLU:CB	2.35	0.56
1:A:164:ALA:HB2	1:A:181:LYS:HG2	1.87	0.56
1:A:93:LYS:O	1:A:95:GLU:HG3	2.06	0.56
1:A:265:CYS:SG	1:A:279:CYS:SG	3.01	0.55
1:A:159:LYS:O	1:A:162:LYS:HG3	2.07	0.55
1:A:186:ARG:HD2	1:A:190:LYS:HE2	1.88	0.55
1:A:275:LEU:O	1:A:279:CYS:SG	2.65	0.54
1:A:31:LEU:O	1:A:31:LEU:HG	2.08	0.54
1:A:42:LEU:O	1:A:45:GLU:HB3	2.09	0.53
1:A:265:CYS:SG	1:A:286:LYS:HD3	2.49	0.53
2:B:28:THR:O	2:B:28:THR:OG1	2.27	0.53

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:20:LEU:HG	2:B:83:MET:CE	2.39	0.52
1:A:59:ALA:HB3	1:A:62:CYS:SG	2.49	0.52
1:A:93:LYS:O	1:A:94:GLN:NE2	2.43	0.52
1:A:144:ARG:HG3	3:A:613:HOH:O	2.10	0.52
1:A:92:ALA:HB2	3:A:638:HOH:O	2.10	0.51
1:A:198:LEU:HD13	1:A:458:ASN:HB2	1.92	0.51
1:A:42:LEU:O	1:A:46:VAL:HG13	2.11	0.50
1:A:162:LYS:O	1:A:166:THR:HG23	2.11	0.50
1:A:164:ALA:O	1:A:168:CYS:SG	2.69	0.50
1:A:181:LYS:O	1:A:184:GLU:HB3	2.12	0.49
1:A:383:GLU:HB3	1:A:384:PRO:HD3	1.94	0.49
1:A:53:CYS:SG	1:A:54:VAL:HG22	2.52	0.49
1:A:73:LYS:HD3	1:A:74:LEU:HD12	1.95	0.49
1:A:153:GLU:OE1	1:A:154:LEU:N	2.45	0.49
1:A:165:PHE:CE1	1:A:182:LEU:HD11	2.47	0.49
1:A:504:ALA:O	1:A:508:THR:HG23	2.12	0.49
1:A:67:HIS:CE1	1:A:99:ASN:HD21	2.31	0.49
1:A:30:TYR:CE1	1:A:102:PHE:HZ	2.30	0.49
1:A:179:LEU:HB2	1:A:180:PRO:HD3	1.94	0.48
2:B:34:MET:SD	2:B:98:THR:HB	2.53	0.48
2:B:27:PHE:CD2	2:B:32:TYR:HE2	2.31	0.48
1:A:474:THR:O	1:A:478:THR:HG23	2.12	0.48
2:B:3:GLN:HB2	2:B:25:SER:HB2	1.94	0.48
1:A:177:CYS:O	1:A:180:PRO:HD2	2.13	0.48
1:A:237:ASP:O	1:A:240:LYS:HG3	2.13	0.48
1:A:250:LEU:O	1:A:251:LEU:C	2.48	0.48
1:A:426:VAL:HG21	1:A:460:LEU:HD13	1.95	0.48
1:A:66:LEU:HD12	1:A:67:HIS:H	1.78	0.48
1:A:41:LYS:HA	1:A:41:LYS:HD3	1.58	0.47
1:A:62:CYS:O	1:A:63:ASP:HB3	2.14	0.47
1:A:49:PHE:HZ	1:A:61:ASN:O	1.98	0.47
1:A:66:LEU:H	1:A:66:LEU:HG	1.49	0.47
1:A:452:TYR:O	1:A:455:VAL:HG12	2.15	0.47
1:A:99:ASN:O	1:A:103:LEU:HG	2.14	0.47
1:A:123:MET:HB3	1:A:165:PHE:HE2	1.81	0.46
1:A:49:PHE:O	1:A:53:CYS:N	2.47	0.46
1:A:98:ARG:HD2	1:A:98:ARG:C	2.35	0.46
1:A:16:GLU:O	1:A:20:LYS:HG3	2.15	0.46
1:A:67:HIS:HA	1:A:70:PHE:HD2	1.80	0.46
1:A:154:LEU:HD23	1:A:157:PHE:HZ	1.81	0.46
1:A:196:GLN:NE2	1:A:246:CYS:SG	2.89	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:36:TRP:CD1	2:B:81:LEU:HD13	2.51	0.46
1:A:244:GLU:HB3	1:A:249:ASP:OD1	2.16	0.46
1:A:483:ASN:C	1:A:486:PRO:HD2	2.36	0.46
1:A:146:HIS:NE2	3:A:601:HOH:O	2.35	0.45
2:B:22:CYS:O	2:B:78:THR:HA	2.15	0.45
1:A:21:ALA:O	1:A:25:ILE:HD12	2.16	0.45
1:A:214:TRP:CD1	1:A:343:VAL:HG11	2.51	0.45
1:A:494:ASP:OD1	1:A:494:ASP:C	2.55	0.45
1:A:142:ILE:H	1:A:142:ILE:HG12	1.53	0.45
1:A:154:LEU:HD23	1:A:157:PHE:CZ	2.51	0.45
1:A:134:PHE:HA	1:A:137:LYS:HD2	1.99	0.45
1:A:136:LYS:HA	1:A:139:LEU:HD23	1.99	0.45
2:B:37:VAL:HG23	2:B:46:GLU:O	2.17	0.45
1:A:139:LEU:HG	1:A:140:TYR:N	2.30	0.45
1:A:186:ARG:HE	1:A:186:ARG:HB3	1.55	0.45
1:A:137:LYS:HE2	1:A:137:LYS:HB3	1.29	0.44
1:A:152:PRO:HB3	1:A:257:ARG:HD2	1.99	0.44
1:A:186:ARG:O	1:A:190:LYS:HD2	2.16	0.44
2:B:12:VAL:HG22	2:B:13:GLN:H	1.83	0.44
1:A:119:GLU:O	1:A:123:MET:HG3	2.18	0.44
1:A:302:LEU:HD12	1:A:302:LEU:HA	1.78	0.44
2:B:14:PRO:CD	2:B:126:SER:HA	2.48	0.44
1:A:194:ALA:HB1	1:A:455:VAL:HG23	2.00	0.43
1:A:195:LYS:O	1:A:198:LEU:HB3	2.18	0.43
1:A:11:PHE:C	1:A:11:PHE:CD1	2.90	0.43
1:A:20:LYS:CD	1:A:47:THR:HG21	2.48	0.43
1:A:438:CYS:O	1:A:445:ARG:NH2	2.47	0.43
1:A:305:LEU:HD11	1:A:333:GLU:HB2	2.00	0.43
1:A:20:LYS:O	1:A:24:LEU:HD22	2.19	0.43
1:A:299:PRO:HB2	1:A:302:LEU:HD13	1.99	0.43
1:A:155:LEU:HD13	1:A:155:LEU:N	2.34	0.43
1:A:10:ARG:HE	1:A:252:GLU:HA	1.84	0.43
1:A:61:ASN:HD22	1:A:61:ASN:HA	1.58	0.43
2:B:40:ALA:HB1	2:B:41:PRO:HD2	1.99	0.43
1:A:230:GLU:OE2	1:A:263:TYR:OH	2.30	0.42
2:B:104:LYS:O	2:B:114:ARG:HG2	2.19	0.42
1:A:134:PHE:O	1:A:137:LYS:HG2	2.19	0.42
1:A:253:CYS:O	1:A:257:ARG:N	2.44	0.42
1:A:298:MET:HE2	1:A:298:MET:HB2	1.86	0.42
1:A:543:GLN:HB3	1:A:583:LEU:HD21	2.00	0.42
1:A:152:PRO:HA	1:A:155:LEU:HD22	2.00	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:260:LEU:HD23	1:A:264:ILE:HD13	2.00	0.42
1:A:151:ALA:O	1:A:154:LEU:HB2	2.20	0.42
1:A:260:LEU:HD23	1:A:260:LEU:C	2.40	0.42
2:B:36:TRP:HE3	2:B:95:TYR:O	2.03	0.41
1:A:30:TYR:CD1	1:A:102:PHE:HZ	2.38	0.41
1:A:287:SER:HA	1:A:290:ILE:CD1	2.47	0.41
1:A:149:PHE:HB3	1:A:154:LEU:CD1	2.44	0.41
2:B:89:GLU:N	2:B:89:GLU:OE1	2.51	0.41
1:A:536:LYS:NZ	1:A:583:LEU:O	2.36	0.41
1:A:408:LEU:HD21	1:A:424:VAL:HA	2.03	0.41
1:A:90:CYS:C	1:A:91:CYS:SG	2.99	0.41
1:A:283:LEU:HD11	1:A:284:LEU:HD22	2.03	0.41
1:A:317:LYS:HE3	1:A:317:LYS:HB3	1.84	0.41
2:B:34:MET:HB3	2:B:79:LEU:HD22	2.02	0.41
1:A:177:CYS:C	1:A:180:PRO:HD2	2.41	0.41
1:A:547:VAL:O	1:A:550:ASP:HB2	2.20	0.41
1:A:61:ASN:HA	1:A:64:LYS:HG3	2.02	0.40
1:A:244:GLU:O	1:A:248:GLY:N	2.55	0.40
1:A:250:LEU:O	1:A:251:LEU:HB2	2.22	0.40
1:A:337:ARG:HG3	1:A:337:ARG:HH11	1.85	0.40
1:A:485:ARG:HB3	1:A:486:PRO:HD3	2.03	0.40
1:A:140:TYR:CD1	1:A:141:GLU:N	2.89	0.40
1:A:150:TYR:O	1:A:151:ALA:C	2.60	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	529/591 (90%)	504 (95%)	25 (5%)	0	100 100
2	B	126/126 (100%)	122 (97%)	4 (3%)	0	100 100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
All	All	655/717 (91%)	626 (96%)	29 (4%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	477/516 (92%)	402 (84%)	75 (16%)	2	2
2	B	103/101 (102%)	98 (95%)	5 (5%)	21	36
All	All	580/617 (94%)	500 (86%)	80 (14%)	3	3

All (80) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	5	SER
1	A	6	GLU
1	A	7	VAL
1	A	18	ASN
1	A	24	LEU
1	A	31	LEU
1	A	37	GLU
1	A	38	ASP
1	A	41	LYS
1	A	42	LEU
1	A	43	VAL
1	A	48	GLU
1	A	53	CYS
1	A	54	VAL
1	A	61	ASN
1	A	65	SER
1	A	66	LEU
1	A	67	HIS
1	A	70	PHE
1	A	72	ASP

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	73	LYS
1	A	76	THR
1	A	91	CYS
1	A	93	LYS
1	A	98	ARG
1	A	101	CYS
1	A	102	PHE
1	A	119	GLU
1	A	121	ASP
1	A	122	VAL
1	A	125	THR
1	A	127	PHE
1	A	137	LYS
1	A	138	TYR
1	A	139	LEU
1	A	140	TYR
1	A	141	GLU
1	A	142	ILE
1	A	145	ARG
1	A	146	HIS
1	A	149	PHE
1	A	153	GLU
1	A	154	LEU
1	A	155	LEU
1	A	157	PHE
1	A	159	LYS
1	A	162	LYS
1	A	167	GLU
1	A	169	CYS
1	A	170	GLN
1	A	173	ASP
1	A	181	LYS
1	A	186	ARG
1	A	190	LYS
1	A	193	SER
1	A	195	LYS
1	A	203	LEU
1	A	205	LYS
1	A	206	PHE
1	A	208	GLU
1	A	247	HIS
1	A	252	GLU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	257	ARG
1	A	269	ASP
1	A	284	LEU
1	A	290	ILE
1	A	298	MET
1	A	302	LEU
1	A	305	LEU
1	A	317	LYS
1	A	334	TYR
1	A	368	GLU
1	A	372	LYS
1	A	466	LYS
1	A	467	THR
2	B	50	ASP
2	B	65	LYS
2	B	77	ASN
2	B	95	TYR
2	B	96	CYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (9) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	18	ASN
1	A	44	ASN
1	A	61	ASN
1	A	99	ASN
1	A	130	ASN
1	A	242	HIS
1	A	440	HIS
1	A	510	HIS
2	B	74	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	543/591 (91%)	1.25	132 (24%) 2 2	40, 75, 155, 188	1 (0%)
2	B	126/126 (100%)	1.09	17 (13%) 8 7	39, 66, 83, 105	2 (1%)
All	All	669/717 (93%)	1.22	149 (22%) 3 3	39, 70, 152, 188	3 (0%)

All (149) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	139	LEU	8.1
1	A	70	PHE	7.9
1	A	135	LEU	6.3
1	A	251	LEU	6.1
1	A	40	VAL	6.0
1	A	31	LEU	5.9
1	A	156	PHE	5.8
1	A	120	VAL	5.7
1	A	72	ASP	5.5
1	A	43	VAL	5.3
1	A	179	LEU	5.1
1	A	150	TYR	5.0
1	A	66	LEU	4.9
1	A	69	LEU	4.9
1	A	103	LEU	4.7
1	A	7	VAL	4.4
1	A	54	VAL	4.3
1	A	143	ALA	4.3
1	A	22	LEU	4.2
1	A	94	GLN	4.2
1	A	122	VAL	4.1
1	A	178	LEU	4.1
1	A	157	PHE	4.1
1	A	253	CYS	4.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	164	ALA	3.9
1	A	47	THR	3.9
1	A	149	PHE	3.9
1	A	250	LEU	3.8
2	B	29	PHE	3.7
1	A	46	VAL	3.7
1	A	158	ALA	3.5
1	A	74	LEU	3.5
1	A	248	GLY	3.5
2	B	27	PHE	3.4
1	A	105	HIS	3.4
1	A	148	TYR	3.4
1	A	247	HIS	3.4
1	A	14	LEU	3.4
1	A	313	LYS	3.4
1	A	142	ILE	3.4
1	A	24	LEU	3.3
1	A	53	CYS	3.3
1	A	32	GLN	3.3
1	A	173	ASP	3.3
1	A	155	LEU	3.2
1	A	26	ALA	3.2
1	A	252	GLU	3.2
1	A	37	GLU	3.2
1	A	170	GLN	3.2
1	A	206	PHE	3.2
1	A	127	PHE	3.1
1	A	25	ILE	3.1
1	A	307	ALA	3.1
1	A	11	PHE	3.1
1	A	91	CYS	3.1
1	A	102	PHE	3.0
1	A	152	PRO	3.0
1	A	23	VAL	3.0
1	A	126	ALA	3.0
1	A	92	ALA	3.0
1	A	5	SER	3.0
1	A	172	ALA	3.0
1	A	153	GLU	2.9
1	A	76	THR	2.9
1	A	275	LEU	2.9
1	A	169	CYS	2.9

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	27	PHE	2.9
2	B	83	MET	2.9
1	A	568	PHE	2.9
1	A	89	ASP	2.9
1	A	439	LYS	2.8
1	A	284	LEU	2.8
1	A	123	MET	2.8
1	A	569	ALA	2.8
1	A	283	LEU	2.8
1	A	481	LEU	2.8
2	B	18	LEU	2.8
1	A	185	LEU	2.7
1	A	167	GLU	2.7
2	B	35	PHE	2.7
1	A	42	LEU	2.7
1	A	171	ALA	2.7
1	A	154	LEU	2.7
2	B	77	ASN	2.7
1	A	245	CYS	2.6
1	A	15	GLY	2.6
1	A	288	HIS	2.6
1	A	19	PHE	2.6
1	A	138	TYR	2.6
1	A	397	GLN	2.6
2	B	68	PHE	2.6
1	A	241	VAL	2.5
1	A	50	ALA	2.5
2	B	24	ALA	2.5
1	A	134	PHE	2.5
1	A	39	HIS	2.5
1	A	121	ASP	2.5
1	A	151	ALA	2.5
2	B	75	ALA	2.5
1	A	62	CYS	2.5
1	A	299	PRO	2.4
1	A	90	CYS	2.4
1	A	136	LYS	2.4
2	B	28	THR	2.4
1	A	180	PRO	2.4
1	A	141	GLU	2.4
1	A	49	PHE	2.4
1	A	227	GLU	2.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	28	ALA	2.3
2	B	5	GLN	2.3
1	A	460	LEU	2.3
2	B	99	ASN	2.3
1	A	101	CYS	2.3
1	A	124	CYS	2.3
1	A	254	ALA	2.3
1	A	476	CYS	2.3
1	A	377	PHE	2.3
1	A	166	THR	2.3
1	A	147	PRO	2.3
1	A	58[A]	SER	2.2
1	A	312	SER	2.2
2	B	2	VAL	2.2
1	A	73	LYS	2.2
1	A	566	THR	2.2
1	A	570	GLU	2.2
1	A	59	ALA	2.2
1	A	38	ASP	2.2
1	A	436	LYS	2.2
1	A	67	HIS	2.2
1	A	300	ALA	2.2
1	A	305	LEU	2.1
1	A	165	PHE	2.1
1	A	63	ASP	2.1
1	A	198	LEU	2.1
1	A	189	GLY	2.1
1	A	584	GLY	2.1
1	A	506	THR	2.1
1	A	75	CYS	2.1
1	A	482	VAL	2.1
2	B	78	THR	2.1
1	A	244	GLU	2.1
1	A	44	ASN	2.1
1	A	308	ASP	2.1
2	B	59	ARG	2.0
1	A	168	CYS	2.0
2	B	102	ASP	2.0
1	A	291	ALA	2.0
2	B	9	GLY	2.0
1	A	257	ARG	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.