



Full wwPDB X-ray Structure Validation Report ⓘ

Jun 25, 2024 – 10:57 PM EDT

PDB ID : 6YBU
Title : Crystal structure of a native BcsE (349-523) RQ complex with c-di-GMP and ATP bound
Authors : Abidi, W.; Zouhir, S.; Roche, S.; Krasteva, P.V.
Deposited on : 2020-03-17
Resolution : 2.49 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtrriage (Phenix) : 1.13
EDS : 2.37.1
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.37.1


1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.49 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	4661 (2.50-2.50)
Clashscore	141614	5346 (2.50-2.50)
Ramachandran outliers	138981	5231 (2.50-2.50)
Sidechain outliers	138945	5233 (2.50-2.50)
RSRZ outliers	127900	4559 (2.50-2.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	250	<div style="display: flex; align-items: center;"> <div style="width: 2%; height: 10px; background-color: red; margin-right: 5px;"></div> <div style="width: 88%; height: 10px; background-color: green; margin-right: 5px;"></div> <div style="width: 8%; height: 10px; background-color: yellow; margin-right: 5px;"></div> <div style="width: 2%; height: 10px; background-color: grey;"></div> </div> <p style="margin-left: 20px;">2% 88% 8% .</p>
1	B	250	<div style="display: flex; align-items: center;"> <div style="width: 2%; height: 10px; background-color: red; margin-right: 5px;"></div> <div style="width: 90%; height: 10px; background-color: green; margin-right: 5px;"></div> <div style="width: 6%; height: 10px; background-color: yellow; margin-right: 5px;"></div> <div style="width: 2%; height: 10px; background-color: grey;"></div> </div> <p style="margin-left: 20px;">2% 90% 6% .</p>
1	G	250	<div style="display: flex; align-items: center;"> <div style="width: 90%; height: 10px; background-color: green; margin-right: 5px;"></div> <div style="width: 6%; height: 10px; background-color: yellow; margin-right: 5px;"></div> <div style="width: 2%; height: 10px; background-color: grey;"></div> </div> <p style="margin-left: 20px;">90% 6% .</p>
1	H	250	<div style="display: flex; align-items: center;"> <div style="width: 92%; height: 10px; background-color: green; margin-right: 5px;"></div> <div style="width: 2%; height: 10px; background-color: yellow; margin-right: 5px;"></div> <div style="width: 2%; height: 10px; background-color: grey;"></div> </div> <p style="margin-left: 20px;">92% . .</p>
2	C	67	<div style="display: flex; align-items: center;"> <div style="width: 18%; height: 10px; background-color: red; margin-right: 5px;"></div> <div style="width: 33%; height: 10px; background-color: green; margin-right: 5px;"></div> <div style="width: 10%; height: 10px; background-color: yellow; margin-right: 5px;"></div> <div style="width: 57%; height: 10px; background-color: grey;"></div> </div> <p style="margin-left: 20px;">18% 33% 10% 57%</p>

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
2	D	67	<p>18% 39% 7% 57%</p>
2	I	67	<p>10% 45% 55%</p>
2	J	67	<p>12% 42% 7% 51%</p>
3	E	179	<p>3% 84% 9% 6%</p>
3	F	179	<p>3% 84% 8% 7%</p>
3	K	179	<p>3% 85% 6% 7%</p>
3	L	179	<p>4% 85% 5% 9%</p>

2 Entry composition

There are 7 unique types of molecules in this entry. The entry contains 14546 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Bacterial cellulose secretion regulator BcsQ.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	240	1891	1187	342	352	10	0	0	0
1	B	240	1891	1187	342	352	10	0	0	0
1	G	240	1899	1191	343	355	10	0	1	0
1	H	239	1887	1185	341	351	10	0	0	0

- Molecule 2 is a protein called Bacterial cellulose secretion regulator BcsR.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
			Total	C	N	O			
2	C	29	235	151	40	44	0	0	0
2	D	29	237	151	41	45	0	0	0
2	I	30	243	157	41	45	0	0	0
2	J	33	265	172	44	49	0	0	0

There are 20 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
C	-4	GLY	-	expression tag	UNP J7QAC9
C	-3	PRO	-	expression tag	UNP J7QAC9
C	-2	MET	-	expression tag	UNP J7QAC9
C	-1	GLY	-	expression tag	UNP J7QAC9
C	0	SER	-	expression tag	UNP J7QAC9
D	-4	GLY	-	expression tag	UNP J7QAC9
D	-3	PRO	-	expression tag	UNP J7QAC9
D	-2	MET	-	expression tag	UNP J7QAC9

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
D	-1	GLY	-	expression tag	UNP J7QAC9
D	0	SER	-	expression tag	UNP J7QAC9
I	-4	GLY	-	expression tag	UNP J7QAC9
I	-3	PRO	-	expression tag	UNP J7QAC9
I	-2	MET	-	expression tag	UNP J7QAC9
I	-1	GLY	-	expression tag	UNP J7QAC9
I	0	SER	-	expression tag	UNP J7QAC9
J	-4	GLY	-	expression tag	UNP J7QAC9
J	-3	PRO	-	expression tag	UNP J7QAC9
J	-2	MET	-	expression tag	UNP J7QAC9
J	-1	GLY	-	expression tag	UNP J7QAC9
J	0	SER	-	expression tag	UNP J7QAC9

- Molecule 3 is a protein called Bacterial cellulose secretion regulator BcsE, residues 349-523.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
3	E	168	Total 1339	C 853	N 241	O 233	S 12	0	0	0
3	F	166	Total 1322	C 841	N 239	O 231	S 11	0	0	0
3	K	166	Total 1322	C 841	N 239	O 231	S 11	0	0	0
3	L	162	Total 1292	C 825	N 235	O 221	S 11	0	0	0

There are 16 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
E	345	MET	-	initiating methionine	UNP P37657
E	346	GLY	-	expression tag	UNP P37657
E	347	SER	-	expression tag	UNP P37657
E	348	MET	-	expression tag	UNP P37657
F	345	MET	-	initiating methionine	UNP P37657
F	346	GLY	-	expression tag	UNP P37657
F	347	SER	-	expression tag	UNP P37657
F	348	MET	-	expression tag	UNP P37657
K	345	MET	-	initiating methionine	UNP P37657
K	346	GLY	-	expression tag	UNP P37657
K	347	SER	-	expression tag	UNP P37657
K	348	MET	-	expression tag	UNP P37657
L	345	MET	-	initiating methionine	UNP P37657
L	346	GLY	-	expression tag	UNP P37657

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	H	1	Total	Mg	0	0
			1	1		

- Molecule 6 is 9,9'-[(2R,3R,3aS,5S,7aR,9R,10R,10aS,12S,14aR)-3,5,10,12-tetrahydroxy-5,12-dioxidoctahydro-2H,7H-difuro[3,2-d:3',2'-j][1,3,7,9,2,8]tetraoxadiphosphacyclododecine-2,9-diyl]bis(2-amino-1,9-dihydro-6H-purin-6-one) (three-letter code: C2E) (formula: C₂₀H₂₄N₁₀O₁₄P₂) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
6	E	1	Total	C	N	O	P	0	0
			46	20	10	14	2		
6	E	1	Total	C	N	O	P	0	0
			46	20	10	14	2		
6	F	1	Total	C	N	O	P	0	0
			46	20	10	14	2		
6	F	1	Total	C	N	O	P	0	0
			46	20	10	14	2		
6	K	1	Total	C	N	O	P	0	0
			46	20	10	14	2		
6	K	1	Total	C	N	O	P	0	0
			46	20	10	14	2		
6	L	1	Total	C	N	O	P	0	0
			46	20	10	14	2		
6	L	1	Total	C	N	O	P	0	0
			46	20	10	14	2		


- Molecule 7 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
7	A	36	Total O 36 36	0	0
7	B	35	Total O 35 35	0	0
7	D	3	Total O 3 3	0	0
7	E	18	Total O 18 18	0	0
7	F	18	Total O 18 18	0	0
7	G	35	Total O 35 35	0	0
7	H	36	Total O 36 36	0	0
7	I	3	Total O 3 3	0	0
7	J	1	Total O 1 1	0	0
7	K	20	Total O 20 20	0	0
7	L	22	Total O 22 22	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Bacterial cellulose secretion regulator BcsQ




- Molecule 1: Bacterial cellulose secretion regulator BcsQ




- Molecule 1: Bacterial cellulose secretion regulator BcsQ




- Molecule 1: Bacterial cellulose secretion regulator BcsQ




- Molecule 2: Bacterial cellulose secretion regulator BcsR




- Molecule 2: Bacterial cellulose secretion regulator BcsR




- Molecule 2: Bacterial cellulose secretion regulator BcsR




- Molecule 2: Bacterial cellulose secretion regulator BcsR




- Molecule 3: Bacterial cellulose secretion regulator BcsE, residues 349-523




- Molecule 3: Bacterial cellulose secretion regulator BcsE, residues 349-523



- Molecule 3: Bacterial cellulose secretion regulator BcsE, residues 349-523



- Molecule 3: Bacterial cellulose secretion regulator BcsE, residues 349-523



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	107.99Å 72.57Å 161.25Å 90.00° 98.37° 90.00°	Depositor
Resolution (Å)	47.71 – 2.49 47.71 – 2.49	Depositor EDS
% Data completeness (in resolution range)	98.8 (47.71-2.49) 98.8 (47.71-2.49)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	0.96 (at 2.48Å)	Xtrriage
Refinement program	PHENIX 1.17rc2_3619	Depositor
R, R_{free}	0.181 , 0.225 0.181 , 0.225	Depositor DCC
R_{free} test set	4331 reflections (5.03%)	wwPDB-VP
Wilson B-factor (Å ²)	52.4	Xtrriage
Anisotropy	0.415	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 41.3	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	14546	wwPDB-VP
Average B, all atoms (Å ²)	61.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.23% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: MG, ATP, C2E

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.23	0/1928	0.41	0/2623
1	B	0.23	0/1928	0.41	0/2623
1	G	0.23	0/1936	0.41	0/2634
1	H	0.23	0/1924	0.41	0/2618
2	C	0.24	0/240	0.34	0/325
2	D	0.23	0/241	0.33	0/326
2	I	0.24	0/248	0.37	0/337
2	J	0.25	0/271	0.35	0/368
3	E	0.24	0/1371	0.42	0/1864
3	F	0.24	0/1354	0.42	0/1842
3	K	0.24	0/1354	0.42	0/1842
3	L	0.24	0/1324	0.43	0/1800
All	All	0.24	0/14119	0.41	0/19202

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1891	0	1861	14	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	B	1891	0	1861	12	0
1	G	1899	0	1864	9	0
1	H	1887	0	1858	5	0
2	C	235	0	230	4	0
2	D	237	0	230	4	0
2	I	243	0	240	0	0
2	J	265	0	259	4	0
3	E	1339	0	1361	15	0
3	F	1322	0	1339	10	0
3	K	1322	0	1339	9	0
3	L	1292	0	1317	7	0
4	A	31	0	12	0	0
4	B	31	0	12	0	0
4	G	31	0	12	0	0
4	H	31	0	12	0	0
5	A	1	0	0	0	0
5	B	1	0	0	0	0
5	G	1	0	0	0	0
5	H	1	0	0	0	0
6	E	92	0	44	0	0
6	F	92	0	44	0	0
6	K	92	0	44	1	0
6	L	92	0	44	0	0
7	A	36	0	0	0	0
7	B	35	0	0	2	0
7	D	3	0	0	0	0
7	E	18	0	0	0	0
7	F	18	0	0	0	0
7	G	35	0	0	0	0
7	H	36	0	0	1	0
7	I	3	0	0	0	0
7	J	1	0	0	0	0
7	K	20	0	0	0	0
7	L	22	0	0	0	0
All	All	14546	0	13983	79	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

All (79) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:J:39:ILE:HG23	2:J:45:LEU:HD23	1.77	0.66
1:B:172:ASN:ND2	7:B:401:HOH:O	2.31	0.64
1:A:174:ARG:HH22	1:B:174:ARG:HE	1.48	0.61
1:A:189:GLN:HG3	2:D:45:LEU:HD11	1.82	0.60
3:E:349:GLU:HG3	3:E:354:LEU:HD21	1.83	0.60
1:A:74:ARG:HB2	3:E:512:MET:HG2	1.84	0.60
1:A:35:VAL:HG22	1:A:44:LEU:HD21	1.84	0.59
1:H:127:ARG:NH1	7:H:401:HOH:O	2.24	0.58
3:K:457:ASN:OD1	3:K:458:ARG:N	2.37	0.58
1:G:167:HIS:HD1	1:G:239:TYR:HH	1.51	0.58
1:B:35:VAL:HG22	1:B:44:LEU:HD21	1.87	0.57
3:F:398:PRO:HA	3:F:455:PHE:HA	1.87	0.57
1:B:162:LEU:HG	2:C:32:PRO:HG3	1.87	0.57
1:H:35:VAL:HG22	1:H:44:LEU:HD21	1.86	0.57
1:B:74:ARG:HH12	1:B:117:ARG:HH22	1.51	0.57
3:L:413:PRO:HG3	3:L:420:MET:HE1	1.86	0.56
1:G:35:VAL:HG22	1:G:44:LEU:HD21	1.88	0.56
1:G:29:LEU:HA	3:K:486:LEU:HD13	1.89	0.54
1:B:174:ARG:NH1	7:B:402:HOH:O	2.41	0.54
1:A:62:MET:HE1	1:A:105:ILE:HB	1.90	0.53
3:E:465:ASP:N	3:E:465:ASP:OD1	2.41	0.53
1:H:211:ALA:HA	2:J:53:PRO:HD2	1.91	0.53
3:F:397:ARG:HH11	3:F:426:ARG:HH22	1.58	0.52
1:H:29:LEU:HA	3:L:486:LEU:HD13	1.91	0.52
1:B:29:LEU:HA	3:F:486:LEU:HD13	1.91	0.52
2:C:36:TYR:HD1	2:C:39:ILE:HG13	1.75	0.52
3:E:413:PRO:HG3	3:E:420:MET:HE1	1.92	0.51
1:A:36:VAL:HG12	1:A:82:LEU:HB3	1.92	0.51
1:G:167:HIS:ND1	1:G:239:TYR:OH	2.38	0.51
1:A:29:LEU:HA	3:E:486:LEU:HD13	1.92	0.50
1:B:211:ALA:O	3:F:506:ARG:NH2	2.36	0.49
3:K:405:GLU:HB3	3:K:486:LEU:HG	1.94	0.49
3:L:495:VAL:HG23	3:L:498:ALA:HB2	1.96	0.48
1:A:105:ILE:HG13	1:A:109:LEU:HD13	1.94	0.47
3:K:466:GLN:N	3:K:466:GLN:OE1	2.47	0.47
3:E:349:GLU:N	3:E:349:GLU:OE2	2.47	0.47
3:E:440:ASP:OD1	3:E:458:ARG:NH2	2.46	0.47
1:A:106:CYS:HA	1:A:139:LEU:HD11	1.97	0.46
3:E:420:MET:N	3:E:420:MET:HE3	2.31	0.46
3:F:396:LEU:HD23	3:F:458:ARG:HB2	1.97	0.46
3:E:479:PRO:HA	3:E:482:TRP:CE2	2.52	0.45
1:B:10:ARG:HD2	1:B:11:GLY:O	2.17	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:62:MET:HE1	1:B:105:ILE:HB	1.98	0.45
3:K:388:HIS:CD2	3:K:464:ASP:H	2.36	0.44
3:K:398:PRO:HA	3:K:455:PHE:HA	1.98	0.44
1:A:158:HIS:NE2	2:D:36:TYR:OH	2.39	0.44
3:F:465:ASP:OD1	3:F:465:ASP:N	2.50	0.44
1:H:24:TRP:O	1:H:27:GLN:HG3	2.17	0.44
1:A:81:LEU:HD12	1:A:83:PRO:HD3	2.00	0.44
1:G:106:CYS:SG	1:G:135:GLN:HB3	2.57	0.44
3:L:513:ARG:HG2	3:L:515:LEU:HD12	1.99	0.44
3:L:420:MET:N	3:L:420:MET:HE3	2.33	0.44
1:B:74:ARG:HH12	1:B:117:ARG:NH2	2.15	0.43
3:K:420:MET:HE2	3:K:420:MET:HB3	1.39	0.43
2:D:36:TYR:HD1	2:D:39:ILE:HD11	1.83	0.43
3:E:350:ASP:OD1	3:E:351:ILE:N	2.52	0.43
3:F:479:PRO:HA	3:F:482:TRP:CE2	2.54	0.43
2:C:49:LEU:O	2:C:56:ALA:HB2	2.19	0.43
3:E:410:LEU:O	3:E:448:PRO:HD3	2.18	0.43
1:G:137:LEU:HD21	1:G:163:PRO:HG3	2.00	0.43
1:G:162:LEU:HD22	2:J:32:PRO:HG3	2.01	0.42
2:D:36:TYR:CD1	2:D:39:ILE:HD11	2.54	0.42
3:E:479:PRO:HA	3:E:482:TRP:CD2	2.54	0.42
1:A:211:ALA:HA	2:C:53:PRO:HD2	2.00	0.42
3:L:449:LEU:HB2	3:L:454:ILE:HD11	2.01	0.42
3:E:437:ASN:OD1	3:E:437:ASN:N	2.47	0.42
6:K:601:C2E:H81	6:K:601:C2E:O5A	2.19	0.42
1:G:186:LEU:HD21	2:J:36:TYR:HE1	1.85	0.42
3:F:405:GLU:HB2	3:F:486:LEU:HG	2.02	0.41
3:L:413:PRO:HG3	3:L:420:MET:CE	2.50	0.41
3:F:471:LEU:O	3:F:475:ARG:HG3	2.20	0.41
1:G:95:PRO:HA	1:G:98:TRP:NE1	2.35	0.41
3:K:459:MET:HG2	3:K:461:TRP:CZ2	2.56	0.41
1:B:89:ILE:O	1:B:93:GLU:HG2	2.21	0.41
1:A:73:LEU:HD23	3:E:511:PRO:HA	2.03	0.40
1:A:156:ARG:O	1:A:160:GLN:HG2	2.20	0.40
3:E:413:PRO:HG3	3:E:420:MET:CE	2.50	0.40
3:F:479:PRO:HA	3:F:482:TRP:CD2	2.56	0.40
3:K:370:ASP:OD1	3:K:370:ASP:N	2.54	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	238/250 (95%)	237 (100%)	1 (0%)	0	100	100
1	B	238/250 (95%)	237 (100%)	1 (0%)	0	100	100
1	G	239/250 (96%)	234 (98%)	5 (2%)	0	100	100
1	H	237/250 (95%)	233 (98%)	4 (2%)	0	100	100
2	C	27/67 (40%)	24 (89%)	3 (11%)	0	100	100
2	D	27/67 (40%)	27 (100%)	0	0	100	100
2	I	28/67 (42%)	27 (96%)	1 (4%)	0	100	100
2	J	31/67 (46%)	28 (90%)	3 (10%)	0	100	100
3	E	166/179 (93%)	165 (99%)	1 (1%)	0	100	100
3	F	164/179 (92%)	162 (99%)	2 (1%)	0	100	100
3	K	164/179 (92%)	160 (98%)	4 (2%)	0	100	100
3	L	160/179 (89%)	158 (99%)	2 (1%)	0	100	100
All	All	1719/1984 (87%)	1692 (98%)	27 (2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	202/211 (96%)	202 (100%)	0	100	100
1	B	202/211 (96%)	201 (100%)	1 (0%)	88	96

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	G	203/211 (96%)	202 (100%)	1 (0%)	88	96
1	H	202/211 (96%)	200 (99%)	2 (1%)	76	90
2	C	23/55 (42%)	22 (96%)	1 (4%)	29	53
2	D	23/55 (42%)	23 (100%)	0	100	100
2	I	24/55 (44%)	24 (100%)	0	100	100
2	J	26/55 (47%)	26 (100%)	0	100	100
3	E	150/159 (94%)	149 (99%)	1 (1%)	84	94
3	F	148/159 (93%)	146 (99%)	2 (1%)	67	86
3	K	148/159 (93%)	146 (99%)	2 (1%)	67	86
3	L	144/159 (91%)	142 (99%)	2 (1%)	67	86
All	All	1495/1700 (88%)	1483 (99%)	12 (1%)	81	93

All (12) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	B	60	ARG
2	C	43	GLU
3	E	420	MET
3	F	420	MET
3	F	458	ARG
1	G	28	MET
1	H	60	ARG
1	H	197	MET
3	K	388	HIS
3	K	420	MET
3	L	420	MET
3	L	503	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (1) such sidechains are listed below:

Mol	Chain	Res	Type
1	H	97	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 16 ligands modelled in this entry, 4 are monoatomic - leaving 12 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
6	C2E	E	601	-	44,52,52	0.83	2 (4%)	52,82,82	0.77	2 (3%)
4	ATP	B	301	5	26,33,33	0.59	0	31,52,52	0.63	1 (3%)
6	C2E	K	602	-	44,52,52	0.83	2 (4%)	52,82,82	0.74	2 (3%)
4	ATP	H	301	5	26,33,33	0.61	0	31,52,52	0.61	1 (3%)
6	C2E	K	601	3	44,52,52	0.81	2 (4%)	52,82,82	0.76	2 (3%)
4	ATP	A	301	5	26,33,33	0.61	0	31,52,52	0.60	1 (3%)
6	C2E	L	602	-	44,52,52	0.82	1 (2%)	52,82,82	0.74	2 (3%)
6	C2E	F	602	3	44,52,52	0.82	1 (2%)	52,82,82	0.73	2 (3%)
6	C2E	L	601	-	44,52,52	0.80	1 (2%)	52,82,82	0.77	2 (3%)
4	ATP	G	301	5	26,33,33	0.62	0	31,52,52	0.62	1 (3%)
6	C2E	F	601	-	44,52,52	0.83	3 (6%)	52,82,82	0.74	2 (3%)
6	C2E	E	602	-	44,52,52	0.82	2 (4%)	52,82,82	0.76	2 (3%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '·' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
6	C2E	E	601	-	-	0/22/62/62	0/6/7/7
4	ATP	B	301	5	-	3/18/38/38	0/3/3/3
6	C2E	K	602	-	-	0/22/62/62	0/6/7/7
4	ATP	H	301	5	-	3/18/38/38	0/3/3/3
6	C2E	K	601	3	-	0/22/62/62	0/6/7/7
4	ATP	A	301	5	-	0/18/38/38	0/3/3/3
6	C2E	L	602	-	-	0/22/62/62	0/6/7/7
6	C2E	F	602	3	-	0/22/62/62	0/6/7/7
6	C2E	L	601	-	-	0/22/62/62	0/6/7/7
4	ATP	G	301	5	-	0/18/38/38	0/3/3/3
6	C2E	F	601	-	-	0/22/62/62	0/6/7/7
6	C2E	E	602	-	-	0/22/62/62	0/6/7/7

All (14) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
6	F	601	C2E	C5-C6	-2.16	1.43	1.47
6	E	601	C2E	C51-C61	-2.14	1.43	1.47
6	K	602	C2E	C5-C6	-2.12	1.43	1.47
6	F	601	C2E	C51-C61	-2.07	1.43	1.47
6	E	601	C2E	C81-N71	-2.07	1.31	1.35
6	E	602	C2E	C5-C6	-2.05	1.43	1.47
6	E	602	C2E	C51-C61	-2.04	1.43	1.47
6	K	601	C2E	C5-C6	-2.04	1.43	1.47
6	L	602	C2E	C51-C61	-2.04	1.43	1.47
6	F	602	C2E	C5-C6	-2.04	1.43	1.47
6	K	602	C2E	C51-C61	-2.03	1.43	1.47
6	L	601	C2E	C51-C61	-2.03	1.43	1.47
6	F	601	C2E	C81-N71	-2.02	1.31	1.35
6	K	601	C2E	C51-C61	-2.01	1.43	1.47

All (20) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	E	602	C2E	P11-O3'-C3'	3.17	130.95	119.41
6	E	601	C2E	P11-O3'-C3'	3.05	130.52	119.41
6	K	602	C2E	P11-O3'-C3'	3.00	130.32	119.41
6	L	601	C2E	P1-O3A-C3A	2.97	130.21	119.41
6	L	602	C2E	P11-O3'-C3'	2.94	130.11	119.41
6	L	601	C2E	P11-O3'-C3'	2.90	129.97	119.41
6	K	601	C2E	P1-O3A-C3A	2.86	129.81	119.41
6	K	601	C2E	P11-O3'-C3'	2.82	129.68	119.41
6	F	601	C2E	P11-O3'-C3'	2.81	129.62	119.41

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	F	601	C2E	P1-O3A-C3A	2.77	129.49	119.41
6	F	602	C2E	P11-O3'-C3'	2.70	129.22	119.41
6	E	601	C2E	P1-O3A-C3A	2.65	129.04	119.41
6	E	602	C2E	P1-O3A-C3A	2.60	128.85	119.41
6	F	602	C2E	P1-O3A-C3A	2.52	128.59	119.41
6	K	602	C2E	P1-O3A-C3A	2.50	128.50	119.41
4	B	301	ATP	C5-C6-N6	2.37	123.95	120.35
6	L	602	C2E	P1-O3A-C3A	2.35	127.97	119.41
4	G	301	ATP	C5-C6-N6	2.28	123.82	120.35
4	H	301	ATP	C5-C6-N6	2.27	123.80	120.35
4	A	301	ATP	C5-C6-N6	2.26	123.79	120.35

There are no chirality outliers.

All (6) torsion outliers are listed below:



Mol	Chain	Res	Type	Atoms
4	B	301	ATP	PB-O3B-PG-O3G
4	H	301	ATP	PB-O3B-PG-O3G
4	B	301	ATP	PB-O3B-PG-O1G
4	H	301	ATP	PB-O3B-PG-O1G
4	B	301	ATP	PB-O3B-PG-O2G
4	H	301	ATP	PB-O3B-PG-O2G



There are no ring outliers.



1 monomer is involved in 1 short contact:




Mol	Chain	Res	Type	Clashes	Symm-Clashes
6	K	601	C2E	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.














5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	240/250 (96%)	0.04	6 (2%) 57 61	41, 56, 101, 135	0
1	B	240/250 (96%)	-0.06	4 (1%) 70 72	40, 56, 89, 102	0
1	G	240/250 (96%)	-0.20	0 100 100	38, 52, 83, 93	0
1	H	239/250 (95%)	-0.14	0 100 100	37, 52, 87, 110	0
2	C	29/67 (43%)	1.67	12 (41%) 0 0	52, 86, 137, 153	0
2	D	29/67 (43%)	1.82	12 (41%) 0 0	48, 79, 140, 153	0
2	I	30/67 (44%)	1.06	7 (23%) 0 0	44, 73, 142, 153	0
2	J	33/67 (49%)	1.15	8 (24%) 0 0	49, 74, 127, 139	0
3	E	168/179 (93%)	-0.06	5 (2%) 50 53	40, 59, 99, 141	0
3	F	166/179 (92%)	-0.08	6 (3%) 42 46	41, 60, 90, 126	0
3	K	166/179 (92%)	-0.01	5 (3%) 50 53	35, 54, 103, 131	0
3	L	162/179 (90%)	-0.04	7 (4%) 35 38	37, 56, 103, 120	0
All	All	1742/1984 (87%)	0.03	72 (4%) 37 40	35, 56, 102, 153	0

All (72) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	C	39	ILE	6.4
2	I	41	GLN	6.2
2	D	40	SER	6.1
2	J	32	PRO	5.9
2	I	31	LEU	5.7
2	D	41	GLN	5.6
2	I	32	PRO	5.5
2	D	39	ILE	5.3
2	C	42	ARG	5.2
2	C	38	ASP	5.2
2	J	28	ALA	5.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	D	61	GLN	4.9
2	I	39	ILE	4.9
3	K	352	THR	4.7
3	F	517	ASP	4.6
2	C	41	GLN	4.5
2	J	29	PHE	4.4
3	F	516	ASP	4.4
3	E	496	ILE	4.2
3	F	496	ILE	4.1
3	K	516	ASP	3.7
2	D	42	ARG	3.7
2	D	38	ASP	3.6
2	I	42	ARG	3.6
2	C	43	GLU	3.6
2	C	40	SER	3.5
3	K	517	ASP	3.5
2	D	36	TYR	3.5
3	L	356	SER	3.5
2	J	30	SER	3.4
2	J	38	ASP	3.3
2	I	40	SER	3.3
3	E	387	ALA	3.2
2	D	43	GLU	3.1
2	D	37	ALA	3.0
2	J	42	ARG	3.0
3	L	357	MET	3.0
2	C	32	PRO	3.0
2	D	35	ASP	2.9
3	L	361	LEU	2.9
2	C	45	LEU	2.9
2	J	43	GLU	2.8
2	J	39	ILE	2.8
2	D	46	ALA	2.8
3	L	435	ARG	2.7
3	E	348	MET	2.7
2	C	36	TYR	2.7
1	B	241	GLY	2.7
1	B	39	CYS	2.5
3	K	357	MET	2.5
2	C	44	GLN	2.5
1	A	110	GLN	2.5
2	I	38	ASP	2.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	96	GLN	2.4
1	B	114	ALA	2.4
3	L	494	PRO	2.3
1	A	111	GLN	2.3
3	F	494	PRO	2.3
1	A	114	ALA	2.3
1	B	100	THR	2.3
3	F	388	HIS	2.2
3	F	387	ALA	2.2
2	D	44	GLN	2.2
1	A	139	LEU	2.2
3	E	515	LEU	2.2
2	C	37	ALA	2.1
3	L	491	SER	2.1
3	E	494	PRO	2.1
1	A	127	ARG	2.1
3	L	358	THR	2.1
3	K	435	ARG	2.0
2	C	35	ASP	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
6	C2E	F	602	46/46	0.94	0.14	47,56,64,74	0
6	C2E	K	601	46/46	0.94	0.14	45,58,68,72	0
6	C2E	L	601	46/46	0.95	0.12	43,53,61,69	0
6	C2E	E	601	46/46	0.96	0.14	46,54,67,71	0

Continued on next page...




Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
5	MG	G	302	1/1	0.96	0.16	43,43,43,43	0
5	MG	H	302	1/1	0.97	0.14	46,46,46,46	0
6	C2E	E	602	46/46	0.97	0.12	44,52,61,67	0
6	C2E	K	602	46/46	0.97	0.13	44,53,63,68	0
6	C2E	F	601	46/46	0.97	0.12	50,60,64,67	0
6	C2E	L	602	46/46	0.97	0.14	36,51,58,71	0
5	MG	A	302	1/1	0.98	0.14	41,41,41,41	0
5	MG	B	302	1/1	0.98	0.17	45,45,45,45	0
4	ATP	B	301	31/31	0.98	0.15	37,46,55,56	0
4	ATP	A	301	31/31	0.99	0.15	37,47,55,63	0
4	ATP	G	301	31/31	0.99	0.17	31,43,51,61	0
4	ATP	H	301	31/31	0.99	0.17	35,46,51,53	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around C2E F 602:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around C2E K 601:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around C2E L 601:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around C2E E 601:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around MG G 302:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around MG H 302:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around C2E E 602:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around C2E K 602:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around C2E F 601:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





Electron density around C2E L 602:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around MG A 302:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around MG B 302:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around ATP B 301:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around ATP A 301:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around ATP G 301:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around ATP H 301:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.