



Full wwPDB EM Validation Report ⓘ

Jun 9, 2024 – 12:07 AM JST

PDB ID : 8YC0
EMDB ID : EMD-39128
Title : T cell receptor V delta2 V gamma9 in GDN
Authors : Xin, W.; Huang, B.; Chi, X.; Xu, M.; Zhang, Y.; Li, X.; Su, Q.; Zhou, Q.
Deposited on : 2024-02-17
Resolution : 4.12 Å (reported)

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : **FAILED**
Mogul : 1.8.5 (274361), CSD as541be (2020)
MolProbity : 4.02b-467
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
MapQ : **FAILED**
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.36.2


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

ELECTRON MICROSCOPY

The reported resolution of this entry is 4.12 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)
Clashscore	158937	4297
Ramachandran outliers	154571	4023
Sidechain outliers	154315	3826

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$

Mol	Chain	Length	Quality of chain
1	a	195	
1	b	195	
2	d	171	
3	e	207	
3	f	207	
4	g	182	
5	m	310	
6	n	332	

2 Entry composition i

There are 7 unique types of molecules in this entry. The entry contains 4635 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called T-cell surface glycoprotein CD3 zeta chain.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
1	a	26	203	142	27	33	1	0	0
1	b	27	218	151	32	34	1	0	0

There are 62 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
a	165	ALA	-	expression tag	UNP P20963
a	166	ALA	-	expression tag	UNP P20963
a	167	ALA	-	expression tag	UNP P20963
a	168	TRP	-	expression tag	UNP P20963
a	169	SER	-	expression tag	UNP P20963
a	170	HIS	-	expression tag	UNP P20963
a	171	PRO	-	expression tag	UNP P20963
a	172	GLN	-	expression tag	UNP P20963
a	173	PHE	-	expression tag	UNP P20963
a	174	GLU	-	expression tag	UNP P20963
a	175	LYS	-	expression tag	UNP P20963
a	176	GLY	-	expression tag	UNP P20963
a	177	GLY	-	expression tag	UNP P20963
a	178	GLY	-	expression tag	UNP P20963
a	179	SER	-	expression tag	UNP P20963
a	180	GLY	-	expression tag	UNP P20963
a	181	GLY	-	expression tag	UNP P20963
a	182	GLY	-	expression tag	UNP P20963
a	183	SER	-	expression tag	UNP P20963
a	184	GLY	-	expression tag	UNP P20963
a	185	GLY	-	expression tag	UNP P20963
a	186	SER	-	expression tag	UNP P20963
a	187	ALA	-	expression tag	UNP P20963
a	188	TRP	-	expression tag	UNP P20963
a	189	SER	-	expression tag	UNP P20963
a	190	HIS	-	expression tag	UNP P20963

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
a	191	PRO	-	expression tag	UNP P20963
a	192	GLN	-	expression tag	UNP P20963
a	193	PHE	-	expression tag	UNP P20963
a	194	GLU	-	expression tag	UNP P20963
a	195	LYS	-	expression tag	UNP P20963
b	165	ALA	-	expression tag	UNP P20963
b	166	ALA	-	expression tag	UNP P20963
b	167	ALA	-	expression tag	UNP P20963
b	168	TRP	-	expression tag	UNP P20963
b	169	SER	-	expression tag	UNP P20963
b	170	HIS	-	expression tag	UNP P20963
b	171	PRO	-	expression tag	UNP P20963
b	172	GLN	-	expression tag	UNP P20963
b	173	PHE	-	expression tag	UNP P20963
b	174	GLU	-	expression tag	UNP P20963
b	175	LYS	-	expression tag	UNP P20963
b	176	GLY	-	expression tag	UNP P20963
b	177	GLY	-	expression tag	UNP P20963
b	178	GLY	-	expression tag	UNP P20963
b	179	SER	-	expression tag	UNP P20963
b	180	GLY	-	expression tag	UNP P20963
b	181	GLY	-	expression tag	UNP P20963
b	182	GLY	-	expression tag	UNP P20963
b	183	SER	-	expression tag	UNP P20963
b	184	GLY	-	expression tag	UNP P20963
b	185	GLY	-	expression tag	UNP P20963
b	186	SER	-	expression tag	UNP P20963
b	187	ALA	-	expression tag	UNP P20963
b	188	TRP	-	expression tag	UNP P20963
b	189	SER	-	expression tag	UNP P20963
b	190	HIS	-	expression tag	UNP P20963
b	191	PRO	-	expression tag	UNP P20963
b	192	GLN	-	expression tag	UNP P20963
b	193	PHE	-	expression tag	UNP P20963
b	194	GLU	-	expression tag	UNP P20963
b	195	LYS	-	expression tag	UNP P20963

- Molecule 2 is a protein called T-cell surface glycoprotein CD3 delta chain.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
2	d	105	817	521	135	155	6	0	0

- Molecule 3 is a protein called T-cell surface glycoprotein CD3 epsilon chain.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
3	e	121	Total	C	N	O	S	0	0
			959	609	151	191	8		
3	f	118	Total	C	N	O	S	0	0
			933	594	148	183	8		

- Molecule 4 is a protein called T-cell surface glycoprotein CD3 gamma chain.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
4	g	115	Total	C	N	O	S	0	0
			907	582	150	168	7		

- Molecule 5 is a protein called T cell receptor delta variable 2,T cell receptor delta constant.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
5	m	34	Total	C	N	O	S	0	0
			268	180	42	43	3		

There are 61 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
m	-19	MET	-	initiating methionine	UNP A0JD36
m	-18	ASP	-	expression tag	UNP A0JD36
m	-17	MET	-	expression tag	UNP A0JD36
m	-16	ARG	-	expression tag	UNP A0JD36
m	-15	VAL	-	expression tag	UNP A0JD36
m	-14	PRO	-	expression tag	UNP A0JD36
m	-13	ALA	-	expression tag	UNP A0JD36
m	-12	GLN	-	expression tag	UNP A0JD36
m	-11	LEU	-	expression tag	UNP A0JD36
m	-10	LEU	-	expression tag	UNP A0JD36
m	-9	GLY	-	expression tag	UNP A0JD36
m	-8	LEU	-	expression tag	UNP A0JD36
m	-7	LEU	-	expression tag	UNP A0JD36
m	-6	LEU	-	expression tag	UNP A0JD36
m	-5	LEU	-	expression tag	UNP A0JD36
m	-4	TRP	-	expression tag	UNP A0JD36
m	-3	LEU	-	expression tag	UNP A0JD36
m	-2	SER	-	expression tag	UNP A0JD36
m	-1	GLY	-	expression tag	UNP A0JD36
m	0	ALA	-	expression tag	UNP A0JD36
m	1	ARG	-	expression tag	UNP A0JD36

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
m	2	CYS	-	expression tag	UNP A0JD36
m	3	MET	-	expression tag	UNP A0JD36
m	4	ASP	-	expression tag	UNP A0JD36
m	5	TYR	-	expression tag	UNP A0JD36
m	6	LYS	-	expression tag	UNP A0JD36
m	7	ASP	-	expression tag	UNP A0JD36
m	8	ASP	-	expression tag	UNP A0JD36
m	9	ASP	-	expression tag	UNP A0JD36
m	10	ASP	-	expression tag	UNP A0JD36
m	11	LYS	-	expression tag	UNP A0JD36
m	12	GLY	-	expression tag	UNP A0JD36
m	13	GLY	-	expression tag	UNP A0JD36
m	14	SER	-	expression tag	UNP A0JD36
m	15	GLU	-	expression tag	UNP A0JD36
m	16	THR	-	expression tag	UNP A0JD36
m	17	GLY	-	expression tag	UNP A0JD36
m	114	LEU	-	linker	UNP A0JD36
m	115	GLY	-	linker	UNP A0JD36
m	116	MET	-	linker	UNP A0JD36
m	117	GLY	-	linker	UNP A0JD36
m	118	GLY	-	linker	UNP A0JD36
m	119	GLU	-	linker	UNP A0JD36
m	120	TYR	-	linker	UNP A0JD36
m	121	THR	-	linker	UNP A0JD36
m	122	ASP	-	linker	UNP A0JD36
m	123	LYS	-	linker	UNP A0JD36
m	124	LEU	-	linker	UNP A0JD36
m	125	ILE	-	linker	UNP A0JD36
m	126	PHE	-	linker	UNP A0JD36
m	127	GLY	-	linker	UNP A0JD36
m	128	LYS	-	linker	UNP A0JD36
m	129	GLY	-	linker	UNP A0JD36
m	130	THR	-	linker	UNP A0JD36
m	131	ARG	-	linker	UNP A0JD36
m	132	VAL	-	linker	UNP A0JD36
m	133	THR	-	linker	UNP A0JD36
m	134	VAL	-	linker	UNP A0JD36
m	135	GLU	-	linker	UNP A0JD36
m	136	PRO	-	linker	UNP A0JD36
m	137	ARG	-	linker	UNP A0JD36

- Molecule 6 is a protein called T cell receptor gamma variable 9,T cell receptor gamma constant 1.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
6	n	37	302	203	46	50	3	0	0

There are 57 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
n	-34	MET	-	initiating methionine	UNP Q99603
n	-33	ASP	-	expression tag	UNP Q99603
n	-32	MET	-	expression tag	UNP Q99603
n	-31	ARG	-	expression tag	UNP Q99603
n	-30	VAL	-	expression tag	UNP Q99603
n	-29	PRO	-	expression tag	UNP Q99603
n	-28	ALA	-	expression tag	UNP Q99603
n	-27	GLN	-	expression tag	UNP Q99603
n	-26	LEU	-	expression tag	UNP Q99603
n	-25	LEU	-	expression tag	UNP Q99603
n	-24	GLY	-	expression tag	UNP Q99603
n	-23	LEU	-	expression tag	UNP Q99603
n	-22	LEU	-	expression tag	UNP Q99603
n	-21	LEU	-	expression tag	UNP Q99603
n	-20	LEU	-	expression tag	UNP Q99603
n	-19	TRP	-	expression tag	UNP Q99603
n	-18	LEU	-	expression tag	UNP Q99603
n	-17	SER	-	expression tag	UNP Q99603
n	-16	GLY	-	expression tag	UNP Q99603
n	-15	ALA	-	expression tag	UNP Q99603
n	-14	ARG	-	expression tag	UNP Q99603
n	-13	CYS	-	expression tag	UNP Q99603
n	-12	MET	-	expression tag	UNP Q99603
n	-11	ASP	-	expression tag	UNP Q99603
n	-10	TYR	-	expression tag	UNP Q99603
n	-9	LYS	-	expression tag	UNP Q99603
n	-8	ASP	-	expression tag	UNP Q99603
n	-7	ASP	-	expression tag	UNP Q99603
n	-6	ASP	-	expression tag	UNP Q99603
n	-5	ASP	-	expression tag	UNP Q99603
n	-4	LYS	-	expression tag	UNP Q99603
n	-3	GLY	-	expression tag	UNP Q99603
n	-2	GLY	-	expression tag	UNP Q99603
n	-1	SER	-	expression tag	UNP Q99603
n	0	GLU	-	expression tag	UNP Q99603
n	1	THR	-	expression tag	UNP Q99603
n	104	ALA	-	linker	UNP Q99603

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
n	105	GLN	-	linker	UNP Q99603
n	106	GLN	-	linker	UNP Q99603
n	107	GLU	-	linker	UNP Q99603
n	108	LEU	-	linker	UNP Q99603
n	109	GLY	-	linker	UNP Q99603
n	110	LYS	-	linker	UNP Q99603
n	111	LYS	-	linker	UNP Q99603
n	112	ILE	-	linker	UNP Q99603
n	113	LYS	-	linker	UNP Q99603
n	114	VAL	-	linker	UNP Q99603
n	115	PHE	-	linker	UNP Q99603
n	116	GLY	-	linker	UNP Q99603
n	117	PRO	-	linker	UNP Q99603
n	118	GLY	-	linker	UNP Q99603
n	119	THR	-	linker	UNP Q99603
n	120	LYS	-	linker	UNP Q99603
n	121	LEU	-	linker	UNP Q99603
n	122	ILE	-	linker	UNP Q99603
n	123	ILE	-	linker	UNP Q99603
n	124	THR	-	linker	UNP Q99603

- Molecule 7 is CHOLESTEROL (three-letter code: CLR) (formula: C₂₇H₄₆O) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms			AltConf
7	b	1	Total	C	O	0
			28	27	1	

3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: T-cell surface glycoprotein CD3 zeta chain

Chain a:  13% . 87%



- Molecule 1: T-cell surface glycoprotein CD3 zeta chain

Chain b:  13% . 86%




- Molecule 2: T-cell surface glycoprotein CD3 delta chain

Chain d:  59% . 39%



- Molecule 3: T-cell surface glycoprotein CD3 epsilon chain

Chain e:  56% . 42%



GLY
GLY
ARG
GLN
ARG
GLY
GLY
GLN
ASN
LYS
GLU
ARG
ARG
PRO
PRO
VAL
SER
ASN
PRO
GLY
TYR
GLY
GLN
PRO
ILE
ASP
LYS
GLY
GLN
ASP
LEU
TYR
SER
GLY
ASN
GLN
ARG
ARG
ILE

- Molecule 3: T-cell surface glycoprotein CD3 epsilon chain

Chain f: 52% 43%

MET
GLN
SER
GLY
THR
HIS
LYS
ALA
TRP
ARG
LYS
VAL
LEU
LEU
LEU
LEU
SER
GLY
VAL
GLY
GLY
GLN
TRP
ARG
GLY
ASP
MET
GLY
GLY
ILE
THR
Q53
C49
K64
D69
W74
F87
C98
F110
L114
C119
E120
M121
M125
D137

N154
ARG
LYS
ALA
ALA
LYS
PRO
VAL
LEU
THR
GLY
GLY
ALA
GLY
GLY
VAL
ARG
GLN
GLY
ARG
GLY
GLN
ALA
SER
PRO
TYR
ASP
LEU
TYR
SER
GLY
LEU
ASN
GLN
ARG
ILE

- Molecule 4: T-cell surface glycoprotein CD3 gamma chain

Chain g: 61% 37%

MET
GLU
GLY
GLY
GLY
LEU
ALA
VAL
LEU
ILE
ILE
ILE
LEU
LEU
GLM
GLY
THR
LEU
ALA
SER
SER
ILE
I126
D39
L65
D80
N92
D140
GLY
VAL
ARG
GLN
SER
ARG
ALA
SER
ASP
GLN
THR
SER
LEU
PRO
ASN
ASP
GLM
TYR
TYR
SER
GLY
PRO
LEU
GLN
PRO
LEU
LEU

ASP
ARG
GLU
ASP
GLN
TYR
SER
HIS
GLN
GLY
ASN
GLN
ARG
ASN

- Molecule 5: T cell receptor delta variable 2,T cell receptor delta constant

Chain m: 10% 89%

MET
ASP
MET
MET
VAL
PRO
ALA
GLN
LEU
LEU
LEU
LEU
TRP
SER
GLY
ALA
ARG
SER
ASN
THR
MET
CYS
MET
THR
TYR
LYS
ASP
ASP
LYS
GLY
SER
GLY
THR
GLY
PHE
PHE
LYS
ASP
LEU
GLY
ILE
ALA
GLU
LEU
PHE
LEU
VAL
VAL
VAL
VAL
SER
GLU
HIS
GLN
GLY
LEU
SER
PRO
SER
SER
LEU
VAL
VAL
THR
CYS

SER
MET
LYS
GLY
GLU
SER
ALA
ILE
GLY
ASN
TYR
TYR
SER
LYS
GLY
GLY
THR
GLN
GLY
ASN
THR
MET
THR
PHE
ILE
TYR
GLY
GLY
LYS
ASP
LLE
TYR
GLY
PRO
GLY
PHE
LYS
ASP
ASN
PHE
LEU
GLN
GLY
SER
ASP
ILE
VAL
VAL
VAL
PHE
LEU
VAL
VAL
ASN
LEU
VAL
LYS
LYS
ILE
ALA
THR
LEU
ALA
PRO
SER

GLU
ARG
ASP
GLY
SER
TYR
TYR
PHE
THR
ASP
GLY
SER
GLY
ARG
VAL
THR
GLY
SER
VAL
SER
PHE
LYS
GLN
PRO
HIS
THR
LEU
GLN
VAL
VAL
VAL
MET
LYS
ASN
LEU
GLY
VAL
LYS
VAL
VAL
VAL
VAL
VAL
VAL
VAL
LYS

GLU
PHE
TYR
PRO
LYS
ASP
ILE
ARG
ILE
ASN
ASN
LEU
VAL
SER
SER
LYS
THR
GLY
GLY
PHE
GLU
TYR
ASN
LYS
LEU
GLY
LYS
TYR
ASN
VAL
VAL
GLY
SER
LEU
LEU
LEU
LEU
SER
SER
LEU
VAL
VAL
VAL
SER
THR

ASP
PHE
GLU
VAL
LYS
THR
ASP
SER
THR
HIS
VAL
LYS
PRO
LYS
LYS
THR
ASN
THR
LYS
GLN
THR
ASP
PRO
MET
SER
LYS
SER
LYS
LYS
ALA
ILE
HIS
T256
E257
K258
F288
F289
LEU

- Molecule 6: T cell receptor gamma variable 9,T cell receptor gamma constant 1

Chain n: 11% 89%

MET
ASP
MET
VAL
PRO
ALA
GLN
LEU
LEU
LEU
TRP
SER
GLY
ALA
ARG
GLN
GLY
VAL
CYS
MET
ASP
THR
LYS
ASP
ASP
LYS
GLY
SER
GLY
SER
GLU
GLY
ALA
GLY
HIS
LEU
GLN
GLN
PRO
GLN
GLN
ILE
SER
SER
THR
LYS
THR
THR
SER
LEU
LEU
CYS

VAL
VAL
SER
GLY
ILE
THR
ILE
SER
ALA
THR
SER
VAL
TYR
TYR
CYS
ALA
LEU
TRP
GLY
ARG
PRO
GLY
GLN
GLU
VAL
ILE
GLN
PHE
LEU
VAL
ILE
LYS
SER
PHE
SER
TYR
ASP
GLY
THR
VAL
ARG
LYS
GLU
SER
ILE
LEU
LEU
GLY
ASP
PHE
VAL
SER
SER
LYS
ILE
PRO
THR
SER
PHE
THR
THR
SER
THR
THR
LEU
ALA
GLU
CYS

ILE
HIS
ASN
VAL
GLU
LYS
GLN
ASP
ILE
ALA
THR
THR
TYR
TYR
CYS
ALA
LEU
TRP
GLY
ALA
GLN
GLU
GLU
LEU
GLY
LYS
LYS
ILE
LYS
SER
VAL
SER
PHE
GLY
PRO
GLY
THR
LYS
LEU
LEU
ILE
THR
ASP
GLY
LEU
LEU
LEU
GLY
ASP
ALA
SER
VAL
SER
PRO
LYS
PRO
THR
THR
ILE
PHE
LYS
THR
LYS
SER
SER
LEU
ILE
GLU
ALA
GLU

THR
LYS
LEU
GLN
LYS
ALA
GLY
THR
TYR
CYS
LEU
LEU
GLU
LYS
PHE
PHE
PRO
ASP
VAL
ILE
LYS
ILE
HIS
TRP
GLN
GLU
LYS
LYS
SER
ASN
THR
ILE
LEU
GLY
SER
GLN
GLU
GLY
ASN
THR
MET
LYS
THR
ASP
THR
TYR
MET
LYS
PHE
SER
TRP
LEU
THR
VAL
PRO
GLU
LYS
SER

LEU
ASP
LYS
GLU
HIS
ARG
CYS
ILE
VAL
HIS
GLU
ASN
ASN
LYS
ASN
GLY
VAL
ASP
GLN
GLU
ILE
ILE
PHE
PRO
PRO
ILE
THR
LYS
ASP
VAL
ILE
THR
MET
ASP
PRO
LYS
ASP
ASN
CYS
SER
LYS
ASP
ALA
ASN
ASP
T252
T288
ALA
PHE
CYS
ASN
ASN
GLY
GLU
LYS
SER

4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	119724	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	50	Depositor
Minimum defocus (nm)	1000	Depositor
Maximum defocus (nm)	2000	Depositor
Magnification	Not provided	
Image detector	GATAN K3 BIOQUANTUM (6k x 4k)	Depositor

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: CLR

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	a	0.29	0/207	0.52	0/281
1	b	0.29	0/222	0.44	0/300
2	d	0.25	0/829	0.57	0/1127
3	e	0.27	0/980	0.59	0/1331
3	f	0.27	0/953	0.57	3/1294 (0.2%)
4	g	0.27	0/925	0.53	1/1244 (0.1%)
5	m	0.30	0/271	0.60	0/363
6	n	0.30	0/306	0.50	0/416
All	All	0.27	0/4693	0.56	4/6356 (0.1%)

There are no bond length outliers.

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	f	114	LEU	CA-CB-CG	6.02	129.15	115.30
4	g	39	ASP	CB-CG-OD2	5.62	123.36	118.30
3	f	137	ASP	CB-CG-OD1	5.50	123.25	118.30
3	f	49	CYS	CA-CB-SG	5.08	123.14	114.00

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	a	203	0	218	0	0
1	b	218	0	239	0	0
2	d	817	0	828	0	0
3	e	959	0	919	0	0
3	f	933	0	897	0	0
4	g	907	0	897	0	0
5	m	268	0	296	0	0
6	n	302	0	332	0	0
7	b	28	0	46	0	0
All	All	4635	0	4672	0	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 13.

There are no clashes within the asymmetric unit.

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	a	24/195 (12%)	21 (88%)	3 (12%)	0	100	100
1	b	25/195 (13%)	25 (100%)	0	0	100	100
2	d	103/171 (60%)	94 (91%)	9 (9%)	0	100	100
3	e	119/207 (58%)	108 (91%)	11 (9%)	0	100	100
3	f	114/207 (55%)	105 (92%)	9 (8%)	0	100	100
4	g	113/182 (62%)	102 (90%)	11 (10%)	0	100	100
5	m	32/310 (10%)	32 (100%)	0	0	100	100
6	n	35/332 (10%)	35 (100%)	0	0	100	100
All	All	565/1799 (31%)	522 (92%)	43 (8%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	a	22/154 (14%)	21 (96%)	1 (4%)	27	54
1	b	24/154 (16%)	22 (92%)	2 (8%)	11	37
2	d	93/147 (63%)	89 (96%)	4 (4%)	29	55
3	e	109/177 (62%)	103 (94%)	6 (6%)	21	49
3	f	106/177 (60%)	98 (92%)	8 (8%)	13	40
4	g	97/155 (63%)	93 (96%)	4 (4%)	30	56
5	m	30/272 (11%)	28 (93%)	2 (7%)	16	43
6	n	35/298 (12%)	35 (100%)	0	100	100
All	All	516/1534 (34%)	489 (95%)	27 (5%)	27	50

All (27) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	a	26	LEU
1	b	40	PHE
1	b	54	LYS
2	d	37	CYS
2	d	66	ASP
2	d	91	ARG
2	d	125	PHE
3	e	62	ASN
3	e	78	ASP
3	e	87	PHE
3	e	114	LEU
3	e	122	CYS
3	e	153	LYS
3	f	49	CYS
3	f	64	LYS
3	f	87	PHE
3	f	98	CYS
3	f	110	PHE
3	f	119	CYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
3	f	121	ASN
3	f	125	MET
4	g	39	ASP
4	g	65	LEU
4	g	80	ASP
4	g	92	ASN
5	m	258	LYS
5	m	288	PHE

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (4) such sidechains are listed below:

Mol	Chain	Res	Type
2	d	36	ASN
2	d	87	GLN
4	g	86	GLN
6	n	259	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

1 ligand is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
7	CLR	b	201	-	31,31,31	0.26	0	48,48,48	0.41	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
7	CLR	b	201	-	-	4/10/68/68	0/4/4/4

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.


All (4) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
7	b	201	CLR	C20-C22-C23-C24
7	b	201	CLR	C16-C17-C20-C22
7	b	201	CLR	C13-C17-C20-C22
7	b	201	CLR	C13-C17-C20-C21

There are no ring outliers.

No monomer is involved in short contacts.

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.