



Full wwPDB X-ray Structure Validation Report ⓘ

Aug 12, 2024 – 10:51 AM JST

PDB ID : 8YE4
Title : The complex of TCR NYN-I and HLA-A24 bound to SARS-CoV-2 Spike448-456 peptide NYNYLYRLF
Authors : Deng, S.S.; Jin, T.C.; Xu, Z.H.; Wang, M.H.
Deposited on : 2024-02-21
Resolution : 3.20 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Xtriage (Phenix) : 1.13
EDS : 2.37.1
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.37.1


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 3.20 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.







Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	1133 (3.20-3.20)
Clashscore	141614	1253 (3.20-3.20)
Ramachandran outliers	138981	1234 (3.20-3.20)
Sidechain outliers	138945	1233 (3.20-3.20)
RSRZ outliers	127900	1095 (3.20-3.20)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	274	 86% 14%
1	C	274	 5% 75% 10% 15%
2	B	99	 3% 88% 12%
2	D	99	 6% 79% 21%
3	E	9	 56% 44%
3	F	9	 67% 33%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
4	G	187	 9% 74% 24% ..
4	I	187	 7% 71% 24% 5%
5	H	238	 % 76% 24%
5	J	238	 5% 75% 22% .

2 Entry composition [i](#)

There are 6 unique types of molecules in this entry. The entry contains 12294 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called MHC class I antigen precursor.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	274	Total 2198	C 1371	N 395	O 422	S 10	0	0	0
1	C	233	Total 1828	C 1138	N 333	O 350	S 7	0	0	0

- Molecule 2 is a protein called Beta-2-microglobulin.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
2	B	99	Total 822	C 525	N 139	O 155	S 3	0	0	0
2	D	99	Total 822	C 523	N 140	O 156	S 3	0	0	0

- Molecule 3 is a protein called Spike protein S1.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
			Total	C	N	O			
3	E	9	Total 90	C 62	N 14	O 14	0	0	0
3	F	9	Total 90	C 62	N 14	O 14	0	0	0

- Molecule 4 is a protein called TCR NYN-I alpha chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
4	G	183	Total 1376	C 851	N 236	O 280	S 9	0	0	0
4	I	178	Total 1359	C 843	N 232	O 276	S 8	0	0	0

- Molecule 5 is a protein called TCR NYN-I beta chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
5	H	238	Total 1877	C 1181	N 329	O 358	S 9	0	0	0
5	J	232	Total 1824	C 1148	N 315	O 352	S 9	0	0	0


- Molecule 6 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	6	Total 6	O 6	0	0
6	C	2	Total 2	O 2	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: MHC class I antigen precursor




- Molecule 1: MHC class I antigen precursor



- Molecule 2: Beta-2-microglobulin



- Molecule 2: Beta-2-microglobulin




- Molecule 3: Spike protein S1

Chain E:  56% 44%





- Molecule 3: Spike protein S1

Chain F:  67% 33%




- Molecule 4: TCR NYN-I alpha chain

Chain G:  9% 74% 24% ..





- Molecule 4: TCR NYN-I alpha chain

Chain I:  7% 71% 24% 5%





- Molecule 5: TCR NYN-I beta chain

Chain H:  % 76% 24%



- Molecule 5: TCR NYN-I beta chain

Chain J:  5% 75% 22% .



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	69.00Å 148.10Å 196.21Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	39.98 – 3.20 39.98 – 3.20	Depositor EDS
% Data completeness (in resolution range)	99.8 (39.98-3.20) 99.8 (39.98-3.20)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.84 (at 3.18Å)	Xtrriage
Refinement program	PHENIX (1.21_5207: ???)	Depositor
R, R_{free}	0.266 , 0.310 0.268 , 0.313	Depositor DCC
R_{free} test set	1649 reflections (4.86%)	wwPDB-VP
Wilson B-factor (Å ²)	78.6	Xtrriage
Anisotropy	0.766	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.31 , 60.7	EDS
L-test for twinning ²	$\langle L \rangle = 0.47$, $\langle L^2 \rangle = 0.30$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.90	EDS
Total number of atoms	12294	wwPDB-VP
Average B, all atoms (Å ²)	95.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.45% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.24	0/2258	0.51	0/3064
1	C	0.26	0/1874	0.50	0/2536
2	B	0.24	0/845	0.49	0/1143
2	D	0.24	0/845	0.49	0/1143
3	E	0.24	0/93	0.48	0/125
3	F	0.27	0/93	0.49	0/125
4	G	0.28	0/1401	0.52	0/1898
4	I	0.29	0/1383	0.52	0/1872
5	H	0.25	0/1928	0.53	0/2625
5	J	0.25	0/1873	0.50	0/2551
All	All	0.26	0/12593	0.51	0/17082

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2198	0	2046	24	0
1	C	1828	0	1661	17	0
2	B	822	0	786	8	0
2	D	822	0	781	12	0
3	E	90	0	85	4	0
3	F	90	0	85	3	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
4	G	1376	0	1279	33	0
4	I	1359	0	1271	34	0
5	H	1877	0	1778	38	0
5	J	1824	0	1726	37	0
6	A	6	0	0	0	0
6	C	2	0	0	0	0
All	All	12294	0	11498	184	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

All (184) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:187:THR:HB	1:A:272:LEU:HD11	1.69	0.74
1:A:5:MET:HB2	1:A:168:LEU:HD13	1.70	0.73
4:I:124:ARG:HD3	4:I:129:SER:HB3	1.73	0.70
5:H:85:THR:HG23	5:H:109:THR:HA	1.73	0.69
5:H:205:ARG:HG3	5:H:234:GLU:HB3	1.75	0.68
2:D:37:VAL:HG22	2:D:82:VAL:HG12	1.76	0.68
4:I:124:ARG:NH1	4:I:129:SER:O	2.28	0.66
1:C:5:MET:HB2	1:C:168:LEU:HD13	1.78	0.65
5:H:148:PRO:O	5:H:150:HIS:N	2.30	0.64
2:D:7:ILE:HD11	2:D:80:CYS:HB3	1.81	0.63
5:J:130:GLU:O	5:J:134:THR:N	2.31	0.63
1:C:231:VAL:HB	2:D:8:GLN:HE22	1.63	0.62
4:G:156:THR:HG22	5:H:173:LEU:HD11	1.82	0.61
5:J:111:THR:HG21	5:J:147:TYR:HE2	1.65	0.61
1:A:209:TYR:HB3	1:A:210:PRO:HD3	1.83	0.61
1:A:201:LEU:HD12	1:A:249:VAL:HG11	1.84	0.60
5:J:85:THR:HG23	5:J:109:THR:HA	1.83	0.59
2:B:24:ASN:HB3	2:B:65:LEU:HD11	1.85	0.58
4:I:92:HIS:NE2	4:I:95:ALA:O	2.36	0.58
2:D:74:GLU:HG3	2:D:75:LYS:HG2	1.85	0.58
3:E:6:TYR:OH	4:G:31:SER:OG	2.21	0.58
1:C:236:ALA:HB1	2:D:12:ARG:HG3	1.87	0.57
4:I:58:ARG:NH1	4:I:76:ASP:O	2.37	0.57
4:G:111:ILE:HG13	4:G:112:PRO:HD2	1.85	0.57
5:H:93:SER:HB2	5:H:100:GLN:HG2	1.88	0.56
3:F:3:ASN:OD1	3:F:4:TYR:N	2.39	0.56
2:B:25:CYS:HB2	2:B:39:LEU:HD21	1.86	0.56

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
5:H:215:GLU:O	5:H:225:LYS:NZ	2.38	0.56
4:I:16:ALA:HB1	4:I:76:ASP:H	1.71	0.56
2:B:37:VAL:HG22	2:B:82:VAL:HG22	1.88	0.55
1:C:209:TYR:HB3	1:C:210:PRO:HD3	1.88	0.55
5:H:76:ARG:HE	5:H:78:GLU:HG2	1.71	0.55
1:C:131:ARG:O	1:C:131:ARG:NE	2.36	0.54
4:I:58:ARG:HD2	4:I:76:ASP:HB3	1.88	0.54
4:I:14:GLU:HB3	4:I:113:ILE:HG12	1.90	0.54
4:G:92:HIS:NE2	4:G:95:ALA:O	2.40	0.54
5:J:205:ARG:NH2	5:J:207:GLN:OE1	2.41	0.54
5:H:116:VAL:HG13	5:H:148:PRO:HG2	1.90	0.53
5:J:131:ILE:HD11	5:J:197:TRP:HD1	1.74	0.53
1:A:31:THR:HG1	1:A:209:TYR:HH	1.57	0.53
2:D:73:THR:O	2:D:97:ARG:NH2	2.42	0.52
1:C:234:ARG:HB3	2:D:10:TYR:OH	2.09	0.52
4:I:51:SER:HB2	4:I:63:LEU:HD23	1.91	0.52
4:G:36:ARG:NH2	4:G:80:SER:O	2.42	0.52
4:I:38:ASP:HB2	4:I:41:LYS:HD2	1.91	0.52
4:I:63:LEU:HD21	4:I:65:ARG:HD3	1.91	0.52
2:D:5:PRO:HB3	2:D:30:PHE:HB3	1.91	0.52
5:H:143:ALA:HB2	5:H:208:VAL:HG21	1.92	0.52
4:I:79:LEU:H	4:I:79:LEU:HD12	1.73	0.52
5:H:18:MET:SD	5:H:19:THR:N	2.83	0.52
5:J:213:LEU:HD12	5:J:226:PRO:HD2	1.92	0.51
1:A:210:PRO:HD2	1:A:263:HIS:CE1	2.45	0.51
5:J:168:THR:HG23	5:J:188:SER:HB2	1.91	0.51
4:I:20:PHE:HB2	4:I:72:LEU:HB3	1.92	0.51
5:H:166:VAL:HG22	5:H:190:LEU:HD13	1.94	0.50
5:H:219:TRP:HB2	5:H:225:LYS:HD3	1.93	0.50
1:C:55:GLU:OE1	1:C:170:ARG:NH2	2.42	0.50
5:H:227:VAL:O	5:H:229:GLN:N	2.44	0.50
5:J:131:ILE:HG23	5:J:194:ALA:HB1	1.93	0.50
1:A:219:ARG:NH2	1:A:253:GLU:OE1	2.45	0.50
4:I:58:ARG:NH1	4:I:75:ARG:O	2.44	0.50
1:A:99:PHE:CE1	3:E:3:ASN:HB2	2.47	0.49
1:A:218:GLN:HB2	1:A:258:THR:HG23	1.94	0.49
4:G:31:SER:HB2	4:G:90:ASN:HB3	1.95	0.49
4:G:139:PHE:HD2	4:G:158:LYS:HD3	1.78	0.48
1:A:28:VAL:HG11	1:A:179:LEU:HD13	1.94	0.48
4:G:41:LYS:HG2	4:G:42:GLU:H	1.78	0.48
5:H:28:HIS:HB3	5:H:93:SER:O	2.14	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:I:156:THR:HG22	5:J:173:LEU:HD23	1.95	0.48
5:J:28:HIS:HE1	5:J:101:TYR:CD2	2.32	0.48
5:H:63:TYR:HB3	5:H:75:LEU:HD11	1.95	0.48
4:G:40:ARG:HG2	5:H:107:ARG:NH2	2.29	0.47
1:C:99:PHE:CE1	3:F:3:ASN:HB2	2.49	0.47
4:G:124:ARG:O	5:H:125:GLU:N	2.36	0.47
1:A:55:GLU:OE1	1:A:170:ARG:NH2	2.47	0.47
4:I:58:ARG:HB3	4:I:75:ARG:O	2.15	0.47
2:B:48:LYS:HD3	2:B:48:LYS:HA	1.72	0.47
4:G:92:HIS:HB2	4:G:98:TYR:CE2	2.49	0.47
4:I:31:SER:HB2	4:I:90:ASN:HB3	1.96	0.47
4:I:159:CYS:N	4:I:172:SER:O	2.42	0.47
5:J:71:ARG:HG3	5:J:72:GLU:HG3	1.97	0.47
1:C:93:HIS:ND1	1:C:119:ASP:OD2	2.46	0.47
4:G:119:ALA:O	4:G:136:PHE:HA	2.15	0.47
4:G:114:GLN:NE2	4:G:169:LYS:O	2.48	0.47
5:J:24:GLN:NE2	5:J:28:HIS:O	2.48	0.47
1:C:21:ARG:CZ	1:C:23:ILE:HD11	2.46	0.46
4:I:36:ARG:NH2	4:I:80:SER:O	2.46	0.46
4:I:154:TYR:HE2	5:J:175:GLU:HA	1.80	0.46
1:A:38:SER:O	1:A:43:GLN:NE2	2.45	0.46
1:A:129:ASP:O	1:A:131:ARG:NH1	2.47	0.46
5:J:129:ALA:C	5:J:131:ILE:H	2.19	0.46
5:J:67:ARG:HH21	5:J:70:LYS:HA	1.80	0.46
4:G:120:VAL:HG11	4:G:184:CYS:HB3	1.98	0.45
1:C:127:LYS:HD2	1:C:132:SER:HB3	1.98	0.45
4:G:51:SER:HB2	4:G:63:LEU:HB3	1.97	0.45
5:J:48:SER:OG	5:J:67:ARG:NH1	2.40	0.45
4:I:133:VAL:HG22	4:I:176:TRP:HB3	1.98	0.45
4:I:92:HIS:HB2	4:I:98:TYR:CE2	2.52	0.45
1:C:131:ARG:NH1	1:C:154:GLU:OE1	2.49	0.45
1:A:131:ARG:HG2	1:A:157:ARG:NH2	2.32	0.45
4:G:51:SER:HB2	4:G:63:LEU:HD23	1.99	0.44
5:H:211:TYR:HA	5:H:228:THR:HG22	1.99	0.44
4:I:14:GLU:N	4:I:111:ILE:O	2.50	0.44
1:C:235:PRO:HG2	2:D:65:LEU:HD13	1.99	0.44
4:G:153:VAL:HG11	4:G:187:ALA:HB1	2.00	0.44
4:I:123:LEU:HD23	5:J:125:GLU:O	2.18	0.44
5:J:93:SER:HB2	5:J:100:GLN:HG2	1.99	0.44
1:A:84:TYR:HB3	1:A:139:ALA:HB1	2.00	0.44
5:J:169:ASP:OD1	5:J:189:ARG:NH2	2.41	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
5:H:24:GLN:NE2	5:H:28:HIS:O	2.51	0.44
5:J:35:ARG:NH1	5:J:63:TYR:OH	2.50	0.43
1:C:182:THR:HG21	1:C:265:GLY:HA3	2.00	0.43
4:G:121:TYR:HB3	5:H:127:SER:HB3	2.00	0.43
4:G:102:PHE:CD2	5:H:42:LEU:HD12	2.53	0.43
1:C:214:THR:O	1:C:261:VAL:HA	2.19	0.43
4:G:117:ASP:N	4:G:118:PRO:HD3	2.32	0.43
5:H:126:PRO:HD3	5:H:139:LEU:HG	2.01	0.43
5:J:12:LEU:HD11	5:J:18:MET:HB2	1.99	0.43
5:J:227:VAL:HG12	5:J:228:THR:N	2.33	0.43
4:G:20:PHE:HB2	4:G:72:LEU:HB3	2.00	0.43
1:A:213:ILE:HG13	1:A:263:HIS:HB2	1.99	0.43
5:J:227:VAL:HG12	5:J:228:THR:H	1.84	0.43
5:H:154:SER:N	5:H:207:GLN:O	2.50	0.43
4:I:16:ALA:HA	4:I:77:SER:H	1.84	0.43
5:J:157:VAL:HG22	5:J:204:PHE:HD1	1.83	0.43
5:H:219:TRP:NE1	5:H:223:ARG:O	2.51	0.43
1:A:154:GLU:HG2	1:A:157:ARG:HH22	1.83	0.42
1:A:189:MET:HE3	1:A:201:LEU:HB3	2.00	0.42
5:H:147:TYR:HB3	5:H:148:PRO:HD3	2.01	0.42
4:I:24:TYR:CE2	4:I:68:GLN:HG2	2.54	0.42
3:F:8:LEU:HD11	5:J:95:THR:HB	2.01	0.42
4:I:156:THR:HG22	5:J:173:LEU:CD2	2.49	0.42
1:C:133:TRP:HZ2	1:C:152:VAL:HG13	1.83	0.42
4:G:156:THR:HA	5:H:173:LEU:HD21	2.00	0.42
4:I:79:LEU:HD13	4:I:162:ASP:HB2	2.01	0.42
1:A:109:PHE:HB2	1:A:165:VAL:HG11	2.02	0.42
5:H:13:LYS:HB2	5:H:113:LEU:HG	2.00	0.42
5:H:174:LYS:H	5:H:174:LYS:HG2	1.69	0.42
2:B:29:GLY:HA2	2:B:61:SER:HB2	2.01	0.42
4:G:136:PHE:HE2	4:G:138:ASP:C	2.23	0.42
5:H:45:ILE:HG22	5:H:46:TYR:HD1	1.85	0.42
1:A:108:ARG:HD2	1:A:108:ARG:HA	1.59	0.42
5:J:37:ASP:OD2	5:J:43:ARG:NH2	2.50	0.42
4:G:55:GLU:HB3	4:G:60:THR:HG23	2.01	0.42
4:I:97:SER:OG	4:I:97:SER:O	2.34	0.42
4:I:113:ILE:HG13	4:I:114:GLN:H	1.84	0.42
5:J:12:LEU:HD11	5:J:18:MET:CB	2.49	0.42
2:B:91:LYS:HE3	2:B:91:LYS:HB2	1.80	0.42
1:C:97:MET:HG3	1:C:115:GLN:O	2.20	0.42
4:G:49:VAL:HG11	4:G:70:ILE:HG23	2.01	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
5:H:229:GLN:HG3	5:H:230:ILE:N	2.35	0.42
4:I:44:LYS:HE3	4:I:44:LYS:HB2	1.80	0.42
5:J:23:ALA:HA	5:J:71:ARG:O	2.20	0.42
4:G:133:VAL:HG11	5:H:140:VAL:HG11	2.02	0.41
5:J:157:VAL:HG22	5:J:204:PHE:CD1	2.55	0.41
5:J:157:VAL:HA	5:J:203:HIS:O	2.19	0.41
5:J:44:LEU:HD21	5:J:47:TYR:HB3	2.02	0.41
2:D:20:SER:HA	2:D:71:THR:HG22	2.02	0.41
5:H:176:GLN:HG2	5:H:179:LEU:HD12	2.02	0.41
2:B:28:SER:HA	2:B:63:TYR:HA	2.03	0.41
2:D:6:LYS:NZ	2:D:29:GLY:HA3	2.36	0.41
4:G:163:MET:HB2	4:G:168:PHE:O	2.20	0.41
5:H:46:TYR:HB2	5:H:65:VAL:HG11	2.03	0.41
4:G:136:PHE:HE2	4:G:139:PHE:N	2.19	0.41
5:J:130:GLU:HG3	5:J:133:HIS:HB2	2.03	0.41
1:A:20:PRO:HD2	1:A:75:ARG:HG2	2.03	0.41
4:I:39:CYS:SG	5:J:171:GLN:NE2	2.81	0.41
1:A:152:VAL:HG21	3:E:7:ARG:HG3	2.02	0.41
4:G:112:PRO:HB2	4:G:114:GLN:HG3	2.03	0.41
4:I:120:VAL:HA	4:I:135:LEU:O	2.21	0.41
5:J:126:PRO:HD2	5:J:197:TRP:CZ2	2.56	0.41
4:I:22:CYS:HB3	4:I:70:ILE:HB	2.03	0.40
5:J:47:TYR:CE1	5:J:55:ASP:HB2	2.55	0.40
1:A:66:LYS:HE3	3:E:2:TYR:HB3	2.03	0.40
4:G:131:LYS:HB3	5:H:124:PHE:CE2	2.56	0.40
4:I:137:THR:O	4:I:138:ASP:C	2.60	0.40
5:J:32:TYR:OH	5:J:96:GLY:HA2	2.21	0.40
1:A:235:PRO:HG2	2:B:65:LEU:HD22	2.03	0.40
4:G:34:TRP:CE2	4:G:72:LEU:HB2	2.57	0.40
4:G:135:LEU:HD21	5:H:140:VAL:HG21	2.04	0.40
4:G:159:CYS:HB3	5:H:189:ARG:NH1	2.37	0.40
5:H:199:ASN:HB3	5:H:202:ASN:HD22	1.86	0.40
2:D:21:ASN:OD1	2:D:22:PHE:N	2.45	0.40
5:H:123:VAL:HG23	5:H:233:ALA:HB3	2.03	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	272/274 (99%)	259 (95%)	13 (5%)	0	100	100
1	C	225/274 (82%)	219 (97%)	6 (3%)	0	100	100
2	B	97/99 (98%)	96 (99%)	1 (1%)	0	100	100
2	D	97/99 (98%)	95 (98%)	2 (2%)	0	100	100
3	E	7/9 (78%)	4 (57%)	3 (43%)	0	100	100
3	F	7/9 (78%)	6 (86%)	1 (14%)	0	100	100
4	G	179/187 (96%)	167 (93%)	12 (7%)	0	100	100
4	I	170/187 (91%)	151 (89%)	19 (11%)	0	100	100
5	H	236/238 (99%)	222 (94%)	14 (6%)	0	100	100
5	J	230/238 (97%)	217 (94%)	13 (6%)	0	100	100
All	All	1520/1614 (94%)	1436 (94%)	84 (6%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	225/230 (98%)	225 (100%)	0	100	100
1	C	178/230 (77%)	177 (99%)	1 (1%)	86	94
2	B	92/94 (98%)	92 (100%)	0	100	100
2	D	92/94 (98%)	91 (99%)	1 (1%)	73	88

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
3	E	9/9 (100%)	9 (100%)	0	100	100
3	F	9/9 (100%)	9 (100%)	0	100	100
4	G	150/165 (91%)	148 (99%)	2 (1%)	69	87
4	I	151/165 (92%)	151 (100%)	0	100	100
5	H	202/206 (98%)	201 (100%)	1 (0%)	88	95
5	J	199/206 (97%)	198 (100%)	1 (0%)	88	95
All	All	1307/1408 (93%)	1301 (100%)	6 (0%)	88	95

All (6) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	C	183	ASP
2	D	70	PHE
4	G	144	ASN
4	G	159	CYS
5	H	149	ASP
5	J	69	ASN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	274/274 (100%)	0.43	4 (1%) 73 61	64, 90, 142, 166	0
1	C	233/274 (85%)	0.40	13 (5%) 24 13	64, 87, 157, 170	0
2	B	99/99 (100%)	0.39	3 (3%) 50 34	76, 102, 133, 143	0
2	D	99/99 (100%)	0.55	6 (6%) 21 12	76, 98, 129, 141	0
3	E	9/9 (100%)	0.32	0 100 100	62, 64, 72, 82	0
3	F	9/9 (100%)	0.32	0 100 100	68, 70, 77, 78	0
4	G	183/187 (97%)	0.52	17 (9%) 8 5	51, 76, 153, 160	0
4	I	178/187 (95%)	0.43	14 (7%) 12 6	55, 80, 154, 160	0
5	H	238/238 (100%)	0.25	3 (1%) 77 65	54, 96, 127, 140	0
5	J	232/238 (97%)	0.33	11 (4%) 31 19	56, 99, 134, 153	0
All	All	1554/1614 (96%)	0.39	71 (4%) 32 20	51, 93, 145, 170	0

All (71) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	184	PRO	4.4
1	C	185	PRO	4.4
4	I	120	VAL	3.6
4	I	119	ALA	3.5
4	G	129	SER	3.4
2	D	72	PRO	3.3
4	I	186	ASN	3.2
1	C	207	GLY	3.2
4	G	114	GLN	3.2
1	C	230	LEU	3.1
4	G	184	CYS	3.0
5	J	125	GLU	3.0
5	J	124	PHE	3.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	245	ALA	2.9
4	I	135	LEU	2.9
4	G	136	PHE	2.9
4	I	154	TYR	2.8
1	C	192	HIS	2.8
1	C	215	LEU	2.8
4	G	146	SER	2.7
2	D	99	MET	2.7
1	A	215	LEU	2.7
4	G	169	LYS	2.7
4	I	121	TYR	2.6
5	J	179	LEU	2.6
4	G	145	VAL	2.5
4	I	136	PHE	2.5
5	J	159	GLY	2.5
2	D	98	ASP	2.5
1	C	228	THR	2.4
4	G	130	ASP	2.4
5	J	193	SER	2.4
5	J	202	ASN	2.4
4	G	181	ASP	2.4
1	C	261	VAL	2.4
2	D	75	LYS	2.4
4	G	165	SER	2.4
1	C	216	THR	2.4
2	D	22	PHE	2.3
2	B	76	ASP	2.3
4	I	118	PRO	2.3
4	G	135	LEU	2.3
5	J	155	TRP	2.3
4	I	144	ASN	2.3
1	C	209	TYR	2.3
4	G	183	ALA	2.3
5	H	179	LEU	2.3
4	I	188	PHE	2.2
4	G	153	VAL	2.2
5	J	132	SER	2.2
4	G	120	VAL	2.2
5	J	194	ALA	2.2
2	D	77	GLU	2.2
1	A	249	VAL	2.2
5	H	140	VAL	2.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
4	G	180	SER	2.1
4	I	142	GLN	2.1
2	B	75	LYS	2.1
1	C	190	THR	2.1
4	I	54	ASN	2.1
4	I	187	ALA	2.1
1	A	267	PRO	2.1
4	G	118	PRO	2.1
5	J	201	ARG	2.1
1	A	91	GLY	2.1
2	B	1	ILE	2.1
5	H	132	SER	2.1
4	I	153	VAL	2.0
1	C	208	PHE	2.0
4	G	185	ALA	2.0
5	J	207	GLN	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.