



# Full wwPDB NMR Structure Validation Report ⓘ

Jul 29, 2024 – 11:19 pm BST

PDB ID : 6YFY  
BMRB ID : 34505  
Title : Solid-state NMR structure of the D-Arg4,L10-teixobactin - Lipid II complex in lipid bilayers.  
Authors : Weingarth, M.H.; Shukla, R.  
Deposited on : 2020-03-26

This is a Full wwPDB NMR Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/NMRValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.4, CSD as541be (2020)  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
wwPDB-RCI : v\_1n\_11\_5\_13\_A (Berjanski et al., 2005)  
PANAV : Wang et al. (2010)  
wwPDB-ShiftChecker : v1.2  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.37.1


# 1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:

*SOLID-STATE NMR*

The overall completeness of chemical shifts assignment is 10%.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	NMR archive (#Entries)
Clashscore	158937	12864
Ramachandran outliers	154571	11451
Sidechain outliers	154315	11428

The table below summarises the geometric issues observed across the polymeric chains and their fit to the experimental data. The red, orange, yellow and green segments indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A cyan segment indicates the fraction of residues that are not part of the well-defined cores, and a grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$

Mol	Chain	Length	Quality of chain
1	A	11	18% (green), 36% (yellow), 9% (orange), 36% (cyan)
1	B	11	55% (yellow), 9% (orange), 36% (cyan)
1	E	11	9% (green), 45% (yellow), 9% (orange), 36% (cyan)
1	F	11	9% (green), 27% (yellow), 64% (cyan)
3	I	2	50% (yellow), 50% (orange)
3	J	2	50% (yellow), 50% (orange)
3	K	2	50% (yellow), 50% (orange)
3	L	2	50% (yellow), 50% (orange)

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA and RNA chains that are outliers for geometric criteria:

Mol	Chain	Compound	Res	Total models with violations	
				Chirality	Geometry
3	I	MUB	1	26	-
3	J	MUB	1	26	-
3	K	MUB	1	26	-
3	L	MUB	1	26	-
3	K	NAG	2	1	-

## 2 Ensemble composition and analysis i

This entry contains 26 models. Model 1 is the overall representative, medoid model (most similar to other models).

The following residues are included in the computation of the global validation metrics.

Well-defined (core) protein residues			
Well-defined core	Residue range (total)	Backbone RMSD (Å)	Medoid model
1	A:2-A:3, A:6-A:7, A:9-A:11, B:2-B:3, B:6-B:7, B:9-B:11, E:2-E:3, E:6-E:7, E:9-E:11, F:2-F:3, F:6-F:7 (25)	1.72	1

Ill-defined regions of proteins are excluded from the global statistics.

Ligands and non-protein polymers are included in the analysis.

The models can be grouped into 5 clusters and 3 single-model clusters were found.

Cluster number	Models
1	1, 14, 17, 18, 22, 23
2	2, 8, 9, 11, 24, 26
3	5, 10, 12, 16, 20, 25
4	3, 4, 19
5	15, 21
Single-model clusters	6; 7; 13

### 3 Entry composition [i](#)

There are 5 unique types of molecules in this entry. The entry contains 1460 atoms, of which 756 are hydrogens and 0 are deuteriums.

- Molecule 1 is a protein called D-Arg4,Leu10-Teixobactin.

Mol	Chain	Residues	Atoms					Trace
1	A	11	Total	C	H	N	O	0
			187	59	100	14	14	
1	B	11	Total	C	H	N	O	0
			187	59	100	14	14	
1	E	11	Total	C	H	N	O	0
			187	59	100	14	14	
1	F	11	Total	C	H	N	O	0
			187	59	100	14	14	

- Molecule 2 is a protein (with D amino acids) called Lipid II.


Mol	Chain	Residues	Atoms					Trace
2	C	5	Total	C	H	N	O	0
			67	20	34	6	7	
2	D	5	Total	C	H	N	O	0
			67	20	34	6	7	
2	G	5	Total	C	H	N	O	0
			67	20	34	6	7	
2	H	5	Total	C	H	N	O	0
			67	20	34	6	7	

- Molecule 3 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-N-acetyl-alpha-muramic acid.




Mol	Chain	Residues	Atoms					Trace
3	I	2	Total	C	H	N	O	0
			63	19	30	2	12	
3	J	2	Total	C	H	N	O	0
			63	19	30	2	12	
3	K	2	Total	C	H	N	O	0
			63	19	30	2	12	
3	L	2	Total	C	H	N	O	0
			63	19	30	2	12	

- Molecule 4 is PHOSPHONATE (three-letter code: 2PO) (formula:  $\text{HO}_3\text{P}$ ).



Mol	Chain	Residues	Atoms		
			Total	O	P
4	A	1	4	3	1
4	A	1	4	3	1
4	B	1	4	3	1
4	B	1	4	3	1
4	E	1	4	3	1
4	E	1	4	3	1
4	F	1	4	3	1
4	F	1	4	3	1

- Molecule 5 is 3-methylbut-2-en-1-ol (three-letter code: P1W) (formula:  $\text{C}_5\text{H}_{10}\text{O}$ ).




Mol	Chain	Residues	Atoms		
5	A	1	Total	C	H
			13	5	8
5	A	1	Total	C	H
			13	5	8
5	A	1	Total	C	H
			14	5	9
5	A	1	Total	C	H
			13	5	8
5	A	1	Total	C	H
			14	5	9
5	B	1	Total	C	H
			13	5	8
5	E	1	Total	C	H
			13	5	8
5	F	1	Total	C	H
			13	5	8
5	F	1	Total	C	H
			14	5	9
5	F	1	Total	C	H
			13	5	8
5	F	1	Total	C	H
			13	5	8
5	F	1	Total	C	H
			14	5	9

## 4 Residue-property plots [i](#)

### 4.1 Average score per residue in the NMR ensemble

These plots are provided for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic is the same as shown in the summary in section 1 of this report. The second graphic shows the sequence where residues are colour-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outliers are shown as green connectors. Residues which are classified as ill-defined in the NMR ensemble, are shown in cyan with an underline colour-coded according to the previous scheme. Residues which were present in the experimental sample, but not modelled in the final structure are shown in grey.


- Molecule 1: D-Arg4,Leu10-Teixobactin



- Molecule 1: D-Arg4,Leu10-Teixobactin



- Molecule 1: D-Arg4,Leu10-Teixobactin



- Molecule 1: D-Arg4,Leu10-Teixobactin



- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-N-acetyl-alpha-muramic acid





- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-N-acetyl-alpha-muramic acid

Chain J: 

MUB1  
MAG2

- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-N-acetyl-alpha-muramic acid

Chain K: 

MUB1  
MAG2

- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-N-acetyl-alpha-muramic acid

Chain L: 


MUB1  
MAG2

## 4.2 Scores per residue for each member of the ensemble

Colouring as in section 4.1 above.


### 4.2.1 Score per residue for model 1 (medoid)

- Molecule 1: D-Arg4,Leu10-Teixobactin

Chain A: 

ZAE1  
I2  
S3  
R4  
28J5  
I6  
S7  
T8  
A9  
L10  
I11

- Molecule 1: D-Arg4,Leu10-Teixobactin

Chain B: 

ZAE1  
I2  
S3  
R4  
28J5  
I6  
S7  
T8  
A9  
L10  
I11

- Molecule 1: D-Arg4,Leu10-Teixobactin

Chain E: 




- Molecule 1: D-Arg4,Leu10-Teixobactin




- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-N-acetyl-alpha-muramic acid




- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-N-acetyl-alpha-muramic acid



- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-N-acetyl-alpha-muramic acid





- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-N-acetyl-alpha-muramic acid




#### 4.2.2 Score per residue for model 2

- Molecule 1: D-Arg4,Leu10-Teixobactin




- Molecule 1: D-Arg4,Leu10-Teixobactin

Chain B:  18% 27% 18% 36%



- Molecule 1: D-Arg4,Leu10-Teixobactin

Chain E:  18% 27% 18% 36%




- Molecule 1: D-Arg4,Leu10-Teixobactin

Chain F:  27% 9% 64%




- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-N-acetyl-alpha-muramic acid

Chain I:  50% 50%



- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-N-acetyl-alpha-muramic acid

Chain J:  50% 50%



- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-N-acetyl-alpha-muramic acid

Chain K:  50% 50%




- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-N-acetyl-alpha-muramic acid

Chain L:  50% 50%

MUB1  
MAG2

### 4.2.3 Score per residue for model 3

- Molecule 1: D-Arg4,Leu10-Teixobactin

Chain A: 

ZAE1  
I2 R4 28J5 I6 S7 T8 A9 L10 I11

- Molecule 1: D-Arg4,Leu10-Teixobactin

Chain B: 

ZAE1  
I2 S3 R4 28J5 I6 S7 T8 A9 L10 I11

- Molecule 1: D-Arg4,Leu10-Teixobactin

Chain E: 

ZAE1  
I2 S3 R4 28J5 I6 S7 T8 A9 L10 I11

- Molecule 1: D-Arg4,Leu10-Teixobactin

Chain F: 

ZAE1  
R4 28J5 I6 S7 T8 A9 L10 I11

- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-N-acetyl-alpha-muramic acid

Chain I: 

MUB1  
MAG2

- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-N-acetyl-alpha-muramic acid

Chain J: 


MUB1  
MAG2

- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-N-acetyl-alpha-muramic acid

Chain K: 




- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-N-acetyl-alpha-muramic acid


Chain L: 



#### 4.2.4 Score per residue for model 4

- Molecule 1: D-Arg4,Leu10-Teixobactin

Chain A: 




- Molecule 1: D-Arg4,Leu10-Teixobactin

Chain B: 



- Molecule 1: D-Arg4,Leu10-Teixobactin

Chain E: 




- Molecule 1: D-Arg4,Leu10-Teixobactin

Chain F: 




- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-N-acetyl-alpha-muramic acid

Chain I: 


MUB1  
MAG2

- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-N-acetyl-alpha-muramic acid

Chain J:  50% 50%

MUB1  
MAG2

- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-N-acetyl-alpha-muramic acid

Chain K:  50% 50%

MUB1  
MAG2


- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-N-acetyl-alpha-muramic acid

Chain L:  50% 50%

MUB1  
MAG2

#### 4.2.5 Score per residue for model 5

- Molecule 1: D-Arg4,Leu10-Teixobactin

Chain A:  27% 27% 9% 36%


ZAE1  
I2  
S3  
R4  
28J5  
I6  
T8  
A9  
L10  
I11

- Molecule 1: D-Arg4,Leu10-Teixobactin

Chain B:  45% 18% 36%

ZAE1  
I2  
S3  
R4  
28J5  
I6  
S7  
T8  
A9  
L10  
I11

- Molecule 1: D-Arg4,Leu10-Teixobactin

Chain E:  9% 36% 18% 36%

ZAE1  
I2  
S3  
R4  
28J5  
I6  
S7  
T8  
A9  
L10  
I11

- Molecule 1: D-Arg4,Leu10-Teixobactin

Chain F: 



- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-N-acetyl-alpha-muramic acid

Chain I: 



- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-N-acetyl-alpha-muramic acid

Chain J: 



- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-N-acetyl-alpha-muramic acid

Chain K: 



- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-N-acetyl-alpha-muramic acid

Chain L: 




#### 4.2.6 Score per residue for model 6

- Molecule 1: D-Arg4,Leu10-Teixobactin

Chain A: 




- Molecule 1: D-Arg4,Leu10-Teixobactin

Chain B:  27% 36% 36%




- Molecule 1: D-Arg4,Leu10-Teixobactin

Chain E:  55% 9% 36%




- Molecule 1: D-Arg4,Leu10-Teixobactin

Chain F:  18% 9% 9% 64%




- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-N-acetyl-alpha-muramic acid

Chain I:  50% 50%



- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-N-acetyl-alpha-muramic acid

Chain J:  50% 50%



- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-N-acetyl-alpha-muramic acid

Chain K:  50% 50%



- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-N-acetyl-alpha-muramic acid


Chain L:  50% 50%






### 4.2.7 Score per residue for model 7


- Molecule 1: D-Arg4,Leu10-Teixobactin




- Molecule 1: D-Arg4,Leu10-Teixobactin



- Molecule 1: D-Arg4,Leu10-Teixobactin



- Molecule 1: D-Arg4,Leu10-Teixobactin



- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-N-acetyl-alpha-muramic acid



- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-N-acetyl-alpha-muramic acid



- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-N-acetyl-alpha-muramic acid



KUB1  
MAG2

- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-N-acetyl-alpha-muramic acid

Chain L:  50% 50%

KUB1  
MAG2

#### 4.2.8 Score per residue for model 8

- Molecule 1: D-Arg4,Leu10-Teixobactin

Chain A:  18% 18% 27% 36%

ZAE1  
I2 S3 R4 28J5 I6 S7 T8 A9 L10 I11

- Molecule 1: D-Arg4,Leu10-Teixobactin

Chain B:  9% 18% 36% 36%

ZAE1  
I2 S3 R4 28J5 I6 S7 T8 A9 L10 I11

- Molecule 1: D-Arg4,Leu10-Teixobactin

Chain E:  9% 36% 18% 36%

ZAE1  
I2 S3 R4 28J5 I6 S7 T8 A9 L10 I11

- Molecule 1: D-Arg4,Leu10-Teixobactin

Chain F:  18% 18% 64%

ZAE1  
I2 S3 R4 28J5 I6 S7 T8 A9 L10 I11

- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-N-acetyl-alpha-muramic acid

Chain I:  50% 50%


KUB1  
MAG2

- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-N-acetyl-alpha-muramic acid

Chain J: 

MUB1  
MAG2

- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-N-acetyl-alpha-muramic acid

Chain K: 

MUB1  
MAG2


- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-N-acetyl-alpha-muramic acid

Chain L: 

MUB1  
MAG2

#### 4.2.9 Score per residue for model 9

- Molecule 1: D-Arg4,Leu10-Teixobactin

Chain A: 


ZAE1  
I2  
S3  
R4  
28J5  
I6  
S7  
T8  
A9  
L10  
I11

- Molecule 1: D-Arg4,Leu10-Teixobactin

Chain B: 

ZAE1  
I2  
S3  
R4  
28J5  
I6  
S7  
T8  
A9  
L10  
I11

- Molecule 1: D-Arg4,Leu10-Teixobactin

Chain E: 


ZAE1  
I2  
S3  
R4  
28J5  
I6  
S7  
T8  
A9  
L10  
I11

- Molecule 1: D-Arg4,Leu10-Teixobactin

Chain F: 



- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-N-acetyl-alpha-muramic acid



- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-N-acetyl-alpha-muramic acid



- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-N-acetyl-alpha-muramic acid



- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-N-acetyl-alpha-muramic acid



#### 4.2.10 Score per residue for model 10


- Molecule 1: D-Arg4,Leu10-Teixobactin



- Molecule 1: D-Arg4,Leu10-Teixobactin



- Molecule 1: D-Arg4,Leu10-Teixobactin

Chain E: 



- Molecule 1: D-Arg4,Leu10-Teixobactin

Chain F: 



- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-N-acetyl-alpha-muramic acid

Chain I: 



- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-N-acetyl-alpha-muramic acid

Chain J: 



- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-N-acetyl-alpha-muramic acid

Chain K: 



- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-N-acetyl-alpha-muramic acid

Chain L: 




#### 4.2.11 Score per residue for model 11



- Molecule 1: D-Arg4,Leu10-Teixobactin



- Molecule 1: D-Arg4,Leu10-Teixobactin




- Molecule 1: D-Arg4,Leu10-Teixobactin




- Molecule 1: D-Arg4,Leu10-Teixobactin




- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-N-acetyl-alpha-muramic acid



- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-N-acetyl-alpha-muramic acid



- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-N-acetyl-alpha-muramic acid




- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-N-acetyl-alpha-muramic acid

Chain L: 



#### 4.2.12 Score per residue for model 12


- Molecule 1: D-Arg4,Leu10-Teixobactin

Chain A: 



- Molecule 1: D-Arg4,Leu10-Teixobactin

Chain B: 



- Molecule 1: D-Arg4,Leu10-Teixobactin

Chain E: 




- Molecule 1: D-Arg4,Leu10-Teixobactin

Chain F: 



- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-N-acetyl-alpha-muramic acid

Chain I: 



- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-N-acetyl-alpha-muramic acid

Chain J: 


MUB1  
MAG2

- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-N-acetyl-alpha-muramic acid

Chain K:  100%

MUB1  
MAG2

- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-N-acetyl-alpha-muramic acid

Chain L:  50%

MUB1  
MAG2

#### 4.2.13 Score per residue for model 13

- Molecule 1: D-Arg4,Leu10-Teixobactin

Chain A:  9% 45% 9% 36%

ZAE1  
I2  
S3  
R4  
28J5  
I6  
S7  
T8  
A9  
L10  
I11

- Molecule 1: D-Arg4,Leu10-Teixobactin

Chain B:  9% 36% 18% 36%

ZAE1  
I2  
S3  
R4  
28J5  
I6  
S7  
T8  
A9  
L10  
I11

- Molecule 1: D-Arg4,Leu10-Teixobactin

Chain E:  18% 36% 9% 36%

ZAE1  
I2  
S3  
R4  
28J5  
I6  
S7  
T8  
A9  
L10  
I11

- Molecule 1: D-Arg4,Leu10-Teixobactin

Chain F:  18% 18% 64%

ZAE1  
I2  
S3  
R4  
28J5  
I6  
S7  
T8  
A9  
L10  
I11



- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-N-acetyl-alpha-muramic acid

Chain I:  100%

MUB1  
MAG2

- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-N-acetyl-alpha-muramic acid

Chain J:  50% 50%

MUB1  
MAG2

- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-N-acetyl-alpha-muramic acid

Chain K:  50% 50%

MUB1  
MAG2


- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-N-acetyl-alpha-muramic acid

Chain L:  100%

MUB1  
MAG2

#### 4.2.14 Score per residue for model 14

- Molecule 1: D-Arg4,Leu10-Teixobactin

Chain A:  18% 45% 36%


ZAE1  
I2 S3 R4 28J5 I6 S7 T6 A9 L10 I11

- Molecule 1: D-Arg4,Leu10-Teixobactin


Chain B:  9% 36% 18% 36%

ZAE1  
I2 S3 R4 28J5 I6 S7 T6 A9 L10 I11

- Molecule 1: D-Arg4,Leu10-Teixobactin



- Molecule 1: D-Arg4,Leu10-Teixobactin




- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-N-acetyl-alpha-muramic acid



- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-N-acetyl-alpha-muramic acid



- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-N-acetyl-alpha-muramic acid




- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-N-acetyl-alpha-muramic acid



#### 4.2.15 Score per residue for model 15

- Molecule 1: D-Arg4,Leu10-Teixobactin






- Molecule 1: D-Arg4,Leu10-Teixobactin



- Molecule 1: D-Arg4,Leu10-Teixobactin



- Molecule 1: D-Arg4,Leu10-Teixobactin



- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-N-acetyl-alpha-muramic acid




- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-N-acetyl-alpha-muramic acid



- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-N-acetyl-alpha-muramic acid




- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-N-acetyl-alpha-muramic acid

Chain L:  50% 50%

MUB1  
MAG2

#### 4.2.16 Score per residue for model 16

- Molecule 1: D-Arg4,Leu10-Teixobactin

Chain A:  27% 27% 9% 36%

ZAE1  
I2  
S3  
R4  
28J5  
I6  
S7  
T8  
A9  
L10  
I11

- Molecule 1: D-Arg4,Leu10-Teixobactin

Chain B:  55% 9% 36%

ZAE1  
I2  
S3  
R4  
28J5  
I6  
S7  
T8  
A9  
L10  
I11

- Molecule 1: D-Arg4,Leu10-Teixobactin

Chain E:  9% 45% 9% 36%

ZAE1  
I2  
S3  
R4  
28J5  
I6  
S7  
T8  
A9  
L10  
I11

- Molecule 1: D-Arg4,Leu10-Teixobactin

Chain F:  27% 9% 64%

ZAE1  
I2  
S3  
R4  
28J5  
I6  
S7  
T8  
A9  
L10  
I11

- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-N-acetyl-alpha-muramic acid

Chain I:  50% 50%


MUB1  
MAG2

- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-N-acetyl-alpha-muramic acid

Chain J:  50% 50%

KUB1  
MAG2

- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-N-acetyl-alpha-muramic acid

Chain K:  50% 50%

KUB1  
MAG2

- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-N-acetyl-alpha-muramic acid

Chain L:  50% 50%

KUB1  
MAG2

#### 4.2.17 Score per residue for model 17

- Molecule 1: D-Arg4,Leu10-Teixobactin

Chain A:  45% 9% 9% 36%


ZAE1  
I2  
R4  
S3  
R4  
28J5  
I6  
S7  
T8  
A9  
L10  
I11

- Molecule 1: D-Arg4,Leu10-Teixobactin

Chain B:  9% 55% 36%

ZAE1  
I2  
S3  
R4  
28J5  
I6  
S7  
T8  
A9  
L10  
I11

- Molecule 1: D-Arg4,Leu10-Teixobactin

Chain E:  27% 27% 9% 36%

ZAE1  
I2  
S3  
R4  
28J5  
I6  
S7  
T8  
A9  
L10  
I11

- Molecule 1: D-Arg4,Leu10-Teixobactin

Chain F:  18% 9% 9% 64%

ZAE1  
I2  
R4  
S3  
R4  
28J5  
I6  
S7  
T8  
A9  
L10  
I11

- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-N-acetyl-alpha-muramic acid

Chain I: 

MUB1  
MAG2

- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-N-acetyl-alpha-muramic acid

Chain J: 

MUB1  
MAG2

- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-N-acetyl-alpha-muramic acid

Chain K: 

MUB1  
MAG2

- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-N-acetyl-alpha-muramic acid

Chain L: 

MUB1  
MAG2

#### 4.2.18 Score per residue for model 18

- Molecule 1: D-Arg4,Leu10-Teixobactin

Chain A: 



ZAE1  
I2  
S3  
R4  
28J5  
I6  
S7  
T6  
A9  
L10  
I11

- Molecule 1: D-Arg4,Leu10-Teixobactin

Chain B: 

ZAE1  
I2  
S3  
R4  
28J5  
I6  
S7  
T6  
A9  
L10  
I11


- Molecule 1: D-Arg4,Leu10-Teixobactin



- Molecule 1: D-Arg4,Leu10-Teixobactin




- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-N-acetyl-alpha-muramic acid



- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-N-acetyl-alpha-muramic acid



- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-N-acetyl-alpha-muramic acid




- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-N-acetyl-alpha-muramic acid





#### 4.2.19 Score per residue for model 19

- Molecule 1: D-Arg4,Leu10-Teixobactin






- Molecule 1: D-Arg4,Leu10-Teixobactin



- Molecule 1: D-Arg4,Leu10-Teixobactin




- Molecule 1: D-Arg4,Leu10-Teixobactin




- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-N-acetyl-alpha-muramic acid



- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-N-acetyl-alpha-muramic acid




- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-N-acetyl-alpha-muramic acid



- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-N-acetyl-alpha-muramic acid




Chain L:  50% 50%

MUB1  
NAG2


#### 4.2.20 Score per residue for model 20

- Molecule 1: D-Arg4,Leu10-Teixobactin

Chain A:  18% 36% 9% 36%

ZAE1  
R4  
28J5  
I6  
S7  
T8  
A9  
L10  
I11

- Molecule 1: D-Arg4,Leu10-Teixobactin

Chain B:  9% 36% 18% 36%

ZAE1  
I2  
S3  
R4  
28J5  
I6  
S7  
T8  
A9  
L10  
I11

- Molecule 1: D-Arg4,Leu10-Teixobactin

Chain E:  9% 36% 18% 36%

ZAE1  
I2  
S3  
R4  
28J5  
I6  
S7  
T8  
A9  
L10  
I11

- Molecule 1: D-Arg4,Leu10-Teixobactin

Chain F:  27% 9% 64%


ZAE1  
I2  
S3  
R4  
28J5  
T8  
A9  
L10  
I11

- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-N-acetyl-alpha-muramic acid

Chain I:  50% 50%

MUB1  
NAG2

- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-N-acetyl-alpha-muramic acid

Chain J:  50% 50%

KUB1  
MAG2

- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-N-acetyl-alpha-muramic acid

Chain K:  100%

KUB1  
MAG2

- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-N-acetyl-alpha-muramic acid

Chain L:  50%

KUB1  
MAG2

#### 4.2.21 Score per residue for model 21

- Molecule 1: D-Arg4,Leu10-Teixobactin

Chain A:  18% 36% 9% 36%

ZAE1  
I2  
S3  
R4  
28J5  
I6  
S7  
T8  
A9  
L10  
I11

- Molecule 1: D-Arg4,Leu10-Teixobactin

Chain B:  9% 55% 36%

ZAE1  
I2  
S3  
R4  
28J5  
I6  
S7  
T8  
A9  
L10  
I11

- Molecule 1: D-Arg4,Leu10-Teixobactin

Chain E:  9% 36% 18% 36%

ZAE1  
I2  
S3  
R4  
28J5  
I6  
S7  
T8  
A9  
L10  
I11

- Molecule 1: D-Arg4,Leu10-Teixobactin

Chain F:  9% 27% 64%


ZAE1  
I2  
S3  
R4  
28J5  
I6  
S7  
T8  
A9  
L10  
I11

- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-N-acetyl-alpha-muramic acid

Chain I:  50% 50%

MUB1  
MAG2

- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-N-acetyl-alpha-muramic acid

Chain J:  50% 50%


MUB1  
MAG2

- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-N-acetyl-alpha-muramic acid

Chain K:  50% 50%

MUB1  
MAG2

- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-N-acetyl-alpha-muramic acid

Chain L:  50% 50%

MUB1  
MAG2

#### 4.2.22 Score per residue for model 22

- Molecule 1: D-Arg4,Leu10-Teixobactin

Chain A:  45% 9% 9% 36%


ZAE1  
R4  
28J5  
I6  
S7  
T8  
A9  
L10  
I11

- Molecule 1: D-Arg4,Leu10-Teixobactin

Chain B:  9% 36% 18% 36%

ZAE1  
I2  
S3  
R4  
28J5  
I6  
S7  
T8  
A9  
L10  
I11


- Molecule 1: D-Arg4,Leu10-Teixobactin

Chain E: 




- Molecule 1: D-Arg4,Leu10-Teixobactin

Chain F: 



- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-N-acetyl-alpha-muramic acid

Chain I: 




- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-N-acetyl-alpha-muramic acid

Chain J: 



- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-N-acetyl-alpha-muramic acid

Chain K: 



- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-N-acetyl-alpha-muramic acid

Chain L: 





#### 4.2.23 Score per residue for model 23

- Molecule 1: D-Arg4,Leu10-Teixobactin

Chain A: 



- Molecule 1: D-Arg4,Leu10-Teixobactin



- Molecule 1: D-Arg4,Leu10-Teixobactin



- Molecule 1: D-Arg4,Leu10-Teixobactin




- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-N-acetyl-alpha-muramic acid




- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-N-acetyl-alpha-muramic acid



- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-N-acetyl-alpha-muramic acid




- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-N-acetyl-alpha-muramic acid

Chain L:  50% 50%

  
MUB1  
MAG2

#### 4.2.24 Score per residue for model 24

- Molecule 1: D-Arg4,Leu10-Teixobactin

Chain A:  18% 36% 9% 36%


  
ZAE1  
R4  
28J5  
I6  
S7  
T8  
A9  
L10  
I11

- Molecule 1: D-Arg4,Leu10-Teixobactin

Chain B:  45% 18% 36%

  
ZAE1  
I2  
S3  
R4  
28J5  
I6  
S7  
T8  
A9  
L10  
I11

- Molecule 1: D-Arg4,Leu10-Teixobactin

Chain E:  27% 27% 9% 36%

  
ZAE1  
R4  
28J5  
I6  
S7  
T8  
A9  
L10  
I11

- Molecule 1: D-Arg4,Leu10-Teixobactin

Chain F:  18% 9% 9% 64%

  
ZAE1  
R4  
28J5  
I6  
S7  
T8  
A9  
L10  
I11

- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-N-acetyl-alpha-muramic acid

Chain I:  50% 50%

  
MUB1  
MAG2

- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-N-acetyl-alpha-muramic acid

Chain J:  100%


KUB1  
MAG2

- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-N-acetyl-alpha-muramic acid

Chain K:  100%

KUB1  
MAG2


- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-N-acetyl-alpha-muramic acid

Chain L:  50%

KUB1  
MAG2


#### 4.2.25 Score per residue for model 25


- Molecule 1: D-Arg4,Leu10-Teixobactin

Chain A:  36% 18% 9% 36%



- Molecule 1: D-Arg4,Leu10-Teixobactin

Chain B:  27% 27% 9% 36%



- Molecule 1: D-Arg4,Leu10-Teixobactin

Chain E:  9% 36% 18% 36%



- Molecule 1: D-Arg4,Leu10-Teixobactin

Chain F:  27% 9% 64%




- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-N-acetyl-alpha-muramic acid

Chain I:  50% 50%

MUB1  
MAG2

- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-N-acetyl-alpha-muramic acid

Chain J:  50% 50%


MUB1  
MAG2

- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-N-acetyl-alpha-muramic acid

Chain K:  50% 50%

MUB1  
MAG2

- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-N-acetyl-alpha-muramic acid

Chain L:  50% 50%

MUB1  
MAG2

#### 4.2.26 Score per residue for model 26

- Molecule 1: D-Arg4,Leu10-Teixobactin

Chain A:  36% 18% 9% 36%

ZAE1  
I2  
S3  
R4  
28J5  
I6  
S7  
T6  
A9  
L10  
I11

- Molecule 1: D-Arg4,Leu10-Teixobactin


Chain B:  27% 36% 36%

ZAE1  
I2  
S3  
R4  
28J5  
I6  
S7  
T6  
A9  
L10  
I11

- Molecule 1: D-Arg4,Leu10-Teixobactin




Chain E:  36% 27% 36%



- Molecule 1: D-Arg4,Leu10-Teixobactin

Chain F:  18% 9% 9% 64%



- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-N-acetyl-alpha-muramic acid

Chain I:  50% 50%




- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-N-acetyl-alpha-muramic acid

Chain J:  50% 50%



- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-N-acetyl-alpha-muramic acid

Chain K:  50% 50%



- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-N-acetyl-alpha-muramic acid

Chain L:  50% 50%



## 5 Refinement protocol and experimental data overview

The models were refined using the following method: *torsion angle dynamics*.

Of the 26 calculated structures, 26 were deposited, based on the following criterion: *all calculated structures submitted*.

The following table shows the software used for structure solution, optimisation and refinement.

Software name	Classification	Version
CNS	refinement	
HADDOCK	structure calculation	

The following table shows chemical shift validation statistics as aggregates over all chemical shift files. Detailed validation can be found in section 7 of this report.

Chemical shift file(s)	working_cs.cif
Number of chemical shift lists	2
Total number of shifts	70
Number of shifts mapped to atoms	70
Number of unparsed shifts	0
Number of shifts with mapping errors	0
Number of shifts with mapping warnings	0
Assignment completeness (well-defined parts)	10%

Note: This is a solid-state NMR structure, where hydrogen atoms are typically not assigned a chemical shift value, which may lead to lower completeness of assignment measure.

## 6 Model quality i

### 6.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: MUB, 2PO, DGL, DAL, P1W, 28J, DAR, NAG, ZAE, DTH

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the (average) root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	#Z>5	RMSZ	#Z>5
1	A	0.60±0.16	0±0/46 ( 0.2± 0.6%)	0.78±0.15	0±0/58 ( 0.0± 0.0%)
1	B	0.74±0.12	0±0/46 ( 0.0± 0.0%)	0.95±0.09	0±0/58 ( 0.1± 0.3%)
1	E	0.76±0.13	0±0/46 ( 0.0± 0.0%)	0.95±0.13	0±0/58 ( 0.1± 0.3%)
1	F	0.58±0.09	0±0/26 ( 0.0± 0.0%)	0.68±0.09	0±0/32 ( 0.0± 0.0%)
2	C	1.71±0.20	0±0/12 ( 0.0± 0.0%)	2.77±0.16	1±0/12 ( 8.3± 0.0%)
2	D	1.72±0.21	0±0/12 ( 0.0± 0.0%)	2.77±0.16	1±0/12 ( 8.3± 0.0%)
2	G	1.72±0.16	0±0/12 ( 0.0± 0.0%)	2.76±0.21	1±0/12 ( 8.0± 1.6%)
2	H	1.74±0.21	0±0/12 ( 0.0± 0.0%)	2.73±0.24	1±0/12 ( 8.3± 0.0%)
All	All	1.03	2/5512 ( 0.0%)	1.44	105/6604 ( 1.6%)

All unique bond outliers are listed below.

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)	Models	
								Worst	Total
1	A	9	ALA	N-CA	-6.10	1.34	1.46	11	2

All unique angle outliers are listed below. They are sorted according to the Z-score of the worst occurrence in the ensemble.

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)	Models	
								Worst	Total
2	C	3	LYS	CD-CE-NZ	8.69	131.69	111.70	21	26
2	D	3	LYS	CD-CE-NZ	8.46	131.16	111.70	11	26
2	G	3	LYS	CD-CE-NZ	8.44	131.11	111.70	11	25
2	H	3	LYS	CD-CE-NZ	8.44	131.11	111.70	11	26
1	E	9	ALA	CB-CA-C	5.03	117.64	110.10	11	1
1	B	9	ALA	N-CA-CB	-5.02	103.07	110.10	6	1

There are no chirality outliers.

There are no planarity outliers.

## 6.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in each chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes averaged over the ensemble.

Mol	Chain	Non-H	H(model)	H(added)	Clashes
1	A	49	59	59	9±4
1	B	49	59	59	13±4
1	E	49	59	59	12±4
1	F	28	32	32	3±2
2	C	33	34	30	5±2
2	D	33	34	32	5±2
2	G	33	34	30	4±2
2	H	33	34	30	4±2
3	I	33	30	28	8±2
3	J	33	30	29	8±3
3	K	33	30	29	10±4
3	L	33	30	28	6±2
4	A	8	0	0	3±3
4	B	8	0	0	6±2
4	E	8	0	0	5±2
4	F	8	0	0	2±1
5	B	5	8	0	1±1
5	A	25	42	0	1±1
5	E	5	8	0	0±1
5	F	25	42	0	0±1
All	All	13806	14690	11522	1827

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 72.

All unique clashes are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
2:D:4:DAL:CA	2:D:4:DAL:CB	1.63	1.74	4	1
2:H:4:DAL:CA	2:H:4:DAL:CB	1.62	1.74	4	1
2:C:4:DAL:CA	2:C:4:DAL:CB	1.62	1.74	4	1
2:G:4:DAL:CA	2:G:4:DAL:CB	1.58	1.74	4	1
1:E:9:ALA:HB3	4:E:102:2PO:O3P	1.14	1.41	26	2
2:H:2:DGL:HA	3:L:2:NAG:H2	1.10	1.20	23	2
1:E:9:ALA:HB3	4:E:101:2PO:O3P	1.09	1.48	11	3
3:I:1:MUB:H111	3:I:1:MUB:H2	1.08	1.22	20	1

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
3:L:1:MUB:O7	3:L:1:MUB:H3	1.07	1.49	10	26
1:E:10:LEU:HD13	1:E:10:LEU:H	1.05	1.04	9	4
1:B:9:ALA:HB3	4:B:102:2PO:O3P	1.05	1.49	26	3
2:G:2:DGL:HA	3:K:2:NAG:H2	1.04	1.06	7	2
1:B:10:LEU:H	1:B:10:LEU:HD13	1.03	1.11	6	4
3:J:1:MUB:O7	3:J:1:MUB:H3	1.02	1.51	13	26
3:I:1:MUB:O7	3:I:1:MUB:H3	1.02	1.49	8	26
1:B:10:LEU:HD21	3:J:1:MUB:H81	0.99	1.33	24	3
1:E:9:ALA:HB2	4:E:102:2PO:O3P	0.99	1.55	22	2
3:K:1:MUB:O7	3:K:1:MUB:H3	0.98	1.56	10	25
1:A:9:ALA:HB3	4:A:101:2PO:O3P	0.98	1.56	15	6
1:E:10:LEU:HD22	4:E:102:2PO:O3P	0.98	1.59	4	1
2:H:2:DGL:HA	3:L:2:NAG:C2	0.97	1.89	18	2
2:G:2:DGL:CA	3:K:2:NAG:H2	0.95	1.90	22	2
1:B:10:LEU:HD11	4:B:101:2PO:O3P	0.94	1.61	20	1
2:G:4:DAL:CB	2:G:4:DAL:HA	0.92	1.95	4	1
1:E:7:SER:HA	4:E:101:2PO:O3P	0.92	1.64	3	4
1:A:10:LEU:HD11	3:I:1:MUB:H1	0.91	1.41	8	2
1:A:9:ALA:HB2	4:A:101:2PO:O3P	0.91	1.64	20	1
1:A:10:LEU:HD13	1:A:10:LEU:H	0.91	1.22	24	5
1:A:7:SER:HA	4:A:101:2PO:O3P	0.91	1.65	21	2
1:E:10:LEU:HD22	4:E:101:2PO:P	0.91	2.05	23	2
2:C:4:DAL:CB	2:C:4:DAL:HA	0.91	1.96	4	1
1:A:10:LEU:HD21	3:I:1:MUB:H1	0.91	1.41	24	1
2:C:1:ALA:O	2:C:2:DGL:HG3	0.91	1.65	15	17
1:A:6:ILE:HB	1:B:2:ILE:HD11	0.91	1.42	4	3
2:G:2:DGL:HA	3:K:2:NAG:C2	0.91	1.94	7	1
2:H:4:DAL:CB	2:H:4:DAL:HA	0.90	1.95	4	1
2:D:4:DAL:CB	2:D:4:DAL:HA	0.90	1.95	4	1
1:A:9:ALA:HB3	1:A:10:LEU:HD13	0.89	1.43	7	3
2:D:3:LYS:HE3	2:D:3:LYS:HA	0.89	1.43	12	2
1:A:10:LEU:HD21	3:I:1:MUB:H62	0.89	1.43	4	1
1:B:9:ALA:HB2	4:B:102:2PO:P	0.89	2.07	2	2
1:B:9:ALA:CB	4:B:101:2PO:O3P	0.89	2.21	24	6
2:G:1:ALA:O	2:G:2:DGL:HG3	0.88	1.68	13	15
4:E:102:2PO:O3P	3:K:1:MUB:O1	0.88	1.83	25	2
1:A:6:ILE:O	3:I:1:MUB:H62	0.86	1.69	19	1
2:D:1:ALA:N	3:J:1:MUB:H4A	0.86	1.86	9	10
1:A:10:LEU:HD23	3:I:1:MUB:H61	0.86	1.46	26	1
1:B:10:LEU:HD21	3:J:1:MUB:H1	0.85	1.48	3	1
1:A:10:LEU:HD21	3:I:1:MUB:H81	0.85	1.46	20	1

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:B:10:LEU:HD23	1:B:11:ILE:HG23	0.85	1.48	16	1
1:A:10:LEU:HD22	4:A:101:2PO:P	0.85	2.12	10	1
2:C:2:DGL:O	3:I:2:NAG:H2	0.85	1.72	26	2
1:A:10:LEU:HD23	4:A:101:2PO:O3P	0.84	1.71	6	2
1:E:9:ALA:HB2	4:E:101:2PO:O3P	0.84	1.70	7	3
1:E:9:ALA:HB3	4:E:101:2PO:O2P	0.84	1.72	20	1
1:B:10:LEU:HB3	3:J:1:MUB:H82	0.84	1.50	5	1
1:B:10:LEU:HD13	4:B:102:2PO:O3P	0.83	1.73	22	1
1:B:7:SER:HA	4:B:101:2PO:O3P	0.83	1.74	16	2
2:H:1:ALA:O	2:H:2:DGL:HG3	0.83	1.73	6	15
3:L:1:MUB:O6	3:L:1:MUB:H1	0.83	1.73	18	10
1:A:9:ALA:HA	3:K:1:MUB:H83	0.83	1.49	20	1
5:E:103:P1W:C5	3:K:1:MUB:H61	0.82	2.03	4	1
2:D:1:ALA:O	2:D:2:DGL:HG3	0.82	1.73	12	20
4:A:102:2PO:O3P	3:I:1:MUB:O1	0.82	1.96	5	3
1:E:7:SER:HA	4:E:102:2PO:O3P	0.82	1.75	23	3
1:B:10:LEU:HD13	4:B:101:2PO:O3P	0.82	1.74	1	3
1:B:10:LEU:CD1	3:J:1:MUB:H1	0.82	2.03	16	1
2:G:2:DGL:O	3:K:2:NAG:H2	0.82	1.74	1	1
1:E:9:ALA:HB3	1:E:10:LEU:HD13	0.82	1.50	3	5
3:K:1:MUB:H111	3:K:1:MUB:H2	0.81	1.52	22	3
1:B:10:LEU:HD13	4:B:102:2PO:O2P	0.81	1.75	17	2
1:A:10:LEU:HD13	1:A:10:LEU:N	0.81	1.91	2	10
2:H:2:DGL:O	3:L:2:NAG:H2	0.81	1.74	12	2
2:C:1:ALA:N	3:I:1:MUB:H4A	0.81	1.91	9	11
1:E:10:LEU:HD13	1:E:10:LEU:N	0.81	1.88	9	10
1:B:9:ALA:HB3	4:B:101:2PO:P	0.81	2.16	19	4
4:E:101:2PO:O3P	3:K:1:MUB:O5	0.81	1.99	10	1
1:B:10:LEU:HD12	1:B:11:ILE:N	0.80	1.90	19	6
3:K:1:MUB:O7	3:K:1:MUB:C3	0.80	2.29	15	24
1:B:10:LEU:HD21	3:J:1:MUB:H62	0.80	1.52	10	3
1:B:10:LEU:HD21	3:J:1:MUB:C1	0.80	2.07	3	1
1:B:10:LEU:HD21	4:B:101:2PO:O3P	0.80	1.76	26	1
1:E:10:LEU:HD11	3:K:1:MUB:C6	0.79	2.07	10	3
1:B:9:ALA:CB	4:B:102:2PO:P	0.79	2.70	2	3
1:B:10:LEU:HD13	1:B:11:ILE:HG23	0.79	1.54	19	2
1:E:10:LEU:H	1:E:10:LEU:CD1	0.79	1.90	9	1
1:B:10:LEU:HD13	1:B:10:LEU:N	0.79	1.93	15	8
1:A:10:LEU:HD11	4:A:101:2PO:O1P	0.79	1.77	2	1
1:B:7:SER:HA	4:B:102:2PO:O3P	0.78	1.77	6	3
3:L:1:MUB:H111	3:L:1:MUB:H2	0.78	1.54	20	1

Continued on next page...

*Continued from previous page...*

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:E:9:ALA:CB	4:E:102:2PO:O3P	0.78	2.28	26	2
3:J:1:MUB:H5	3:J:2:NAG:H2	0.77	1.55	9	1
3:L:1:MUB:O7	3:L:1:MUB:C3	0.77	2.32	10	18
1:B:9:ALA:HB2	4:B:101:2PO:O3P	0.77	1.79	24	5
1:E:10:LEU:HD13	4:E:101:2PO:O3P	0.77	1.78	14	2
3:I:1:MUB:O6	3:I:1:MUB:H1	0.77	1.79	9	8
1:A:10:LEU:HD13	4:A:101:2PO:O3P	0.76	1.80	9	4
1:B:10:LEU:HD22	4:B:102:2PO:O2P	0.76	1.80	15	3
1:A:10:LEU:HD11	3:I:1:MUB:N2	0.76	1.95	20	1
1:B:9:ALA:HB3	4:B:102:2PO:P	0.76	2.19	21	4
1:E:10:LEU:HD22	4:E:101:2PO:O1P	0.76	1.80	12	2
1:E:9:ALA:HB2	3:K:1:MUB:O1	0.76	1.81	21	2
1:E:10:LEU:HD21	3:K:1:MUB:H2	0.75	1.55	18	2
2:D:1:ALA:O	3:J:1:MUB:H61	0.75	1.80	9	1
1:F:7:SER:HA	4:F:104:2PO:O3P	0.75	1.80	6	4
1:E:10:LEU:HD21	3:K:1:MUB:H62	0.75	1.59	6	1
1:E:10:LEU:HD21	4:E:101:2PO:O1P	0.75	1.82	9	2
1:E:9:ALA:HB3	4:E:101:2PO:P	0.75	2.22	20	4
3:L:1:MUB:H5	3:L:2:NAG:O5	0.74	1.82	5	21
1:B:10:LEU:CD2	4:B:101:2PO:O3P	0.74	2.36	26	1
1:E:10:LEU:HD11	3:K:1:MUB:HN2	0.74	1.41	3	1
1:A:10:LEU:HG	4:A:101:2PO:O3P	0.74	1.81	15	1
1:A:10:LEU:CD2	3:I:1:MUB:H62	0.73	2.12	4	2
3:J:1:MUB:H5	3:J:2:NAG:O5	0.73	1.83	16	20
1:A:9:ALA:HB3	4:A:102:2PO:O3P	0.73	1.82	8	2
3:I:1:MUB:H111	3:I:1:MUB:C2	0.73	2.07	20	1
1:B:9:ALA:HB3	4:B:101:2PO:O1P	0.73	1.83	14	2
4:B:102:2PO:O3P	3:J:1:MUB:O1	0.73	2.06	11	3
1:A:9:ALA:HB3	5:A:103:P1W:C1	0.73	2.13	19	2
3:J:1:MUB:H111	3:J:1:MUB:H2	0.73	1.61	17	1
1:A:10:LEU:N	1:A:10:LEU:CD1	0.72	2.51	10	12
1:A:9:ALA:CB	4:A:101:2PO:O3P	0.72	2.37	20	2
1:B:9:ALA:HB3	4:B:101:2PO:O2P	0.72	1.84	18	2
3:K:1:MUB:H5	3:K:2:NAG:O5	0.72	1.84	23	20
1:B:10:LEU:HD23	3:J:1:MUB:HN2	0.72	1.43	19	1
1:A:7:SER:HA	4:A:102:2PO:P	0.71	2.24	11	4
1:E:10:LEU:HD22	1:E:11:ILE:N	0.71	2.01	9	2
2:H:2:DGL:CD	3:L:2:NAG:H2	0.71	2.16	24	4
2:D:2:DGL:C	3:J:2:NAG:H2	0.71	2.16	23	1
3:J:1:MUB:H2	3:J:1:MUB:C11	0.71	2.15	17	4
3:J:1:MUB:O6	3:J:1:MUB:H1	0.70	1.85	9	9

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:E:9:ALA:HB3	4:E:101:2PO:O1P	0.70	1.86	19	4
3:I:1:MUB:O7	3:I:1:MUB:C3	0.70	2.39	11	21
3:I:1:MUB:H5	3:I:2:NAG:C2	0.70	2.11	9	1
2:C:1:ALA:N	3:I:1:MUB:C4	0.70	2.54	18	14
1:E:10:LEU:HD11	3:K:1:MUB:H62	0.70	1.64	25	3
1:B:9:ALA:HB3	4:B:101:2PO:O3P	0.70	1.86	12	6
3:J:1:MUB:O7	3:J:1:MUB:C3	0.69	2.35	13	21
1:F:7:SER:HB3	4:F:104:2PO:O3P	0.69	1.87	15	3
1:E:9:ALA:HA	3:K:1:MUB:C7	0.69	2.18	15	1
1:E:10:LEU:HD13	4:E:101:2PO:O1P	0.69	1.87	19	4
3:I:1:MUB:H5	3:I:2:NAG:H2	0.69	1.62	9	1
1:F:7:SER:HA	5:F:105:P1W:C1	0.69	2.16	7	3
2:D:1:ALA:HB3	3:J:2:NAG:H83	0.69	1.64	14	1
1:B:9:ALA:CB	4:B:102:2PO:O3P	0.69	2.37	26	3
1:B:10:LEU:HD12	1:B:11:ILE:H	0.69	1.44	19	3
1:B:10:LEU:HD21	4:B:101:2PO:P	0.69	2.27	26	2
3:K:1:MUB:H2	3:K:1:MUB:C11	0.68	2.18	3	3
2:H:2:DGL:CA	3:L:2:NAG:H2	0.68	2.09	23	2
1:B:10:LEU:CD1	3:J:1:MUB:HN2	0.68	2.01	17	1
1:B:10:LEU:HD11	4:B:101:2PO:O1P	0.68	1.89	14	1
2:H:1:ALA:C	2:H:2:DGL:HG3	0.68	2.08	15	15
1:E:9:ALA:CB	1:E:10:LEU:HD13	0.68	2.18	3	3
1:B:10:LEU:HD12	3:J:1:MUB:H82	0.68	1.64	15	1
1:B:10:LEU:HD11	3:J:1:MUB:HN2	0.68	1.49	17	1
2:G:3:LYS:HA	2:G:3:LYS:HE3	0.68	1.66	21	2
1:B:6:ILE:O	1:E:2:ILE:HG22	0.67	1.90	3	3
1:B:10:LEU:HD11	4:B:102:2PO:O3P	0.67	1.88	5	1
1:A:10:LEU:HD23	3:I:1:MUB:C6	0.67	2.17	26	1
1:E:7:SER:HA	4:E:101:2PO:O2P	0.67	1.89	1	1
1:A:10:LEU:HD11	4:A:101:2PO:O3P	0.67	1.89	7	2
1:E:9:ALA:HB2	4:E:101:2PO:P	0.67	2.30	7	3
3:I:1:MUB:H5	3:I:2:NAG:O5	0.67	1.88	9	23
1:F:7:SER:HA	4:F:103:2PO:O3P	0.67	1.90	5	2
1:B:10:LEU:HG	4:B:101:2PO:P	0.67	2.28	3	2
1:B:10:LEU:H	1:B:10:LEU:CD1	0.67	2.01	5	3
1:A:2:ILE:HD12	5:A:106:P1W:C1	0.67	2.19	8	2
4:F:104:2PO:O3P	3:L:1:MUB:C1	0.67	2.43	14	1
1:A:10:LEU:HG	1:A:11:ILE:N	0.67	2.04	6	1
1:E:10:LEU:CD1	3:K:1:MUB:H1	0.67	2.20	18	1
2:D:1:ALA:C	2:D:2:DGL:HG3	0.67	2.10	20	20
3:K:1:MUB:O6	3:K:1:MUB:H1	0.67	1.89	7	12

*Continued on next page...*



*Continued from previous page...*

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:B:10:LEU:CD1	1:B:10:LEU:N	0.67	2.57	25	2
1:B:7:SER:HA	4:B:102:2PO:P	0.66	2.29	3	4
1:A:10:LEU:HD11	3:I:1:MUB:C1	0.66	2.19	8	3
2:G:2:DGL:CD	3:K:2:NAG:H2	0.66	2.20	12	3
1:A:7:SER:CB	4:A:102:2PO:P	0.66	2.83	10	1
4:E:102:2PO:O3P	3:K:1:MUB:H62	0.66	1.91	18	1
1:B:9:ALA:H	4:B:102:2PO:P	0.66	2.13	24	3
1:E:10:LEU:HD22	1:E:10:LEU:N	0.66	2.06	1	1
2:C:2:DGL:CG	3:I:2:NAG:H2	0.66	2.21	16	1
1:B:10:LEU:HD13	1:B:10:LEU:H	0.66	1.49	14	1
1:E:9:ALA:CB	4:E:101:2PO:O3P	0.65	2.44	7	3
2:C:1:ALA:C	2:C:2:DGL:HG3	0.65	2.11	8	20
1:A:10:LEU:HD23	4:A:101:2PO:O1P	0.65	1.91	4	1
4:F:104:2PO:O3P	3:L:1:MUB:O1	0.65	2.14	14	3
1:A:6:ILE:HD11	1:B:2:ILE:HD11	0.65	1.69	26	2
1:B:9:ALA:N	4:B:101:2PO:O3P	0.65	2.30	2	3
1:B:10:LEU:H	1:B:10:LEU:HD22	0.65	1.50	7	2
1:A:10:LEU:HD22	1:A:10:LEU:H	0.65	1.51	4	2
1:E:10:LEU:CD1	3:K:1:MUB:H82	0.65	2.21	5	1
3:L:1:MUB:C11	3:L:1:MUB:H2	0.65	2.21	10	8
1:E:10:LEU:HD12	1:E:10:LEU:N	0.65	2.07	18	7
1:E:10:LEU:HD11	3:K:1:MUB:O6	0.65	1.91	10	2
1:B:9:ALA:HB2	4:B:101:2PO:O2P	0.65	1.92	17	3
3:L:1:MUB:H111	3:L:1:MUB:C2	0.65	2.20	20	1
2:G:1:ALA:O	2:G:2:DGL:HB2	0.65	1.91	23	2
1:B:10:LEU:HD23	3:J:1:MUB:H62	0.65	1.68	11	1
1:E:10:LEU:H	1:E:10:LEU:HD12	0.64	1.52	20	1
1:A:10:LEU:HD12	3:I:1:MUB:H82	0.64	1.66	21	1
1:B:7:SER:HA	4:B:102:2PO:O1P	0.64	1.92	24	4
1:B:10:LEU:CD1	4:B:101:2PO:O3P	0.64	2.42	20	1
1:A:10:LEU:HD22	1:A:11:ILE:N	0.64	2.07	24	5
1:B:2:ILE:HG22	1:E:6:ILE:O	0.64	1.93	8	3
1:E:7:SER:HA	4:E:102:2PO:P	0.64	2.33	23	5
1:A:9:ALA:HB3	4:A:102:2PO:O1P	0.64	1.91	6	1
1:A:7:SER:CA	4:A:101:2PO:O3P	0.64	2.44	21	2
3:L:1:MUB:H2	3:L:1:MUB:C11	0.64	2.23	20	2
3:I:1:MUB:H2	3:I:1:MUB:C11	0.64	2.21	3	6
1:B:10:LEU:HD22	1:B:11:ILE:N	0.64	2.08	16	4
1:A:9:ALA:CB	4:A:102:2PO:O3P	0.64	2.45	8	1
1:A:9:ALA:HB3	4:A:101:2PO:P	0.63	2.33	15	3
3:L:1:MUB:H5	3:L:2:NAG:C2	0.63	2.23	9	1

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:E:10:LEU:N	4:E:101:2PO:O2P	0.63	2.31	20	1
1:B:7:SER:HA	5:B:103:P1W:C1	0.63	2.23	17	5
3:J:1:MUB:H5	3:J:2:NAG:C2	0.63	2.15	9	1
1:B:9:ALA:HB2	4:B:101:2PO:P	0.63	2.32	2	7
2:G:1:ALA:C	2:G:2:DGL:HG3	0.63	2.14	26	13
1:B:9:ALA:HB3	1:B:10:LEU:HD13	0.63	1.71	20	4
1:E:10:LEU:HD22	4:E:102:2PO:O2P	0.63	1.94	15	2
1:E:10:LEU:HD22	3:K:1:MUB:C1	0.63	2.24	19	2
3:I:1:MUB:C5	3:I:2:NAG:H2	0.62	2.24	9	1
3:L:1:MUB:H5	3:L:2:NAG:H2	0.62	1.70	9	1
1:B:10:LEU:HD13	4:B:101:2PO:O1P	0.62	1.94	13	3
1:B:10:LEU:HG	4:B:101:2PO:O2P	0.62	1.95	3	2
1:B:10:LEU:HD11	3:J:1:MUB:H61	0.62	1.71	4	2
1:B:6:ILE:O	1:E:2:ILE:HG23	0.62	1.93	5	1
3:K:1:MUB:H5	3:K:2:NAG:C2	0.62	2.24	9	1
1:A:6:ILE:CD1	3:I:1:MUB:H2	0.62	2.24	19	1
2:G:2:DGL:CB	3:K:2:NAG:H2	0.62	2.24	22	1
1:E:2:ILE:HA	1:F:7:SER:O	0.62	1.95	26	2
1:E:10:LEU:N	1:E:10:LEU:CD1	0.62	2.63	14	11
1:E:9:ALA:HB3	4:E:102:2PO:P	0.62	2.35	26	5
1:B:10:LEU:HD23	3:J:1:MUB:N2	0.62	2.10	19	1
1:F:7:SER:CB	4:F:104:2PO:O3P	0.62	2.48	15	1
4:F:103:2PO:O3P	5:F:105:P1W:C2	0.62	2.48	26	1
1:A:6:ILE:HA	1:B:3:SER:O	0.62	1.95	6	2
1:B:10:LEU:N	1:B:10:LEU:HD12	0.61	2.09	8	7
1:B:9:ALA:HB2	3:J:1:MUB:O1	0.61	1.95	7	1
1:A:9:ALA:HA	3:K:1:MUB:C8	0.61	2.22	20	1
1:E:6:ILE:HD12	3:K:1:MUB:HN2	0.61	1.54	4	1
1:E:10:LEU:HD22	4:E:102:2PO:O1P	0.61	1.95	5	3
3:K:1:MUB:H5	3:K:2:NAG:H2	0.61	1.72	9	1
1:A:10:LEU:HD22	3:I:1:MUB:O1	0.61	1.96	10	1
1:B:10:LEU:CD2	1:B:11:ILE:HG12	0.61	2.25	16	1
1:A:10:LEU:HD22	3:I:1:MUB:HN2	0.61	1.56	17	2
2:D:1:ALA:O	2:D:2:DGL:C	0.61	2.48	21	22
1:B:6:ILE:HD11	5:B:103:P1W:C4	0.61	2.25	7	3
1:B:10:LEU:CD1	1:B:11:ILE:HG12	0.60	2.26	19	1
1:E:10:LEU:HD22	3:K:1:MUB:H1	0.60	1.72	25	2
1:E:9:ALA:HB3	3:K:1:MUB:O1	0.60	1.96	22	3
1:F:7:SER:HA	4:F:104:2PO:P	0.60	2.36	23	3
3:L:1:MUB:O6	3:L:1:MUB:C1	0.60	2.49	18	3
1:A:10:LEU:HD13	4:A:101:2PO:O1P	0.60	1.97	10	1

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:F:6:ILE:HD11	2:H:3:LYS:HE3	0.60	1.73	8	1
1:E:10:LEU:HD12	1:E:11:ILE:N	0.60	2.12	26	3
1:B:10:LEU:HD21	4:B:101:2PO:O1P	0.60	1.97	14	2
1:E:10:LEU:HG	4:E:102:2PO:P	0.60	2.37	26	1
1:A:2:ILE:HD11	1:B:6:ILE:HG13	0.60	1.73	2	1
1:E:6:ILE:C	1:E:6:ILE:HD13	0.60	2.16	4	1
1:B:10:LEU:N	1:B:10:LEU:HD22	0.60	2.12	14	1
1:B:10:LEU:CG	4:B:101:2PO:O3P	0.60	2.50	26	1
1:E:10:LEU:CD2	3:K:1:MUB:H2	0.60	2.25	18	1
1:A:10:LEU:N	1:A:10:LEU:HD12	0.60	2.10	18	5
2:D:2:DGL:CD	3:J:2:NAG:H2	0.60	2.27	8	2
5:E:103:P1W:C1	3:K:1:MUB:O1	0.60	2.50	26	1
1:B:7:SER:HA	4:B:102:2PO:O2P	0.59	1.97	9	4
1:E:10:LEU:CD1	1:E:10:LEU:N	0.59	2.65	18	2
1:F:7:SER:CB	4:F:103:2PO:O2P	0.59	2.50	18	2
1:B:10:LEU:HD21	3:J:1:MUB:O1	0.59	1.97	3	1
1:E:2:ILE:HB	3:J:1:MUB:H82	0.59	1.73	3	1
4:E:102:2PO:O2P	3:K:1:MUB:O1	0.59	2.20	3	3
1:E:10:LEU:HD22	1:E:10:LEU:H	0.59	1.57	21	4
2:C:3:LYS:CG	3:I:2:NAG:H4	0.59	2.27	3	1
1:B:10:LEU:HD22	1:B:11:ILE:H	0.59	1.56	6	2
1:B:6:ILE:HG12	1:B:6:ILE:O	0.59	1.97	24	1
2:G:1:ALA:O	2:G:2:DGL:C	0.59	2.50	25	16
2:G:2:DGL:N	3:K:2:NAG:H2	0.59	2.13	22	1
1:E:9:ALA:HB3	1:E:10:LEU:CD1	0.59	2.27	3	2
1:A:10:LEU:HD12	1:A:11:ILE:HG23	0.59	1.73	6	1
1:A:10:LEU:CD2	4:A:101:2PO:O3P	0.59	2.49	6	2
2:D:5:DAL:O	3:J:2:NAG:H4	0.59	1.98	16	2
1:B:9:ALA:HB3	4:B:102:2PO:O1P	0.59	1.98	6	2
1:E:10:LEU:CD1	4:E:101:2PO:O3P	0.59	2.51	14	2
1:E:10:LEU:HG	4:E:101:2PO:O2P	0.59	1.96	20	1
1:E:10:LEU:CD1	4:E:101:2PO:O1P	0.58	2.51	1	1
4:B:102:2PO:O2P	3:J:1:MUB:N2	0.58	2.35	2	1
1:F:7:SER:CA	4:F:104:2PO:O3P	0.58	2.51	7	1
1:A:2:ILE:HD13	1:B:6:ILE:HD11	0.58	1.74	8	1
1:B:10:LEU:N	1:B:10:LEU:CD1	0.58	2.66	8	10
2:G:2:DGL:C	3:K:2:NAG:H2	0.58	2.28	1	2
1:E:7:SER:HA	5:E:103:P1W:C1	0.58	2.28	11	2
1:A:10:LEU:HG	4:A:102:2PO:P	0.58	2.38	15	1
1:A:7:SER:HA	4:A:102:2PO:O3P	0.58	1.98	7	2
3:K:1:MUB:C5	3:K:2:NAG:O5	0.58	2.50	9	6

Continued on next page...

*Continued from previous page...*

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:B:10:LEU:CD2	3:J:1:MUB:H81	0.58	2.28	23	1
2:C:3:LYS:HE2	3:I:2:NAG:O3	0.58	1.99	1	1
1:A:10:LEU:HD23	4:A:102:2PO:P	0.58	2.38	6	1
1:E:10:LEU:HD13	3:K:1:MUB:H1	0.58	1.75	18	1
1:A:10:LEU:HD12	1:A:11:ILE:N	0.58	2.13	15	2
1:A:10:LEU:HB2	4:A:101:2PO:O1P	0.58	1.97	18	1
1:E:10:LEU:HD21	4:E:101:2PO:O3P	0.58	1.99	26	1
1:B:10:LEU:HD22	4:B:101:2PO:O1P	0.58	1.99	13	2
3:J:1:MUB:O7	3:J:2:NAG:H62	0.57	1.99	17	1
1:E:10:LEU:CD1	1:E:11:ILE:N	0.57	2.66	20	1
1:A:7:SER:HB3	4:A:102:2PO:P	0.57	2.40	10	1
1:E:9:ALA:HA	3:K:1:MUB:C8	0.57	2.29	15	1
1:E:9:ALA:HB1	3:K:1:MUB:N2	0.57	2.14	5	1
1:E:9:ALA:N	4:E:102:2PO:O1P	0.57	2.37	7	2
1:B:10:LEU:CD1	4:B:101:2PO:O1P	0.57	2.52	14	2
1:E:10:LEU:N	1:E:10:LEU:HD12	0.57	2.13	14	1
1:E:10:LEU:HD22	3:K:1:MUB:O1	0.57	1.99	19	2
3:J:1:MUB:C5	3:J:2:NAG:O5	0.57	2.51	9	6
1:E:7:SER:O	1:F:2:ILE:HA	0.57	2.00	16	4
1:E:10:LEU:HD12	3:K:1:MUB:H82	0.57	1.76	5	1
1:E:10:LEU:HD22	4:E:101:2PO:O3P	0.57	2.00	14	2
1:E:10:LEU:CD1	1:E:10:LEU:H	0.57	2.12	18	1
2:H:1:ALA:N	3:L:1:MUB:H4A	0.57	2.15	9	8
1:A:10:LEU:HD22	4:A:101:2PO:O1P	0.57	1.98	18	1
1:A:10:LEU:HD13	5:A:103:P1W:C1	0.57	2.30	19	1
3:J:1:MUB:H111	3:J:1:MUB:C2	0.57	2.30	17	1
1:B:10:LEU:HG	4:B:102:2PO:P	0.57	2.40	21	2
1:E:9:ALA:HB1	3:K:1:MUB:C8	0.57	2.30	21	1
1:E:10:LEU:CD1	3:K:1:MUB:H62	0.56	2.29	25	4
1:E:7:SER:HA	4:E:102:2PO:O1P	0.56	2.00	12	3
2:D:3:LYS:HA	2:D:3:LYS:CE	0.56	2.30	22	2
1:E:10:LEU:CD2	3:K:1:MUB:C6	0.56	2.82	2	1
5:A:103:P1W:C2	3:I:1:MUB:H82	0.56	2.30	7	1
1:E:6:ILE:CG1	1:F:2:ILE:HD11	0.56	2.30	26	1
2:C:1:ALA:O	2:C:2:DGL:C	0.56	2.54	4	20
1:E:10:LEU:HD23	1:E:11:ILE:HG13	0.56	1.78	9	1
1:E:10:LEU:HG	3:K:1:MUB:C6	0.56	2.30	9	1
2:H:1:ALA:O	2:H:2:DGL:C	0.56	2.53	7	20
2:C:1:ALA:O	3:I:1:MUB:O4	0.56	2.24	4	2
1:A:10:LEU:HD21	3:I:1:MUB:H82	0.56	1.77	9	1
1:A:10:LEU:HD22	1:A:11:ILE:H	0.56	1.60	24	1

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:E:10:LEU:HD13	4:E:102:2PO:P	0.56	2.41	14	2
1:A:6:ILE:HD12	1:A:6:ILE:O	0.56	2.01	17	1
5:A:103:P1W:C2	3:I:1:MUB:H61	0.56	2.31	18	1
1:E:10:LEU:HD23	3:K:1:MUB:HN2	0.56	1.61	20	1
3:L:1:MUB:C5	3:L:2:NAG:O5	0.56	2.53	18	5
3:K:1:MUB:N2	3:K:1:MUB:H111	0.56	2.15	5	3
1:B:10:LEU:HD13	3:J:1:MUB:O1	0.56	2.00	8	1
1:B:6:ILE:HG12	3:J:1:MUB:H81	0.56	1.76	13	1
1:A:10:LEU:HD23	1:A:11:ILE:HG23	0.56	1.78	2	1
1:E:10:LEU:HD21	3:K:1:MUB:C6	0.55	2.30	6	1
1:B:10:LEU:CD1	3:J:1:MUB:H62	0.55	2.30	16	1
1:E:9:ALA:HB1	3:K:1:MUB:HN2	0.55	1.60	5	1
1:A:10:LEU:HD13	4:A:101:2PO:P	0.55	2.41	23	2
1:E:10:LEU:HD23	3:K:1:MUB:C6	0.55	2.31	2	2
1:A:7:SER:O	1:B:2:ILE:HA	0.55	2.02	8	2
1:A:9:ALA:HB2	4:A:101:2PO:O2P	0.55	2.02	21	1
1:B:10:LEU:CD1	4:B:102:2PO:O3P	0.55	2.54	5	1
1:A:2:ILE:HA	1:B:7:SER:O	0.55	2.02	19	2
4:B:102:2PO:O1P	3:J:1:MUB:O1	0.55	2.25	6	1
3:L:1:MUB:H2	3:L:1:MUB:H111	0.55	1.77	10	2
1:E:10:LEU:CD2	3:K:1:MUB:H1	0.55	2.32	23	3
1:B:9:ALA:HB2	4:B:102:2PO:O2P	0.54	2.02	2	1
1:B:10:LEU:HD23	3:J:1:MUB:C6	0.54	2.33	11	1
3:J:1:MUB:H3	3:J:2:NAG:O5	0.54	2.03	17	2
2:H:2:DGL:CG	3:L:2:NAG:H2	0.54	2.32	24	1
1:E:9:ALA:HB2	4:E:101:2PO:O2P	0.54	2.01	3	2
2:C:1:ALA:O	2:C:2:DGL:HB3	0.54	2.01	14	1
2:C:3:LYS:HA	3:I:2:NAG:O3	0.54	2.01	25	1
4:F:104:2PO:O2P	3:L:1:MUB:O1	0.54	2.25	5	4
1:A:10:LEU:CD1	1:A:11:ILE:HG23	0.54	2.32	6	1
2:C:1:ALA:O	3:I:1:MUB:H61	0.54	2.02	9	1
1:E:2:ILE:HG13	3:J:1:MUB:H82	0.54	1.80	14	1
1:E:7:SER:HA	4:E:101:2PO:P	0.54	2.43	3	1
1:A:10:LEU:HD12	1:A:10:LEU:N	0.54	2.18	17	3
1:A:10:LEU:HD13	4:A:102:2PO:O2P	0.54	2.02	12	2
1:B:10:LEU:H	1:B:10:LEU:CD2	0.54	2.13	14	2
1:A:10:LEU:HD11	3:I:1:MUB:HN2	0.54	1.63	12	2
1:E:10:LEU:HD13	3:K:1:MUB:C1	0.54	2.33	18	1
3:J:1:MUB:N2	3:J:1:MUB:H111	0.54	2.17	5	1
4:A:102:2PO:O3P	3:I:1:MUB:C1	0.54	2.56	18	1
1:A:6:ILE:O	1:A:6:ILE:HG13	0.54	2.03	9	1

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
3:K:2:NAG:O7	3:K:2:NAG:H3	0.54	2.03	20	4
2:H:2:DGL:OE1	3:L:2:NAG:H2	0.54	2.03	24	1
5:E:103:P1W:C3	3:K:1:MUB:H61	0.53	2.32	4	1
1:A:6:ILE:HG23	3:I:1:MUB:H81	0.53	1.77	7	1
1:B:10:LEU:CD2	3:J:1:MUB:H1	0.53	2.30	3	1
3:I:1:MUB:C5	3:I:2:NAG:O5	0.53	2.55	9	6
1:B:10:LEU:CD2	4:B:101:2PO:O1P	0.53	2.56	14	1
2:D:1:ALA:N	3:J:1:MUB:C4	0.53	2.71	26	8
2:D:2:DGL:CG	3:J:2:NAG:H2	0.53	2.33	8	1
1:E:9:ALA:H	4:E:102:2PO:P	0.53	2.27	15	2
1:B:10:LEU:HG	3:J:1:MUB:O1	0.53	2.03	19	1
1:E:10:LEU:HG	3:K:1:MUB:O6	0.53	2.03	9	1
1:A:10:LEU:CD2	3:I:1:MUB:H61	0.53	2.30	26	1
1:E:9:ALA:HB3	5:E:103:P1W:C1	0.53	2.34	4	1
1:B:10:LEU:CD1	3:J:1:MUB:H82	0.53	2.32	15	1
1:E:9:ALA:HB2	3:K:1:MUB:O5	0.53	2.03	15	1
1:E:10:LEU:HB2	4:E:101:2PO:O2P	0.53	2.03	19	2
1:A:10:LEU:CD2	3:I:1:MUB:H1	0.53	2.34	10	1
2:C:1:ALA:N	3:I:1:MUB:O4	0.53	2.42	4	5
1:A:10:LEU:H	1:A:10:LEU:CD1	0.53	2.11	21	2
1:F:7:SER:HB3	4:F:103:2PO:O2P	0.52	2.04	18	2
1:E:9:ALA:HB2	3:K:1:MUB:C1	0.52	2.34	15	1
1:A:6:ILE:HG12	5:A:103:P1W:C2	0.52	2.34	20	1
1:E:9:ALA:HB1	3:K:1:MUB:C7	0.52	2.34	21	1
1:A:10:LEU:HD22	1:A:10:LEU:N	0.52	2.19	4	1
1:E:7:SER:CA	4:E:101:2PO:O3P	0.52	2.50	3	2
1:A:10:LEU:CD2	3:I:1:MUB:HN2	0.52	2.17	17	2
1:B:10:LEU:HD11	3:J:1:MUB:C8	0.52	2.34	22	1
1:B:9:ALA:HB2	4:B:102:2PO:O3P	0.52	2.04	9	1
1:E:6:ILE:HD12	3:K:1:MUB:N2	0.52	2.19	4	1
1:A:9:ALA:CB	5:A:103:P1W:C1	0.52	2.87	19	1
1:E:10:LEU:CD2	3:K:1:MUB:H62	0.52	2.35	2	2
2:H:4:DAL:O	2:H:5:DAL:HB3	0.52	2.05	7	6
1:E:9:ALA:N	4:E:101:2PO:O3P	0.52	2.42	21	2
2:G:2:DGL:OE1	3:K:1:MUB:H61	0.52	2.03	7	1
4:F:103:2PO:O1P	3:L:1:MUB:O5	0.52	2.27	10	1
1:A:2:ILE:HD12	5:A:106:P1W:C2	0.52	2.34	11	1
1:E:10:LEU:HD11	5:E:103:P1W:C1	0.52	2.35	15	1
1:B:10:LEU:HD11	3:J:1:MUB:H1	0.52	1.80	16	1
1:E:10:LEU:CD2	3:K:1:MUB:O5	0.52	2.57	13	1
1:E:2:ILE:HD11	1:F:6:ILE:HB	0.52	1.81	3	1

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
2:G:1:ALA:N	3:K:1:MUB:H4A	0.52	2.20	4	5
2:G:1:ALA:N	3:K:1:MUB:C4	0.52	2.73	4	7
2:G:1:ALA:O	2:G:2:DGL:HB3	0.52	2.05	6	1
4:E:102:2PO:O2P	3:K:1:MUB:N2	0.51	2.43	2	1
1:A:9:ALA:HB3	4:A:101:2PO:O2P	0.51	2.05	2	1
1:A:10:LEU:HD22	4:A:101:2PO:O3P	0.51	2.04	23	1
1:E:10:LEU:CD2	4:E:101:2PO:O3P	0.51	2.58	26	2
1:E:9:ALA:HA	3:K:1:MUB:H82	0.51	1.82	15	1
1:E:10:LEU:CD1	3:K:1:MUB:C1	0.51	2.87	18	1
1:F:7:SER:CB	4:F:103:2PO:O3P	0.51	2.59	24	2
2:G:2:DGL:CG	3:K:2:NAG:H2	0.51	2.36	12	1
1:E:10:LEU:HD12	1:E:11:ILE:H	0.51	1.65	20	1
1:F:7:SER:HB3	4:F:103:2PO:O3P	0.51	2.05	26	2
1:E:6:ILE:HD11	1:F:2:ILE:HD11	0.51	1.83	8	1
1:E:2:ILE:HD11	1:F:6:ILE:CD1	0.51	2.36	10	1
1:F:7:SER:HA	5:F:105:P1W:C2	0.51	2.36	7	1
1:A:7:SER:HA	4:A:101:2PO:P	0.51	2.46	12	2
1:B:10:LEU:HD23	3:J:1:MUB:H81	0.51	1.83	23	1
1:B:6:ILE:HG13	1:B:6:ILE:O	0.51	2.05	1	3
2:H:1:ALA:N	3:L:1:MUB:C4	0.51	2.74	7	9
1:A:2:ILE:HB	1:B:6:ILE:HD12	0.51	1.81	7	1
4:E:101:2PO:O2P	3:K:1:MUB:C2	0.51	2.59	12	1
1:B:10:LEU:HG	4:B:101:2PO:O3P	0.51	2.06	26	1
1:A:7:SER:HA	4:A:102:2PO:O1P	0.51	2.05	2	4
1:B:6:ILE:H	1:E:2:ILE:HG22	0.51	1.66	8	1
1:E:10:LEU:HG	3:K:1:MUB:H62	0.51	1.82	9	1
3:I:2:NAG:O7	3:I:2:NAG:H3	0.50	2.07	3	4
2:G:2:DGL:O	2:G:3:LYS:N	0.50	2.44	4	5
1:E:9:ALA:N	4:E:102:2PO:O3P	0.50	2.44	2	1
2:C:3:LYS:HZ3	2:C:5:DAL:C	0.50	2.19	9	1
5:A:106:P1W:C2	1:E:2:ILE:HB	0.50	2.37	22	1
1:A:9:ALA:HB3	4:A:102:2PO:P	0.50	2.46	18	3
1:E:6:ILE:O	1:E:6:ILE:HG13	0.50	2.07	15	1
2:C:2:DGL:HG2	3:I:2:NAG:H2	0.50	1.83	16	1
4:E:101:2PO:O1P	4:E:102:2PO:O3P	0.50	2.28	15	1
2:G:3:LYS:CG	3:K:2:NAG:H4	0.50	2.37	8	2
5:A:107:P1W:C1	3:J:2:NAG:H61	0.50	2.36	6	1
2:C:3:LYS:CB	3:I:2:NAG:H4	0.50	2.36	7	2
3:J:1:MUB:H2	3:J:1:MUB:H111	0.50	1.82	13	1
5:E:103:P1W:C5	3:K:1:MUB:C6	0.50	2.87	4	1
2:H:1:ALA:O	2:H:2:DGL:CG	0.50	2.59	13	2

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:E:10:LEU:HD11	4:E:101:2PO:O1P	0.50	2.06	1	1
1:F:6:ILE:HG13	1:F:6:ILE:O	0.50	2.06	1	3
3:J:1:MUB:O6	3:J:1:MUB:C1	0.50	2.58	9	2
1:A:7:SER:HB3	4:A:102:2PO:O3P	0.50	2.07	16	1
1:B:10:LEU:HD11	3:J:1:MUB:H81	0.50	1.84	22	1
1:A:7:SER:HB2	4:A:102:2PO:P	0.50	2.47	10	1
2:D:4:DAL:O	2:D:5:DAL:HB3	0.50	2.07	12	2
2:D:2:DGL:OE1	3:J:2:NAG:H2	0.50	2.06	18	1
2:C:1:ALA:HB3	2:C:3:LYS:O	0.50	2.06	21	1
4:B:102:2PO:O2P	3:J:1:MUB:O1	0.49	2.30	13	2
1:B:9:ALA:HB2	4:B:101:2PO:O1P	0.49	2.08	18	1
2:H:3:LYS:O	2:H:3:LYS:HE3	0.49	2.08	16	1
1:B:10:LEU:CD2	1:B:11:ILE:N	0.49	2.75	16	2
1:E:3:SER:N	1:F:7:SER:O	0.49	2.45	7	2
1:B:2:ILE:O	1:B:2:ILE:CG2	0.49	2.61	8	1
1:E:10:LEU:CD2	4:E:102:2PO:O2P	0.49	2.61	15	1
1:A:6:ILE:CG2	1:B:2:ILE:HD11	0.49	2.37	21	1
3:K:1:MUB:C11	3:K:1:MUB:H2	0.49	2.37	7	9
1:B:10:LEU:CG	4:B:101:2PO:P	0.49	2.99	3	1
1:E:10:LEU:HD13	4:E:101:2PO:P	0.49	2.48	18	1
1:B:10:LEU:HD11	3:J:1:MUB:H62	0.49	1.84	1	2
1:B:10:LEU:CD1	1:B:11:ILE:HG23	0.49	2.33	19	2
1:E:10:LEU:HD23	3:K:1:MUB:H61	0.49	1.85	2	2
1:A:10:LEU:HB3	4:A:101:2PO:P	0.49	2.48	6	1
2:C:3:LYS:HB2	3:I:2:NAG:H4	0.49	1.85	15	2
1:B:9:ALA:HB2	5:B:103:P1W:C2	0.49	2.37	20	3
1:E:10:LEU:CD2	3:K:1:MUB:C2	0.49	2.90	18	1
1:E:6:ILE:HG13	1:F:2:ILE:HA	0.49	1.84	22	1
1:A:10:LEU:HD13	4:A:102:2PO:P	0.49	2.47	14	2
1:E:9:ALA:HB2	5:E:103:P1W:C1	0.49	2.36	22	1
1:B:9:ALA:HB1	5:B:103:P1W:C5	0.49	2.38	26	1
2:D:2:DGL:O	2:D:3:LYS:N	0.48	2.46	26	10
1:E:10:LEU:HD21	3:K:1:MUB:C2	0.48	2.32	18	1
3:I:1:MUB:N2	3:I:1:MUB:H111	0.48	2.23	19	1
2:D:1:ALA:O	3:J:1:MUB:C6	0.48	2.57	9	1
1:F:6:ILE:O	1:F:6:ILE:HG12	0.48	2.08	15	2
2:G:2:DGL:N	3:K:1:MUB:O4	0.48	2.39	7	1
1:B:6:ILE:HD13	5:B:103:P1W:C4	0.48	2.39	12	1
1:A:10:LEU:CD1	1:A:10:LEU:H	0.48	2.20	18	1
2:C:1:ALA:O	2:C:2:DGL:CG	0.48	2.55	23	2
2:G:1:ALA:N	3:K:1:MUB:O4	0.48	2.46	18	2

*Continued on next page...*



Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:B:10:LEU:HG	4:B:102:2PO:O2P	0.48	2.07	21	2
2:H:2:DGL:N	3:L:1:MUB:O4	0.48	2.47	23	1
1:B:7:SER:CA	4:B:102:2PO:O1P	0.48	2.61	3	2
2:C:4:DAL:O	2:C:5:DAL:HB3	0.48	2.09	10	6
1:E:10:LEU:HG	4:E:101:2PO:O1P	0.48	2.09	2	1
1:B:10:LEU:CD2	3:J:1:MUB:HN2	0.48	2.21	12	1
1:E:6:ILE:HG13	1:F:2:ILE:CB	0.48	2.38	22	1
1:E:10:LEU:HD12	1:E:11:ILE:HG23	0.48	1.86	2	1
1:B:10:LEU:HD13	4:B:101:2PO:P	0.48	2.49	25	2
1:A:7:SER:HA	5:A:103:P1W:C1	0.48	2.38	23	1
2:D:1:ALA:O	2:D:2:DGL:HB3	0.48	2.08	23	1
1:B:10:LEU:HD21	3:J:1:MUB:C6	0.48	2.39	4	2
3:I:1:MUB:H3	3:I:2:NAG:O5	0.48	2.09	20	2
1:B:2:ILE:O	1:B:2:ILE:HG23	0.47	2.08	8	1
1:A:9:ALA:CB	4:A:101:2PO:P	0.47	3.00	15	1
1:A:6:ILE:HD13	3:I:1:MUB:H2	0.47	1.86	19	1
2:C:1:ALA:O	2:C:2:DGL:HB2	0.47	2.09	21	1
1:A:10:LEU:HD13	4:A:101:2PO:O2P	0.47	2.08	23	1
4:A:102:2PO:O2P	3:I:1:MUB:O1	0.47	2.31	20	2
1:F:7:SER:HA	4:F:104:2PO:O1P	0.47	2.08	19	3
1:A:2:ILE:CD1	1:B:6:ILE:HB	0.47	2.39	7	1
1:B:9:ALA:HB1	3:J:1:MUB:H2	0.47	1.87	2	1
1:A:10:LEU:HB2	4:A:102:2PO:P	0.47	2.49	23	1
3:J:1:MUB:C11	3:J:1:MUB:C2	0.47	2.90	17	2
1:B:10:LEU:HD22	4:B:101:2PO:O2P	0.47	2.09	9	1
2:G:1:ALA:C	3:K:2:NAG:HN2	0.47	2.13	22	1
1:B:10:LEU:CD1	4:B:101:2PO:P	0.47	3.03	25	1
1:B:10:LEU:HD11	3:J:1:MUB:O5	0.47	2.08	1	1
2:H:1:ALA:N	3:L:1:MUB:O4	0.47	2.48	18	3
3:I:1:MUB:H2	3:I:1:MUB:H111	0.47	1.85	3	2
1:B:10:LEU:HD21	3:J:1:MUB:H61	0.47	1.86	4	1
1:F:7:SER:CA	4:F:103:2PO:O3P	0.47	2.61	5	1
1:B:2:ILE:HD12	3:K:1:MUB:H113	0.47	1.86	6	1
1:B:10:LEU:HD11	3:J:1:MUB:C6	0.47	2.39	10	2
1:A:10:LEU:N	1:A:10:LEU:HD13	0.47	2.25	10	1
2:C:2:DGL:C	2:C:3:LYS:N	0.47	2.77	16	1
1:B:2:ILE:HD11	1:E:6:ILE:HG22	0.47	1.87	5	1
1:B:7:SER:HA	4:B:101:2PO:O2P	0.47	2.09	14	1
3:J:1:MUB:H4A	3:J:1:MUB:C10	0.47	2.40	9	1
1:B:10:LEU:HD12	3:J:1:MUB:H62	0.47	1.86	16	1
1:A:2:ILE:HG13	5:B:103:P1W:C5	0.47	2.40	14	2

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:F:7:SER:HA	4:F:104:2PO:O2P	0.47	2.09	16	3
2:D:2:DGL:H2	3:J:2:NAG:H81	0.47	1.69	14	1
3:K:1:MUB:H3	3:K:2:NAG:O5	0.47	2.10	17	3
1:B:9:ALA:CA	4:B:101:2PO:O3P	0.46	2.63	2	1
5:F:106:P1W:C2	3:L:1:MUB:H61	0.46	2.40	26	1
2:H:3:LYS:HZ3	2:H:5:DAL:C	0.46	2.24	4	4
1:E:9:ALA:CB	4:E:102:2PO:P	0.46	3.03	5	2
5:A:105:P1W:C1	3:I:2:NAG:C6	0.46	2.93	19	1
2:D:3:LYS:HA	3:J:2:NAG:O3	0.46	2.09	2	1
1:B:10:LEU:CD2	4:B:102:2PO:O2P	0.46	2.64	6	1
2:G:2:DGL:N	3:K:2:NAG:C2	0.46	2.78	22	2
2:D:3:LYS:HZ3	2:D:5:DAL:C	0.46	2.22	14	2
1:E:9:ALA:HB1	3:K:1:MUB:O6	0.46	2.10	12	1
1:B:9:ALA:CB	4:B:101:2PO:O2P	0.46	2.62	18	1
1:A:10:LEU:HD22	4:A:102:2PO:O1P	0.46	2.10	7	1
1:E:6:ILE:O	4:E:102:2PO:O1P	0.46	2.32	12	1
1:E:6:ILE:HD12	1:F:2:ILE:HB	0.46	1.87	7	1
1:A:7:SER:O	1:B:3:SER:N	0.46	2.49	12	1
1:A:7:SER:CB	4:A:102:2PO:O3P	0.46	2.64	16	1
1:E:10:LEU:H	1:E:10:LEU:HD13	0.46	1.70	1	1
1:A:10:LEU:HD22	3:I:1:MUB:C1	0.46	2.40	10	1
1:B:10:LEU:CD1	1:B:11:ILE:N	0.46	2.73	19	1
1:E:10:LEU:N	1:E:10:LEU:CD2	0.46	2.77	1	1
4:E:101:2PO:O2P	3:K:1:MUB:H2	0.46	2.11	12	1
1:A:10:LEU:HD23	3:I:1:MUB:H62	0.46	1.87	25	1
1:E:10:LEU:CD2	3:K:1:MUB:H61	0.46	2.41	2	1
4:F:103:2PO:O1P	5:F:105:P1W:C2	0.46	2.64	6	2
5:A:104:P1W:C1	3:I:1:MUB:H82	0.46	2.40	19	1
2:H:3:LYS:O	2:H:3:LYS:HD3	0.46	2.11	25	1
1:E:10:LEU:HD21	4:E:101:2PO:P	0.46	2.51	26	1
2:G:4:DAL:O	2:G:5:DAL:HB3	0.46	2.09	26	1
1:A:10:LEU:HD21	3:I:1:MUB:C6	0.46	2.40	1	1
1:E:10:LEU:CD2	1:E:11:ILE:H	0.46	2.24	1	1
1:A:10:LEU:CD1	4:A:101:2PO:O1P	0.46	2.58	2	1
1:A:2:ILE:HG13	1:B:6:ILE:HB	0.46	1.87	7	1
3:L:1:MUB:C5	3:L:2:NAG:H2	0.46	2.41	9	1
1:B:2:ILE:HG22	1:E:6:ILE:H	0.46	1.71	10	1
5:A:106:P1W:C1	1:E:2:ILE:HB	0.46	2.41	22	1
1:E:10:LEU:HD22	1:E:11:ILE:H	0.46	1.70	9	2
3:L:2:NAG:O7	3:L:2:NAG:H3	0.46	2.10	14	1
3:I:1:MUB:O6	3:I:1:MUB:C1	0.45	2.61	9	2

Continued on next page...

*Continued from previous page...*

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
2:D:3:LYS:HE3	2:D:3:LYS:CA	0.45	2.36	22	1
1:B:10:LEU:HD13	4:B:102:2PO:P	0.45	2.51	10	3
1:A:7:SER:O	1:B:3:SER:HB2	0.45	2.11	6	1
2:C:3:LYS:HG3	3:I:2:NAG:H4	0.45	1.86	11	1
1:E:10:LEU:HD23	3:K:1:MUB:N2	0.45	2.24	20	1
1:B:10:LEU:HD12	1:B:11:ILE:HG12	0.45	1.87	23	1
1:A:9:ALA:HB2	5:A:103:P1W:C1	0.45	2.42	24	1
1:B:9:ALA:HB3	3:J:1:MUB:O1	0.45	2.11	11	1
1:E:10:LEU:CD2	1:E:11:ILE:N	0.45	2.80	1	1
1:E:6:ILE:HD11	1:F:2:ILE:HD12	0.45	1.88	5	1
1:B:9:ALA:CB	4:B:101:2PO:P	0.45	3.04	22	2
1:B:10:LEU:HD13	3:J:1:MUB:H1	0.45	1.83	16	1
1:B:10:LEU:HD11	3:J:1:MUB:N2	0.45	2.22	17	1
1:A:10:LEU:HD11	3:I:1:MUB:C7	0.45	2.41	20	1
1:B:9:ALA:CB	3:J:1:MUB:O1	0.45	2.65	21	1
1:B:10:LEU:CG	3:J:1:MUB:H62	0.45	2.42	1	1
3:I:1:MUB:C11	3:I:1:MUB:H2	0.45	2.42	26	2
1:B:10:LEU:CD1	3:J:1:MUB:C1	0.45	2.95	8	1
3:K:1:MUB:O6	3:K:1:MUB:C1	0.45	2.63	7	1
2:G:3:LYS:HE3	2:G:3:LYS:O	0.45	2.12	6	1
1:B:10:LEU:HB3	4:B:101:2PO:O1P	0.45	2.11	9	1
4:B:101:2PO:P	3:J:1:MUB:N2	0.45	2.89	12	1
1:E:7:SER:CA	4:E:102:2PO:O1P	0.45	2.65	23	1
1:B:2:ILE:HG23	1:B:2:ILE:O	0.44	2.12	4	1
3:J:2:NAG:O7	3:J:2:NAG:H3	0.44	2.12	20	3
1:E:6:ILE:HG13	1:F:2:ILE:CG1	0.44	2.43	22	1
1:E:9:ALA:HB2	5:E:103:P1W:C5	0.44	2.43	12	2
1:E:10:LEU:N	4:E:101:2PO:O1P	0.44	2.50	22	1
2:C:2:DGL:O	3:I:1:MUB:H61	0.44	2.11	23	1
4:E:101:2PO:P	3:K:1:MUB:N2	0.44	2.91	11	1
1:A:9:ALA:CB	1:A:10:LEU:HD13	0.44	2.33	13	1
1:E:2:ILE:CG1	3:J:1:MUB:H82	0.44	2.42	14	1
2:G:3:LYS:HZ3	2:G:5:DAL:C	0.44	2.26	16	3
2:H:2:DGL:CA	3:L:2:NAG:C2	0.44	2.80	18	1
1:B:6:ILE:CG1	1:E:2:ILE:HG22	0.44	2.43	21	1
1:B:10:LEU:CG	4:B:101:2PO:O2P	0.44	2.64	3	1
1:B:6:ILE:CG1	3:J:1:MUB:H81	0.44	2.43	13	1
2:C:1:ALA:O	2:C:2:DGL:CB	0.44	2.63	14	1
1:F:7:SER:CA	4:F:103:2PO:O2P	0.44	2.66	18	1
5:B:103:P1W:C2	3:J:1:MUB:H82	0.44	2.43	20	1
1:B:10:LEU:CB	3:J:1:MUB:H82	0.44	2.33	5	1

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:B:10:LEU:HD22	4:B:102:2PO:O1P	0.44	2.13	7	1
1:B:10:LEU:HD13	3:J:1:MUB:C1	0.44	2.42	8	1
2:G:3:LYS:HB2	3:K:2:NAG:H2	0.44	1.87	5	1
1:E:2:ILE:HD11	1:F:6:ILE:HD11	0.44	1.89	10	1
1:A:10:LEU:HG	4:A:101:2PO:O1P	0.44	2.12	11	1
1:B:9:ALA:HB3	3:J:1:MUB:C1	0.44	2.43	16	1
2:D:1:ALA:N	3:J:1:MUB:O4	0.43	2.50	12	3
1:B:9:ALA:CB	1:B:10:LEU:HD13	0.43	2.42	15	1
1:A:6:ILE:O	5:A:103:P1W:C1	0.43	2.65	18	1
1:B:2:ILE:HG13	3:K:1:MUB:H81	0.43	1.89	23	1
1:A:2:ILE:CG1	1:B:6:ILE:HB	0.43	2.43	7	1
1:E:10:LEU:CD2	4:E:101:2PO:O2P	0.43	2.67	11	1
1:A:10:LEU:CD1	3:I:1:MUB:N2	0.43	2.77	20	1
1:E:10:LEU:HD13	1:E:11:ILE:N	0.43	2.28	20	1
3:L:1:MUB:C2	3:L:1:MUB:C11	0.43	2.90	20	1
1:A:2:ILE:HD12	1:B:7:SER:C	0.43	2.33	2	1
4:E:101:2PO:O2P	1:F:2:ILE:HG22	0.43	2.13	5	1
2:G:3:LYS:HA	2:G:3:LYS:CE	0.43	2.41	21	1
1:A:10:LEU:HB2	4:A:101:2PO:O2P	0.43	2.14	10	1
1:E:10:LEU:CD2	3:K:1:MUB:C1	0.43	2.96	23	2
1:B:10:LEU:CB	4:B:101:2PO:O1P	0.43	2.67	9	1
1:B:10:LEU:HD22	1:B:10:LEU:H	0.43	1.73	15	1
4:B:102:2PO:O1P	5:B:103:P1W:C2	0.43	2.66	22	1
4:A:101:2PO:O2P	3:I:1:MUB:N2	0.43	2.52	24	1
1:B:10:LEU:CD1	4:B:101:2PO:O2P	0.43	2.66	3	1
1:A:10:LEU:CD2	3:I:1:MUB:C1	0.43	2.97	10	1
4:B:101:2PO:O2P	4:B:102:2PO:O2P	0.43	2.36	10	3
2:D:2:DGL:HG3	3:J:2:NAG:H81	0.43	1.90	14	1
1:B:9:ALA:HB3	5:B:103:P1W:C1	0.43	2.42	26	1
1:E:2:ILE:O	1:E:2:ILE:HG23	0.43	2.13	3	1
1:E:10:LEU:CG	3:K:1:MUB:H62	0.43	2.44	9	1
1:E:10:LEU:HD11	4:E:102:2PO:O3P	0.43	2.13	9	1
5:A:105:P1W:C1	3:I:2:NAG:H62	0.43	2.43	19	1
1:E:6:ILE:HG12	1:F:2:ILE:HD11	0.43	1.90	26	1
1:B:2:ILE:HD12	5:F:101:P1W:C2	0.42	2.43	3	1
1:B:10:LEU:HD11	3:J:1:MUB:C5	0.42	2.43	10	1
2:D:2:DGL:H2	3:J:2:NAG:C8	0.42	2.27	14	1
3:L:1:MUB:C11	3:L:1:MUB:C2	0.42	2.97	16	1
5:A:107:P1W:C2	1:B:9:ALA:HA	0.42	2.44	4	1
1:E:10:LEU:HD11	4:E:102:2PO:O2P	0.42	2.13	3	1
3:K:1:MUB:C11	3:K:1:MUB:C2	0.42	2.96	5	2

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
3:I:1:MUB:H2	3:I:1:MUB:H9	0.42	1.56	6	1
2:G:2:DGL:N	3:K:2:NAG:N2	0.42	2.68	7	1
2:H:1:ALA:O	3:L:2:NAG:N2	0.42	2.50	15	2
1:A:10:LEU:O	1:A:11:ILE:HG13	0.42	2.14	20	1
3:L:1:MUB:H1	3:L:1:MUB:O6	0.42	2.14	23	1
1:E:2:ILE:O	1:E:2:ILE:CG1	0.42	2.63	5	1
1:E:6:ILE:HB	1:F:2:ILE:HD11	0.42	1.90	21	1
1:E:10:LEU:HD22	4:E:102:2PO:P	0.42	2.55	24	2
1:E:10:LEU:CD2	4:E:102:2PO:O1P	0.42	2.68	9	1
1:E:6:ILE:CG1	1:F:2:ILE:HA	0.42	2.44	22	1
5:E:103:P1W:C1	1:F:2:ILE:HB	0.42	2.44	6	1
2:H:2:DGL:O	2:H:2:DGL:HG3	0.42	2.07	13	1
1:E:6:ILE:HG13	1:F:2:ILE:CA	0.42	2.45	22	1
1:E:7:SER:O	1:F:3:SER:N	0.42	2.52	22	1
1:A:7:SER:HA	4:A:101:2PO:O2P	0.42	2.15	24	1
2:D:3:LYS:HE2	3:J:2:NAG:O3	0.42	2.14	3	1
1:A:10:LEU:CD2	3:I:1:MUB:C6	0.42	2.92	4	1
1:A:3:SER:O	1:B:6:ILE:HA	0.42	2.14	6	1
1:A:9:ALA:HB3	1:A:10:LEU:CD1	0.42	2.35	13	1
3:K:1:MUB:H2	3:K:1:MUB:H9	0.42	1.63	16	1
1:E:6:ILE:HG12	4:E:102:2PO:O1P	0.41	2.15	6	1
1:A:2:ILE:CD1	1:B:6:ILE:HD11	0.41	2.45	11	1
1:A:10:LEU:HG	1:A:10:LEU:H	0.41	1.47	11	1
1:E:10:LEU:CD2	3:K:1:MUB:HN2	0.41	2.26	20	1
1:B:6:ILE:HG13	1:E:2:ILE:HG22	0.41	1.91	21	1
4:E:101:2PO:O2P	3:K:1:MUB:N2	0.41	2.52	11	2
3:I:1:MUB:C5	3:I:2:NAG:C2	0.41	2.84	9	1
1:B:6:ILE:O	5:B:103:P1W:C1	0.41	2.68	17	1
4:E:101:2PO:O2P	4:E:102:2PO:O1P	0.41	2.37	17	1
1:B:10:LEU:HD12	3:J:1:MUB:C6	0.41	2.45	16	1
1:A:7:SER:HB3	4:A:101:2PO:O2P	0.41	2.15	18	1
1:B:6:ILE:H	1:E:2:ILE:HG12	0.41	1.75	5	1
1:B:9:ALA:N	4:B:102:2PO:O1P	0.41	2.53	8	1
5:A:105:P1W:C3	3:I:1:MUB:H61	0.41	2.45	17	1
1:A:9:ALA:CA	3:K:1:MUB:H83	0.41	2.34	20	1
4:F:103:2PO:O2P	4:F:104:2PO:O1P	0.41	2.38	10	1
1:E:10:LEU:CD2	4:E:101:2PO:P	0.41	3.07	12	1
1:B:10:LEU:HG	4:B:102:2PO:O1P	0.41	2.16	26	1
2:G:2:DGL:OE1	2:G:3:LYS:HB3	0.41	2.15	11	1
2:D:1:ALA:O	3:J:2:NAG:N2	0.41	2.53	19	1
2:G:2:DGL:HG3	3:K:1:MUB:O4	0.41	2.16	22	1

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
5:E:103:P1W:C5	1:F:2:ILE:HD12	0.41	2.46	6	1
1:B:2:ILE:HG23	1:E:6:ILE:H	0.41	1.76	16	1
1:A:10:LEU:HG	1:A:11:ILE:CG1	0.41	2.46	6	1
2:G:1:ALA:O	2:G:2:DGL:CB	0.41	2.69	6	1
1:E:9:ALA:HB3	1:E:10:LEU:HD12	0.41	1.93	8	1
2:D:1:ALA:CB	3:L:1:MUB:H62	0.41	2.45	10	1
1:A:10:LEU:CD2	3:I:1:MUB:H113	0.41	2.46	18	1
1:A:10:LEU:HD22	4:A:102:2PO:O2P	0.41	2.15	21	1
1:E:3:SER:H	1:F:7:SER:H	0.41	1.58	7	1
1:E:10:LEU:HD11	3:K:1:MUB:H81	0.41	1.91	7	1
1:B:10:LEU:HB3	4:B:101:2PO:P	0.41	2.56	9	1
1:B:10:LEU:CD1	1:B:10:LEU:H	0.41	2.29	22	1
1:B:9:ALA:N	4:B:102:2PO:O2P	0.41	2.53	5	1
3:L:2:NAG:H3	3:L:2:NAG:O7	0.41	2.16	10	2
1:E:9:ALA:HB2	4:E:102:2PO:O2P	0.40	2.16	6	1
4:A:101:2PO:O2P	4:A:102:2PO:O2P	0.40	2.37	7	1
2:G:1:ALA:O	3:K:2:NAG:N2	0.40	2.54	18	1
1:B:6:ILE:HG23	1:E:2:ILE:CG2	0.40	2.46	22	1
1:E:10:LEU:CG	4:E:101:2PO:O3P	0.40	2.69	26	1
2:C:3:LYS:HD3	3:I:2:NAG:H61	0.40	1.93	8	1
1:A:7:SER:CB	4:A:101:2PO:O2P	0.40	2.69	24	1
1:E:6:ILE:CD1	3:K:1:MUB:N2	0.40	2.84	4	1
2:D:1:ALA:HB1	2:D:3:LYS:HB2	0.40	1.92	5	1
1:E:11:ILE:O	1:E:11:ILE:HG22	0.40	2.16	9	1
2:C:3:LYS:O	2:C:3:LYS:HE3	0.40	2.16	12	1
1:A:10:LEU:CB	4:A:101:2PO:O1P	0.40	2.69	18	1
1:E:9:ALA:HB1	3:K:1:MUB:H82	0.40	1.92	21	1
1:B:10:LEU:CD2	3:J:1:MUB:H62	0.40	2.36	10	1
1:A:7:SER:CB	4:A:102:2PO:O1P	0.40	2.69	14	1
1:E:10:LEU:CD1	3:K:1:MUB:HN2	0.40	2.22	3	1
1:A:9:ALA:HB1	3:I:2:NAG:H62	0.40	1.93	7	1
1:A:10:LEU:HD12	1:A:11:ILE:HG13	0.40	1.92	11	1
1:F:7:SER:HB3	5:F:105:P1W:C1	0.40	2.46	15	1
1:B:9:ALA:H	5:B:103:P1W:C1	0.40	2.30	25	1

## 6.3 Torsion angles

### 6.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all NMR

entries. The Analysed column shows the number of residues for which the backbone conformation was analysed and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	6/11 (55%)	5±1 (84±10%)	1±1 (15±9%)	0±0 (1±3%)	29	74
1	B	6/11 (55%)	5±1 (84±10%)	1±1 (16±10%)	0±0 (0±0%)	100	100
1	E	6/11 (55%)	5±1 (81±13%)	1±1 (17±13%)	0±0 (1±4%)	16	63
1	F	4/11 (36%)	4±1 (93±13%)	0±1 (7±13%)	0±0 (0±0%)	100	100
2	C	0	-	-	-	-	-
2	D	0	-	-	-	-	-
2	G	0	-	-	-	-	-
2	H	0	-	-	-	-	-
All	All	572/1664 (34%)	486 (85%)	83 (15%)	3 (1%)	32	76

All 2 unique Ramachandran outliers are listed below. They are sorted by the frequency of occurrence in the ensemble.

Mol	Chain	Res	Type	Models (Total)
1	E	9	ALA	2
1	A	9	ALA	1

### 6.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all NMR entries. The Analysed column shows the number of residues for which the sidechain conformation was analysed and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	6/6 (100%)	4±1 (68±15%)	2±1 (32±15%)	1	13
1	B	6/6 (100%)	4±1 (65±17%)	2±1 (35±17%)	1	9
1	E	6/6 (100%)	4±1 (66±13%)	2±1 (34±13%)	1	10
1	F	4/6 (67%)	3±1 (77±20%)	1±1 (23±20%)	3	28
2	C	1/1 (100%)	0±0 (23±42%)	1±0 (77±42%)	0	0
2	D	1/1 (100%)	0±0 (4±19%)	1±0 (96±19%)	0	0
2	G	1/1 (100%)	0±0 (15±36%)	1±0 (85±36%)	0	0
2	H	1/1 (100%)	0±0 (19±39%)	1±0 (81±39%)	0	0
All	All	676/728 (93%)	406 (60%)	270 (40%)	0	5

All 26 unique residues with a non-rotameric sidechain are listed below. They are sorted by the frequency of occurrence in the ensemble.

Mol	Chain	Res	Type	Models (Total)
2	D	3	LYS	25
1	A	10	LEU	23
2	G	3	LYS	22
2	H	3	LYS	21
1	E	10	LEU	20
2	C	3	LYS	20
1	B	10	LEU	20
1	B	6	ILE	14
1	E	6	ILE	12
1	E	7	SER	10
1	A	6	ILE	9
1	A	2	ILE	9
1	F	2	ILE	9
1	F	6	ILE	8
1	B	3	SER	7
1	B	7	SER	7
1	F	7	SER	6
1	B	2	ILE	6
1	E	3	SER	5
1	E	2	ILE	5
1	A	7	SER	5
1	A	3	SER	3
1	B	11	ILE	1
1	A	11	ILE	1
1	E	11	ILE	1
1	F	3	SER	1

### 6.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 6.4 Non-standard residues in protein, DNA, RNA chains [i](#)

28 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds for which Mogul statistics could be retrieved, the number of bonds that are observed in the model and the number of bonds that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length is the number of standard deviations the observed value is removed from the expected value. A bond length with  $|Z| > 2$  is



considered an outlier worth inspection. RMSZ is the average root-mean-square of all Z scores of the bond lengths.

Mol	Type	Chain	Res	Link	Bond lengths		
					Counts	RMSZ	#Z>2
1	ZAE	A	1	1	11,12,13	0.67±0.04	0±0 (2±4%)
1	ZAE	B	1	1	11,12,13	0.61±0.09	0±0 (0±1%)
1	28J	E	5	1	6,7,8	0.65±0.07	0±0 (0±0%)
1	28J	B	5	1	6,7,8	0.68±0.11	0±0 (0±0%)
1	ZAE	F	1	1	11,12,13	0.71±0.03	0±0 (3±4%)
1	28J	A	5	1	6,7,8	0.62±0.06	0±0 (0±0%)
1	28J	F	5	1	6,7,8	0.64±0.07	0±0 (0±0%)
1	ZAE	E	1	1	11,12,13	0.59±0.13	0±0 (1±2%)

In the following table, the Counts columns list the number of angles for which Mogul statistics could be retrieved, the number of angles that are observed in the model and the number of angles that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond angle is the number of standard deviations the observed value is removed from the expected value. A bond angle with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the average root-mean-square of all Z scores of the bond angles.

Mol	Type	Chain	Res	Link	Bond angles		
					Counts	RMSZ	#Z>2
1	ZAE	A	1	1	13,14,16	0.59±0.09	0±0 (0±1%)
1	ZAE	B	1	1	13,14,16	0.73±0.12	0±0 (0±2%)
1	28J	E	5	1	5,8,10	1.44±0.22	1±0 (18±5%)
1	28J	B	5	1	5,8,10	1.34±0.23	1±0 (16±9%)
1	ZAE	F	1	1	13,14,16	0.58±0.02	0±0 (0±0%)
1	28J	A	5	1	5,8,10	0.95±0.14	0±0 (2±6%)
1	28J	F	5	1	5,8,10	0.94±0.13	0±0 (1±5%)
1	ZAE	E	1	1	13,14,16	0.72±0.13	0±0 (1±3%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	ZAE	A	1	1	-	0±0,5,8,10	0±0,1,1,1
1	28J	B	5	1	-	0±0,7,8,10	-
1	28J	A	5	1	-	0±0,7,8,10	-

*Continued on next page...*

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	ZAE	F	1	1	-	0±0,5,8,10	0±0,1,1,1
1	28J	F	5	1	-	0±0,7,8,10	-
1	28J	E	5	1	-	0±0,7,8,10	-
1	ZAE	B	1	1	-	0±0,5,8,10	0±0,1,1,1
1	ZAE	E	1	1	-	0±0,5,8,10	0±0,1,1,1

All unique bond outliers are listed below. They are sorted according to the Z-score of the worst occurrence in the ensemble.

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)	Models	
								Worst	Total
1	E	1	ZAE	CA-N	2.78	1.52	1.47	15	3
1	B	1	ZAE	CA-N	2.14	1.51	1.47	3	1
1	A	1	ZAE	CA-N	2.10	1.51	1.47	25	8
1	F	1	ZAE	CA-N	2.08	1.51	1.47	4	9

All unique angle outliers are listed below. They are sorted according to the Z-score of the worst occurrence in the ensemble.

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)	Models	
								Worst	Total
1	B	5	28J	CB-CA-C	3.77	107.06	112.83	5	21
1	E	5	28J	CB-CA-C	3.62	107.30	112.83	22	24
1	E	1	ZAE	CG-CB-CA	3.01	117.93	113.63	15	3
1	A	1	ZAE	CG-CB-CA	2.48	110.08	113.63	26	1
1	F	5	28J	CB-CA-C	2.39	109.18	112.83	22	2
1	A	5	28J	CB-CA-C	2.38	109.19	112.83	7	3
1	B	5	28J	O-C-CA	2.11	119.24	124.78	1	1
1	E	1	ZAE	O-C-CA	2.11	119.26	124.78	3	2
1	B	1	ZAE	CB-CA-C	2.09	107.69	111.65	13	1
1	B	1	ZAE	O-C-CA	2.07	119.35	124.78	4	2

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

## 6.5 Carbohydrates (i)

8 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds for which Mogul statistics could be retrieved, the number of bonds that are observed in the model and the number of bonds

that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length is the number of standard deviations the observed value is removed from the expected value. A bond length with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the average root-mean-square of all Z scores of the bond lengths.

Mol	Type	Chain	Res	Link	Counts	Bond lengths	
						RMSZ	#Z>2
3	MUB	I	1	3,2,4	18,19,20	1.04±0.12	1±0 (7±2%)
3	NAG	I	2	3	14,14,15	0.52±0.18	0±0 (0±1%)
3	MUB	J	1	3,2,4	18,19,20	0.99±0.11	1±1 (6±3%)
3	NAG	J	2	3	14,14,15	0.50±0.12	0±0 (0±1%)
3	MUB	K	1	3,2,4	18,19,20	0.99±0.11	1±1 (7±4%)
3	NAG	K	2	3	14,14,15	0.49±0.12	0±0 (0±1%)
3	MUB	L	1	3,2,4	18,19,20	1.01±0.12	1±1 (7±3%)
3	NAG	L	2	3	14,14,15	0.49±0.11	0±0 (0±1%)

In the following table, the Counts columns list the number of angles for which Mogul statistics could be retrieved, the number of angles that are observed in the model and the number of angles that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond angle is the number of standard deviations the observed value is removed from the expected value. A bond angle with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the average root-mean-square of all Z scores of the bond angles.

Mol	Type	Chain	Res	Link	Counts	Bond angles	
						RMSZ	#Z>2
3	MUB	I	1	3,2,4	21,26,28	1.50±0.11	3±1 (13±6%)
3	NAG	I	2	3	17,19,21	0.69±0.06	0±0 (0±1%)
3	MUB	J	1	3,2,4	21,26,28	1.53±0.09	3±1 (14±6%)
3	NAG	J	2	3	17,19,21	0.68±0.06	0±0 (0±1%)
3	MUB	K	1	3,2,4	21,26,28	1.51±0.10	3±1 (15±6%)
3	NAG	K	2	3	17,19,21	0.67±0.05	0±0 (0±1%)
3	MUB	L	1	3,2,4	21,26,28	1.53±0.09	3±1 (13±6%)
3	NAG	L	2	3	17,19,21	0.68±0.06	0±0 (0±1%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	MUB	I	1	3,2,4	1±0,1,8,9	0±0,10,32,34	0±0,1,1,1
3	NAG	I	2	3	-	0±0,6,23,26	0±0,1,1,1
3	MUB	J	1	3,2,4	1±0,1,8,9	0±0,10,32,34	0±0,1,1,1
3	NAG	J	2	3	-	0±0,6,23,26	0±0,1,1,1
3	MUB	K	1	3,2,4	1±0,1,8,9	0±0,10,32,34	0±0,1,1,1
3	NAG	K	2	3	-	0±0,6,23,26	0±0,1,1,1
3	MUB	L	1	3,2,4	1±0,1,8,9	0±0,10,32,34	0±0,1,1,1
3	NAG	L	2	3	-	0±0,6,23,26	0±0,1,1,1

All unique bond outliers are listed below. They are sorted according to the Z-score of the worst occurrence in the ensemble.

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)	Models	
								Worst	Total
3	K	1	MUB	C11-C9	3.91	1.59	1.51	4	26
3	I	1	MUB	C11-C9	3.86	1.59	1.51	4	26
3	J	1	MUB	C11-C9	3.85	1.59	1.51	4	26
3	L	1	MUB	C11-C9	3.77	1.59	1.51	4	26
3	I	2	NAG	C2-N2	3.55	1.52	1.46	10	2
3	I	1	MUB	C1-C2	3.48	1.57	1.52	4	3
3	L	1	MUB	C1-C2	2.90	1.49	1.52	20	4
3	J	1	MUB	C1-C2	2.60	1.56	1.52	4	4
3	K	1	MUB	C3-C2	2.40	1.57	1.53	11	4
3	K	1	MUB	C1-C2	2.31	1.55	1.52	6	3
3	L	1	MUB	C3-C2	2.29	1.56	1.53	10	1
3	K	1	MUB	O4-C4	2.27	1.48	1.43	9	1
3	J	2	NAG	C2-N2	2.27	1.42	1.46	24	1
3	I	1	MUB	C2-N2	2.24	1.49	1.45	3	2
3	L	1	MUB	O4-C4	2.19	1.48	1.43	9	1
3	K	2	NAG	C2-N2	2.16	1.42	1.46	24	2
3	J	1	MUB	O4-C4	2.15	1.48	1.43	9	1
3	K	1	MUB	O5-C1	2.16	1.48	1.42	13	1
3	I	1	MUB	O4-C4	2.10	1.47	1.43	9	1
3	I	1	MUB	C3-C2	2.03	1.56	1.53	20	2
3	L	1	MUB	C2-N2	2.03	1.49	1.45	12	3
3	L	1	MUB	O5-C1	2.02	1.47	1.42	13	1
3	J	1	MUB	C2-N2	2.01	1.49	1.45	12	1
3	L	2	NAG	C2-N2	2.01	1.42	1.46	13	1

All unique angle outliers are listed below. They are sorted according to the Z-score of the worst occurrence in the ensemble.

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)	Models	
								Worst	Total
3	K	1	MUB	O3-C9-C11	4.77	120.39	107.48	13	26
3	L	1	MUB	O3-C9-C11	4.75	120.35	107.48	13	26
3	I	1	MUB	O3-C9-C11	4.72	120.26	107.48	13	26
3	J	1	MUB	O3-C9-C11	4.71	120.23	107.48	13	26
3	I	1	MUB	C1-C2-N2	4.47	115.90	110.73	10	9
3	L	1	MUB	C1-C2-N2	3.74	115.06	110.73	11	12
3	K	1	MUB	C1-C2-N2	3.73	115.05	110.73	15	12
3	J	1	MUB	C1-C2-N2	3.43	114.70	110.73	2	17
3	L	1	MUB	O5-C1-C2	2.95	112.48	109.52	9	6
3	I	1	MUB	O5-C1-C2	2.91	112.44	109.52	9	8
3	J	1	MUB	O5-C1-C2	2.83	112.36	109.52	9	5
3	K	1	MUB	O5-C1-C2	2.76	112.29	109.52	9	5
3	L	1	MUB	C8-C7-N2	2.58	120.47	116.10	10	7
3	K	1	MUB	C8-C7-N2	2.55	120.42	116.10	11	6
3	J	1	MUB	C8-C7-N2	2.50	120.33	116.10	11	6
3	I	2	NAG	C2-N2-C7	2.43	119.45	122.90	10	1
3	K	1	MUB	C2-N2-C7	2.43	117.28	123.18	13	2
3	K	1	MUB	O3-C3-C4	2.41	113.69	107.28	17	6
3	K	1	MUB	O7-C7-C8	2.35	117.69	122.06	15	3
3	J	1	MUB	O3-C3-C4	2.35	113.53	107.28	13	3
3	L	1	MUB	C1-C2-C3	2.34	106.90	110.25	10	3
3	J	1	MUB	C1-C2-C3	2.34	106.91	110.25	21	2
3	L	1	MUB	O3-C3-C4	2.34	113.50	107.28	20	2
3	L	1	MUB	C2-N2-C7	2.32	117.54	123.18	21	2
3	K	1	MUB	C3-C4-C5	2.32	104.72	109.66	10	1
3	K	1	MUB	C1-C2-C3	2.30	106.96	110.25	4	2
3	L	1	MUB	O7-C7-C8	2.29	117.80	122.06	26	2
3	I	1	MUB	C8-C7-N2	2.28	119.96	116.10	11	6
3	I	1	MUB	C11-C9-C10	2.26	121.56	113.19	24	18
3	L	1	MUB	C11-C9-C10	2.24	121.48	113.19	2	16
3	J	1	MUB	O7-C7-C8	2.23	117.92	122.06	26	4
3	I	1	MUB	O3-C3-C4	2.19	113.11	107.28	16	4
3	J	1	MUB	C11-C9-C10	2.18	121.29	113.19	24	16
3	K	1	MUB	C11-C9-C10	2.18	121.28	113.19	2	17
3	J	1	MUB	C2-N2-C7	2.15	117.96	123.18	17	1
3	L	2	NAG	C8-C7-N2	2.12	119.68	116.10	13	2
3	J	1	MUB	O1-C1-C2	2.10	113.58	109.22	3	1
3	I	2	NAG	C8-C7-N2	2.08	119.62	116.10	13	1
3	J	2	NAG	C8-C7-N2	2.08	119.61	116.10	24	1
3	K	1	MUB	O1-C1-C2	2.06	113.49	109.22	12	1
3	K	1	MUB	O4-C4-C3	2.02	115.31	109.94	10	1
3	K	2	NAG	C8-C7-N2	2.01	119.50	116.10	20	1


All unique chiral outliers are listed below. They are sorted by the frequency of occurrence in the ensemble.


Mol	Chain	Res	Type	Atoms	Models (Total)
3	I	1	MUB	C9	26
3	J	1	MUB	C9	26
3	K	1	MUB	C9	26
3	L	1	MUB	C9	26
3	K	2	NAG	C1	1

There are no torsion outliers.


There are no ring outliers.


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.











## 6.6 Ligand geometry [i](#)

20 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds for which Mogul statistics could be retrieved, the number of bonds that are observed in the model and the number of bonds that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length is the number of standard deviations the observed value is removed from the expected value. A bond length with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the average root-mean-square of all Z scores of the bond lengths.

Mol	Type	Chain	Res	Link	Counts	Bond lengths	
						RMSZ	#Z>2
5	P1W	F	102	5	4,4,5	0.88±0.05	0±0 (0±0%)
5	P1W	E	103	5,4	4,4,5	0.79±0.17	0±0 (0±4%)
4	2PO	A	101	3,4	0,3,3	0.00±0.00	-
4	2PO	F	104	5,4	0,3,3	0.00±0.00	-
4	2PO	B	102	5,4	0,3,3	0.00±0.00	-
5	P1W	A	107	5	4,4,5	0.88±0.05	0±0 (0±0%)
4	2PO	B	101	3,4	0,3,3	0.00±0.00	-
5	P1W	F	106	5	4,4,5	0.65±0.09	0±0 (0±0%)
4	2PO	F	103	3,4	0,3,3	0.00±0.00	-
5	P1W	F	101	5	4,4,5	0.68±0.08	0±0 (0±0%)
4	2PO	E	102	5,4	0,3,3	0.00±0.00	-
5	P1W	F	105	5,4	4,4,5	0.89±0.14	0±0 (0±0%)
5	P1W	A	105	5	4,4,5	0.86±0.07	0±0 (0±0%)
5	P1W	A	103	5,4	4,4,5	0.86±0.16	0±0 (0±0%)
5	P1W	A	106	5	4,4,5	0.66±0.08	0±0 (0±0%)
4	2PO	A	102	5,4	0,3,3	0.00±0.00	-
5	P1W	A	104	5	4,4,5	0.69±0.07	0±0 (0±0%)
4	2PO	E	101	3,4	0,3,3	0.00±0.00	-
5	P1W	F	107	5	4,4,5	0.88±0.05	0±0 (0±0%)
5	P1W	B	103	5,4	4,4,5	0.87±0.16	0±0 (0±0%)

In the following table, the Counts columns list the number of angles for which Mogul statistics could be retrieved, the number of angles that are observed in the model and the number of angles that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond angle is the number of standard deviations the observed value is removed from the expected value. A bond angle with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the average root-mean-square of all Z scores of the bond angles.

Mol	Type	Chain	Res	Link	Counts	Bond angles	
						RMSZ	#Z>2
5	P1W	F	102	5	4,4,5	0.26±0.04	0±0 (0±0%)
5	P1W	E	103	5,4	4,4,5	0.60±0.18	0±0 (0±0%)
4	2PO	A	101	3,4	0,3,3	0.00±0.00	-
4	2PO	F	104	5,4	0,3,3	0.00±0.00	-
4	2PO	B	102	5,4	0,3,3	0.00±0.00	-
5	P1W	A	107	5	4,4,5	0.28±0.05	0±0 (0±0%)
4	2PO	B	101	3,4	0,3,3	0.00±0.00	-
5	P1W	F	106	5	4,4,5	0.56±0.06	0±0 (0±0%)
4	2PO	F	103	3,4	0,3,3	0.00±0.00	-
5	P1W	F	101	5	4,4,5	0.52±0.09	0±0 (0±0%)
4	2PO	E	102	5,4	0,3,3	0.00±0.00	-
5	P1W	F	105	5,4	4,4,5	0.61±0.32	0±0 (0±4%)

Mol	Type	Chain	Res	Link	Bond angles		
					Counts	RMSZ	#Z>2
5	P1W	A	105	5	4,4,5	0.27±0.04	0±0 (0±0%)
5	P1W	A	103	5,4	4,4,5	0.53±0.12	0±0 (0±0%)
5	P1W	A	106	5	4,4,5	0.51±0.05	0±0 (0±0%)
4	2PO	A	102	5,4	0,3,3	0.00±0.00	-
5	P1W	A	104	5	4,4,5	0.56±0.05	0±0 (0±0%)
4	2PO	E	101	3,4	0,3,3	0.00±0.00	-
5	P1W	F	107	5	4,4,5	0.26±0.03	0±0 (0±0%)
5	P1W	B	103	5,4	4,4,5	0.61±0.13	0±0 (0±0%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	P1W	F	105	5,4	-	0±0,2,2,3	-
5	P1W	F	101	5	-	0±0,2,2,3	-
5	P1W	A	107	5	-	0±0,2,2,3	-
5	P1W	B	103	5,4	-	0±0,2,2,3	-
5	P1W	A	106	5	-	0±0,2,2,3	-
5	P1W	F	107	5	-	0±0,2,2,3	-
5	P1W	A	104	5	-	0±0,2,2,3	-
5	P1W	F	102	5	-	0±0,2,2,3	-
5	P1W	A	103	5,4	-	0±0,2,2,3	-
5	P1W	E	103	5,4	-	0±0,2,2,3	-
5	P1W	F	106	5	-	0±0,2,2,3	-
5	P1W	A	105	5	-	0±0,2,2,3	-

All unique bond outliers are listed below.

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)	Models	
								Worst	Total
5	E	103	P1W	C5-C3	2.40	1.56	1.50	17	1

All unique angle outliers are listed below.

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)	Models	
								Worst	Total
5	F	105	P1W	C1-C2-C3	2.65	133.80	126.31	7	1

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

## 6.7 Other polymers [i](#)

There are no such molecules in this entry.

## 6.8 Polymer linkage issues [i](#)

The following chains have linkage breaks:

Mol	Chain	Number of breaks
2	3-G	1
2	16-C	1

All chain breaks are listed below:

Model	Chain	Residue-1	Atom-1	Residue-2	Atom-2	Distance (Å)
3	G	2:DGL	C	3:LYS	N	2.92
16	C	2:DGL	C	3:LYS	N	2.77

## 7 Chemical shift validation [i](#)

The completeness of assignment taking into account all chemical shift lists is 10% for the well-defined parts and 9% for the entire structure.

### 7.1 Chemical shift list 1

File name: working\_cs.cif

Chemical shift list name: *assigned\_chemical\_shifts\_1*

#### 7.1.1 Bookkeeping [i](#)

The following table shows the results of parsing the chemical shift list and reports the number of nuclei with statistically unusual chemical shifts.

Total number of shifts	39
Number of shifts mapped to atoms	39
Number of unparsed shifts	0
Number of shifts with mapping errors	0
Number of shifts with mapping warnings	0
Number of shift outliers (ShiftChecker)	1

#### 7.1.2 Chemical shift referencing [i](#)

No chemical shift referencing corrections were calculated (not enough data).

#### 7.1.3 Completeness of resonance assignments [i](#)

The following table shows the completeness of the chemical shift assignments for the well-defined regions of the structure. The overall completeness is 9%, i.e. 39 atoms were assigned a chemical shift out of a possible 451. 0 out of 3 assigned methyl groups (LEU and VAL) were assigned stereospecifically.

	Total	<sup>1</sup> H	<sup>13</sup> C	<sup>15</sup> N
Backbone	24/165 (15%)	6/66 (9%)	12/66 (18%)	6/33 (18%)
Sidechain	15/286 (5%)	0/195 (0%)	15/87 (17%)	0/4 (0%)
Overall	39/451 (9%)	6/261 (2%)	27/153 (18%)	6/37 (16%)

Note: This is a solid-state NMR structure, where hydrogen atoms are typically not assigned a chemical shift value, which may lead to lower completeness of assignment measure.

The following table shows the completeness of the chemical shift assignments for the full structure. The overall completeness is 8%, i.e. 39 atoms were assigned a chemical shift out of a possible 496.

0 out of 4 assigned methyl groups (LEU and VAL) were assigned stereospecifically.

	Total	<sup>1</sup> H	<sup>13</sup> C	<sup>15</sup> N
Backbone	24/180 (13%)	6/72 (8%)	12/72 (17%)	6/36 (17%)
Sidechain	15/316 (5%)	0/216 (0%)	15/96 (16%)	0/4 (0%)
Overall	39/496 (8%)	6/288 (2%)	27/168 (16%)	6/40 (15%)

Note: This is a solid-state NMR structure, where hydrogen atoms are typically not assigned a chemical shift value, which may lead to lower completeness of assignment measure.

#### 7.1.4 Statistically unusual chemical shifts [i](#)


The following table lists the statistically unusual chemical shifts. These are statistical measures, and large deviations from the mean do not necessarily imply incorrect assignments. Molecules containing paramagnetic centres or hemes are expected to give rise to anomalous chemical shifts.

List Id	Chain	Res	Type	Atom	Shift, ppm	Expected range, ppm	Z-score
1	A	7	SER	H	11.57	5.45 – 11.10	5.8

#### 7.1.5 Random Coil Index (RCI) plots [i](#)

The image below reports *random coil index* values for the protein chains in the structure. The height of each bar gives a probability of a given residue to be disordered, as predicted from the available chemical shifts and the amino acid sequence. A value above 0.2 is an indication of significant predicted disorder. The colour of the bar shows whether the residue is in the well-defined core (black) or in the ill-defined residue ranges (cyan), as described in section 2 on ensemble composition. If well-defined core and ill-defined regions are not identified then it is shown as gray bars.

Random coil index (RCI) for chain A:



## 7.2 Chemical shift list 2

File name: working\_cs.cif

Chemical shift list name: *assigned\_chemical\_shifts\_2*

### 7.2.1 Bookkeeping [i](#)

The following table shows the results of parsing the chemical shift list and reports the number of nuclei with statistically unusual chemical shifts.

Total number of shifts	31
Number of shifts mapped to atoms	31
Number of unparsed shifts	0
Number of shifts with mapping errors	0
Number of shifts with mapping warnings	0
Number of shift outliers (ShiftChecker)	0

### 7.2.2 Chemical shift referencing [i](#)

No chemical shift referencing corrections were calculated (not enough data).

### 7.2.3 Completeness of resonance assignments [i](#)

The following table shows the completeness of the chemical shift assignments for the well-defined regions of the structure. The overall completeness is 2%, i.e. 8 atoms were assigned a chemical shift out of a possible 451. 0 out of 3 assigned methyl groups (LEU and VAL) were assigned stereospecifically.

	Total	<sup>1</sup> H	<sup>13</sup> C	<sup>15</sup> N
Backbone	3/165 (2%)	0/66 (0%)	3/66 (5%)	0/33 (0%)
Sidechain	5/286 (2%)	0/195 (0%)	5/87 (6%)	0/4 (0%)
Overall	8/451 (2%)	0/261 (0%)	8/153 (5%)	0/37 (0%)

Note: This is a solid-state NMR structure, where hydrogen atoms are typically not assigned a chemical shift value, which may lead to lower completeness of assignment measure.

The following table shows the completeness of the chemical shift assignments for the full structure. The overall completeness is 2%, i.e. 8 atoms were assigned a chemical shift out of a possible 496. 0 out of 4 assigned methyl groups (LEU and VAL) were assigned stereospecifically.

	Total	<sup>1</sup> H	<sup>13</sup> C	<sup>15</sup> N
Backbone	3/180 (2%)	0/72 (0%)	3/72 (4%)	0/36 (0%)
Sidechain	5/316 (2%)	0/216 (0%)	5/96 (5%)	0/4 (0%)

*Continued on next page...*



Continued from previous page...

	Total	<sup>1</sup> H	<sup>13</sup> C	<sup>15</sup> N
Overall	8/496 (2%)	0/288 (0%)	8/168 (5%)	0/40 (0%)

Note: This is a solid-state NMR structure, where hydrogen atoms are typically not assigned a chemical shift value, which may lead to lower completeness of assignment measure.

#### 7.2.4 Statistically unusual chemical shifts [i](#)

There are no statistically unusual chemical shifts.

#### 7.2.5 Random Coil Index (RCI) plots [i](#)

The image below reports *random coil index* values for the protein chains in the structure. The height of each bar gives a probability of a given residue to be disordered, as predicted from the available chemical shifts and the amino acid sequence. A value above 0.2 is an indication of significant predicted disorder. The colour of the bar shows whether the residue is in the well-defined core (black) or in the ill-defined residue ranges (cyan), as described in section 2 on ensemble composition. If well-defined core and ill-defined regions are not identified then it is shown as gray bars.

Random coil index (RCI) for chain C:

