



# Full wwPDB X-ray Structure Validation Report ⓘ

Jun 16, 2024 – 10:03 AM EDT

PDB ID : 1YGY  
Title : Crystal Structure of D-3-Phosphoglycerate dehydrogenase From Mycobacterium tuberculosis  
Authors : Dey, S.; Grant, G.A.; Sacchettini, J.C.; TB Structural Genomics Consortium (TBSGC)  
Deposited on : 2005-01-05  
Resolution : 2.30 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 2022.3.0, CSD as543be (2022)  
Xtriage (Phenix) : 1.20.1  
EDS : 2.37.1  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.37.1


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.30 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	5042 (2.30-2.30)
Clashscore	141614	5643 (2.30-2.30)
Ramachandran outliers	138981	5575 (2.30-2.30)
Sidechain outliers	138945	5575 (2.30-2.30)
RSRZ outliers	127900	4938 (2.30-2.30)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	529	
1	B	529	

## 2 Entry composition [i](#)

There are 3 unique types of molecules in this entry. The entry contains 8017 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called D-3-phosphoglycerate dehydrogenase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	527	Total 3836	C 2416	N 673	O 745	S 2	0	0	0
1	B	527	Total 3836	C 2416	N 673	O 745	S 2	0	0	0

There are 4 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	1	MET	-	CLONING ARTIFACT	UNP P0A544
A	2	VAL	-	SEE REMARK 999	UNP P0A544
B	1	MET	-	CLONING ARTIFACT	UNP P0A544
B	2	VAL	-	SEE REMARK 999	UNP P0A544

- Molecule 2 is L(+)-TARTARIC ACID (three-letter code: TLA) (formula: C<sub>4</sub>H<sub>6</sub>O<sub>6</sub>).




Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	A	1	Total C O 10 4 6	0	0
2	B	1	Total C O 10 4 6	0	0
2	B	1	Total C O 10 4 6	0	0

- Molecule 3 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	164	Total O 164 164	0	0
3	B	151	Total O 151 151	0	0





## 4 Data and refinement statistics

Property	Value	Source
Space group	P 65 2 2	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	165.51Å 165.51Å 218.14Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	48.80 – 2.30 48.52 – 2.30	Depositor EDS
% Data completeness (in resolution range)	99.8 (48.80-2.30) 99.8 (48.52-2.30)	Depositor EDS
$R_{merge}$	0.10	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	4.70 (at 2.29Å)	Xtrriage
Refinement program	REFMAC 5.1.24	Depositor
R, $R_{free}$	0.205 , 0.249 0.201 , 0.243	Depositor DCC
$R_{free}$ test set	3932 reflections (5.01%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	32.1	Xtrriage
Anisotropy	0.547	Xtrriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.32 , 49.5	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.41$ , $\langle L^2 \rangle = 0.24$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
$F_o, F_c$ correlation	0.94	EDS
Total number of atoms	8017	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	36.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.02% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: TLA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.58	0/3890	0.90	25/5316 (0.5%)
1	B	0.56	0/3890	0.88	20/5316 (0.4%)
All	All	0.57	0/7780	0.89	45/10632 (0.4%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1
1	B	1	2
All	All	1	3

There are no bond length outliers.

All (45) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed( $^{\circ}$ )	Ideal( $^{\circ}$ )
1	A	266	ASP	CB-CG-OD2	7.82	125.34	118.30
1	A	215	ASP	CB-CG-OD2	7.74	125.26	118.30
1	A	414	ASP	CB-CG-OD2	7.18	124.77	118.30
1	A	421	ASP	CB-CG-OD2	6.82	124.44	118.30
1	B	46	ASP	CB-CG-OD2	6.44	124.09	118.30
1	A	290	ASP	CB-CG-OD2	6.33	123.99	118.30
1	B	57	ASP	CB-CG-OD2	6.30	123.97	118.30
1	B	192	ASP	CB-CG-OD2	6.29	123.96	118.30
1	A	23	ASP	CB-CG-OD2	6.15	123.84	118.30
1	B	490	ASP	CB-CG-OD2	6.11	123.80	118.30
1	B	463	ASP	CB-CG-OD2	5.96	123.67	118.30
1	A	36	ASP	CB-CG-OD2	5.96	123.66	118.30

*Continued on next page...*



Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	421	ASP	CB-CG-OD2	5.94	123.64	118.30
1	A	198	ASP	CB-CG-OD2	5.93	123.64	118.30
1	A	505	ASP	CB-CG-OD2	5.92	123.62	118.30
1	A	449	ASP	CB-CG-OD2	5.89	123.60	118.30
1	B	122	ASP	CB-CG-OD2	5.88	123.59	118.30
1	A	122	ASP	CB-CG-OD2	5.66	123.39	118.30
1	A	192	ASP	CB-CG-OD2	5.61	123.35	118.30
1	A	83	ASP	CB-CG-OD2	5.58	123.33	118.30
1	B	172	ASP	CB-CG-OD2	5.51	123.26	118.30
1	A	343	ASP	CB-CG-OD2	5.48	123.23	118.30
1	A	380	ASP	CB-CG-OD2	5.44	123.20	118.30
1	B	509	ASP	CB-CG-OD2	5.37	123.13	118.30
1	B	449	ASP	CB-CG-OD2	5.34	123.11	118.30
1	A	81	ASP	CB-CG-OD2	5.34	123.11	118.30
1	A	487	LEU	CA-CB-CG	5.34	127.58	115.30
1	B	238	ASP	CB-CG-OD2	5.32	123.09	118.30
1	A	244	ASP	CB-CG-OD2	5.25	123.03	118.30
1	B	329	ASP	CB-CG-OD2	5.22	123.00	118.30
1	A	34	ASP	CB-CG-OD2	5.22	123.00	118.30
1	B	519	ASP	CB-CG-OD2	5.21	122.99	118.30
1	B	414	ASP	CB-CG-OD2	5.21	122.99	118.30
1	A	295	ASP	CB-CG-OD2	5.18	122.96	118.30
1	A	172	ASP	CB-CG-OD2	5.13	122.92	118.30
1	A	257	ASP	CB-CG-OD2	5.13	122.92	118.30
1	B	78	ASP	CB-CG-OD2	5.12	122.90	118.30
1	B	505	ASP	CB-CG-OD2	5.11	122.90	118.30
1	B	430	THR	OG1-CB-CG2	5.09	121.71	110.00
1	A	490	ASP	CB-CG-OD2	5.08	122.87	118.30
1	B	36	ASP	CB-CG-OD2	5.08	122.87	118.30
1	B	290	ASP	CB-CG-OD2	5.07	122.86	118.30
1	B	380	ASP	CB-CG-OD2	5.05	122.84	118.30
1	A	329	ASP	CB-CG-OD2	5.05	122.84	118.30
1	A	527	ASP	CB-CG-OD2	5.02	122.82	118.30

All (1) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
1	B	430	THR	CB

All (3) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	262	GLU	Peptide
1	B	209	GLU	Peptide
1	B	262	GLU	Peptide

## 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3836	0	3921	109	0
1	B	3836	0	3921	95	0
2	A	10	0	4	0	0
2	B	20	0	8	2	0
3	A	164	0	0	4	0
3	B	151	0	0	7	0
All	All	8017	0	7854	202	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 13.

All (202) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:285:THR:HG22	1:B:288:ALA:H	1.20	1.03
1:A:285:THR:HG22	1:A:288:ALA:H	1.26	1.00
1:B:394:ARG:HH11	1:B:394:ARG:HG2	1.37	0.89
1:A:371:ARG:HH21	1:A:375:SER:CB	1.87	0.88
1:A:459:ILE:HG12	1:A:523:LEU:HD22	1.59	0.85
1:B:285:THR:CG2	1:B:288:ALA:H	1.94	0.80
1:B:315:VAL:HG13	1:B:316:GLY:H	1.45	0.80
1:B:362:VAL:HG22	1:B:402:LYS:HD3	1.61	0.80
1:B:411:SER:O	1:B:430:THR:HG23	1.82	0.80
1:B:315:VAL:HG13	1:B:316:GLY:N	1.99	0.77
1:B:345:LEU:HD12	1:B:346:PRO:HD2	1.66	0.77
1:A:371:ARG:HH21	1:A:375:SER:HB2	1.51	0.75
1:A:499:LEU:HD23	1:A:499:LEU:C	2.07	0.75
1:B:362:VAL:CG2	1:B:402:LYS:HD3	2.16	0.75
1:A:129:THR:HB	1:A:131:LYS:HE2	1.69	0.75

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:363:GLU:OE2	1:B:366:ARG:NH1	2.21	0.74
1:B:445:GLY:O	1:B:446:ARG:NH1	2.21	0.73
1:B:118:ILE:HB	1:B:119:PRO:HD3	1.70	0.72
1:A:387:ALA:HB3	1:A:388:PRO:HD3	1.70	0.72
1:A:371:ARG:HH21	1:A:375:SER:HB3	1.54	0.72
1:A:506:VAL:CG1	1:A:510:VAL:HG23	2.20	0.71
1:B:102:SER:OG	1:B:285:THR:HG21	1.90	0.71
1:B:334:LEU:HD22	1:B:427:VAL:HG12	1.73	0.71
1:A:205:PRO:O	1:A:210:THR:HG21	1.89	0.70
1:B:11:ASP:OD1	1:B:54:THR:HG22	1.91	0.70
1:A:50:VAL:HG22	1:A:54:THR:HB	1.75	0.69
1:A:506:VAL:HG12	1:A:510:VAL:HG23	1.73	0.69
1:B:356:GLU:OE1	1:B:410:ARG:HD2	1.95	0.67
1:B:160:ARG:NH1	3:B:2749:HOH:O	2.26	0.66
1:A:506:VAL:HG12	1:A:510:VAL:CG2	2.26	0.66
1:A:18:VAL:HG13	1:A:21:LEU:HD12	1.78	0.65
1:A:42:VAL:N	1:A:43:PRO:CD	2.59	0.65
1:A:483:GLN:OE1	1:A:501:ARG:HD2	1.97	0.64
1:B:206:LYS:HE2	3:B:2738:HOH:O	1.95	0.64
1:B:23:ASP:HB3	1:B:24:GLN:HE21	1.63	0.64
1:A:71:ALA:HB1	1:A:296:VAL:HG22	1.80	0.64
1:B:42:VAL:HG13	1:B:64:ALA:HB2	1.79	0.63
1:A:37:LYS:HE2	3:A:663:HOH:O	1.99	0.62
1:B:526:VAL:HG22	1:B:528:LEU:HD13	1.80	0.62
1:A:506:VAL:CG1	1:A:510:VAL:CG2	2.78	0.62
1:B:354:ARG:HD2	3:B:2648:HOH:O	2.00	0.61
1:A:499:LEU:HD23	1:A:500:LEU:N	2.15	0.61
1:A:460:HIS:HB3	1:A:521:TYR:CZ	2.36	0.61
1:A:313:VAL:HG12	1:A:313:VAL:O	2.01	0.61
1:B:315:VAL:CG1	1:B:316:GLY:N	2.64	0.61
1:B:394:ARG:HG2	1:B:394:ARG:NH1	2.13	0.60
1:A:411:SER:O	1:A:430:THR:CG2	2.50	0.60
1:B:42:VAL:N	1:B:43:PRO:CD	2.64	0.60
1:B:488:SER:HB3	2:B:1600:TLA:H3	1.83	0.60
1:A:354:ARG:NH1	1:A:414:ASP:OD1	2.35	0.59
1:B:394:ARG:HH11	1:B:394:ARG:CG	2.10	0.59
1:B:285:THR:HG22	1:B:288:ALA:N	2.04	0.59
1:A:17:THR:O	1:A:294:THR:HG22	2.04	0.58
1:A:18:VAL:HG13	1:A:18:VAL:O	2.04	0.58
1:A:411:SER:O	1:A:430:THR:HG23	2.04	0.58
1:B:23:ASP:HB3	1:B:24:GLN:NE2	2.19	0.57

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:333:LYS:HE2	1:A:528:LEU:O	2.04	0.57
1:A:200:ILE:HD12	1:A:228:ILE:CD1	2.34	0.57
1:A:507:PRO:O	1:A:510:VAL:HG22	2.05	0.56
1:B:119:PRO:HG2	1:B:276:VAL:HG13	1.86	0.56
1:B:32:GLY:N	1:B:33:PRO:HD2	2.20	0.56
1:A:102:SER:OG	1:A:285:THR:HG21	2.05	0.56
1:A:352:GLN:NE2	1:A:354:ARG:HH11	2.04	0.56
1:A:118:ILE:HB	1:A:119:PRO:HD3	1.88	0.55
1:A:113:ALA:HA	1:A:118:ILE:HG12	1.89	0.55
1:B:446:ARG:N	1:B:446:ARG:HD2	2.22	0.55
1:A:246:ILE:HD13	1:A:251:VAL:HG22	1.90	0.54
1:A:366:ARG:HB2	1:A:400:ILE:HG12	1.89	0.54
1:A:275:VAL:O	1:B:126:ARG:NH2	2.40	0.54
1:A:257:ASP:OD2	1:A:281:LEU:O	2.25	0.53
1:A:50:VAL:CG2	1:A:54:THR:HB	2.38	0.53
1:A:279:PRO:HD2	1:A:281:LEU:HD22	1.89	0.53
1:B:72:ARG:HH11	1:B:74:GLY:HA3	1.74	0.53
1:B:215:ASP:HB2	3:B:2636:HOH:O	2.08	0.53
1:B:430:THR:HG22	1:B:431:LEU:H	1.73	0.53
1:A:371:ARG:NH2	3:A:757:HOH:O	2.25	0.52
1:A:371:ARG:NH2	1:A:375:SER:HB2	2.20	0.52
1:A:41:ALA:C	1:A:43:PRO:HD2	2.30	0.52
1:A:72:ARG:HH11	1:A:74:GLY:HA3	1.74	0.52
1:B:172:ASP:O	1:B:175:VAL:HG12	2.10	0.52
1:B:242:LEU:O	1:B:246:ILE:HG12	2.09	0.52
1:B:301:ARG:HH11	1:B:301:ARG:HG2	1.75	0.52
1:A:498:ILE:HD13	1:A:500:LEU:HD11	1.92	0.51
1:B:346:PRO:O	1:B:396:VAL:HG22	2.10	0.51
1:A:499:LEU:C	1:A:499:LEU:CD2	2.79	0.51
1:B:301:ARG:HG2	1:B:301:ARG:NH1	2.26	0.51
1:B:93:VAL:HG23	1:B:312:ALA:HA	1.93	0.51
1:B:464:ARG:HB2	1:B:464:ARG:HH11	1.76	0.50
1:A:352:GLN:NE2	1:A:354:ARG:NH1	2.59	0.50
1:A:262:GLU:HB3	1:A:263:PRO:CD	2.41	0.50
1:B:11:ASP:OD1	1:B:54:THR:CG2	2.58	0.50
1:A:313:VAL:O	1:A:313:VAL:CG1	2.59	0.50
1:B:255:GLY:HA2	1:B:276:VAL:O	2.11	0.50
1:B:445:GLY:C	1:B:446:ARG:HD2	2.32	0.50
1:B:513:ALA:HA	3:B:2704:HOH:O	2.12	0.49
1:A:71:ALA:HA	1:A:93:VAL:HG12	1.95	0.49
1:A:63:ALA:O	1:A:65:PRO:HD3	2.12	0.49

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:515:ALA:O	1:B:518:VAL:O	2.30	0.49
1:B:11:ASP:OD2	1:B:54:THR:HG23	2.12	0.49
1:B:155:GLN:OE1	1:B:179:ARG:HD2	2.12	0.49
1:B:84:ALA:O	1:B:87:ALA:HB3	2.13	0.48
1:B:245:ALA:HB1	1:B:251:VAL:HG23	1.95	0.48
1:A:233:ARG:HB3	1:A:236:LEU:HD22	1.94	0.48
1:B:42:VAL:N	1:B:43:PRO:HD2	2.28	0.48
1:A:49:LEU:CD2	1:A:300:VAL:HG21	2.43	0.48
1:A:206:LYS:HB2	1:A:233:ARG:HG2	1.95	0.48
1:A:498:ILE:CD1	1:A:500:LEU:HD11	2.42	0.48
1:A:313:VAL:HG13	1:A:382:VAL:HA	1.96	0.48
1:B:267:SER:OG	1:B:269:LEU:HB2	2.14	0.48
1:B:41:ALA:C	1:B:43:PRO:HD2	2.35	0.47
1:A:32:GLY:HA3	1:A:54:THR:OG1	2.14	0.47
1:A:464:ARG:NH1	1:A:495:GLY:O	2.44	0.47
1:B:209:GLU:OE2	1:B:211:ALA:HB3	2.15	0.47
1:A:129:THR:HB	1:A:131:LYS:CE	2.42	0.47
1:A:11:ASP:OD2	1:A:53:ALA:HB3	2.15	0.46
1:A:145:VAL:HG22	1:A:199:PHE:HB2	1.97	0.46
1:A:204:LEU:HD11	1:A:213:LEU:HD12	1.97	0.46
1:B:373:LEU:O	1:B:373:LEU:HD22	2.15	0.46
1:B:345:LEU:CD1	1:B:346:PRO:HD2	2.43	0.46
1:B:394:ARG:NH1	1:B:394:ARG:CG	2.70	0.46
1:B:291:ARG:HD3	1:B:291:ARG:HA	1.70	0.46
1:A:332:ARG:HH11	1:A:332:ARG:HG2	1.80	0.46
1:A:150:LEU:HD22	1:A:155:GLN:HG2	1.98	0.46
1:A:233:ARG:CB	1:A:236:LEU:HD22	2.45	0.46
1:A:255:GLY:HA2	1:A:276:VAL:O	2.16	0.46
1:B:121:ALA:HA	1:B:135:PHE:CZ	2.51	0.45
1:B:190:LEU:O	1:B:194:LEU:HD22	2.15	0.45
1:B:378:ILE:HG22	1:B:379:GLU:O	2.16	0.45
1:A:131:LYS:HB2	1:A:131:LYS:HE3	1.54	0.45
1:A:262:GLU:HG2	1:B:130:TRP:CH2	2.51	0.45
1:B:102:SER:HG	1:B:285:THR:HG21	1.80	0.45
1:A:230:ASN:HB3	1:A:256:LEU:HD22	1.98	0.45
1:A:190:LEU:HG	1:A:194:LEU:HD22	1.97	0.45
1:B:214:ILE:HG22	1:B:219:LEU:HD13	1.97	0.45
1:B:440:ILE:HD11	1:B:452:ALA:HA	1.99	0.45
1:A:330:LEU:HD13	1:A:438:GLN:HB3	1.98	0.45
1:A:451:ARG:HB3	1:A:453:GLN:HG2	1.99	0.44
1:A:71:ALA:CB	1:A:93:VAL:HG12	2.46	0.44

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:214:ILE:O	1:A:214:ILE:HG22	2.16	0.44
1:B:407:PRO:HD2	3:B:2676:HOH:O	2.17	0.44
1:A:161:ILE:HD12	1:A:161:ILE:HA	1.86	0.44
1:B:228:ILE:O	1:B:254:ALA:HA	2.17	0.44
1:A:206:LYS:N	3:A:733:HOH:O	2.25	0.44
1:A:460:HIS:HB3	1:A:521:TYR:CE1	2.53	0.44
1:B:363:GLU:HG2	2:B:2600:TLA:O2	2.17	0.44
1:A:246:ILE:CD1	1:A:251:VAL:HG22	2.48	0.43
1:B:21:LEU:HD12	1:B:21:LEU:HA	1.77	0.43
1:B:51:ARG:HD3	1:B:289:GLN:OE1	2.19	0.43
1:B:514:ILE:O	1:B:518:VAL:HG22	2.18	0.43
1:A:487:LEU:HB3	1:A:498:ILE:HG13	2.00	0.43
1:A:131:LYS:HE3	1:A:131:LYS:N	2.34	0.43
1:B:329:ASP:O	1:B:333:LYS:HG3	2.19	0.43
1:A:4:LEU:HA	1:A:5:PRO:HD3	1.87	0.43
1:A:42:VAL:N	1:A:43:PRO:HD3	2.33	0.43
1:A:366:ARG:HG3	1:A:398:ALA:HB1	2.01	0.43
1:B:181:ALA:HB3	3:B:2739:HOH:O	2.18	0.43
1:A:187:LEU:HD23	1:A:187:LEU:HA	1.92	0.43
1:A:261:THR:HG23	1:A:261:THR:O	2.19	0.43
1:B:157:VAL:HG21	1:B:203:HIS:CE1	2.54	0.43
1:A:216:LYS:HE2	1:A:216:LYS:HB2	1.46	0.42
1:A:352:GLN:HE21	1:A:354:ARG:NH1	2.18	0.42
1:A:528:LEU:HD23	1:A:528:LEU:HA	1.65	0.42
1:B:300:VAL:O	1:B:304:LEU:HG	2.20	0.42
1:A:403:ALA:HA	3:A:615:HOH:O	2.19	0.42
1:A:318:GLY:O	1:A:320:VAL:N	2.52	0.42
1:A:442:GLN:HA	1:A:446:ARG:O	2.20	0.42
1:B:8:LEU:HD23	1:B:8:LEU:HA	1.83	0.42
1:A:18:VAL:O	1:A:18:VAL:CG1	2.68	0.42
1:A:327:TRP:CE2	1:A:357:LEU:HD22	2.55	0.42
1:A:460:HIS:HB2	1:A:522:LYS:HB3	2.01	0.41
1:A:461:TYR:CD2	1:A:518:VAL:HB	2.55	0.41
1:B:485:ALA:HA	1:B:499:LEU:O	2.19	0.41
1:A:290:ASP:O	1:A:294:THR:HG23	2.20	0.41
1:B:49:LEU:HD21	1:B:300:VAL:HG21	2.01	0.41
1:B:127:GLU:O	1:B:129:THR:HG23	2.20	0.41
1:A:17:THR:CG2	1:A:293:GLY:HA3	2.50	0.41
1:A:257:ASP:O	1:A:280:HIS:HA	2.21	0.41
1:A:449:ASP:O	1:A:450:LEU:HD23	2.20	0.41
1:B:435:GLN:HA	1:B:435:GLN:OE1	2.20	0.41

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:14:ALA:O	1:A:17:THR:HB	2.21	0.41
1:A:20:ALA:O	1:A:301:ARG:HD3	2.20	0.41
1:B:205:PRO:HG3	1:B:211:ALA:HB2	2.02	0.41
1:A:366:ARG:HG3	1:A:398:ALA:CB	2.51	0.41
1:B:51:ARG:O	1:B:72:ARG:NE	2.53	0.41
1:B:194:LEU:O	1:B:222:THR:HA	2.20	0.41
1:A:49:LEU:HD22	1:A:300:VAL:HG21	2.02	0.41
1:A:150:LEU:HB3	1:A:175:VAL:HG21	2.02	0.41
1:A:345:LEU:HD22	1:A:346:PRO:HD2	2.03	0.41
1:A:374:PHE:O	1:A:378:ILE:HG13	2.21	0.41
1:B:440:ILE:CD1	1:B:452:ALA:HA	2.51	0.41
1:B:487:LEU:HD11	1:B:496:ALA:HB1	2.01	0.41
1:B:261:THR:O	1:B:264:CYS:HB2	2.20	0.41
1:B:373:LEU:HD23	1:B:373:LEU:HA	1.81	0.41
1:B:416:ARG:NH1	1:B:424:VAL:HG11	2.36	0.41
1:B:49:LEU:HD22	1:B:71:ALA:HB3	2.03	0.40
1:B:355:GLY:HA2	1:B:404:SER:O	2.21	0.40
1:A:85:ALA:HB1	1:A:90:VAL:HB	2.03	0.40
1:A:325:ALA:HB3	1:A:326:PRO:HD3	2.03	0.40
1:B:285:THR:HG22	1:B:285:THR:O	2.21	0.40
1:A:118:ILE:HB	1:A:119:PRO:CD	2.49	0.40
1:B:298:GLU:HA	1:B:298:GLU:OE2	2.22	0.40
1:B:528:LEU:HA	1:B:528:LEU:HD12	1.80	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	525/529 (99%)	490 (93%)	32 (6%)	3 (1%)	25	31
1	B	525/529 (99%)	490 (93%)	31 (6%)	4 (1%)	19	23

Continued on next page...

*Continued from previous page...*

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
All	All	1050/1058 (99%)	980 (93%)	63 (6%)	7 (1%)	22	26

All (7) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	263	PRO
1	B	263	PRO
1	B	316	GLY
1	A	262	GLU
1	B	234	GLY
1	B	380	ASP
1	A	234	GLY

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	397/399 (100%)	333 (84%)	64 (16%)	2	2
1	B	397/399 (100%)	342 (86%)	55 (14%)	3	3
All	All	794/798 (100%)	675 (85%)	119 (15%)	3	3

All (119) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	3	SER
1	A	4	LEU
1	A	8	LEU
1	A	12	LYS
1	A	18	VAL
1	A	24	GLN
1	A	38	LEU
1	A	39	LEU
1	A	42	VAL
1	A	49	LEU
1	A	50	VAL

*Continued on next page...*



*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
1	A	51	ARG
1	A	67	LEU
1	A	69	ILE
1	A	72	ARG
1	A	78	ASP
1	A	88	ARG
1	A	91	LEU
1	A	93	VAL
1	A	110	LEU
1	A	115	SER
1	A	126	ARG
1	A	129	THR
1	A	131	LYS
1	A	150	LEU
1	A	194	LEU
1	A	196	ARG
1	A	210	THR
1	A	213	LEU
1	A	214	ILE
1	A	216	LYS
1	A	219	LEU
1	A	233	ARG
1	A	236	LEU
1	A	242	LEU
1	A	251	VAL
1	A	256	LEU
1	A	281	LEU
1	A	285	THR
1	A	291	ARG
1	A	296	VAL
1	A	337	LEU
1	A	344	GLU
1	A	345	LEU
1	A	347	VAL
1	A	350	SER
1	A	366	ARG
1	A	371	ARG
1	A	379	GLU
1	A	385	VAL
1	A	400	ILE
1	A	404	SER
1	A	428	SER

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
1	A	430	THR
1	A	442	GLN
1	A	450	LEU
1	A	460	HIS
1	A	475	LEU
1	A	487	LEU
1	A	492	GLU
1	A	509	ASP
1	A	523	LEU
1	A	524	GLU
1	A	529	SER
1	B	8	LEU
1	B	12	LYS
1	B	18	VAL
1	B	21	LEU
1	B	23	ASP
1	B	25	VAL
1	B	37	LYS
1	B	39	LEU
1	B	42	VAL
1	B	46	ASP
1	B	52	SER
1	B	54	THR
1	B	67	LEU
1	B	72	ARG
1	B	88	ARG
1	B	93	VAL
1	B	125	LEU
1	B	131	LYS
1	B	160	ARG
1	B	194	LEU
1	B	209	GLU
1	B	213	LEU
1	B	219	LEU
1	B	223	LYS
1	B	247	THR
1	B	269	LEU
1	B	285	THR
1	B	291	ARG
1	B	315	VAL
1	B	319	VAL
1	B	322	GLU

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	B	330	LEU
1	B	337	LEU
1	B	341	LEU
1	B	343	ASP
1	B	357	LEU
1	B	370	LEU
1	B	373	LEU
1	B	384	PHE
1	B	394	ARG
1	B	399	GLU
1	B	416	ARG
1	B	430	THR
1	B	446	ARG
1	B	464	ARG
1	B	475	LEU
1	B	488	SER
1	B	492	GLU
1	B	497	THR
1	B	499	LEU
1	B	502	LEU
1	B	519	ASP
1	B	522	LYS
1	B	526	VAL
1	B	528	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (7) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	352	GLN
1	A	435	GLN
1	B	24	GLN
1	B	321	ASN
1	B	408	ASN
1	B	442	GLN
1	B	504	GLN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 5.6 Ligand geometry [i](#)

3 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
2	TLA	B	2600	-	9,9,9	1.81	2 (22%)	12,12,12	1.18	1 (8%)
2	TLA	B	1600	-	9,9,9	1.77	3 (33%)	12,12,12	1.32	2 (16%)
2	TLA	A	600	-	9,9,9	0.69	0	12,12,12	1.68	4 (33%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	TLA	B	2600	-	-	8/12/12/12	-
2	TLA	B	1600	-	-	2/12/12/12	-
2	TLA	A	600	-	-	3/12/12/12	-

All (5) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	2600	TLA	O1-C1	3.88	1.33	1.22
2	B	1600	TLA	O4-C4	3.86	1.33	1.22
2	B	1600	TLA	O41-C4	-2.69	1.22	1.30

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	2600	TLA	O11-C1	-2.45	1.22	1.30
2	B	1600	TLA	C3-C4	-2.06	1.49	1.52

All (7) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	600	TLA	O41-C4-C3	3.10	121.93	113.31
2	A	600	TLA	O11-C1-C2	2.90	121.37	113.31
2	B	1600	TLA	O11-C1-C2	2.54	120.36	113.31
2	A	600	TLA	O41-C4-O4	-2.53	118.35	124.08
2	A	600	TLA	O11-C1-O1	-2.46	118.50	124.08
2	B	2600	TLA	O11-C1-C2	2.38	119.93	113.31
2	B	1600	TLA	O41-C4-C3	2.34	119.81	113.31

There are no chirality outliers.

All (13) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	B	2600	TLA	C2-C3-C4-O4
2	B	2600	TLA	C2-C3-C4-O41
2	B	2600	TLA	O3-C3-C4-O4
2	B	2600	TLA	O3-C3-C4-O41
2	B	1600	TLA	C2-C3-C4-O4
2	B	1600	TLA	C2-C3-C4-O41
2	A	600	TLA	C2-C3-C4-O4
2	A	600	TLA	C2-C3-C4-O41
2	B	2600	TLA	O1-C1-C2-C3
2	B	2600	TLA	O11-C1-C2-C3
2	B	2600	TLA	O11-C1-C2-O2
2	B	2600	TLA	O1-C1-C2-O2
2	A	600	TLA	O11-C1-C2-C3

There are no ring outliers.

2 monomers are involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	B	2600	TLA	1	0
2	B	1600	TLA	1	0

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data

### 6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	527/529 (99%)	-0.32	10 (1%) 66 73	11, 32, 56, 79	0
1	B	527/529 (99%)	-0.39	10 (1%) 66 73	13, 33, 63, 100	0
All	All	1054/1058 (99%)	-0.36	20 (1%) 66 73	11, 32, 60, 100	0

All (20) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	319	VAL	5.4
1	B	317	GLY	5.3
1	B	380	ASP	4.6
1	A	4	LEU	4.5
1	B	492	GLU	4.4
1	B	379	GLU	4.0
1	B	381	ALA	3.6
1	A	318	GLY	3.5
1	B	382	VAL	3.3
1	A	125	LEU	3.2
1	A	462	VAL	3.2
1	B	377	VAL	3.2
1	B	209	GLU	3.1
1	B	374	PHE	2.8
1	A	25	VAL	2.7
1	A	3	SER	2.4
1	B	378	ILE	2.2
1	A	127	GLU	2.1
1	A	317	GLY	2.1
1	A	5	PRO	2.1

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
2	TLA	B	2600	10/10	0.94	0.15	54,63,67,69	10
2	TLA	A	600	10/10	0.95	0.11	66,72,79,83	0
2	TLA	B	1600	10/10	0.96	0.10	59,70,75,77	0

## 6.5 Other polymers [i](#)

There are no such residues in this entry.