



Full wwPDB X-ray Structure Validation Report ⓘ

Oct 18, 2023 – 03:07 PM EDT

PDB ID : 1YI5
Title : Crystal structure of the α -cobratoxin-AChBP complex
Authors : Bourne, Y.; Talley, T.T.; Hansen, S.B.; Taylor, P.; Marchot, P.
Deposited on : 2005-01-11
Resolution : 4.20 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Xtriage (Phenix) : 1.13
EDS : 2.36
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.36


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 4.20 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	1005 (4.62-3.78)
Clashscore	141614	1044 (4.60-3.80)
Ramachandran outliers	138981	1000 (4.60-3.80)
Sidechain outliers	138945	1007 (4.62-3.78)
RSRZ outliers	127900	1063 (4.70-3.70)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	210	
1	B	210	
1	C	210	
1	D	210	
1	E	210	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
2	F	71	<p>46% 42% 6% . .</p>
2	G	71	<p>% 48% 39% 8% .</p>
2	H	71	<p>44% 45% 6% . .</p>
2	I	71	<p>4% 41% 45% 8% 6%</p>
2	J	71	<p>% 46% 39% 10% .</p>

2 Entry composition

There are 2 unique types of molecules in this entry. The entry contains 10648 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Acetylcholine-binding protein.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	202	Total 1612	C 1010	N 276	O 321	S 5	0	0	0
1	B	204	Total 1627	C 1018	N 279	O 325	S 5	0	0	0
1	C	203	Total 1623	C 1016	N 280	O 322	S 5	0	0	0
1	D	205	Total 1636	C 1023	N 280	O 328	S 5	0	0	0
1	E	203	Total 1620	C 1014	N 278	O 323	S 5	0	0	0


- Molecule 2 is a protein called Long neurotoxin 1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
2	F	68	Total 507	C 312	N 88	O 97	S 10	0	0	0
2	G	68	Total 507	C 312	N 88	O 97	S 10	0	0	0
2	H	68	Total 507	C 312	N 88	O 97	S 10	0	0	0
2	I	67	Total 502	C 309	N 87	O 96	S 10	0	0	0
2	J	68	Total 507	C 312	N 88	O 97	S 10	0	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Acetylcholine-binding protein



- Molecule 1: Acetylcholine-binding protein




- Molecule 1: Acetylcholine-binding protein



R206
SER
GLU
ILE
LEU

• Molecule 1: Acetylcholine-binding protein

Chain D:  60% 31% 5%



E190
A191
Y192
G205
ARG
SER
GLU
ILE
LEU

• Molecule 1: Acetylcholine-binding protein


Chain E:  59% 33%



S198
G205
ARG
SER
GLU
ILE
LEU


• Molecule 2: Long neurotoxin 1

Chain F:  46% 42% 6%



• Molecule 2: Long neurotoxin 1

Chain G:  48% 39% 8%




• Molecule 2: Long neurotoxin 1

Chain H:  44% 45% 6%



- Molecule 2: Long neurotoxin 1

Chain I: 



- Molecule 2: Long neurotoxin 1

Chain J: 



4 Data and refinement statistics

Property	Value	Source
Space group	C 2 2 21	Depositor
Cell constants a, b, c, α , β , γ	162.60Å 313.42Å 106.55Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	30.00 – 4.20 156.71 – 4.20	Depositor EDS
% Data completeness (in resolution range)	94.9 (30.00-4.20) 94.5 (156.71-4.20)	Depositor EDS
R_{merge}	0.16	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.71 (at 4.15Å)	Xtrriage
Refinement program	REFMAC 5.1.24	Depositor
R, R_{free}	0.331 , 0.378 0.290 , 0.341	Depositor DCC
R_{free} test set	1042 reflections (5.12%)	wwPDB-VP
Wilson B-factor (Å ²)	75.2	Xtrriage
Anisotropy	1.208	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.28 , -2.7	EDS
L-test for twinning ²	$\langle L \rangle = 0.43$, $\langle L^2 \rangle = 0.26$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.82	EDS
Total number of atoms	10648	wwPDB-VP
Average B, all atoms (Å ²)	39.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.00% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality i

5.1 Standard geometry i

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.56	0/1647	0.87	10/2246 (0.4%)
1	B	0.58	0/1662	0.86	6/2267 (0.3%)
1	C	0.57	0/1658	0.87	13/2260 (0.6%)
1	D	0.56	0/1672	0.87	7/2282 (0.3%)
1	E	0.56	0/1655	0.88	6/2257 (0.3%)
2	F	0.63	0/518	0.98	5/706 (0.7%)
2	G	0.67	0/518	0.95	3/706 (0.4%)
2	H	0.72	0/518	1.01	5/706 (0.7%)
2	I	0.67	0/513	1.01	5/699 (0.7%)
2	J	0.65	0/518	0.98	2/706 (0.3%)
All	All	0.59	0/10879	0.90	62/14835 (0.4%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
2	F	0	1
2	G	0	1
2	H	0	1
2	I	0	1
2	J	0	1
All	All	0	5

There are no bond length outliers.

All (62) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	D	2	ASP	CB-CG-OD2	7.40	124.96	118.30
2	H	8	ASP	CB-CG-OD2	6.85	124.47	118.30
2	H	38	ASP	CB-CG-OD2	6.80	124.42	118.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	17	ASP	CB-CG-OD2	6.66	124.29	118.30
2	F	38	ASP	CB-CG-OD2	6.59	124.23	118.30
1	E	72	ASP	CB-CG-OD2	6.54	124.18	118.30
1	C	85	ASP	CB-CG-OD2	6.31	123.98	118.30
2	I	38	ASP	CB-CG-OD2	6.31	123.98	118.30
1	C	72	ASP	CB-CG-OD2	6.26	123.93	118.30
2	F	17	GLY	N-CA-C	-6.21	97.58	113.10
1	D	72	ASP	CB-CG-OD2	6.18	123.86	118.30
1	E	49	ASP	CB-CG-OD2	6.17	123.85	118.30
1	B	49	ASP	CB-CG-OD2	6.15	123.84	118.30
2	I	60	ASP	CB-CG-OD2	6.04	123.73	118.30
1	A	72	ASP	CB-CG-OD2	6.00	123.70	118.30
1	A	60	ASP	CB-CG-OD2	5.98	123.69	118.30
2	J	17	GLY	N-CA-C	-5.93	98.28	113.10
1	A	161	ASP	CB-CG-OD2	5.89	123.60	118.30
1	E	17	ASP	CB-CG-OD2	5.88	123.60	118.30
1	A	17	ASP	CB-CG-OD2	5.83	123.54	118.30
2	I	17	GLY	N-CA-C	-5.82	98.54	113.10
2	G	17	GLY	N-CA-C	-5.81	98.58	113.10
2	H	13	ASP	CB-CG-OD2	5.80	123.52	118.30
2	H	60	ASP	CB-CG-OD2	5.78	123.50	118.30
1	D	49	ASP	CB-CG-OD2	5.77	123.49	118.30
1	A	49	ASP	CB-CG-OD2	5.74	123.47	118.30
2	H	17	GLY	N-CA-C	-5.70	98.86	113.10
1	B	2	ASP	CB-CG-OD2	5.68	123.41	118.30
2	I	13	ASP	CB-CG-OD2	5.57	123.31	118.30
1	A	85	ASP	CB-CG-OD2	5.56	123.30	118.30
1	A	2	ASP	CB-CG-OD2	5.55	123.30	118.30
2	F	27	ASP	CB-CG-OD2	5.52	123.27	118.30
1	C	5	ASP	CB-CG-OD2	5.50	123.25	118.30
2	G	8	ASP	CB-CG-OD2	5.48	123.23	118.30
2	I	8	ASP	CB-CG-OD2	5.44	123.20	118.30
2	J	38	ASP	CB-CG-OD2	5.43	123.19	118.30
1	C	175	ASP	CB-CG-OD2	5.38	123.14	118.30
1	D	175	ASP	CB-CG-OD2	5.36	123.13	118.30
1	E	161	ASP	CB-CG-OD2	5.34	123.11	118.30
1	C	194	ASP	CB-CG-OD2	5.32	123.09	118.30
1	A	24	ASP	CB-CG-OD2	5.30	123.07	118.30
1	E	5	ASP	CB-CG-OD2	5.29	123.06	118.30
1	D	17	ASP	CB-CG-OD2	5.29	123.06	118.30
2	G	38	ASP	CB-CG-OD2	5.29	123.06	118.30
1	C	60	ASP	CB-CG-OD2	5.28	123.05	118.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	108	ASP	CB-CG-OD2	5.27	123.04	118.30
1	D	24	ASP	CB-CG-OD2	5.22	123.00	118.30
1	A	5	ASP	CB-CG-OD2	5.21	122.99	118.30
2	F	13	ASP	CB-CG-OD2	5.21	122.99	118.30
1	C	160	ASP	CB-CG-OD2	5.20	122.98	118.30
2	F	60	ASP	CB-CG-OD2	5.20	122.98	118.30
1	B	161	ASP	CB-CG-OD2	5.20	122.98	118.30
1	C	153	ASP	CB-CG-OD2	5.20	122.98	118.30
1	A	124	ASP	CB-CG-OD2	5.18	122.96	118.30
1	C	17	ASP	CB-CG-OD2	5.16	122.95	118.30
1	C	24	ASP	CB-CG-OD2	5.16	122.94	118.30
1	C	129	ASP	CB-CG-OD2	5.12	122.91	118.30
1	B	129	ASP	CB-CG-OD2	5.10	122.89	118.30
1	D	153	ASP	CB-CG-OD2	5.08	122.87	118.30
1	E	194	ASP	CB-CG-OD2	5.08	122.87	118.30
1	C	49	ASP	CB-CG-OD2	5.07	122.87	118.30
1	B	72	ASP	CB-CG-OD2	5.04	122.83	118.30

There are no chirality outliers.

All (5) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
2	F	16	ASN	Peptide
2	G	16	ASN	Peptide
2	H	16	ASN	Peptide
2	I	16	ASN	Peptide
2	J	16	ASN	Peptide

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1612	0	1561	22	0
1	B	1627	0	1574	38	0
1	C	1623	0	1574	32	0
1	D	1636	0	1581	39	0
1	E	1620	0	1567	40	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	F	507	0	480	11	0
2	G	507	0	480	22	0
2	H	507	0	480	15	0
2	I	502	0	478	20	0
2	J	507	0	480	18	0
All	All	10648	0	10255	213	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 10.

All (213) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:34:LYS:NZ	1:D:159:SER:OG	1.99	0.95
2:I:10:THR:O	2:I:12:LYS:NZ	2.10	0.83
1:D:186:SER:HB3	2:I:35:LYS:O	1.80	0.81
1:D:145:HIS:HE1	1:E:75:SER:HB2	1.45	0.81
1:D:186:SER:CB	2:I:35:LYS:O	2.30	0.80
1:B:33:LEU:H	1:B:178:GLN:HE22	1.28	0.79
2:H:31:SER:HB2	1:D:55:GLN:HE22	1.51	0.74
2:G:10:THR:O	2:G:12:LYS:NZ	2.20	0.73
2:J:59:THR:HB	2:J:62:CYS:HB3	1.73	0.71
1:C:186:SER:HB3	2:H:35:LYS:O	1.92	0.70
1:D:145:HIS:CE1	1:E:75:SER:HB2	2.27	0.69
1:C:192:TYR:OH	2:H:33:ARG:HD3	1.93	0.69
1:A:42:ASN:ND2	1:A:45:THR:OG1	2.28	0.67
2:H:10:THR:O	2:H:12:LYS:NZ	2.28	0.65
2:H:6:THR:HG23	2:H:7:PRO:HA	1.79	0.64
1:D:186:SER:OG	2:I:35:LYS:O	2.17	0.63
2:J:8:ASP:HB2	2:J:12:LYS:HZ1	1.61	0.63
1:C:99:THR:HB	1:C:100:PRO:CD	2.29	0.63
1:E:187:CYS:SG	1:E:188:CYS:N	2.72	0.62
2:G:32:ILE:CG2	1:C:112:LEU:HD13	2.29	0.62
2:G:32:ILE:HG21	1:C:112:LEU:HD13	1.81	0.62
1:B:187:CYS:SG	1:B:188:CYS:N	2.74	0.61
1:E:34:LYS:NZ	1:E:159:SER:OG	2.34	0.61
1:E:90:ASN:ND2	1:E:122:SER:O	2.34	0.60
1:E:22:GLN:O	1:E:25:ARG:HB2	2.01	0.60
1:B:33:LEU:H	1:B:178:GLN:NE2	2.00	0.59
2:F:11:SER:HB3	2:F:61:ASN:HD21	1.67	0.59
1:B:186:SER:HB3	2:G:35:LYS:O	2.03	0.59

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:187:CYS:SG	1:D:188:CYS:N	2.75	0.59
2:G:8:ASP:HB2	2:G:12:LYS:NZ	2.18	0.58
1:D:157:GLU:O	1:D:158:ASN:ND2	2.36	0.58
1:C:186:SER:CB	2:H:35:LYS:O	2.51	0.57
2:I:11:SER:HB3	2:I:61:ASN:HD21	1.68	0.57
1:E:140:ILE:HG13	1:E:141:GLY:N	2.16	0.57
1:B:164:TYR:O	1:B:165:PHE:C	2.42	0.57
2:G:5:ILE:HD12	2:G:12:LYS:HG3	1.87	0.57
1:E:164:TYR:O	1:E:165:PHE:C	2.42	0.57
1:C:187:CYS:SG	1:C:188:CYS:N	2.78	0.57
2:J:8:ASP:HB2	2:J:12:LYS:NZ	2.19	0.57
1:C:90:ASN:HD21	1:C:138:ILE:HA	1.69	0.56
2:H:31:SER:HB2	1:D:55:GLN:NE2	2.20	0.56
1:E:186:SER:OG	2:J:35:LYS:O	2.22	0.56
2:G:63:ASN:N	2:G:64:PRO:CD	2.68	0.55
1:D:76:VAL:HG12	1:D:77:PRO:HD2	1.89	0.55
1:C:99:THR:HG23	1:C:116:SER:HB3	1.89	0.55
1:A:164:TYR:O	1:A:165:PHE:C	2.44	0.55
1:E:186:SER:HB3	2:J:37:VAL:HG13	1.89	0.55
1:B:33:LEU:N	1:B:178:GLN:HE22	2.03	0.55
1:D:85:ASP:CG	1:D:85:ASP:O	2.44	0.54
1:B:145:HIS:HB2	1:B:150:ILE:HD12	1.88	0.54
1:E:186:SER:CB	2:J:35:LYS:O	2.55	0.54
1:D:164:TYR:O	1:D:165:PHE:C	2.46	0.54
2:F:63:ASN:N	2:F:64:PRO:CD	2.71	0.54
1:B:83:VAL:HG12	1:B:84:PRO:HD2	1.90	0.54
1:B:145:HIS:CB	1:B:150:ILE:HD12	2.38	0.54
1:C:55:GLN:HA	1:C:114:MET:HG3	1.88	0.53
1:A:187:CYS:SG	1:A:188:CYS:N	2.81	0.53
2:F:1:ILE:N	2:F:14:CYS:O	2.32	0.53
2:G:20:CYS:HB3	2:G:63:ASN:OD1	2.09	0.53
2:I:63:ASN:N	2:I:64:PRO:CD	2.71	0.53
1:B:186:SER:CB	2:G:35:LYS:O	2.56	0.53
2:I:30:CYS:SG	2:I:35:LYS:HA	2.48	0.53
2:H:8:ASP:HB2	2:H:12:LYS:NZ	2.24	0.52
2:H:63:ASN:N	2:H:64:PRO:CD	2.72	0.52
1:A:38:ILE:HD11	1:A:199:LEU:HD21	1.92	0.52
2:G:8:ASP:HB2	2:G:12:LYS:HZ1	1.73	0.52
1:E:31:VAL:HG12	1:E:32:SER:N	2.24	0.52
2:H:1:ILE:N	2:H:14:CYS:O	2.32	0.52
2:J:63:ASN:N	2:J:64:PRO:CD	2.73	0.52

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:192:TYR:OH	2:G:33:ARG:HD3	2.10	0.51
1:E:186:SER:HB3	2:J:35:LYS:O	2.09	0.51
1:A:54:GLN:O	1:A:56:THR:OG1	2.28	0.51
1:D:99:THR:HB	1:D:100:PRO:CD	2.41	0.51
1:C:99:THR:HB	1:C:100:PRO:HD2	1.92	0.51
1:D:183:VAL:O	1:D:191:ALA:HB1	2.11	0.51
1:E:21:THR:HG23	1:E:23:ARG:NH2	2.26	0.51
2:H:8:ASP:HB2	2:H:12:LYS:HZ1	1.76	0.50
1:D:99:THR:HG23	1:D:116:SER:HB2	1.93	0.50
1:E:188:CYS:O	1:E:189:PRO:C	2.50	0.50
1:A:22:GLN:O	1:A:25:ARG:HB2	2.12	0.50
1:D:31:VAL:HG12	1:D:32:SER:N	2.27	0.50
2:G:32:ILE:HD11	1:C:55:GLN:HG3	1.94	0.49
1:C:164:TYR:O	1:C:165:PHE:C	2.50	0.49
1:B:90:ASN:HD21	1:B:138:ILE:HA	1.77	0.49
1:A:188:CYS:O	1:A:189:PRO:C	2.51	0.49
1:C:188:CYS:O	1:C:189:PRO:C	2.51	0.49
2:F:27:ASP:CG	2:F:28:ALA:N	2.65	0.49
1:E:19:ILE:O	1:E:19:ILE:HG23	2.13	0.49
1:C:31:VAL:HG12	1:C:32:SER:N	2.27	0.49
1:E:50:VAL:HG22	1:E:51:VAL:N	2.27	0.49
2:I:31:SER:HB2	1:E:55:GLN:HE22	1.77	0.49
2:F:31:SER:HB3	1:B:55:GLN:HE22	1.78	0.48
1:D:50:VAL:HG22	1:D:51:VAL:N	2.27	0.48
2:H:3:CYS:HB2	2:H:41:CYS:HB3	1.95	0.48
2:I:31:SER:CB	1:E:55:GLN:HE22	2.26	0.48
1:B:188:CYS:O	1:B:189:PRO:C	2.52	0.48
1:D:192:TYR:OH	2:I:33:ARG:HD3	2.13	0.48
1:C:205:GLY:O	1:C:206:ARG:C	2.52	0.48
2:J:11:SER:CB	2:J:61:ASN:HD21	2.26	0.48
1:A:192:TYR:OH	2:F:33:ARG:HD3	2.13	0.48
1:D:99:THR:HB	1:D:100:PRO:HD2	1.96	0.48
1:D:188:CYS:O	1:D:189:PRO:C	2.52	0.48
2:I:22:THR:HB	2:I:55:GLN:HB3	1.96	0.48
1:B:146:HIS:HB3	1:B:192:TYR:CE2	2.49	0.48
1:B:18:VAL:HG11	1:C:4:ALA:HB2	1.96	0.48
1:D:88:ALA:HB3	1:D:91:ALA:HB2	1.96	0.48
1:B:55:GLN:HA	1:B:114:MET:HG3	1.96	0.48
1:C:96:GLU:HB3	1:C:118:ARG:HB3	1.96	0.48
1:A:75:SER:OG	1:E:145:HIS:CE1	2.67	0.47
2:G:3:CYS:HB2	2:G:41:CYS:HB3	1.96	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:146:HIS:CG	1:A:147:SER:N	2.81	0.47
2:F:31:SER:CB	1:B:55:GLN:HE22	2.27	0.47
1:C:50:VAL:HG22	1:C:51:VAL:N	2.29	0.47
1:D:83:VAL:HG12	1:D:84:PRO:HD2	1.96	0.47
2:I:59:THR:HB	2:I:62:CYS:HB3	1.97	0.47
1:A:10:ILE:O	1:A:14:SER:HB3	2.15	0.47
2:J:11:SER:HB2	2:J:61:ASN:HD21	1.80	0.47
1:B:76:VAL:HG12	1:B:77:PRO:HD2	1.95	0.47
1:D:185:TYR:OH	2:I:27:ASP:OD2	2.33	0.47
2:G:1:ILE:N	2:G:14:CYS:O	2.33	0.46
1:E:88:ALA:HB3	1:E:91:ALA:HB2	1.97	0.46
1:A:30:SER:OG	1:A:57:THR:HB	2.15	0.46
1:B:6:ILE:O	1:B:9:ASN:HB3	2.15	0.46
2:J:20:CYS:HB3	2:J:63:ASN:OD1	2.15	0.46
2:H:2:ARG:HG2	2:H:13:ASP:HA	1.97	0.46
1:A:34:LYS:NZ	1:A:159:SER:OG	2.47	0.46
1:B:35:PHE:CD2	1:B:199:LEU:HD13	2.51	0.46
1:D:76:VAL:HG12	1:D:77:PRO:CD	2.45	0.46
1:B:31:VAL:HG12	1:B:32:SER:N	2.31	0.46
1:C:76:VAL:HG12	1:C:77:PRO:HD2	1.97	0.46
2:I:5:ILE:O	2:I:8:ASP:O	2.34	0.46
1:B:17:ASP:O	1:C:7:LEU:HD13	2.16	0.45
1:A:31:VAL:HG12	1:A:32:SER:N	2.30	0.45
1:B:35:PHE:CE2	1:B:199:LEU:HD22	2.51	0.45
1:B:125:VAL:O	1:B:125:VAL:HG12	2.16	0.45
1:A:19:ILE:HD11	1:A:150:ILE:HG13	1.98	0.45
2:F:5:ILE:O	2:F:8:ASP:O	2.34	0.45
1:B:78:ILE:HG12	1:B:101:GLN:C	2.36	0.45
1:C:146:HIS:HB3	1:C:192:TYR:CE2	2.52	0.45
2:G:4:PHE:HB2	2:G:63:ASN:HD21	1.81	0.45
2:J:1:ILE:N	2:J:14:CYS:O	2.34	0.44
2:G:63:ASN:O	2:G:63:ASN:ND2	2.45	0.44
1:B:46:ASN:HD22	1:B:125:VAL:HB	1.81	0.44
1:E:186:SER:HB3	2:J:37:VAL:CG1	2.48	0.44
1:B:146:HIS:C	1:B:146:HIS:CD2	2.90	0.44
2:G:31:SER:CB	1:C:55:GLN:HE22	2.30	0.44
1:A:51:VAL:HA	1:A:117:ILE:O	2.17	0.44
2:J:10:THR:O	2:J:12:LYS:NZ	2.50	0.44
1:A:183:VAL:O	1:A:191:ALA:HB1	2.18	0.44
2:F:45:CYS:SG	2:F:46:PRO:HD2	2.57	0.44
2:F:32:ILE:HD11	1:B:55:GLN:HG3	2.00	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:10:ILE:HG23	1:B:63:LEU:CD2	2.49	0.43
2:I:1:ILE:N	2:I:14:CYS:O	2.33	0.43
1:B:54:GLN:O	1:B:56:THR:OG1	2.28	0.43
1:D:123:CYS:O	1:D:125:VAL:HG23	2.19	0.43
2:I:32:ILE:HG21	1:E:112:LEU:HD13	2.00	0.43
2:J:21:TYR:HE2	2:J:42:ALA:HB2	1.83	0.43
2:G:59:THR:HB	2:G:62:CYS:HB3	2.00	0.43
2:I:3:CYS:HB2	2:I:41:CYS:HB3	2.00	0.43
2:G:31:SER:HB3	1:C:55:GLN:HE22	1.84	0.43
1:E:99:THR:HG23	1:E:116:SER:HB3	2.01	0.43
1:B:83:VAL:CG1	1:B:84:PRO:HD2	2.49	0.43
1:E:76:VAL:HG12	1:E:77:PRO:HD2	2.01	0.42
1:B:76:VAL:HG12	1:B:77:PRO:CD	2.49	0.42
1:D:145:HIS:CB	1:D:150:ILE:HD12	2.49	0.42
2:G:25:TRP:CZ2	2:G:36:ARG:NE	2.87	0.42
1:A:140:ILE:HG13	1:A:141:GLY:N	2.33	0.42
1:D:119:GLN:HB3	1:D:121:PHE:CE1	2.55	0.42
1:B:20:PRO:O	1:B:27:VAL:HG22	2.19	0.42
1:C:46:ASN:HD22	1:C:125:VAL:H	1.68	0.42
2:J:5:ILE:O	2:J:8:ASP:O	2.37	0.42
1:E:42:ASN:ND2	1:E:45:THR:OG1	2.53	0.42
1:E:158:ASN:O	1:E:159:SER:CB	2.66	0.42
1:A:50:VAL:HG22	1:A:51:VAL:N	2.35	0.42
1:C:20:PRO:HD3	1:C:82:TRP:CG	2.55	0.42
1:C:33:LEU:HD13	1:C:52:PHE:CD1	2.55	0.42
1:E:69:HIS:H	1:E:69:HIS:CD2	2.38	0.42
2:J:27:ASP:CG	2:J:28:ALA:N	2.73	0.42
1:D:40:GLU:HB2	1:D:49:ASP:CB	2.50	0.41
2:I:32:ILE:HD11	1:E:55:GLN:HG3	2.01	0.41
2:H:45:CYS:SG	2:H:46:PRO:HD2	2.59	0.41
1:D:17:ASP:O	1:E:7:LEU:HD13	2.21	0.41
1:E:19:ILE:HD11	1:E:150:ILE:HG13	2.03	0.41
1:C:17:ASP:O	1:D:7:LEU:HD13	2.20	0.41
1:C:18:VAL:HG11	1:D:4:ALA:HB2	2.01	0.41
1:E:98:LEU:N	1:E:98:LEU:HD23	2.36	0.41
1:E:188:CYS:HB3	1:E:189:PRO:HD2	2.01	0.41
2:H:32:ILE:CG2	1:D:112:LEU:HD13	2.50	0.41
2:I:32:ILE:CG2	1:E:112:LEU:HD13	2.50	0.41
1:E:146:HIS:HB3	1:E:192:TYR:CE2	2.56	0.41
1:E:33:LEU:H	1:E:178:GLN:HE22	1.69	0.41
1:B:127:GLY:O	1:B:130:THR:OG1	2.39	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:78:ILE:HG13	1:D:113:TYR:CZ	2.55	0.41
1:A:76:VAL:HG12	1:A:77:PRO:HD2	2.02	0.41
1:A:78:ILE:HG13	1:A:113:TYR:CZ	2.56	0.41
1:B:36:ILE:HG12	1:B:52:PHE:HA	2.02	0.41
1:D:51:VAL:HA	1:D:117:ILE:O	2.21	0.41
1:A:185:TYR:OH	2:F:29:PHE:HB3	2.21	0.41
2:G:5:ILE:O	2:G:8:ASP:O	2.39	0.41
1:C:183:VAL:O	1:C:191:ALA:HB1	2.21	0.41
1:D:20:PRO:O	1:D:27:VAL:HG22	2.21	0.41
1:D:145:HIS:CE1	1:E:75:SER:CB	3.01	0.41
2:J:3:CYS:HB2	2:J:41:CYS:HB3	2.03	0.41
1:C:85:ASP:O	1:C:85:ASP:CG	2.59	0.40
1:D:46:ASN:HD22	1:D:125:VAL:HB	1.85	0.40
1:E:36:ILE:HG12	1:E:52:PHE:HA	2.02	0.40
1:E:99:THR:HB	1:E:100:PRO:HD2	2.03	0.40
1:B:51:VAL:HA	1:B:117:ILE:O	2.22	0.40
2:G:27:ASP:CG	2:G:28:ALA:N	2.74	0.40
1:C:40:GLU:HB2	1:C:49:ASP:HB2	2.02	0.40
1:E:51:VAL:HA	1:E:117:ILE:O	2.22	0.40
1:B:36:ILE:HD11	1:B:53:TRP:CD2	2.57	0.40
1:D:183:VAL:HG11	2:I:36:ARG:CZ	2.51	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [\(i\)](#)

5.3.1 Protein backbone [\(i\)](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	198/210 (94%)	174 (88%)	19 (10%)	5 (2%)	5	35
1	B	200/210 (95%)	173 (86%)	22 (11%)	5 (2%)	5	35
1	C	199/210 (95%)	174 (87%)	19 (10%)	6 (3%)	4	32
1	D	203/210 (97%)	174 (86%)	21 (10%)	8 (4%)	3	27

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	E	199/210 (95%)	174 (87%)	19 (10%)	6 (3%)	4	32
2	F	66/71 (93%)	58 (88%)	6 (9%)	2 (3%)	4	32
2	G	66/71 (93%)	55 (83%)	8 (12%)	3 (4%)	2	25
2	H	66/71 (93%)	57 (86%)	6 (9%)	3 (4%)	2	25
2	I	65/71 (92%)	56 (86%)	7 (11%)	2 (3%)	4	31
2	J	66/71 (93%)	56 (85%)	8 (12%)	2 (3%)	4	32
All	All	1328/1405 (94%)	1151 (87%)	135 (10%)	42 (3%)	4	31

All (42) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	D	160	ASP
1	E	159	SER
1	A	55	GLN
1	A	64	ALA
2	F	16	ASN
1	B	55	GLN
1	B	64	ALA
2	G	16	ASN
1	C	64	ALA
1	C	205	GLY
2	H	16	ASN
1	D	55	GLN
1	D	64	ALA
1	D	161	ASP
2	I	16	ASN
1	E	55	GLN
1	E	64	ALA
2	J	16	ASN
1	A	189	PRO
1	B	23	ARG
2	G	29	PHE
1	C	55	GLN
2	I	29	PHE
1	A	23	ARG
2	F	29	PHE
1	B	189	PRO
1	C	23	ARG
1	C	189	PRO
2	H	29	PHE

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	D	23	ARG
1	D	162	SER
1	D	189	PRO
1	E	23	ARG
2	J	29	PHE
1	B	20	PRO
1	A	20	PRO
1	C	20	PRO
1	D	20	PRO
1	E	20	PRO
1	E	189	PRO
2	G	64	PRO
2	H	66	PRO

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	188/196 (96%)	161 (86%)	27 (14%)	3	18
1	B	190/196 (97%)	162 (85%)	28 (15%)	3	17
1	C	189/196 (96%)	166 (88%)	23 (12%)	5	23
1	D	191/196 (97%)	162 (85%)	29 (15%)	3	17
1	E	189/196 (96%)	157 (83%)	32 (17%)	2	14
2	F	60/64 (94%)	43 (72%)	17 (28%)	0	3
2	G	60/64 (94%)	49 (82%)	11 (18%)	1	11
2	H	60/64 (94%)	45 (75%)	15 (25%)	0	4
2	I	60/64 (94%)	47 (78%)	13 (22%)	1	6
2	J	60/64 (94%)	44 (73%)	16 (27%)	0	3
All	All	1247/1300 (96%)	1036 (83%)	211 (17%)	2	14

All (211) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	9	ASN
1	A	14	SER
1	A	23	ARG
1	A	24	ASP
1	A	32	SER
1	A	46	ASN
1	A	59	SER
1	A	62	THR
1	A	69	HIS
1	A	70	SER
1	A	74	VAL
1	A	79	SER
1	A	93	SER
1	A	94	LYS
1	A	101	GLN
1	A	114	MET
1	A	122	SER
1	A	123	CYS
1	A	130	THR
1	A	140	ILE
1	A	146	HIS
1	A	148	ARG
1	A	159	SER
1	A	162	SER
1	A	180	LYS
1	A	182	SER
1	A	198	SER
2	F	5	ILE
2	F	6	THR
2	F	9	ILE
2	F	10	THR
2	F	24	THR
2	F	26	CYS
2	F	27	ASP
2	F	37	VAL
2	F	44	THR
2	F	48	VAL
2	F	52	VAL
2	F	55	GLN
2	F	58	SER
2	F	59	THR
2	F	60	ASP
2	F	65	PHE

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	F	67	THR
1	B	12	GLN
1	B	17	ASP
1	B	22	GLN
1	B	23	ARG
1	B	25	ARG
1	B	30	SER
1	B	43	GLU
1	B	49	ASP
1	B	67	SER
1	B	69	HIS
1	B	74	VAL
1	B	94	LYS
1	B	96	GLU
1	B	110	GLU
1	B	122	SER
1	B	123	CYS
1	B	130	THR
1	B	131	GLU
1	B	135	THR
1	B	140	ILE
1	B	142	SER
1	B	146	HIS
1	B	148	ARG
1	B	153	ASP
1	B	155	THR
1	B	159	SER
1	B	167	GLN
1	B	180	LYS
2	G	6	THR
2	G	12	LYS
2	G	36	ARG
2	G	48	VAL
2	G	50	THR
2	G	52	VAL
2	G	53	ASP
2	G	55	GLN
2	G	63	ASN
2	G	65	PHE
2	G	67	THR
1	C	2	ASP
1	C	23	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	24	ASP
1	C	25	ARG
1	C	69	HIS
1	C	70	SER
1	C	74	VAL
1	C	93	SER
1	C	94	LYS
1	C	107	SER
1	C	108	ASP
1	C	114	MET
1	C	123	CYS
1	C	130	THR
1	C	140	ILE
1	C	148	ARG
1	C	155	THR
1	C	159	SER
1	C	166	SER
1	C	179	LYS
1	C	180	LYS
1	C	194	ASP
1	C	198	SER
2	H	6	THR
2	H	8	ASP
2	H	9	ILE
2	H	19	VAL
2	H	26	CYS
2	H	36	ARG
2	H	45	CYS
2	H	48	VAL
2	H	50	THR
2	H	52	VAL
2	H	55	GLN
2	H	56	CYS
2	H	58	SER
2	H	59	THR
2	H	65	PHE
1	D	13	THR
1	D	17	ASP
1	D	23	ARG
1	D	24	ASP
1	D	25	ARG
1	D	30	SER

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	D	43	GLU
1	D	59	SER
1	D	68	SER
1	D	70	SER
1	D	74	VAL
1	D	75	SER
1	D	79	SER
1	D	85	ASP
1	D	93	SER
1	D	94	LYS
1	D	108	ASP
1	D	114	MET
1	D	130	THR
1	D	140	ILE
1	D	148	ARG
1	D	156	THR
1	D	158	ASN
1	D	159	SER
1	D	160	ASP
1	D	161	ASP
1	D	163	GLU
1	D	166	SER
1	D	180	LYS
2	I	6	THR
2	I	9	ILE
2	I	10	THR
2	I	12	LYS
2	I	26	CYS
2	I	31	SER
2	I	36	ARG
2	I	47	THR
2	I	50	THR
2	I	52	VAL
2	I	58	SER
2	I	65	PHE
2	I	67	THR
1	E	1	LEU
1	E	2	ASP
1	E	11	ARG
1	E	12	GLN
1	E	13	THR
1	E	14	SER

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	E	17	ASP
1	E	23	ARG
1	E	24	ASP
1	E	30	SER
1	E	59	SER
1	E	66	ASN
1	E	67	SER
1	E	69	HIS
1	E	70	SER
1	E	72	ASP
1	E	74	VAL
1	E	93	SER
1	E	114	MET
1	E	123	CYS
1	E	129	ASP
1	E	130	THR
1	E	140	ILE
1	E	148	ARG
1	E	155	THR
1	E	161	ASP
1	E	163	GLU
1	E	175	ASP
1	E	178	GLN
1	E	180	LYS
1	E	182	SER
1	E	198	SER
2	J	5	ILE
2	J	6	THR
2	J	9	ILE
2	J	10	THR
2	J	11	SER
2	J	12	LYS
2	J	19	VAL
2	J	26	CYS
2	J	27	ASP
2	J	31	SER
2	J	37	VAL
2	J	44	THR
2	J	47	THR
2	J	48	VAL
2	J	60	ASP
2	J	65	PHE

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (27) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	22	GLN
1	A	42	ASN
1	A	46	ASN
1	A	55	GLN
1	A	101	GLN
1	A	119	GLN
2	F	61	ASN
1	B	46	ASN
1	B	55	GLN
1	B	146	HIS
1	C	46	ASN
1	C	55	GLN
1	C	119	GLN
1	C	146	HIS
2	H	18	HIS
1	D	46	ASN
1	D	119	GLN
1	D	145	HIS
2	I	61	ASN
1	E	46	ASN
1	E	55	GLN
1	E	66	ASN
1	E	69	HIS
1	E	119	GLN
1	E	145	HIS
2	J	18	HIS
2	J	61	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	202/210 (96%)	0.13	0 100 100	38, 39, 40, 42	0
1	B	204/210 (97%)	0.11	2 (0%) 82 74	38, 39, 40, 43	0
1	C	203/210 (96%)	0.15	1 (0%) 91 86	38, 39, 40, 41	0
1	D	205/210 (97%)	0.15	1 (0%) 91 86	38, 39, 40, 41	0
1	E	203/210 (96%)	0.12	0 100 100	38, 39, 40, 41	0
2	F	68/71 (95%)	0.23	0 100 100	39, 39, 40, 40	0
2	G	68/71 (95%)	0.24	1 (1%) 73 64	39, 39, 40, 41	0
2	H	68/71 (95%)	0.15	0 100 100	39, 39, 40, 41	0
2	I	67/71 (94%)	0.28	3 (4%) 33 27	39, 39, 40, 40	0
2	J	68/71 (95%)	0.18	1 (1%) 73 64	39, 39, 40, 42	0
All	All	1356/1405 (96%)	0.15	9 (0%) 87 82	38, 39, 40, 43	0

All (9) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	I	23	LYS	3.0
1	B	158	ASN	2.8
1	D	157	GLU	2.7
2	I	37	VAL	2.5
1	B	24	ASP	2.4
2	J	37	VAL	2.3
2	I	38	ASP	2.3
1	C	61	ARG	2.2
2	G	13	ASP	2.2

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.