



# Full wwPDB NMR Structure Validation Report ⓘ

May 28, 2020 – 09:04 pm BST

PDB ID : 1YSG  
Title : Solution Structure of the Anti-apoptotic Protein Bcl-xL in Complex with "SAR by NMR" Ligands  
Authors : Oltersdorf, T.; Elmore, S.W.; Shoemaker, A.R.; Armstrong, R.C.; Augeri, D.J.; Belli, B.A.; Bruncko, M.; Deckwerth, T.L.; Dinges, J.; Hajduk, P.J.; Joseph, M.K.; Kitada, S.; Korsmeyer, S.J.; Kunzer, A.R.; Letai, A.; Li, C.; Mitten, M.J.; Nettlesheim, D.G.; Ng, S.; Nimmer, P.M.; O'Connor, J.M.; Oleksijew, A.; Petros, A.M.; Reed, J.C.; Shen, W.; Tahir, S.K.; Thompson, C.B.; Tomaselli, K.J.; Wang, B.; Wendt, M.D.; Zhang, H.; Fesik, S.W.; Rosenberg, S.H.  
Deposited on : 2005-02-08

This is a Full wwPDB NMR Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/NMRValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references](#) ①) were used in the production of this report:


Cyrange : Kirchner and Güntert (2011)  
NmrClust : Kelley et al. (1996)  
MolProbity : 4.02b-467  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
RCI : v\_1n\_11\_5\_13\_A (Berjanski et al., 2005)  
PANAV : Wang et al. (2010)  
ShiftChecker : 2.11  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.11

# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:  
*SOLUTION NMR*


The overall completeness of chemical shifts assignment was not calculated.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	NMR archive (#Entries)
Clashscore	158937	12864
Ramachandran outliers	154571	11451
Sidechain outliers	154315	11428

The table below summarises the geometric issues observed across the polymeric chains and their fit to the experimental data. The red, orange, yellow and green segments indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A cyan segment indicates the fraction of residues that are not part of the well-defined cores, and a grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$

Mol	Chain	Length	Quality of chain
1	A	181	

## 2 Ensemble composition and analysis

This entry contains 1 models. Identification of well-defined residues and clustering analysis are not possible.

### 3 Entry composition [i](#)

There are 3 unique types of molecules in this entry. The entry contains 2880 atoms, of which 1386 are hydrogens and 0 are deuteriums.


- Molecule 1 is a protein called Apoptosis regulator Bcl-X.

Mol	Chain	Residues	Atoms					Trace	
			Total	C	H	N	O		S
1	A	181	2833	918	1366	258	285	6	0

There are 12 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	1	MET	-	CLONING ARTIFACT	UNP Q07817
A	2	SER	-	CLONING ARTIFACT	UNP Q07817
A	3	MET	-	CLONING ARTIFACT	UNP Q07817
A	4	ALA	-	CLONING ARTIFACT	UNP Q07817
A	214	LEU	-	CLONING ARTIFACT	UNP Q07817
A	215	GLU	-	CLONING ARTIFACT	UNP Q07817
A	216	HIS	-	CLONING ARTIFACT	UNP Q07817
A	217	HIS	-	CLONING ARTIFACT	UNP Q07817
A	218	HIS	-	CLONING ARTIFACT	UNP Q07817
A	219	HIS	-	CLONING ARTIFACT	UNP Q07817
A	220	HIS	-	CLONING ARTIFACT	UNP Q07817
A	181	HIS	-	CLONING ARTIFACT	UNP Q07817

- Molecule 2 is 4'-FLUORO-1,1'-BIPHENYL-4-CARBOXYLIC ACID (three-letter code: 4FC) (formula:  $C_{13}H_9FO_2$ ).



Mol	Chain	Residues	Atoms				
			Total	C	F	H	O
2	A	1	24	13	1	8	2

- Molecule 3 is 5,6,7,8-TETRAHYDRONAPHTHALEN-1-OL (three-letter code: TN1) (formula: C<sub>10</sub>H<sub>12</sub>O).




Mol	Chain	Residues	Atoms			
			Total	C	H	O
3	A	1	23	10	12	1

## 4 Residue-property plots [i](#)

These plots are provided for all protein, RNA and DNA chains in the entry. The first graphic is the same as shown in the summary in section 1 of this report. The second graphic shows the sequence where residues are colour-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outliers are shown as green connectors. Residues which are classified as ill-defined in the NMR ensemble, are shown in cyan with an underline colour-coded according to the previous scheme. Residues which were present in the experimental sample, but not modelled in the final structure are shown in grey.

### • Molecule 1: Apoptosis regulator Bcl-X



## 5 Refinement protocol and experimental data overview

The models were refined using the following method: *simulated annealing*.

Of the ? calculated structures, 1 were deposited, based on the following criterion: ?.

The following table shows the software used for structure solution, optimisation and refinement.

Software name	Classification	Version
X-PLOR	refinement	3.1

No chemical shift data was provided. No validations of the models with respect to experimental NMR restraints is performed at this time.



## 6 Model quality

### 6.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: TN1, 4FC

There are no covalent bond-length or bond-angle outliers.

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	Chirality	Planarity
1	A	0	11
All	All	0	11

There are no bond-length outliers.

There are no bond-angle outliers.

There are no chirality outliers.

All planar outliers are listed below.

Mol	Chain	Res	Type	Group
1	A	106	ARG	Sidechain
1	A	107	ARG	Sidechain
1	A	169	ARG	Sidechain
1	A	136	ARG	Sidechain
1	A	143	ARG	Sidechain
1	A	10	ARG	Sidechain
1	A	38	ARG	Sidechain
1	A	213	ARG	Sidechain
1	A	95	ARG	Sidechain
1	A	104	ARG	Sidechain
1	A	208	ARG	Sidechain

### 6.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in each chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes averaged over the ensemble.

Mol	Chain	Non-H	H(model)	H(added)	Clashes
1	A	1467	1366	1366	63
2	A	16	8	8	3
3	A	11	12	11	3
All	All	1494	1386	1385	63

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 22.

All clashes are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Clash(Å)	Distance(Å)
1:A:12:LEU:HD22	1:A:148:PHE:CZ	0.78	2.13
1:A:89:ALA:CB	1:A:196:VAL:HG11	0.76	2.11
1:A:14:VAL:HG23	1:A:28:TRP:CZ2	0.74	2.16
1:A:134:LEU:HD11	2:A:1000:4FC:C6	0.71	2.15
1:A:145:VAL:HG21	1:A:195:PHE:CZ	0.71	2.21
1:A:123:ALA:HB1	1:A:173:TRP:CZ2	0.69	2.23
1:A:89:ALA:HB1	1:A:196:VAL:HG11	0.68	1.64
1:A:147:PHE:CE1	1:A:174:MET:SD	0.67	2.87
1:A:123:ALA:HB1	1:A:173:TRP:CH2	0.67	2.25
1:A:13:VAL:CG1	1:A:171:ALA:HB1	0.65	2.22
1:A:101:PHE:CZ	3:A:1001:TN1:HB1	0.64	2.27
1:A:14:VAL:HG23	1:A:28:TRP:CE2	0.64	2.26
1:A:101:PHE:CE2	3:A:1001:TN1:HB1	0.64	2.27
1:A:3:MET:N	1:A:3:MET:SD	0.64	2.70
1:A:108:ALA:O	1:A:112:LEU:HD13	0.63	1.93
1:A:201:ASN:CB	1:A:205:ALA:HB2	0.63	2.23
1:A:182:LEU:HD23	1:A:186:ILE:HD11	0.63	1.70
1:A:12:LEU:HD22	1:A:148:PHE:CE1	0.62	2.28
1:A:5:MET:SD	1:A:5:MET:N	0.61	2.73
1:A:100:GLU:CG	3:A:1001:TN1:HD2	0.59	2.27
1:A:2:SER:C	1:A:3:MET:SD	0.56	2.83
1:A:159:VAL:HG13	1:A:164:GLN:HG2	0.54	1.78
1:A:13:VAL:HG11	1:A:171:ALA:HB1	0.53	1.80
1:A:116:LEU:HD22	1:A:154:LEU:HD21	0.53	1.81
1:A:26:TYR:CD1	1:A:159:VAL:HG12	0.53	2.39
1:A:89:ALA:HB1	1:A:196:VAL:CG1	0.52	2.34
1:A:17:LEU:HD13	1:A:28:TRP:CZ3	0.52	2.39
1:A:192:TRP:O	1:A:196:VAL:HG23	0.52	2.05
1:A:134:LEU:HD23	1:A:146:ALA:HB3	0.52	1.82
1:A:21:LEU:HD13	1:A:31:PHE:CZ	0.52	2.40
1:A:159:VAL:HG13	1:A:164:GLN:CG	0.51	2.35
1:A:134:LEU:CD2	1:A:146:ALA:HB3	0.50	2.35
1:A:33:ASP:C	1:A:34:VAL:HG13	0.49	2.28

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)
1:A:13:VAL:O	1:A:17:LEU:HD12	0.48	2.08
1:A:14:VAL:CG2	1:A:28:TRP:CE2	0.48	2.96
1:A:1:MET:C	1:A:3:MET:SD	0.48	2.92
1:A:194:THR:O	1:A:198:LEU:HD12	0.47	2.09
1:A:144:ILE:HG12	1:A:182:LEU:HD11	0.47	1.87
1:A:183:GLU:N	1:A:184:PRO:CD	0.47	2.78
1:A:12:LEU:O	1:A:12:LEU:HD23	0.46	2.10
1:A:14:VAL:HG23	1:A:28:TRP:CH2	0.46	2.45
1:A:31:PHE:CD2	1:A:167:VAL:HG21	0.45	2.46
1:A:19:TYR:CE2	1:A:95:ARG:CG	0.45	3.00
1:A:142:GLY:C	2:A:1000:4FC:HD1	0.45	2.33
1:A:89:ALA:HB3	1:A:196:VAL:HG11	0.44	1.86
1:A:215:GLU:O	1:A:215:GLU:CG	0.44	2.66
1:A:11:GLU:HA	1:A:14:VAL:HG12	0.44	1.90
1:A:13:VAL:HG13	1:A:17:LEU:HD12	0.43	1.89
1:A:101:PHE:CE2	1:A:146:ALA:HB2	0.43	2.47
1:A:8:SER:O	1:A:12:LEU:HD12	0.43	2.14
1:A:144:ILE:CG1	1:A:182:LEU:HD11	0.43	2.44
1:A:13:VAL:HG11	1:A:171:ALA:CB	0.42	2.44
1:A:201:ASN:HB2	1:A:205:ALA:HB2	0.42	1.90
1:A:145:VAL:CG2	1:A:195:PHE:CZ	0.42	2.99
1:A:108:ALA:HB1	2:A:1000:4FC:HA1	0.42	1.91
1:A:145:VAL:HG21	1:A:195:PHE:CE1	0.41	2.48
1:A:127:PHE:CZ	1:A:131:VAL:HG21	0.41	2.50
1:A:219:HIS:CG	1:A:219:HIS:O	0.41	2.71
1:A:220:HIS:CG	1:A:220:HIS:O	0.40	2.74
1:A:208:ARG:CD	1:A:208:ARG:N	0.40	2.84
1:A:139:VAL:O	1:A:185:TRP:CZ2	0.40	2.74
1:A:31:PHE:CE2	1:A:167:VAL:HG21	0.40	2.52
1:A:123:ALA:O	1:A:173:TRP:CZ3	0.40	2.75

## 6.3 Torsion angles [i](#)

### 6.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all NMR entries. The Analysed column shows the number of residues for which the backbone conformation was analysed and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	179/181 (99%)	135 (75%)	28 (16%)	16 (9%)	<b>1</b> <b>12</b>

Continued on next page...

*Continued from previous page...*

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
All	All	179/181 (99%)	135 (75%)	28 (16%)	16 (9%)	<b>1</b> <b>12</b>

All 16 Ramachandran outliers are listed below. They are sorted by the frequency of occurrence in the ensemble.

Mol	Chain	Res	Type
1	A	218	HIS
1	A	200	GLY
1	A	121	GLY
1	A	34	VAL
1	A	203	ALA
1	A	103	LEU
1	A	7	GLN
1	A	33	ASP
1	A	38	ARG
1	A	162	GLU
1	A	45	THR
1	A	182	LEU
1	A	43	GLU
1	A	37	ASN
1	A	123	ALA
1	A	214	LEU

### 6.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all NMR entries. The Analysed column shows the number of residues for which the sidechain conformation was analysed and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	154/154 (100%)	96 (62%)	58 (38%)	<b>1</b> <b>7</b>
All	All	154/154 (100%)	96 (62%)	58 (38%)	<b>1</b> <b>7</b>

All 58 residues with a non-rotameric sidechain are listed below. They are sorted by the frequency of occurrence in the ensemble.

Mol	Chain	Res	Type
1	A	218	HIS
1	A	213	ARG
1	A	132	ASN

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
1	A	140	ASN
1	A	7	GLN
1	A	117	HIS
1	A	206	GLU
1	A	111	ASP
1	A	27	SER
1	A	5	MET
1	A	169	ARG
1	A	106	ARG
1	A	149	SER
1	A	164	GLN
1	A	40	GLU
1	A	20	LYS
1	A	6	SER
1	A	158	SER
1	A	215	GLU
1	A	180	ASP
1	A	94	LEU
1	A	95	ARG
1	A	161	LYS
1	A	114	SER
1	A	147	PHE
1	A	181	HIS
1	A	112	LEU
1	A	8	SER
1	A	174	MET
1	A	193	ASP
1	A	113	THR
1	A	124	TYR
1	A	202	ASN
1	A	219	HIS
1	A	3	MET
1	A	148	PHE
1	A	133	GLU
1	A	178	LEU
1	A	38	ARG
1	A	109	PHE
1	A	198	LEU
1	A	119	THR
1	A	136	ARG
1	A	163	MET
1	A	194	THR

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	A	35	GLU
1	A	13	VAL
1	A	209	LYS
1	A	157	GLU
1	A	208	ARG
1	A	29	SER
1	A	45	THR
1	A	110	SER
1	A	207	SER
1	A	217	HIS
1	A	116	LEU
1	A	214	LEU
1	A	23	GLN

### 6.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 6.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 6.6 Ligand geometry [i](#)

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds for which Mogul statistics could be retrieved, the number of bonds that are observed in the model and the number of bonds that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length is the number of standard deviations the observed value is removed from the expected value. A bond length with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the average root-mean-square of all Z scores of the bond lengths.

Mol	Type	Chain	Res	Link	Bond lengths		
					Counts	RMSZ	#Z>2
2	4FC	A	1000	-	15,17,17	0.58	0 (0%)

Mol	Type	Chain	Res	Link	Bond lengths		
					Counts	RMSZ	#Z>2
3	TN1	A	1001	-	12,12,12	0.59	0 (0%)

In the following table, the Counts columns list the number of angles for which Mogul statistics could be retrieved, the number of angles that are observed in the model and the number of angles that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond angle is the number of standard deviations the observed value is removed from the expected value. A bond angle with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the average root-mean-square of all Z scores of the bond angles.

Mol	Type	Chain	Res	Link	Bond angles		
					Counts	RMSZ	#Z>2
2	4FC	A	1000	-	20,23,23	1.09	0 (0%)
3	TN1	A	1001	-	15,16,16	1.68	0 (0%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	4FC	A	1000	-	-	0,4,8,8	0,2,2,2
3	TN1	A	1001	-	-	-	0,2,2,2

There are no bond-length outliers.

There are no bond-angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

## 6.7 Other polymers [i](#)

There are no such molecules in this entry.

## 6.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 7 Chemical shift validation

No chemical shift data were provided