

Full wwPDB X-ray Structure Validation Report (i)

Jun 24, 2024 – 07:58 PM EDT

PDB ID	:	6YSG
Title	:	Magnesium chelatase H subunit (ChlH) from Synechocystis sp.PCC6803 to
		2.54 A resolution
Authors	:	Bisson, C.; Hunter, C.N.
Deposited on	:	2020-04-22
Resolution	:	2.54 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org A user guide is available at https://www.wwpdb.org/validation/2017/XrayValidationReportHelp with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (1)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	1.20.1
EDS	:	2.37.1
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.37.1

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure: $X\text{-}RAY \, DIFFRACTION$

The reported resolution of this entry is 2.54 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	$\begin{array}{c} {\rm Whole \ archive} \\ (\#{\rm Entries}) \end{array}$	${f Similar\ resolution}\ (\#{ m Entries,\ resolution\ range}({ m \AA}))$		
R _{free}	130704	$1284 \ (2.56-2.52)$		
Clashscore	141614	1332 (2.56-2.52)		
Ramachandran outliers	138981	$1315 \ (2.56-2.52)$		
Sidechain outliers	138945	1315 (2.56-2.52)		
RSRZ outliers	127900	1272(2.56-2.52)		

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain		
1	А	1351	% 8 1%	12%	6%
1	В	1351	77%	13%	9%



2 Entry composition (i)

There are 3 unique types of molecules in this entry. The entry contains 19729 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

• Molecule 1 is a protein called Mg-chelatase subunit ChlH.

Mol	Chain	Residues		Atoms			ZeroOcc	AltConf	Trace	
1	А	1264	Total 9946	C 6301	N 1691	O 1904	S 50	0	0	0
1	В	1225	Total 9656	C 6116	N 1636	O 1856	S 48	0	1	0

Chain	Residue	Modelled	Actual Comment		Reference
А	-19	MET	-	initiating methionine	UNP P73020
A	-18	GLY	-	expression tag	UNP P73020
A	-17	SER	-	expression tag	UNP P73020
А	-16	SER	-	expression tag	UNP P73020
А	-15	HIS	-	expression tag	UNP P73020
А	-14	HIS	-	expression tag	UNP P73020
А	-13	HIS	-	expression tag	UNP P73020
А	-12	HIS	-	expression tag	UNP P73020
А	-11	HIS	-	expression tag	UNP P73020
А	-10	HIS	-	expression tag	UNP P73020
А	-9	SER	-	expression tag	UNP P73020
A	-8	SER	-	expression tag	UNP P73020
А	-7	GLY	-	expression tag	UNP P73020
А	-6	LEU	-	expression tag	UNP P73020
А	-5	VAL	-	expression tag	UNP P73020
А	-4	PRO	-	expression tag	UNP P73020
A	-3	ARG	-	expression tag	UNP P73020
A	-2	GLY	-	expression tag	UNP P73020
A	-1	SER	-	expression tag	UNP P73020
А	0	HIS	-	expression tag	UNP P73020
В	-19	MET	-	initiating methionine	UNP P73020
В	-18	GLY	-	expression tag	UNP P73020
В	-17	SER	-	expression tag	UNP P73020
В	-16	SER	-	expression tag	UNP P73020
В	-15	HIS	-	expression tag	UNP P73020

There are 40 discrepancies between the modelled and reference sequences:



Chain	Residue	Modelled	Actual	Comment	Reference
В	-14	HIS	-	expression tag	UNP P73020
В	-13	HIS	-	expression tag	UNP P73020
В	-12	HIS	-	expression tag	UNP P73020
В	-11	HIS	-	expression tag	UNP P73020
В	-10	HIS	-	expression tag	UNP P73020
В	-9	SER	-	expression tag	UNP P73020
В	-8	SER	-	expression tag	UNP P73020
В	-7	GLY	-	expression tag	UNP P73020
В	-6	LEU	-	expression tag	UNP P73020
В	-5	VAL	-	expression tag	UNP P73020
В	-4	PRO	-	expression tag	UNP P73020
В	-3	ARG	-	expression tag	UNP P73020
В	-2	GLY	-	expression tag	UNP P73020
В	-1	SER	-	expression tag	UNP P73020
В	0	HIS	-	expression tag	UNP P73020

• Molecule 2 is CITRIC ACID (three-letter code: CIT) (formula: $C_6H_8O_7$).



Mol	Chain	Residues	Ato	oms		ZeroOcc	AltConf
2	А	1	Total 13	C 6	0 7	0	0

• Molecule 3 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	А	85	Total O 85 85	0	0
			C_{0}	ntinued on r	port nago

Continued on next page...

0

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	В	29	Total O 29 29	0	0



3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.



• Molecule 1: Mg-chelatase subunit ChlH









4 Data and refinement statistics (i)

Property	Value	Source
Space group	Н 3	Depositor
Cell constants	321.12Å 321.12Å 104.97Å	Deperitor
a, b, c, α , β , γ	90.00° 90.00° 120.00°	Depositor
$\mathbf{P}_{\text{assolution}}(\hat{\mathbf{A}})$	83.78 - 2.54	Depositor
Resolution (A)	83.78 - 2.54	EDS
% Data completeness	99.7 (83.78-2.54)	Depositor
(in resolution range)	99.7 (83.78 - 2.54)	EDS
R _{merge}	0.11	Depositor
R_{sym}	(Not available)	Depositor
$< I/\sigma(I) > 1$	$1.86 (at 2.55 \text{\AA})$	Xtriage
Refinement program	REFMAC 5.8.0258	Depositor
P. P.	0.202 , 0.255	Depositor
n, n_{free}	0.207 , 0.255	DCC
R_{free} test set	6684 reflections $(5.04%)$	wwPDB-VP
Wilson B-factor $(Å^2)$	47.3	Xtriage
Anisotropy	0.234	Xtriage
Bulk solvent $k_{sol}(e/Å^3)$, $B_{sol}(Å^2)$	0.35 , 41.1	EDS
L-test for $twinning^2$	$< L > = 0.50, < L^2 > = 0.33$	Xtriage
Estimated twinning fraction	0.010 for h,-h-k,-l	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	19729	wwPDB-VP
Average B, all atoms $(Å^2)$	63.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: The largest off-origin peak in the Patterson function is 2.08% of the height of the origin peak. No significant pseudotranslation is detected.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



¹Intensities estimated from amplitudes.

5 Model quality (i)

5.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: CIT

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	Chain	Bo	nd lengths	Bond angles		
Ivioi Chain		RMSZ	# Z > 5	RMSZ	# Z > 5	
1	А	0.72	3/10145~(0.0%)	0.86	0/13753	
1	В	0.72	4/9848~(0.0%)	0.82	0/13354	
All	All	0.72	7/19993~(0.0%)	0.84	0/27107	

All (7) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	А	68	GLU	CD-OE1	9.11	1.35	1.25
1	В	68	GLU	CD-OE1	8.98	1.35	1.25
1	В	68	GLU	CD-OE2	7.62	1.34	1.25
1	А	68	GLU	CD-OE2	6.38	1.32	1.25
1	В	66	ASP	CG-OD2	5.97	1.39	1.25
1	А	1	MET	N-CA	5.20	1.56	1.46
1	В	66	ASP	CG-OD1	5.05	1.36	1.25

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	А	9946	0	9833	95	0
1	В	9656	0	9516	98	0



Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes		
2	А	13	0	5	1	0		
3	А	85	0	0	0	0		
3	В	29	0	0	1	0		
All	All	19729	0	19354	189	0		

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (189) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom 1	Atom 2	Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:B:1116:GLU:HB3	1:B:1120:GLU:OE2	1.80	0.81
1:A:803:ALA:HB2	1:A:810:MET:HE1	1.70	0.74
1:A:467:ASN:OD1	1:A:1111:GLU:HA	1.90	0.71
1:A:1172:VAL:HG21	1:A:1174:HIS:CE1	2.27	0.70
1:B:1034:VAL:O	1:B:1093:ARG:HD2	1.90	0.69
1:A:109:ASP:HB3	1:A:212:TYR:O	1.93	0.68
1:A:62:GLU:O	1:A:65:ARG:HG3	1.92	0.67
1:B:527:MET:HE3	1:B:532:TYR:HA	1.77	0.66
1:A:467:ASN:HB2	1:A:1111:GLU:HB2	1.77	0.65
1:B:141:ILE:HD11	1:B:167:THR:HG21	1.82	0.62
1:B:44:ASN:HD22	1:B:202:GLU:CD	2.03	0.61
1:B:984:LEU:HD21	1:B:1000:ILE:HD12	1.82	0.60
1:B:1003:MET:HE3	1:B:1034:VAL:HG12	1.84	0.60
1:B:402:ILE:HB	1:B:403:PRO:HD3	1.83	0.59
1:A:808:ARG:NH2	1:A:824:ASP:OD1	2.35	0.59
1:B:472:ALA:CB	1:B:620:THR:HG22	2.33	0.59
1:A:27:TYR:CE1	1:A:58:GLY:HA3	2.38	0.58
1:B:718:GLN:HA	1:B:718:GLN:OE1	2.03	0.58
1:A:717:ASP:O	1:A:721:ILE:HG12	2.04	0.58
1:B:806:ILE:O	1:B:806:ILE:HG22	2.03	0.58
1:B:207:MET:CE	1:B:208:LEU:HD23	2.33	0.58
1:A:799:PRO:O	1:A:810:MET:CE	2.52	0.57
1:B:316:LYS:HB2	1:B:317:PRO:HD3	1.85	0.57
1:A:527:MET:CE	1:A:532:TYR:HA	2.35	0.56
1:A:484:MET:HE2	1:A:504:LEU:CD1	2.34	0.56
1:B:1172:VAL:HG21	1:B:1174:HIS:CE1	2.41	0.56
1:B:472:ALA:HB2	1:B:620:THR:HG22	1.86	0.56
1:A:803:ALA:HB2	1:A:810:MET:CE	2.34	0.56
1:A:2:PHE:CE2	1:B:1025:GLU:HA	2.41	0.55
1:A:445:ARG:HH12	1:A:917:GLU:HG2	1.71	0.55



	the c	Interatomic	Clash
Atom-1	Atom-2	distance (\AA)	overlap (Å)
1:A:1092:THR:HB	1:A:1147:MET:HG2	1.89	0.55
1:A:465:LYS:HB3	1:A:1111:GLU:CD	2.27	0.55
1:A:762:LEU:HD12	1:A:762:LEU:O	2.07	0.54
1:B:575:GLN:OE1	1:B:602:TYR:HB3	2.06	0.54
1:A:1157:ALA:HA	1:A:1195:ALA:O	2.08	0.54
1:B:798:LEU:HB3	1:B:799:PRO:HD3	1.90	0.54
1:B:806:ILE:HD11	1:B:879:TYR:CE1	2.43	0.54
1:A:254:TRP:CH2	1:A:258:ARG:HD2	2.43	0.53
1:A:799:PRO:O	1:A:810:MET:HE2	2.08	0.53
1:A:1022:VAL:HG13	1:A:1026:GLU:HB3	1.91	0.53
1:B:652:TYR:CD2	1:B:769:ILE:HD13	2.43	0.53
1:B:267:ASP:OD1	1:B:268:PRO:HD2	2.09	0.53
1:A:1035:VAL:HG22	1:A:1151:ALA:HB1	1.91	0.53
1:A:316:LYS:HB2	1:A:317:PRO:HD3	1.91	0.53
1:A:444:LEU:HD22	1:A:648:PRO:HG2	1.91	0.53
1:A:978:GLU:HA	1:A:1071:PHE:CD2	2.43	0.53
1:B:97:VAL:O	1:B:101:VAL:HG23	2.09	0.53
1:A:134:LEU:HB2	1:A:138:LYS:HB3	1.90	0.53
1:B:484:MET:HE1	1:B:504:LEU:HD13	1.91	0.53
1:A:1029:ARG:HB2	1:A:1030:PRO:CD	2.39	0.52
1:A:467:ASN:ND2	1:A:1248:VAL:HG12	2.24	0.52
1:A:967:ARG:NH2	1:A:1210:THR:HG23	2.25	0.52
1:B:27:TYR:CE1	1:B:58:GLY:HA3	2.45	0.52
1:A:756:GLU:OE2	1:A:1209:ARG:NH2	2.42	0.52
1:A:484:MET:HE2	1:A:504:LEU:HD13	1.92	0.52
1:A:254:TRP:CZ3	1:A:258:ARG:HD2	2.44	0.52
1:A:1200:ASP:OD2	1:A:1209:ARG:NH1	2.44	0.51
1:B:678:PRO:HG2	1:B:765:GLY:O	2.10	0.51
1:A:277:MET:HB2	1:A:290:TYR:CE2	2.45	0.51
1:A:853:VAL:HG11	1:A:859:LEU:HD21	1.92	0.51
1:A:978:GLU:HB3	1:A:1075:HIS:CE1	2.45	0.51
1:A:1018:LYS:NZ	1:B:199:GLU:OE2	2.34	0.51
1:B:983:VAL:HG11	1:B:985:TRP:CZ2	2.46	0.51
1:A:165:LEU:HD11	1:A:191:GLN:CG	2.41	0.51
1:A:656:ASN:HA	1:A:925:GLY:O	2.10	0.51
1:A:394:ILE:O	1:A:398:LEU:HG	2.11	0.51
1:A:484:MET:CE	1:A:504:LEU:HD13	2.41	0.51
1:A:984:LEU:HD21	1:A:1000:ILE:HD12	1.92	0.51
1:A:1033:ASP:HA	1:A:1072:VAL:HG22	1.92	0.50
1:A:1025:GLU:HA	1:B:2:PHE:CE2	2.46	0.50
1:B:1003:MET:CE	1:B:1034:VAL:HG12	2.40	0.50



		Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:B:485:LYS:HG2	1:B:497:LEU:HD21	1.93	0.50
1:A:27:TYR:HA	1:A:84:ILE:O	2.11	0.50
1:A:28:VAL:O	1:A:85:ALA:HA	2.12	0.50
1:B:527:MET:CE	1:B:532:TYR:HA	2.39	0.50
1:A:413:ILE:HG13	1:A:669:TYR:CE1	2.47	0.50
1:B:28:VAL:O	1:B:85:ALA:HA	2.12	0.50
1:A:864:ILE:HG13	1:A:866:LYS:HG3	1.94	0.49
1:B:134:LEU:HB2	1:B:138:LYS:HB2	1.95	0.49
1:B:656:ASN:HA	1:B:925:GLY:O	2.12	0.49
1:A:1118:GLU:OE2	1:A:1182:LYS:NZ	2.43	0.49
1:A:94:ALA:O	1:A:98:VAL:HG23	2.13	0.49
1:B:1278:MET:HE3	1:B:1278:MET:HA	1.94	0.48
1:A:527:MET:HE1	1:A:532:TYR:HA	1.94	0.48
1:B:398:LEU:HD22	1:B:946:GLN:HG3	1.94	0.48
1:A:922:GLY:O	1:A:940:ILE:HA	2.12	0.48
1:B:114:PHE:CD1	1:B:190:PHE:CD1	3.01	0.48
1:B:114:PHE:O	1:B:115:PRO:C	2.52	0.48
1:A:316:LYS:HB2	1:A:317:PRO:CD	2.43	0.48
1:B:274:GLY:O	1:B:275:LEU:HD23	2.14	0.48
1:B:742:GLN:O	1:B:746:ILE:HG12	2.14	0.48
1:A:1278:MET:HE2	1:A:1282:LEU:HD21	1.95	0.47
1:B:11:ARG:HA	1:B:56:LEU:O	2.13	0.47
1:A:369:PRO:HD3	1:A:916:GLY:O	2.14	0.47
1:A:398:LEU:HD22	1:A:946:GLN:HG3	1.95	0.47
1:A:371:MET:CE	1:A:411:PRO:HB3	2.45	0.47
1:A:1029:ARG:HB2	1:A:1030:PRO:HD2	1.96	0.47
1:B:707:ARG:O	1:B:709:ILE:N	2.45	0.47
1:B:1005:GLY:HA3	1:B:1027:LEU:HD22	1.97	0.47
1:B:239:PRO:HB3	1:B:291:VAL:HG22	1.97	0.46
1:A:26:VAL:HA	1:A:57:THR:O	2.15	0.46
1:B:368:ARG:O	1:B:918:TYR:HB2	2.15	0.46
1:B:728:VAL:HG13	1:B:749:SER:HB3	1.98	0.46
1:A:883:ASN:OD1	1:A:883:ASN:C	2.54	0.46
1:B:653:TYR:O	1:B:674:SER:HA	2.16	0.46
1:A:117:MET:HB3	1:A:119:GLN:OE1	2.16	0.46
1:A:652:TYR:CD2	1:A:769:ILE:HD13	2.52	0.46
1:B:112:ILE:HD12	1:B:112:ILE:N	2.31	0.45
1:B:1021:LEU:HD11	1:B:1059:LEU:C	2.35	0.45
1:A:102:THR:HB	1:A:103:PRO:HD3	1.97	0.45
1:B:1272:PHE:HA	1:B:1278:MET:HG2	1.97	0.45
1:A:798:LEU:HB3	1:A:799:PRO:HD3	1.99	0.45



	t i c	Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:A:277:MET:O	1:A:308:PHE:HA	2.17	0.45
1:B:28:VAL:HA	1:B:59:TYR:O	2.18	0.45
1:A:1145:ARG:O	1:A:1149:GLU:HG3	2.17	0.44
1:B:27:TYR:OH	1:B:35:GLN:HG3	2.17	0.44
1:B:120:VAL:O	1:B:123:LEU:HB2	2.18	0.44
1:B:949:PRO:HG2	1:B:1008:PRO:HG3	1.99	0.44
1:B:1183:LEU:O	1:B:1186:THR:HB	2.18	0.44
1:A:272:CYS:HA	1:A:303:ARG:O	2.17	0.44
1:A:888:LYS:HB3	1:A:889:PRO:CD	2.47	0.44
1:B:983:VAL:HG11	1:B:985:TRP:CE2	2.52	0.44
1:B:1200:ASP:OD2	1:B:1209:ARG:NH1	2.51	0.44
1:B:896:PHE:O	1:B:900:GLN:HG2	2.17	0.44
1:B:115:PRO:HD3	1:B:164:LEU:HD23	2.00	0.44
1:B:80:ALA:O	1:B:108:LEU:HD23	2.18	0.44
1:B:115:PRO:HD3	1:B:164:LEU:CD2	2.47	0.44
1:B:569:ASN:O	1:B:610:TRP:HH2	2.00	0.44
1:A:113:VAL:HG11	1:A:120:VAL:HG12	1.99	0.43
1:B:762:LEU:HD12	1:B:762:LEU:O	2.18	0.43
1:B:1266:GLU:OE2	1:B:1308:THR:OG1	2.25	0.43
1:A:43:ARG:HD2	1:B:1136:ASP:OD1	2.18	0.43
1:A:10:ARG:HB3	1:A:58:GLY:O	2.18	0.43
1:B:82:LEU:CD2	1:B:110:ALA:HB3	2.47	0.43
1:B:356:HIS:N	1:B:357:PRO:CD	2.81	0.43
1:B:764:CYS:O	1:B:1231:GLY:HA3	2.18	0.43
1:B:806:ILE:HD11	1:B:879:TYR:HE1	1.83	0.43
1:A:1104:SER:O	1:A:1105:ASN:HB2	2.18	0.43
1:B:888:LYS:HB3	1:B:889:PRO:HD3	1.99	0.43
1:A:344:GLY:HA2	1:A:374:LEU:HD23	2.00	0.43
1:B:1033:ASP:HA	1:B:1072:VAL:HG22	2.01	0.43
1:A:742:GLN:O	1:A:746:ILE:HG12	2.18	0.43
1:B:798:LEU:HD23	1:B:835:THR:HG23	2.01	0.43
1:B:115:PRO:HG2	1:B:161:MET:HA	2.01	0.42
1:B:1222:LYS:HA	1:B:1228:TRP:CG	2.54	0.42
1:A:653:TYR:O	1:A:674:SER:HA	2.19	0.42
1:B:803:ALA:O	1:B:808:ARG:HB2	2.19	0.42
1:A:371:MET:HE3	1:A:411:PRO:HB3	2.02	0.42
1:A:1090:ALA:HA	1:A:1147:MET:HE1	2.01	0.42
1:B:43:ARG:NH1	3:B:1404:HOH:O	2.53	0.42
1:B:726:GLN:NE2	1:B:1261:ASP:OD1	2.52	0.42
1:B:888:LYS:HB3	1:B:889:PRO:CD	2.49	0.42
1:B:102:THR:N	1:B:103:PRO:HD2	2.34	0.42

		Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:A:897:CYS:O	1:A:901:VAL:HG23	2.20	0.42
1:B:447:LYS:HG3	1:B:448:PRO:HD2	2.01	0.42
1:B:692:LEU:HD21	1:B:750:VAL:CG1	2.50	0.42
1:A:126:MET:HG2	1:A:212:TYR:CZ	2.54	0.42
1:B:141:ILE:CD1	1:B:167:THR:HG21	2.48	0.41
1:B:780:ALA:O	1:B:783:VAL:HB	2.20	0.41
1:B:1254:SER:HB3	1:B:1305:TYR:CG	2.55	0.41
1:A:500:SER:OG	1:A:503:GLU:HG3	2.19	0.41
1:A:1051:ASN:HA	1:A:1133:PHE:CE2	2.55	0.41
1:A:1270:SER:HA	1:A:1274:LYS:HB2	2.02	0.41
1:B:1149:GLU:O	1:B:1153:LYS:HB2	2.20	0.41
1:B:316:LYS:HB2	1:B:317:PRO:CD	2.49	0.41
1:A:984:LEU:HD21	1:A:1000:ILE:CD1	2.50	0.41
1:A:1034:VAL:O	1:A:1093:ARG:HD2	2.20	0.41
1:B:73:PHE:O	1:B:77:VAL:HG23	2.20	0.41
1:B:656:ASN:HD22	1:B:1166:GLU:HG3	1.85	0.41
1:A:679:PRO:HG3	1:A:773:PRO:HB3	2.01	0.41
1:A:1097:ASN:HB3	1:A:1101:SER:HB2	2.01	0.41
1:B:782:LEU:HD11	1:B:898:LEU:HB2	2.02	0.41
1:A:61:ILE:HD12	1:A:88:ILE:HG12	2.03	0.41
1:A:647:ILE:O	1:A:648:PRO:C	2.59	0.41
1:B:27:TYR:HA	1:B:84:ILE:O	2.20	0.41
1:B:1061:ALA:HB2	1:B:1072:VAL:HG12	2.03	0.41
1:B:1269:ASN:O	1:B:1273:ILE:HB	2.21	0.41
1:A:1073:ARG:NH2	2:A:1401:CIT:H41	2.36	0.41
1:A:746:ILE:O	1:A:750:VAL:HG23	2.21	0.40
1:B:1092:THR:HB	1:B:1147:MET:HG2	2.03	0.40
1:B:796:TRP:O	1:B:890:LEU:HD12	2.21	0.40
1:B:82:LEU:HD23	1:B:110:ALA:HB3	2.03	0.40
1:B:1157:ALA:HA	1:B:1195:ALA:O	2.21	0.40
1:A:527:MET:HE3	1:A:532:TYR:HA	2.04	0.40
1:A:1080:ALA:HB1	1:A:1085:ILE:O	2.20	0.40
1:B:313:ASP:OD1	1:B:315:SER:OG	2.27	0.40
1:A:364:LYS:HA	1:A:364:LYS:HD2	1.91	0.40
1:A:392:HIS:N	1:A:393:PRO:CD	2.85	0.40
1:B:774:SER:OG	1:B:777:GLU:HG2	2.21	0.40

There are no symmetry-related clashes.

5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Perce	entiles
1	А	1248/1351~(92%)	1182 (95%)	61 (5%)	5(0%)	34	46
1	В	1202/1351~(89%)	1117 (93%)	77~(6%)	8 (1%)	22	30
All	All	2450/2702~(91%)	2299 (94%)	138 (6%)	13 (0%)	29	40

All (13) Ramachandran outliers are listed below:

\mathbf{Mol}	Chain	Res	Type
1	А	115	PRO
1	В	217	LEU
1	А	850	ASP
1	В	115	PRO
1	В	262	SER
1	В	708	GLY
1	В	942	ALA
1	В	972	ASN
1	А	135	GLY
1	А	942	ALA
1	В	1113	SER
1	A	741	GLY
1	В	888	LYS

5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Analysed Rotameric Outliers		Percentiles	
1	А	1077/1147~(94%)	1053~(98%)	24 (2%)	52 66	

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles		
1	В	1047/1147~(91%)	1020 (97%)	27 (3%)	46	61	
All	All	2124/2294~(93%)	2073~(98%)	51 (2%)	49	64	

All (51) residues with a non-rotameric side chain are listed below:

Mol	Chain	Res	Type
1	А	15	GLU
1	А	51	SER
1	А	78	SER
1	А	95	ASP
1	А	137	SER
1	А	263	GLU
1	А	296	GLU
1	А	336	VAL
1	А	445	ARG
1	А	511	ASP
1	А	542	LEU
1	А	627	MET
1	А	643	LEU
1	A	653	TYR
1	А	714	THR
1	А	752	ARG
1	А	762	LEU
1	А	769	ILE
1	А	782	LEU
1	А	863	LYS
1	А	877	SER
1	А	943	LEU
1	А	1007	LYS
1	А	1176	PHE
1	В	1	MET
1	В	33	GLN
1	В	62	GLU
1	В	115	PRO
1	В	117	MET
1	В	136	GLN
1	В	137	SER
1	В	158	GLN
1	В	217	LEU
1	В	234	MET
1	В	244	MET
1	В	262	SER

Mol	Chain	Res	Type
1	В	279	ARG
1	В	364	LYS
1	В	536	THR
1	В	575	GLN
1	В	626	PHE
1	В	653	TYR
1	В	752	ARG
1	В	846	GLN
1	В	848	ASN
1	В	956	SER
1	В	1101	SER
1	В	1176	PHE
1	В	1180	PRO
1	В	1218	ASP
1	В	1324	GLU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (2) such sidechains are listed below:

Mol	Chain	Res	Type
1	В	44	ASN
1	В	734	ASN

5.3.3 RNA (i)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates (i)

There are no monosaccharides in this entry.

5.6 Ligand geometry (i)

1 ligand is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol Type Chain	hain Bes		Ros	Bos	Tink	Bo	ond leng	ths	B	ond ang	les
	Ullalli	Chann Res		Counts	RMSZ	# Z >2	Counts	RMSZ	# Z > 2		
2	CIT	А	1401	-	12,12,12	1.69	1 (8%)	17,17,17	1.51	4 (23%)	

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	CIT	А	1401	-	-	12/16/16/16	-

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	$\mathrm{Ideal}(\mathrm{\AA})$
2	А	1401	CIT	C3-C6	4.38	1.58	1.53

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms		$Observed(^{o})$	$Ideal(^{o})$
2	А	1401	CIT	O6-C6-C3	3.33	119.54	113.14
2	А	1401	CIT	O5-C6-C3	-2.57	117.12	122.09
2	А	1401	CIT	C3-C2-C1	2.51	120.77	113.92
2	А	1401	CIT	C3-C4-C5	2.44	120.60	113.92

There are no chirality outliers.

All (12) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	А	1401	CIT	C1-C2-C3-O7
2	А	1401	CIT	C1-C2-C3-C4
2	А	1401	CIT	O7-C3-C4-C5
2	А	1401	CIT	O7-C3-C6-O6
2	А	1401	CIT	C2-C3-C4-C5
2	А	1401	CIT	C6-C3-C4-C5

Mol	Chain	Res	Type	Atoms
2	А	1401	CIT	C2-C3-C6-O6
2	А	1401	CIT	C1-C2-C3-C6
2	А	1401	CIT	C2-C3-C6-O5
2	А	1401	CIT	C4-C3-C6-O6
2	А	1401	CIT	O7-C3-C6-O5
2	А	1401	CIT	C4-C3-C6-O5

Continued from previous page...

There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	А	1401	CIT	1	0

5.7 Other polymers (i)

There are no such residues in this entry.

5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.

6 Fit of model and data (i)

6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled '#RSRZ> 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95^{th} percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<rsrz></rsrz>	#RSRZ>2		$\mathbf{OWAB}(\mathrm{\AA}^2)$	Q < 0.9
1	А	1264/1351~(93%)	0.23	17 (1%) 77	82	26, 50, 94, 169	38~(3%)
1	В	1225/1351~(90%)	0.37	45 (3%) 41	48	34, 68, 110, 157	37 (3%)
All	All	2489/2702~(92%)	0.30	62 (2%) 57	63	26, 58, 105, 169	75(3%)

All (62) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ	
1	В	855	PHE	7.5	
1	А	145	MET	5.4	
1	В	851	GLY	5.1	
1	В	353	ARG	4.7	
1	В	853	VAL	4.7	
1	В	852	ARG	4.6	
1	В	139	SER	4.4	
1	А	143	GLN	4.2	
1	В	854	SER	4.1	
1	А	467	ASN	3.6	
1	В	704	ASP	3.4	
1	В	705	SER	3.4	
1	А	140	ALA	3.3	
1	А	424	ALA	3.3	
1	А	146	LYS	3.1	
1	А	132	ALA	3.0	
1	В	848	ASN	3.0	
1	В	702	LEU	2.9	
1	А	139	SER	2.9	
1	В	541	ARG	2.8	
1	В	1330	VAL	2.8	
1	В	882	VAL	2.7	
1	В	594	SER	2.7	
1	В	143	GLN	2.7	

6Ys	SG
-----	----

Mol	Chain	Res	Type	RSRZ	
1	В	858 LYS		2.6	
1	В	497	LEU	2.6	
1	А	353	ARG	2.6	
1	А	136	GLN	2.5	
1	В	471	ALA	2.5	
1	В	538	TYR	2.5	
1	А	705	SER	2.5	
1	А	708	GLY	2.4	
1	В	570	VAL	2.4	
1	А	707	ARG	2.4	
1	В	740	GLN	2.4	
1	В	847	ILE	2.4	
1	В	870	TRP	2.4	
1	А	669	TYR	2.4	
1	В	376	LEU	2.4	
1	В	874	LEU	2.4	
1	В	66	ASP	2.3	
1	В	707	ARG	2.3	
1	В	446	LYS	2.3	
1	В	515	GLN	2.2	
1	В	301	GLY	2.2	
1	А	144	PHE	2.2	
1	В	145	MET	2.2	
1	А	112	ILE	2.2	
1	В	560	LEU	2.1	
1	В	546	TRP	2.1	
1	В	1329	GLY	2.1	
1	В	839	VAL	2.1	
1	В	703	LYS	2.1	
1	В	859	LEU	2.1	
1	В	879	TYR	2.1	
1	В	136	GLN	2.0	
1	В	798	LEU	2.0	
1	В	68	GLU	2.0	
1	В	339	VAL	2.0	
1	А	249	LYS	2.0	
1	В	450	LEU	2.0	
1	В	884	GLU	2.0	

6.2 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates (i)

There are no monosaccharides in this entry.

6.4 Ligands (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95^{th} percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	$\mathbf{B} ext{-factors}(\mathrm{\AA}^2)$	Q<0.9
2	CIT	А	1401	13/13	0.58	0.35	66, 92, 116, 118	0

6.5 Other polymers (i)

There are no such residues in this entry.

