



## Full wwPDB X-ray Structure Validation Report ⓘ

Oct 30, 2023 – 08:01 PM JST

PDB ID : 4YTP  
Title : CRYSTAL STRUCTURE OF PORCINE HEART MITOCHONDRIAL COMPLEX II BOUND WITH N-[(4-tert-butylphenyl)methyl]-2-(trifluoromethyl)benzamide  
Authors : Harada, S.; Shiba, T.; Sato, D.; Yamamoto, A.; Nagahama, M.; Yone, A.; Inaoka, D.K.; Sakamoto, K.; Inoue, M.; Honma, T.; Kita, K.  
Deposited on : 2015-03-18  
Resolution : 3.10 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references](#) ①) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
Xtrriage (Phenix) : 1.13  
EDS : 2.36  
buster-report : 1.1.7 (2018)  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.36


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 3.10 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	1094 (3.10-3.10)
Clashscore	141614	1184 (3.10-3.10)
Ramachandran outliers	138981	1141 (3.10-3.10)
Sidechain outliers	138945	1141 (3.10-3.10)
RSRZ outliers	127900	1067 (3.10-3.10)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	664	 % 69% 21% 8%
2	B	280	 64% 19% 15%
3	C	169	 % 66% 12% 18%
4	D	159	 % 50% 13% 36%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit crite-

ria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
8	F3S	B	303	-	-	X	-

## 2 Entry composition [i](#)

There are 11 unique types of molecules in this entry. The entry contains 8641 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Succinate dehydrogenase [ubiquinone] flavoprotein subunit, mitochondrial.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	613	4729	2954	848	895	32	0	0	0

- Molecule 2 is a protein called Succinate dehydrogenase [ubiquinone] iron-sulfur subunit, mitochondrial.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
2	B	239	1922	1214	326	360	22	0	0	0


- Molecule 3 is a protein called Succinate dehydrogenase cytochrome b560 subunit, mitochondrial.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
3	C	138	1064	695	179	183	7	0	0	0

- Molecule 4 is a protein called Succinate dehydrogenase [ubiquinone] cytochrome b small subunit, mitochondrial.


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
4	D	102	765	499	128	133	5	0	0	0

- Molecule 5 is FLAVIN-ADENINE DINUCLEOTIDE (three-letter code: FAD) (formula:  $C_{27}H_{33}N_9O_{15}P_2$ ).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
			Total	C	N	O	P		
5	A	1	53	27	9	15	2	0	0

- Molecule 6 is FE2/S2 (INORGANIC) CLUSTER (three-letter code: FES) (formula: Fe<sub>2</sub>S<sub>2</sub>).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
			Total	Fe	S		
6	B	1	4	2	2	0	0

- Molecule 7 is IRON/SULFUR CLUSTER (three-letter code: SF4) (formula: Fe<sub>4</sub>S<sub>4</sub>).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
7	B	1	Total	Fe	S	0	0
			8	4	4		

- Molecule 8 is FE3-S4 CLUSTER (three-letter code: F3S) (formula:  $\text{Fe}_3\text{S}_4$ ).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
8	B	1	Total	Fe	S	0	0
			7	3	4		

- Molecule 9 is PROTOPORPHYRIN IX CONTAINING FE (three-letter code: HEM) (formula:  $\text{C}_{34}\text{H}_{32}\text{FeN}_4\text{O}_4$ ).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
			Total	C	Fe	N	O		
9	C	1	43	34	1	4	4	0	0

- Molecule 10 is N-(4-tert-butylbenzyl)-2-(trifluoromethyl)benzamide (three-letter code: E23) (formula: C<sub>19</sub>H<sub>20</sub>F<sub>3</sub>NO).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
			Total	C	F	N	O		
10	C	1	24	19	3	1	1	0	0

- Molecule 11 is water.




Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
11	A	9	Total O 9 9	0	0
11	B	6	Total O 6 6	0	0
11	C	5	Total O 5 5	0	0
11	D	2	Total O 2 2	0	0


### 3 Residue-property plots i

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Succinate dehydrogenase [ubiquinone] flavoprotein subunit, mitochondrial





- Molecule 2: Succinate dehydrogenase [ubiquinone] iron-sulfur subunit, mitochondrial



- Molecule 3: Succinate dehydrogenase cytochrome b560 subunit, mitochondrial



- Molecule 4: Succinate dehydrogenase [ubiquinone] cytochrome b small subunit, mitochondrial



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	71.43Å 84.01Å 294.82Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	20.00 – 3.10 20.00 – 3.10	Depositor EDS
% Data completeness (in resolution range)	80.7 (20.00-3.10) 80.9 (20.00-3.10)	Depositor EDS
$R_{merge}$	0.10	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	3.36 (at 3.09Å)	Xtrriage
Refinement program	REFMAC 5.7.0029	Depositor
R, $R_{free}$	0.206 , 0.269 0.206 , 0.268	Depositor DCC
$R_{free}$ test set	1346 reflections (5.04%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	69.4	Xtrriage
Anisotropy	0.011	Xtrriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.30 , 43.2	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.44$ , $\langle L^2 \rangle = 0.27$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
$F_o, F_c$ correlation	0.92	EDS
Total number of atoms	8641	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	70.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.49% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: FES, F3S, SF4, FAD, HEM, E23

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.39	0/4828	0.62	1/6531 (0.0%)
2	B	0.36	0/1964	0.59	0/2648
3	C	0.37	0/1091	0.56	0/1483
4	D	0.37	0/784	0.59	0/1066
All	All	0.38	0/8667	0.61	1/11728 (0.0%)

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	28	GLY	N-CA-C	-6.47	96.92	113.10

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4729	0	4618	107	0
2	B	1922	0	1901	34	0
3	C	1064	0	1104	12	0
4	D	765	0	770	11	0
5	A	53	0	31	5	0
6	B	4	0	0	0	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
7	B	8	0	0	0	0
8	B	7	0	0	3	0
9	C	43	0	30	7	0
10	C	24	0	20	0	0
11	A	9	0	0	0	0
11	B	6	0	0	0	0
11	C	5	0	0	0	0
11	D	2	0	0	0	0
All	All	8641	0	8474	162	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 10.

All (162) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:568:ILE:HG12	1:A:569:GLN:H	1.06	1.17
1:A:566:LYS:CG	1:A:567:PRO:HD2	1.82	1.09
1:A:566:LYS:HG3	1:A:567:PRO:O	1.55	1.06
1:A:566:LYS:HG3	1:A:567:PRO:HD2	1.39	0.98
1:A:566:LYS:CD	1:A:567:PRO:HD2	1.95	0.96
1:A:568:ILE:HG12	1:A:569:GLN:N	1.78	0.96
1:A:566:LYS:HG3	1:A:567:PRO:CD	2.00	0.92
1:A:568:ILE:CG1	1:A:569:GLN:N	2.30	0.91
1:A:566:LYS:HD2	1:A:567:PRO:HD2	1.51	0.91
1:A:568:ILE:CG1	1:A:569:GLN:H	1.79	0.91
1:A:258:ILE:HD12	1:A:265:ILE:HD11	1.54	0.88
2:B:168:CYS:HG	8:B:303:F3S:FE3	0.65	0.88
1:A:285:MET:HB3	1:A:294:ASP:HB3	1.61	0.81
1:A:57:HIS:NE2	5:A:701:FAD:HM82	1.97	0.80
1:A:414:SER:O	1:A:418:LEU:HD13	1.84	0.77
1:A:566:LYS:CG	1:A:567:PRO:CD	2.59	0.77
1:A:566:LYS:CG	1:A:567:PRO:O	2.34	0.74
1:A:132:GLY:HA2	1:A:295:LEU:O	1.89	0.72
1:A:285:MET:CB	1:A:294:ASP:HB3	2.20	0.71
1:A:293:LYS:O	1:A:294:ASP:CG	2.30	0.69
1:A:568:ILE:HA	1:A:571:GLN:OE1	1.92	0.69
1:A:29:GLY:H	1:A:58:THR:HG21	1.62	0.64
3:C:52:LEU:HB3	9:C:301:HEM:CBC	2.28	0.64
9:C:301:HEM:HBB2	9:C:301:HEM:HMB2	1.80	0.64
1:A:190:ARG:NH1	1:A:441:SER:O	2.31	0.64

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:51:ILE:HD11	2:B:59:LEU:HD22	1.81	0.63
1:A:233:ASP:OD2	1:A:528:ASN:ND2	2.26	0.63
2:B:44:VAL:HG11	2:B:77:ILE:HD12	1.83	0.60
9:C:301:HEM:HMC2	9:C:301:HEM:HBC2	1.83	0.60
1:A:64:GLY:HA2	1:A:154:THR:HG21	1.81	0.60
2:B:219:MET:HE3	3:C:117:LEU:HD22	1.82	0.60
1:A:518:THR:HA	1:A:521:VAL:HG22	1.83	0.59
2:B:222:THR:OG1	2:B:230:ASN:ND2	2.36	0.58
1:A:57:HIS:NE2	5:A:701:FAD:C8M	2.67	0.58
1:A:221:TYR:CG	1:A:364:VAL:HG21	2.39	0.58
2:B:246:LYS:O	2:B:247:GLU:HB2	2.03	0.58
2:B:218:ILE:HD12	8:B:303:F3S:S1	2.44	0.57
3:C:52:LEU:HB3	9:C:301:HEM:CAC	2.35	0.57
2:B:214:ARG:NH2	4:D:86:GLN:OE1	2.37	0.57
2:B:35:ILE:HD11	2:B:51:ILE:HG22	1.86	0.56
1:A:87:GLY:O	1:A:408:ASN:HB3	2.05	0.56
1:A:352:ASP:OD1	1:A:354:THR:HG22	2.05	0.56
1:A:565:SER:OG	1:A:566:LYS:N	2.38	0.56
2:B:164:CYS:SG	2:B:165:SER:N	2.79	0.55
1:A:181:ASP:OD2	1:A:450:SER:HB3	2.08	0.54
1:A:568:ILE:O	1:A:569:GLN:HB3	2.07	0.54
1:A:378:GLN:HG2	1:A:394:TYR:CE2	2.43	0.54
9:C:301:HEM:CBB	4:D:54:LEU:HA	2.38	0.54
2:B:219:MET:CE	2:B:232:GLY:HA3	2.38	0.54
2:B:69:ILE:C	2:B:69:ILE:HD12	2.28	0.53
2:B:231:PRO:O	2:B:234:ALA:N	2.42	0.53
1:A:28:GLY:O	1:A:31:GLY:N	2.41	0.53
1:A:28:GLY:O	1:A:29:GLY:C	2.48	0.52
2:B:219:MET:HE2	2:B:232:GLY:HA3	1.91	0.52
1:A:58:THR:O	1:A:155:GLY:HA3	2.09	0.52
2:B:162:ALA:O	2:B:166:THR:HG22	2.10	0.52
4:D:85:GLY:O	4:D:89:THR:HG22	2.11	0.51
1:A:81:PHE:O	1:A:85:VAL:HG12	2.10	0.51
1:A:566:LYS:HG3	1:A:567:PRO:N	2.10	0.51
2:B:55:ILE:HG22	2:B:56:ASP:N	2.26	0.51
1:A:415:LEU:HG	5:A:701:FAD:C2	2.40	0.51
1:A:59:VAL:HG12	1:A:60:ALA:N	2.25	0.51
1:A:143:GLN:NE2	1:A:295:LEU:HD23	2.26	0.51
1:A:254:HIS:NE2	1:A:264:LEU:HD11	2.27	0.50
1:A:353:VAL:HG12	1:A:358:ILE:HD11	1.93	0.50
1:A:286:GLU:CD	1:A:293:LYS:HD3	2.31	0.50

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:567:PRO:O	1:A:567:PRO:CD	2.57	0.50
1:A:57:HIS:O	1:A:60:ALA:N	2.41	0.49
1:A:126:ILE:HG21	1:A:148:CYS:HB3	1.93	0.49
1:A:292:ALA:CB	1:A:296:ALA:HB2	2.42	0.49
1:A:293:LYS:O	1:A:294:ASP:OD1	2.30	0.49
1:A:569:GLN:O	1:A:571:GLN:N	2.46	0.49
2:B:52:LYS:HA	2:B:56:ASP:O	2.13	0.48
1:A:265:ILE:HD12	1:A:360:VAL:HG12	1.94	0.48
2:B:65:CYS:O	2:B:66:ARG:HG3	2.14	0.48
1:A:358:ILE:HG22	1:A:359:PRO:HD2	1.95	0.48
3:C:103:TRP:HA	3:C:106:ILE:HD12	1.95	0.48
1:A:414:SER:O	1:A:417:ASP:HB3	2.14	0.47
1:A:116:MET:N	1:A:161:THR:HG21	2.29	0.47
1:A:294:ASP:OD1	1:A:294:ASP:C	2.52	0.47
4:D:86:GLN:HA	4:D:89:THR:HG23	1.97	0.47
1:A:258:ILE:CD1	1:A:265:ILE:HD11	2.37	0.47
1:A:568:ILE:O	1:A:569:GLN:CB	2.61	0.47
3:C:104:ASN:HD22	3:C:104:ASN:C	2.17	0.47
3:C:60:GLY:O	4:D:115:GLY:HA3	2.15	0.47
1:A:567:PRO:HD2	1:A:567:PRO:O	2.15	0.47
1:A:81:PHE:HA	1:A:101:THR:HG21	1.97	0.47
1:A:150:VAL:HG11	1:A:157:SER:OG	2.15	0.47
4:D:128:LYS:O	4:D:132:MET:HG3	2.14	0.47
2:B:168:CYS:SG	8:B:303:F3S:S1	3.13	0.46
9:C:301:HEM:HBB2	9:C:301:HEM:CMB	2.44	0.46
2:B:115:LEU:O	2:B:118:PHE:HB3	2.15	0.46
1:A:117:PRO:O	1:A:150:VAL:HG13	2.16	0.46
1:A:404:VAL:HG12	1:A:405:HIS:CD2	2.50	0.46
1:A:215:GLY:HA2	1:A:398:GLU:HB3	1.98	0.46
1:A:603:ILE:HG23	1:A:605:LYS:CE	2.46	0.46
2:B:105:MET:H	3:C:27:SER:HG	1.61	0.46
1:A:254:HIS:HB2	1:A:365:HIS:CB	2.46	0.46
1:A:222:PHE:HA	1:A:474:GLN:HE21	1.81	0.46
1:A:293:LYS:O	1:A:294:ASP:CB	2.64	0.46
2:B:215:CYS:SG	2:B:235:ILE:HG21	2.56	0.45
4:D:47:ARG:O	4:D:51:VAL:HG13	2.17	0.45
4:D:60:ALA:HA	4:D:68:MET:HG2	1.99	0.45
2:B:210:PHE:O	2:B:211:SER:C	2.55	0.45
1:A:52:PHE:HB3	1:A:55:ARG:HG2	1.98	0.45
1:A:11:THR:HG22	1:A:11:THR:O	2.17	0.45
2:B:47:ALA:O	2:B:51:ILE:HG23	2.16	0.45

*Continued on next page...*



*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:C:98:LEU:HD13	3:C:99:MET:HE2	1.97	0.45
4:D:84:ILE:O	4:D:85:GLY:C	2.55	0.45
1:A:490:LEU:HD13	1:A:541:GLU:HA	1.98	0.45
2:B:231:PRO:O	2:B:232:GLY:C	2.55	0.45
1:A:58:THR:HG23	5:A:701:FAD:O1A	2.17	0.45
1:A:59:VAL:HG23	1:A:159:LEU:HD23	1.98	0.45
1:A:464:ILE:O	1:A:508:LYS:N	2.42	0.45
1:A:50:LYS:O	1:A:176:GLU:HA	2.17	0.44
3:C:98:LEU:HD13	3:C:99:MET:CE	2.47	0.44
1:A:464:ILE:O	1:A:507:LEU:HA	2.17	0.44
9:C:301:HEM:HBC2	9:C:301:HEM:CMC	2.45	0.44
1:A:334:LEU:HD13	1:A:353:VAL:HG23	1.99	0.44
4:D:70:TYR:O	4:D:73:ALA:HB3	2.17	0.44
1:A:58:THR:HG22	5:A:701:FAD:O4'	2.17	0.44
1:A:77:TRP:O	1:A:80:HIS:HB3	2.18	0.44
2:B:55:ILE:N	2:B:55:ILE:HD12	2.33	0.44
1:A:93:ASP:OD1	1:A:583:HIS:NE2	2.45	0.44
3:C:30:ILE:HD12	3:C:31:THR:H	1.83	0.44
1:A:457:LEU:O	1:A:509:THR:HG21	2.18	0.43
2:B:102:LEU:HA	2:B:103:PRO:HD3	1.88	0.43
1:A:231:THR:HG21	1:A:525:GLU:HB3	2.00	0.43
1:A:162:LEU:O	1:A:163:TYR:C	2.55	0.43
1:A:516:TRP:HB3	2:B:60:THR:HG21	2.01	0.43
2:B:14:PHE:HB3	2:B:16:ILE:HD11	2.00	0.43
1:A:118:PHE:HA	1:A:150:VAL:HG22	2.01	0.43
1:A:171:THR:HB	1:A:173:TYR:CE1	2.54	0.43
1:A:231:THR:HG22	1:A:529:LEU:HD11	2.01	0.43
1:A:255:PRO:HB3	1:A:305:MET:SD	2.59	0.43
1:A:453:ASN:O	1:A:457:LEU:HD13	2.19	0.43
1:A:387:ASP:OD2	1:A:600:ARG:NH1	2.52	0.42
1:A:566:LYS:CB	1:A:567:PRO:CD	2.95	0.42
1:A:264:LEU:HD22	1:A:365:HIS:CE1	2.54	0.42
4:D:126:ILE:O	4:D:127:CYS:C	2.57	0.42
1:A:24:VAL:HG21	1:A:35:ALA:HA	2.01	0.42
1:A:566:LYS:HD2	1:A:567:PRO:CD	2.34	0.42
2:B:11:ILE:O	2:B:93:LEU:HD22	2.20	0.42
1:A:603:ILE:HG23	1:A:605:LYS:HE2	2.01	0.41
2:B:161:CYS:O	2:B:162:ALA:HB3	2.20	0.41
1:A:64:GLY:HA3	1:A:147:CYS:SG	2.60	0.41
1:A:254:HIS:CE1	1:A:264:LEU:HD11	2.55	0.41
2:B:111:LEU:O	2:B:113:PRO:HD3	2.20	0.41

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:C:119:ILE:N	3:C:120:PRO:HD2	2.36	0.41
2:B:118:PHE:CZ	2:B:162:ALA:HB2	2.55	0.41
1:A:442:ILE:O	1:A:442:ILE:HG23	2.20	0.41
1:A:163:TYR:O	1:A:167:LEU:HD22	2.20	0.41
1:A:59:VAL:HA	1:A:156:HIS:HA	2.03	0.41
1:A:286:GLU:OE1	1:A:293:LYS:HD3	2.20	0.41
1:A:497:ILE:HG22	1:A:534:LEU:HD12	2.01	0.41
2:B:219:MET:CE	3:C:117:LEU:HD22	2.50	0.41
1:A:597:LEU:HD23	1:A:597:LEU:N	2.36	0.40
1:A:104:ALA:HA	1:A:416:LEU:HD11	2.02	0.40
1:A:265:ILE:HG22	1:A:269:CYS:SG	2.61	0.40
1:A:530:MET:O	1:A:531:LEU:C	2.59	0.40
1:A:72:MET:CE	1:A:121:THR:HG21	2.51	0.40
1:A:604:ASP:O	1:A:614:THR:HG23	2.21	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	611/664 (92%)	540 (88%)	69 (11%)	2 (0%)	41	73
2	B	237/280 (85%)	214 (90%)	21 (9%)	2 (1%)	19	54
3	C	136/169 (80%)	123 (90%)	12 (9%)	1 (1%)	22	57
4	D	100/159 (63%)	91 (91%)	9 (9%)	0	100	100
All	All	1084/1272 (85%)	968 (89%)	111 (10%)	5 (0%)	29	64

All (5) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	568	ILE

Continued on next page...

*Continued from previous page...*

Mol	Chain	Res	Type
2	B	66	ARG
2	B	55	ILE
3	C	120	PRO
1	A	260	GLY

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	499/538 (93%)	459 (92%)	40 (8%)	12	40
2	B	214/239 (90%)	193 (90%)	21 (10%)	8	29
3	C	117/142 (82%)	99 (85%)	18 (15%)	2	11
4	D	76/122 (62%)	68 (90%)	8 (10%)	7	26
All	All	906/1041 (87%)	819 (90%)	87 (10%)	8	31

All (87) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	73	GLU
1	A	122	GLU
1	A	131	PHE
1	A	154	THR
1	A	161	THR
1	A	167	LEU
1	A	182	LEU
1	A	192	VAL
1	A	235	THR
1	A	239	THR
1	A	284	PHE
1	A	306	THR
1	A	311	GLU
1	A	324	LEU
1	A	332	GLU
1	A	344	THR
1	A	354	THR

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
1	A	368	MET
1	A	384	ASN
1	A	403	SER
1	A	427	LEU
1	A	432	SER
1	A	441	SER
1	A	443	LYS
1	A	458	ARG
1	A	461	ASN
1	A	463	THR
1	A	488	SER
1	A	507	LEU
1	A	509	THR
1	A	512	ARG
1	A	514	MET
1	A	541	GLU
1	A	561	GLU
1	A	566	LYS
1	A	568	ILE
1	A	577	GLN
1	A	586	SER
1	A	588	VAL
1	A	605	LYS
2	B	27	LYS
2	B	34	GLU
2	B	51	ILE
2	B	63	ARG
2	B	66	ARG
2	B	77	ILE
2	B	86	THR
2	B	87	ARG
2	B	94	ASP
2	B	96	VAL
2	B	97	SER
2	B	129	LEU
2	B	177	LYS
2	B	189	ARG
2	B	192	ILE
2	B	205	LYS
2	B	214	ARG
2	B	217	THR
2	B	220	ASN

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
2	B	230	ASN
2	B	237	GLU
3	C	26	LEU
3	C	30	ILE
3	C	31	THR
3	C	32	ILE
3	C	36	SER
3	C	42	SER
3	C	52	LEU
3	C	57	SER
3	C	58	LEU
3	C	86	LEU
3	C	87	ILE
3	C	98	LEU
3	C	104	ASN
3	C	108	HIS
3	C	115	LYS
3	C	122	LEU
3	C	123	THR
3	C	130	LEU
4	D	63	ASN
4	D	76	LEU
4	D	78	LEU
4	D	89	THR
4	D	97	LEU
4	D	108	LEU
4	D	126	ILE
4	D	134	TRP

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (18) such sidechains are listed below:

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
1	A	62	GLN
1	A	98	HIS
1	A	143	GLN
1	A	325	GLN
1	A	327	HIS
1	A	378	GLN
1	A	384	ASN
1	A	461	ASN
1	A	474	GLN
1	A	550	HIS

*Continued on next page...*

Continued from previous page...

Mol	Chain	Res	Type
2	B	31	GLN
2	B	121	GLN
2	B	220	ASN
2	B	230	ASN
3	C	17	ASN
3	C	29	HIS
3	C	104	ASN
4	D	63	ASN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

### 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

### 5.6 Ligand geometry [i](#)

6 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
10	E23	C	302	-	25,25,25	0.47	0	37,37,37	0.91	2 (5%)
8	F3S	B	303	2	0,9,9	-	-	-		
7	SF4	B	302	2	0,12,12	-	-	-		
5	FAD	A	701	-	53,58,58	1.27	7 (13%)	68,89,89	1.44	14 (20%)
6	FES	B	301	2	0,4,4	-	-	-		

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
9	HEM	C	301	4,3	41,50,50	1.37	5 (12%)	45,82,82	2.02	9 (20%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
10	E23	C	302	-	-	0/21/21/21	0/2/2/2
8	F3S	B	303	2	-	-	0/3/3/3
7	SF4	B	302	2	-	-	0/6/5/5
5	FAD	A	701	-	-	2/30/50/50	0/6/6/6
6	FES	B	301	2	-	-	0/1/1/1
9	HEM	C	301	4,3	-	3/12/54/54	-

All (12) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	A	701	FAD	C9A-C5X	4.76	1.49	1.41
9	C	301	HEM	C1B-NB	-4.45	1.32	1.40
9	C	301	HEM	C4D-ND	-3.75	1.33	1.40
5	A	701	FAD	C8-C7	3.20	1.48	1.40
9	C	301	HEM	C4B-NB	-2.63	1.33	1.38
9	C	301	HEM	CHB-C1B	2.39	1.41	1.35
5	A	701	FAD	C5A-C4A	2.30	1.47	1.40
9	C	301	HEM	FE-NB	2.21	2.07	1.96
5	A	701	FAD	C4-N3	-2.20	1.34	1.38
5	A	701	FAD	O4B-C1B	2.17	1.44	1.41
5	A	701	FAD	C5X-N5	-2.08	1.35	1.39
5	A	701	FAD	C4X-N5	2.07	1.34	1.30

All (25) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
9	C	301	HEM	CHC-C4B-NB	5.57	130.48	124.43
9	C	301	HEM	C1B-NB-C4B	5.52	110.78	105.07
9	C	301	HEM	CHD-C1D-ND	5.11	129.99	124.43
5	A	701	FAD	N3A-C2A-N1A	-4.33	121.90	128.68
9	C	301	HEM	CHD-C1D-C2D	-4.19	118.43	124.98
9	C	301	HEM	CHA-C4D-ND	3.96	129.27	124.38
5	A	701	FAD	C4A-C5A-N7A	-3.02	106.26	109.40

*Continued on next page...*

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
9	C	301	HEM	CHA-C4D-C3D	-2.97	119.75	125.33
5	A	701	FAD	C4-C4X-N5	2.90	122.37	118.23
5	A	701	FAD	C4X-C10-N1	-2.83	118.17	124.73
5	A	701	FAD	C10-N1-C2	2.75	122.39	116.90
10	C	302	E23	FAG-CAX-CAV	-2.70	108.00	112.70
5	A	701	FAD	O2-C2-N1	-2.68	117.39	121.83
10	C	302	E23	CAP-NAQ-CAR	2.57	127.89	121.81
5	A	701	FAD	C4'-C3'-C2'	-2.52	108.12	113.36
5	A	701	FAD	C2A-N1A-C6A	2.51	123.04	118.75
5	A	701	FAD	P-O3P-PA	-2.50	124.25	132.83
5	A	701	FAD	C1B-N9A-C4A	-2.43	122.37	126.64
5	A	701	FAD	O4-C4-C4X	-2.33	120.42	126.60
5	A	701	FAD	C4X-C10-N10	2.29	119.83	116.48
9	C	301	HEM	CMA-C3A-C4A	-2.20	125.08	128.46
9	C	301	HEM	CBD-CAD-C3D	-2.09	106.83	112.63
5	A	701	FAD	C4X-C4-N3	2.05	118.39	113.19
5	A	701	FAD	C10-C4X-N5	-2.05	120.51	124.86
9	C	301	HEM	O2A-CGA-CBA	2.01	120.48	114.03

There are no chirality outliers.

All (5) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
9	C	301	HEM	C3D-CAD-CBD-CGD
5	A	701	FAD	N10-C1'-C2'-O2'
9	C	301	HEM	CAA-CBA-CGA-O1A
9	C	301	HEM	CAA-CBA-CGA-O2A
5	A	701	FAD	O4B-C4B-C5B-O5B

There are no ring outliers.


3 monomers are involved in 15 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
8	B	303	F3S	3	0
5	A	701	FAD	5	0
9	C	301	HEM	7	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier.



Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.







## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data [i](#)

### 6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	613/664 (92%)	-0.43	5 (0%) 86 72	42, 71, 112, 147	0
2	B	239/280 (85%)	-0.57	1 (0%) 92 84	41, 63, 92, 102	0
3	C	138/169 (81%)	-0.58	1 (0%) 87 75	43, 64, 93, 144	0
4	D	102/159 (64%)	-0.54	1 (0%) 82 67	45, 61, 86, 93	0
All	All	1092/1272 (85%)	-0.49	8 (0%) 87 75	41, 67, 105, 147	0

All (8) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
3	C	81	CYS	3.5
1	A	317	PRO	3.3
1	A	280	GLN	3.1
1	A	315	CYS	3.0
1	A	312	GLY	2.7
1	A	499	ARG	2.6
4	D	35	SER	2.4
2	B	25	GLY	2.1

### 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 6.3 Carbohydrates [i](#)


There are no monosaccharides in this entry.

## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
10	E23	C	302	24/24	0.94	0.22	55,61,68,70	0
9	HEM	C	301	43/43	0.97	0.17	53,60,64,66	0
5	FAD	A	701	53/53	0.97	0.14	46,56,75,76	0
8	F3S	B	303	7/7	0.99	0.16	42,49,53,54	0
6	FES	B	301	4/4	0.99	0.13	58,58,66,66	0
7	SF4	B	302	8/8	0.99	0.09	50,55,57,58	0


The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.



**Electron density around HEM C 301:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)





## 6.5 Other polymers [i](#)

There are no such residues in this entry.