



Full wwPDB EM Validation Report ⓘ

Oct 14, 2024 – 01:16 PM JST

PDB ID : 5YZG
EMDB ID : EMD-6864
Title : The Cryo-EM Structure of Human Catalytic Step I Spliceosome (C complex)
at 4.1 angstrom resolution
Authors : Zhan, X.; Yan, C.; Zhang, X.; Lei, J.; Shi, Y.
Deposited on : 2017-12-14
Resolution : 4.10 Å(reported)

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


EMDB validation analysis : 0.0.1.dev113
Mogul : 1.8.5 (274361), CSD as541be (2020)
MolProbity : 4.02b-467
buster-report : 1.1.7 (2018)
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.39

1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:
ELECTRON MICROSCOPY

The reported resolution of this entry is 4.10 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.




























Metric	Whole archive (#Entries)	EM structures (#Entries)
Ramachandran outliers	207382	16835
Sidechain outliers	206894	16415
RNA backbone	6643	2191

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	2335	 6% 87% 9% . .
2	B	117	 8% 52% 16% . 28%
3	C	972	 79% 9% . 11%
4	D	2136	 74% 89% 11%
5	E	357	 78% 5% 16%
6	F	107	 7% 46% 43% . 9%
7	G	275	 9% 23% 68%
8	H	188	 17% 29% 41% . 26%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
9	I	855	
10	J	848	
11	K	225	
12	L	802	
13	y	307	
14	M	243	
15	N	144	
16	O	420	
17	P	229	
18	R	536	
19	S	166	
20	T	514	
21	Q	1485	
22	U	2752	
23	V	908	
24	W	579	
25	X	425	
26	Y	323	
27	Z	1227	
28	q	504	
28	r	504	
28	s	504	
28	t	504	
29	u	411	
30	v	148	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
31	w	174	49% 51% 48%
32	x	703	96%
33	a	126	32% 61% 39%
33	h	126	22% 63% 37%
34	b	229	20% 35% 64%
34	i	229	18% 37% 62%
35	c	119	35% 66% 32%
35	j	119	22% 67% 31%
36	d	118	46% 81% 18%
36	k	118	36% 70% 28%
37	f	86	45% 85% 14%
37	m	86	27% 85% 14%
38	e	92	30% 86% 14%
38	l	92	39% 86% 14%
39	g	76	42% 96%
39	n	76	32% 88% 11%
40	o	255	57% 56% 6% 36%
41	p	225	29% 39% 58%
42	1	301	16% 81% 19%
43	2	646	32% 63% 36%
44	3	754	10% 22% 77%
45	4	37	8% 89% 11%

2 Entry composition

There are 51 unique types of molecules in this entry. The entry contains 103906 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Pre-mRNA-processing-splicing factor 8.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
1	A	2253	17519	11136	3147	3166	70	0	0

- Molecule 2 is a RNA chain called U5 snRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	P		
2	B	84	1768	792	295	597	84	0	0

- Molecule 3 is a protein called 116 kDa U5 small nuclear ribonucleoprotein component.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
3	C	862	6795	4344	1138	1281	32	0	0

- Molecule 4 is a protein called U5 small nuclear ribonucleoprotein 200 kDa helicase.

Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
4	D	1908	7632	3816	1908	1908	0	0

- Molecule 5 is a protein called U5 small nuclear ribonucleoprotein 40 kDa protein.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
5	E	299	2338	1470	410	445	13	0	0

- Molecule 6 is a RNA chain called U6 snRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	P		
6	F	97	2075	928	381	669	97	0	0

- Molecule 7 is a RNA chain called Pre-mRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	P		
7	G	88	1641	727	238	589	87	0	0

- Molecule 8 is a RNA chain called U2 snRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	P		
8	H	139	2946	1317	507	983	139	0	0

- Molecule 9 is a protein called Pre-mRNA-splicing factor SYF1.

Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
9	I	559	2757	1639	559	559	0	0

- Molecule 10 is a protein called Crooked neck-like protein 1.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
10	J	571	3829	2385	720	718	6	0	0

- Molecule 11 is a protein called Pre-mRNA-splicing factor SPF27.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
11	K	152	979	611	177	189	2	0	0

- Molecule 12 is a protein called Cell division cycle 5-like protein.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
12	L	419	2885	1809	534	537	5	0	0

- Molecule 13 is a protein called Pre-mRNA-splicing factor ISY1 homolog.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
13	y	112	704	440	130	133	1	0	0

- Molecule 14 is a protein called Pre-mRNA-splicing factor SYF2.

Mol	Chain	Residues	Atoms					AltConf	Trace
14	M	91	Total	C	N	O	S	0	0
			775	482	146	145	2		

- Molecule 15 is a protein called Protein BUD31 homolog.

Mol	Chain	Residues	Atoms					AltConf	Trace
15	N	143	Total	C	N	O	S	0	0
			1184	746	217	209	12		

- Molecule 16 is a protein called Pre-mRNA-splicing factor RBM22.

Mol	Chain	Residues	Atoms					AltConf	Trace
16	O	283	Total	C	N	O	S	0	0
			2277	1430	403	424	20		

- Molecule 17 is a protein called Spliceosome-associated protein CWC15 homolog.

Mol	Chain	Residues	Atoms					AltConf	Trace
17	P	96	Total	C	N	O	S	0	0
			829	508	162	157	2		

- Molecule 18 is a protein called SNW domain-containing protein 1.

Mol	Chain	Residues	Atoms						AltConf	Trace
18	R	245	Total	C	N	O	P	S	0	0
			1962	1231	353	364	2	12		

- Molecule 19 is a protein called Peptidyl-prolyl cis-trans isomerase-like 1.

Mol	Chain	Residues	Atoms					AltConf	Trace
19	S	159	Total	C	N	O	S	0	0
			1236	787	215	227	7		

- Molecule 20 is a protein called Pleiotropic regulator 1.

Mol	Chain	Residues	Atoms					AltConf	Trace
20	T	313	Total	C	N	O	S	0	0
			2461	1554	447	452	8		

- Molecule 21 is a protein called Intron-binding protein aquarius.

Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
21	Q	1322	5288	2644	1322	1322	0	0

- Molecule 22 is a protein called Serine/arginine repetitive matrix protein 2.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
22	U	26	193	120	36	36	1	0	0

- Molecule 23 is a protein called Pre-mRNA-splicing factor CWC22 homolog.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
23	V	452	3410	2194	590	611	15	0	0

- Molecule 24 is a protein called Pre-mRNA-processing factor 17.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
24	W	440	2310	1296	487	523	4	0	0

- Molecule 25 is a protein called Pre-mRNA-splicing factor CWC25 homolog.

Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
25	X	71	480	297	95	88	0	0

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
X	145	GLN	LYS	conflict	UNP Q9NXE8
X	149	PRO	LYS	conflict	UNP Q9NXE8

- Molecule 26 is a protein called Coiled-coil domain-containing protein 94.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
26	Y	204	1426	898	259	261	8	0	0

- Molecule 27 is a protein called Pre-mRNA-splicing factor ATP-dependent RNA helicase PRP16.

Mol	Chain	Residues	Atoms				AltConf	Trace
27	Z	635	Total	C	N	O	0	0
			2540	1270	635	635		

- Molecule 28 is a protein called Pre-mRNA-processing factor 19.

Mol	Chain	Residues	Atoms					AltConf	Trace
28	q	132	Total	C	N	O	S	0	0
			918	581	156	178	3		
28	r	131	Total	C	N	O	S	0	0
			901	572	149	177	3		
28	s	374	Total	C	N	O		1	0
			1497	749	374	374			
28	t	67	Total	C	N	O	S	0	0
			476	300	83	92	1		

- Molecule 29 is a protein called Eukaryotic initiation factor 4A-III.

Mol	Chain	Residues	Atoms					AltConf	Trace
29	u	390	Total	C	N	O	S	0	0
			3126	1974	545	588	19		

- Molecule 30 is a protein called Protein mago nashi homolog 2.

Mol	Chain	Residues	Atoms					AltConf	Trace
30	v	144	Total	C	N	O	S	0	0
			1196	772	200	221	3		

- Molecule 31 is a protein called RNA-binding protein 8A.

Mol	Chain	Residues	Atoms					AltConf	Trace
31	w	91	Total	C	N	O	S	0	0
			730	463	122	142	3		

- Molecule 32 is a protein called Protein CASC3.

Mol	Chain	Residues	Atoms				AltConf	Trace
32	x	25	Total	C	N	O	0	0
			216	136	39	41		

- Molecule 33 is a protein called Small nuclear ribonucleoprotein Sm D3.

Mol	Chain	Residues	Atoms					AltConf	Trace
33	h	80	Total	C	N	O	S	0	0
			621	388	110	117	6		
33	a	77	Total	C	N	O	S	0	0
			609	381	108	115	5		

- Molecule 34 is a protein called Small nuclear ribonucleoprotein-associated proteins B and B'.

Mol	Chain	Residues	Atoms					AltConf	Trace
34	i	86	Total	C	N	O	S	0	0
			690	434	126	123	7		
34	b	83	Total	C	N	O	S	0	0
			675	426	123	119	7		

- Molecule 35 is a protein called Small nuclear ribonucleoprotein Sm D1.

Mol	Chain	Residues	Atoms					AltConf	Trace
35	j	82	Total	C	N	O	S	0	0
			649	413	113	119	4		
35	c	81	Total	C	N	O	S	0	0
			641	409	112	116	4		

- Molecule 36 is a protein called Small nuclear ribonucleoprotein Sm D2.

Mol	Chain	Residues	Atoms					AltConf	Trace
36	k	85	Total	C	N	O	S	0	0
			688	432	125	126	5		
36	d	97	Total	C	N	O	S	0	0
			768	482	141	140	5		

- Molecule 37 is a protein called Small nuclear ribonucleoprotein F.

Mol	Chain	Residues	Atoms					AltConf	Trace
37	m	74	Total	C	N	O	S	0	0
			576	373	95	103	5		
37	f	74	Total	C	N	O	S	0	0
			576	373	95	103	5		

- Molecule 38 is a protein called Small nuclear ribonucleoprotein E.

Mol	Chain	Residues	Atoms					AltConf	Trace
38	l	79	Total	C	N	O	S	0	0
			652	412	116	119	5		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					AltConf	Trace
38	e	79	Total	C	N	O	S	0	0
			652	412	116	119	5		

- Molecule 39 is a protein called Small nuclear ribonucleoprotein G.

Mol	Chain	Residues	Atoms					AltConf	Trace
39	n	68	Total	C	N	O	S	0	0
			533	339	95	93	6		
39	g	74	Total	C	N	O	S	0	0
			569	358	102	103	6		

- Molecule 40 is a protein called U2 small nuclear ribonucleoprotein A'.

Mol	Chain	Residues	Atoms					AltConf	Trace
40	o	162	Total	C	N	O	S	0	0
			1277	817	219	238	3		

- Molecule 41 is a protein called U2 small nuclear ribonucleoprotein B'.

Mol	Chain	Residues	Atoms					AltConf	Trace
41	p	94	Total	C	N	O	S	0	0
			760	488	135	132	5		

- Molecule 42 is a protein called Peptidyl-prolyl cis-trans isomerase E.

Mol	Chain	Residues	Atoms				AltConf	Trace
42	1	243	Total	C	N	O	0	0
			972	486	243	243		

- Molecule 43 is a protein called Peptidylprolyl isomerase domain and WD repeat-containing protein 1.

Mol	Chain	Residues	Atoms				AltConf	Trace
43	2	416	Total	C	N	O	0	0
			1664	832	416	416		


- Molecule 44 is a protein called Peptidyl-prolyl cis-trans isomerase G.

Mol	Chain	Residues	Atoms				AltConf	Trace
44	3	171	Total	C	N	O	0	0
			684	342	171	171		

- Molecule 45 is a protein called UNKNOWN.


Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
45	4	37	184	110	37	37	0	0

- Molecule 46 is INOSITOL HEXAKISPHOSPHATE (three-letter code: IHP) (formula: $C_6H_{18}O_{24}P_6$).



Mol	Chain	Residues	Atoms				AltConf
			Total	C	O	P	
46	A	1	36	6	24	6	0

- Molecule 47 is GUANOSINE-5'-TRIPHOSPHATE (three-letter code: GTP) (formula: $C_{10}H_{16}N_5O_{14}P_3$).




Mol	Chain	Residues	Atoms					AltConf
			Total	C	N	O	P	
47	C	1	32	10	5	14	3	0

- Molecule 48 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		AltConf
			Total	Mg	
48	C	1	1	1	0
48	F	5	5	5	0
48	u	1	1	1	0

- Molecule 49 is ADENOSINE-5'-DIPHOSPHATE (three-letter code: ADP) (formula: C₁₀H₁₅N₅O₁₀P₂).




Mol	Chain	Residues	Atoms				AltConf	
49	D	1	Total	C	N	O	P	0
			27	10	5	10	2	
49	D	1	Total	C	N	O	P	0
			27	10	5	10	2	

- Molecule 50 is ZINC ION (three-letter code: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		AltConf
50	N	3	Total	Zn	0
			3	3	
50	O	3	Total	Zn	0
			3	3	
50	Y	1	Total	Zn	0
			1	1	

- Molecule 51 is ADENOSINE-5'-TRIPHOSPHATE (three-letter code: ATP) (formula: $C_{10}H_{16}N_5O_{13}P_3$).





Mol	Chain	Residues	Atoms					AltConf
			Total	C	N	O	P	
51	u	1	31	10	5	13	3	0

3 Residue-property plots [i](#)


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Pre-mRNA-processing-splicing factor 8









• Molecule 2: U5 snRNA




• Molecule 3: 116 kDa U5 small nuclear ribonucleoprotein component





• Molecule 4: U5 small nuclear ribonucleoprotein 200 kDa helicase




Y936	G937	I938	S939	H940	D941	D942	L943	K944	G945	D946	P947	L948	L949	D950	Q951	R952	R953	L954	D955	L956	V957	H958	T959	A960	A961	L962	M963	L964	D965	K966	N967	N968	L969	V970	K971	Y972	D973	K974	K975	T976	G977	N978	F979	Q980	V981	T982	E983	L984	G985	R986	I987	A988	S989	H990	Y991	Y992	I993	T994	N995
D996	T997	W998	Q999	T1000	Y1001	M1002	Q1003	L1004	L1005	K1006	P1007	T1008	L1009	S1010	E1011	I1012	E1013	L1014	V1017	F1018	S1019	L1020	S1021	S1022	E1023	F1024	K1025	M1026	I1027	T1028	V1029	M1030	E1031	E1032	E1033	K1034	L1035	E1036	L1037	Q1038	K1039	L1040	R1043	V1044	P1045	I1046	P1047	V1048	K1049	E1050	S1051	I1052	S989	H990	Y991	Y992	I993	T994	N995
I1059	N1060	V1061	L1062	A1065	F1066	I1067	L1070	K1071	L1072	E1073	G1074	F1075	A1076	L1077	M1078	A1079	D1080	Y1083	V1084	S1087	R1089	A1094	E1097	I1098	N1101	R1102	G1103	L1107	T1108	T1111	C1115	K1116	M1117	I1118	D1119	M1122	W1123	Q1124	S1125	M1126	C1127	P1128	L1129	P1130	Q1131	F1132	R1133	K1134											
L1135	P1136	E1137	E1138	V1139	V1140	K1141	K1145	K1146	M1147	F1148	P1149	F1150	E1151	R1152	L1153	Y1154	D1155	L1156	M1157	H1158	I1161	G1162	E1163	L1164	I1165	L1166	M1167	P1168	M1170	G1171	K1172	T1173	I1174	H1175	K1176	V1178	H1179	L1180	F1181	P1182	K1183	L1184	E1185	L1186	S1187	V1188	H1189	L1190	Q1191	P1192	L1193	T1194	L1195	S1196					
E1201	L1202	T1203	T1204	P1206	D1207	F1208	Q1209	W1210	D1211	E1212	K1213	V1214	G1215	A1216	S1217	S1218	E1219	A1220	I1223	L1224	V1225	I1233	Y1238	F1239	L1240	L1241	K1242	K1243	K1244	Y1245	A1246	Q1247	D1248	E1249	H1250	L1251	I1252	T1253	V1258	F1259	E1260	P1261	L1262	P1263	S1272	D1273	R1274	L1275	L1276	L1277	V1284								
H1288	L1289	I1290	L1291	P1292	E1293	K1294	Y1295	P1296	P1297	P1298	T1299	E1300	L1301	L1302	D1303	L1304	Q1305	P1306	L1307	P1308	V1309	S1310	A1311	L1312	R1313	M1314	S1315	A1316	F1317	E1318	S1319	L1320	Y1321	Q1322	D1323	K1324	F1325	P1326	F1327	F1328	M1329	P1330	I1331	Q1332	T1333	Q1334	V1335	F1336	M1337	T1338	L1339	Y1340	M1341	S1342	D1343	M1344	V1346	F1347	
V1348	G1349	A1350	G1353	S1354	G1355	T1356	L1357	I1358	C1359	A1360	E1361	F1362	A1363	L1364	L1365	R1366	M1367	L1368	L1369	Q1370	S1371	S1372	E1373	G1374	C1376	V1377	Y1378	I1379	T1380	P1381	M1382	L1385	E1386	A1387	Q1388	V1389	M1390	D1392	W1393	Y1394	E1395	K1396	F1397	Q1398	D1399	R1400	L1401	M1402	K1403	K1404	V1405	V1406	L1407	L1408	T1409				
G1410	S1413	D1414	L1416	K1417	L1418	L1419	G1420	K1421	G1422	N1423	I1424	I1425	L1426	S1427	T1428	P1429	E1430	K1431	W1432	D1433	I1434	L1435	S1436	L1437	R1438	W1439	K1440	Q1441	R1442	K1443	M1444	V1445	Q1446	N1447	L1448	M1449	L1450	F1451	V1452	E1455	V1456	H1457	L1458	L1459	G1460	G1461	V1466	L1467	E1468	V1469	L1470	C1471	S1472	R1473	M1474				
R1475	I1477	S1478	S1479	Q1480	I1481	E1482	R1483	P1484	I1485	R1486	I1487	V1488	A1489	L1490	S1491	S1492	S1493	L1494	S1495	M1496	A1497	K1498	D1499	V1500	A1501	H1502	W1503	L1504	G1505	C1506	S1507	A1508	T1509	S1510	T1511	F1512	M1513	F1514	H1515	P1516	M1517	V1518	R1519	P1520	V1521	P1522	L1523	E1524	L1525	H1526	G1529	F1530	M1531	I1532	S1533	H1534	T1535		
Q1536	T1537	R1538	L1539	L1540	S1541	M1542	A1543	K1544	P1545	V1546	H1548	A1549	I1550	T1551	K1552	H1553	S1554	P1555	K1556	K1557	P1558	V1559	I1560	V1561	F1562	V1563	S1564	S1565	R1566	K1567	Q1568	T1569	R1570	L1571	L1572	A1573	I1574	D1575	L1576	L1577	T1578	T1579	C1580	A1581	A1582	D1583	I1584	Q1585	R1586	Q1587	P1588	F1589	L1590	H1591	C1592	T1593	E1594	K1595	
D1596	L1597	I1598	P1599	Y1600	L1601	E1602	K1603	L1604	S1605	D1606	S1607	T1608	L1609	K1610	E1611	T1612	L1613	L1614	M1615	L1616	V1617	G1618	Y1619	L1620	H1621	E1622	G1623	L1624	S1625	P1626	M1627	E1628	R1629	L1630	L1631	V1632	E1633	Q1634	L1635	F1636	S1638	G1639	A1640	I1641	Q1642	V1643	V1644	V1645	A1646	S1647	R1648	S1649	L1650	H1651	L1652	G1653	M1654	M1655	V1656
A1657	L1660	V1661	L1662	L1663	M1664	D1665	Y1668	Y1669	N1670	G1671	K1672	L1673	H1674	A1675	Y1676	Y1677	P1680	I1681	Y1682	D1683	V1684	L1685	Q1686	M1687	V1688	A1691	M1692	R1693	P1694	L1695	Q1696	D1697	R1698	E1699	C1702	V1703	I1704	M1705	C1706	Q1707	Q1708	S1709	K1710	K1711	D1712	K1715	K1716	F1717	L1718	Y1719	E1720	P1721	L1722						
P1723	V1724	E1725	S1726	H1727	L1728	D1729	K1730	M1731	M1732	H1733	D1734	H1735	A1738	E1739	I1740	V1741	T1742	K1743	T1744	L1745	E1746	M1747	K1748	Q1749	D1750	A1751	V1752	D1753	T1756	W1757	L1760	R1762	R1763	M1764	N1767	P1768	M1769	Y1770	Y1771	M1772	L1773	Q1774	G1775	L1776	S1777	H1778	R1779	H1780	D1783	H1784	L1785	S1786	E1787						




• Molecule 5: U5 small nuclear ribonucleoprotein 40 kDa protein



• Molecule 6: U6 snRNA




• Molecule 7: Pre-mRNA







• Molecule 8: U2 snRNA





• Molecule 9: Pre-mRNA-splicing factor SYF1






• Molecule 12: Cell division cycle 5-like protein





• Molecule 13: Pre-mRNA-splicing factor ISY1 homolog









● Molecule 17: Spliceosome-associated protein CWC15 homolog




● Molecule 18: SNW domain-containing protein 1





● Molecule 19: Peptidyl-prolyl cis-trans isomerase-like 1






● Molecule 24: Pre-mRNA-processing factor 17






- Molecule 25: Pre-mRNA-splicing factor CWC25 homolog

Chain X: 13% . 83%




- Molecule 26: Coiled-coil domain-containing protein 94

Chain Y: 5% . 49% 11% 37%




- Molecule 27: Pre-mRNA-splicing factor ATP-dependent RNA helicase PRP16

Chain Z: 14% . 47% 48%




• Molecule 28: Pre-mRNA-processing factor 19




• Molecule 32: Protein CASC3

Chain x: 96%




• Molecule 33: Small nuclear ribonucleoprotein Sm D3


Chain h: 22% 63% 37%




• Molecule 33: Small nuclear ribonucleoprotein Sm D3




- Molecule 34: Small nuclear ribonucleoprotein-associated proteins B and B'




- Molecule 34: Small nuclear ribonucleoprotein-associated proteins B and B'




- Molecule 35: Small nuclear ribonucleoprotein Sm D1




• Molecule 35: Small nuclear ribonucleoprotein Sm D1




• Molecule 36: Small nuclear ribonucleoprotein Sm D2




• Molecule 36: Small nuclear ribonucleoprotein Sm D2




• Molecule 37: Small nuclear ribonucleoprotein F




• Molecule 37: Small nuclear ribonucleoprotein F




• Molecule 38: Small nuclear ribonucleoprotein E




• Molecule 38: Small nuclear ribonucleoprotein E




• Molecule 39: Small nuclear ribonucleoprotein G



• Molecule 39: Small nuclear ribonucleoprotein G




• Molecule 40: U2 small nuclear ribonucleoprotein A'





GLU
GLU
GLU
MET
MET
GLU
GLU
ASP
THR
VAL
THR
THR
ASN
GLY
SER


• Molecule 41: U2 small nuclear ribonucleoprotein B''




• Molecule 42: Peptidyl-prolyl cis-trans isomerase E




• Molecule 43: Peptidylprolyl isomerase domain and WD repeat-containing protein 1






● Molecule 44: Peptidyl-prolyl cis-trans isomerase G



ARG
ASP
HIS
HIS
ASN
SER
SER
HIS
ASN
ASN
SER
SER
GLU
GLU
LYS
LYS
PHE
LYS
ASP
HIS
ALA
ASP
GLU
SER
ARG
ASP
GLN
SER
GLY
PRO
PHE
SER
GLU
LYS
ILE
LYS
LYS
GLN
SER
SER
SER
GLN
ASP
ASN
GLU
LEU
LYS
SER
SER
MET
LEU
LYS
ASN
LYS
GLU
ASP
GLU
LYS
ILE
ARG
SER
SER
VAL
GLU
LYS
GLU
ASN
GLN
LYS
SER
LYS
GLN

GLU
ASN
ASP
HIS
VAL
HIS
GLU
LYS
ASN
LYS
LYS
PHE
ASP
HIS
SER
SER
PRO
THR
ASP
GLU
ASP
LYS
SER
SER
GLY

● Molecule 45: UNKNOWN



4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, C1	Depositor
Number of particles used	53633	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	NONE	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	50	Depositor
Minimum defocus (nm)	Not provided	
Maximum defocus (nm)	Not provided	
Magnification	Not provided	
Image detector	GATAN K2 SUMMIT (4k x 4k)	Depositor
Maximum map value	0.209	Depositor
Minimum map value	-0.105	Depositor
Average map value	0.001	Depositor
Map value standard deviation	0.008	Depositor
Recommended contour level	0.029	Depositor
Map size (\AA)	535.2, 535.2, 535.2	wwPDB
Map dimensions	400, 400, 400	wwPDB
Map angles ($^\circ$)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (\AA)	1.338, 1.338, 1.338	Depositor

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: GTP, ZN, SEP, IHP, ADP, ATP, MG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	1.00	25/17966 (0.1%)	1.07	63/24251 (0.3%)
2	B	0.78	3/1970 (0.2%)	0.91	6/3060 (0.2%)
3	C	0.80	1/6946 (0.0%)	0.97	10/9436 (0.1%)
4	D	0.32	0/7628	0.56	0/9528
5	E	0.64	0/2392	0.79	0/3242
6	F	0.68	3/2323 (0.1%)	0.86	3/3619 (0.1%)
7	G	0.76	8/1820 (0.4%)	0.90	2/2819 (0.1%)
8	H	0.98	28/3283 (0.9%)	1.65	117/5096 (2.3%)
9	I	0.39	0/2724	0.56	17/3738 (0.5%)
10	J	0.63	1/3870 (0.0%)	0.75	1/5252 (0.0%)
11	K	1.32	15/981 (1.5%)	0.69	5/1317 (0.4%)
12	L	0.70	4/2914 (0.1%)	0.86	14/3929 (0.4%)
13	y	0.96	5/707 (0.7%)	0.77	6/953 (0.6%)
14	M	0.53	0/791	0.80	0/1058
15	N	0.88	1/1210 (0.1%)	1.00	3/1622 (0.2%)
16	O	0.80	2/2324 (0.1%)	0.92	5/3135 (0.2%)
17	P	0.86	1/841 (0.1%)	1.05	2/1117 (0.2%)
18	R	0.78	4/1976 (0.2%)	1.03	10/2651 (0.4%)
19	S	0.59	0/1268	0.80	1/1714 (0.1%)
20	T	1.05	1/2526 (0.0%)	1.11	4/3443 (0.1%)
21	Q	0.20	0/5279	0.40	0/6583
22	U	1.03	0/196	1.09	1/265 (0.4%)
23	V	0.55	0/3453	0.76	4/4640 (0.1%)
24	W	0.57	1/2336 (0.0%)	0.73	3/3027 (0.1%)
25	X	0.46	0/486	0.54	0/658
26	Y	0.65	2/1450 (0.1%)	0.88	9/1975 (0.5%)
27	Z	0.50	0/2528	0.99	3/3139 (0.1%)
28	q	1.07	4/929 (0.4%)	0.70	3/1260 (0.2%)
28	r	1.08	4/912 (0.4%)	0.71	3/1239 (0.2%)
28	s	1.91	4/1497 (0.3%)	0.83	4/1866 (0.2%)
28	t	1.06	2/480 (0.4%)	0.57	0/650
29	u	0.38	0/3175	0.65	0/4286

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
30	v	0.38	0/1225	0.60	0/1648
31	w	0.36	0/748	0.71	3/1012 (0.3%)
32	x	0.43	0/221	0.66	0/296
33	a	0.46	0/616	0.66	0/830
33	h	0.46	0/627	0.68	0/842
34	b	0.52	0/685	0.82	0/913
34	i	0.53	0/700	0.82	0/933
35	c	0.56	0/649	0.78	0/877
35	j	0.56	0/657	0.77	0/888
36	d	0.69	0/778	0.86	0/1045
36	k	0.69	0/696	0.86	0/935
37	f	0.82	0/588	0.84	0/795
37	m	0.82	0/588	0.84	0/795
38	e	0.62	0/660	0.83	0/886
38	l	0.61	0/660	0.83	0/886
39	g	0.53	0/576	0.78	0/771
39	n	0.53	0/539	0.80	0/718
40	o	0.59	0/1294	1.63	18/1754 (1.0%)
41	p	0.56	0/774	1.35	6/1035 (0.6%)
42	1	0.34	0/970	0.60	0/1209
43	2	0.54	0/1649	0.64	0/2035
44	3	0.68	0/682	0.89	3/849 (0.4%)
45	4	0.35	0/184	0.70	0/255
All	All	0.76	119/105947 (0.1%)	0.91	329/142775 (0.2%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	6
3	C	0	3
4	D	0	1
10	J	0	1
12	L	0	1
13	y	0	1
14	M	0	1
15	N	0	1
18	R	0	1
20	T	0	2
26	Y	0	3

Continued on next page...

Continued from previous page...

Mol	Chain	#Chirality outliers	#Planarity outliers
27	Z	0	29
28	s	0	4
36	d	0	1
36	k	0	1
All	All	0	56

All (119) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
28	s	481[A]	VAL	N-CA	48.51	2.43	1.46
28	s	481[B]	VAL	N-CA	48.51	2.43	1.46
11	K	106	CYS	CB-SG	-23.18	1.42	1.82
13	y	36	CYS	CB-SG	-18.29	1.51	1.82
11	K	132	CYS	CB-SG	-17.41	1.52	1.82
28	q	16	CYS	CB-SG	-17.36	1.52	1.82
28	r	16	CYS	CB-SG	-17.20	1.53	1.82
28	r	114	CYS	CB-SG	-16.92	1.53	1.82
28	t	114	CYS	CB-SG	-16.72	1.53	1.82
28	q	114	CYS	CB-SG	-16.54	1.54	1.82
1	A	642	ARG	CD-NE	12.17	1.67	1.46
1	A	642	ARG	NE-CZ	11.22	1.47	1.33
28	q	47	LEU	CB-CG	9.98	1.81	1.52
7	G	-10	C	C4-C5	-9.95	1.34	1.43
28	r	47	LEU	CB-CG	9.92	1.81	1.52
11	K	163	LEU	CB-CG	9.81	1.81	1.52
12	L	761	SER	CB-OG	8.97	1.53	1.42
11	K	128	SER	CB-OG	8.36	1.53	1.42
11	K	183	SER	CB-OG	8.29	1.53	1.42
1	A	750	TRP	CE3-CZ3	-8.28	1.24	1.38
16	O	221	PRO	CA-C	-8.24	1.36	1.52
28	t	89	SER	CB-OG	8.24	1.52	1.42
28	r	89	SER	CB-OG	8.21	1.52	1.42
16	O	181	TYR	CE1-CZ	-8.18	1.27	1.38
28	q	89	SER	CB-OG	8.08	1.52	1.42
11	K	190	SER	CB-OG	8.05	1.52	1.42
11	K	187	SER	CB-OG	8.03	1.52	1.42
12	L	726	SER	CB-OG	7.95	1.52	1.42
13	y	54	SER	CB-OG	7.84	1.52	1.42
8	H	142	C	C1'-N1	7.46	1.59	1.48
8	H	77	C	C1'-N1	7.40	1.59	1.48
15	N	102	CYS	CB-SG	-7.34	1.69	1.82
1	A	406	TRP	CB-CG	-7.02	1.37	1.50

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
8	H	55	U	C1'-N1	6.97	1.59	1.48
8	H	92	U	C1'-N1	6.96	1.59	1.48
8	H	89	U	C1'-N1	6.92	1.59	1.48
8	H	54	U	C1'-N1	6.90	1.59	1.48
8	H	72	U	C1'-N1	6.90	1.59	1.48
7	G	-22	G	C1'-N9	-6.88	1.37	1.46
8	H	74	U	C1'-N1	6.88	1.59	1.48
8	H	69	U	C1'-N1	6.86	1.59	1.48
2	B	103	G	C1'-N9	-6.86	1.37	1.46
8	H	182	U	C1'-N1	6.83	1.59	1.48
8	H	60	U	C1'-N1	6.80	1.58	1.48
8	H	150	U	C1'-N1	6.80	1.58	1.48
1	A	1668	TRP	CB-CG	-6.80	1.38	1.50
8	H	91	U	C1'-N1	6.79	1.58	1.48
17	P	227	TYR	CG-CD2	-6.74	1.30	1.39
8	H	58	U	C1'-N1	6.73	1.58	1.48
1	A	476	PHE	CG-CD2	6.61	1.48	1.38
1	A	750	TRP	CE2-CZ2	-6.59	1.28	1.39
7	G	-23	G	C1'-N9	-6.53	1.37	1.46
1	A	927	TRP	CB-CG	-6.48	1.38	1.50
12	L	724	TYR	CB-CG	-6.48	1.42	1.51
10	J	346	TRP	CB-CG	-6.44	1.38	1.50
8	H	97	G	C1'-N9	-6.42	1.37	1.46
8	H	151	C	C1'-N1	6.41	1.58	1.48
8	H	184	C	C1'-N1	6.35	1.58	1.48
11	K	138	TYR	CB-CG	-6.34	1.42	1.51
8	H	73	C	C1'-N1	6.33	1.58	1.48
8	H	141	C	C1'-N1	6.33	1.58	1.48
11	K	93	SER	CB-OG	6.32	1.50	1.42
8	H	148	C	C1'-N1	6.29	1.58	1.48
8	H	84	C	C1'-N1	6.27	1.58	1.48
1	A	592	TYR	CB-CG	-6.25	1.42	1.51
11	K	43	TYR	CB-CG	-6.25	1.42	1.51
8	H	71	C	C1'-N1	6.24	1.58	1.48
8	H	78	C	C1'-N1	6.24	1.58	1.48
8	H	70	C	C1'-N1	6.23	1.58	1.48
7	G	-19	A	C1'-N9	-6.21	1.38	1.46
7	G	-20	A	C1'-N9	-6.20	1.38	1.46
2	B	24	G	O3'-P	-6.18	1.53	1.61
1	A	719	CYS	CB-SG	6.15	1.92	1.82
1	A	717	TRP	CB-CG	-6.15	1.39	1.50
1	A	1577	PHE	CG-CD2	-6.02	1.29	1.38

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	902	TYR	CG-CD2	-5.95	1.31	1.39
1	A	1294	LYS	CE-NZ	5.93	1.63	1.49
7	G	-21	A	C1'-N9	-5.84	1.38	1.46
1	A	1214	TRP	CB-CG	-5.82	1.39	1.50
6	F	28	A	N1-C2	5.80	1.39	1.34
20	T	218	TRP	CB-CG	-5.72	1.40	1.50
11	K	40	THR	CB-OG1	5.63	1.54	1.43
6	F	72	G	O3'-P	-5.58	1.54	1.61
1	A	592	TYR	CG-CD1	-5.56	1.31	1.39
8	H	36	G	O3'-P	-5.48	1.54	1.61
28	s	481[A]	VAL	CA-C	5.48	1.67	1.52
28	s	481[B]	VAL	CA-C	5.48	1.67	1.52
1	A	1386	TRP	CB-CG	-5.46	1.40	1.50
8	H	37	U	O3'-P	-5.46	1.54	1.61
7	G	4	A	C1'-N9	-5.44	1.39	1.46
12	L	96	CYS	CB-SG	-5.41	1.73	1.81
24	W	95	PRO	N-CD	5.41	1.55	1.47
1	A	212	PRO	N-CA	-5.39	1.38	1.47
1	A	120	TYR	CG-CD1	5.39	1.46	1.39
13	y	38	GLU	CB-CG	-5.35	1.42	1.52
2	B	56	C	O3'-P	-5.35	1.54	1.61
13	y	57	VAL	CB-CG2	-5.33	1.41	1.52
1	A	94	TYR	CB-CG	-5.30	1.43	1.51
1	A	1291	CYS	CB-SG	5.29	1.91	1.82
13	y	22	GLU	CB-CG	-5.25	1.42	1.52
8	H	27	U	O3'-P	-5.24	1.54	1.61
11	K	30	GLU	CB-CG	-5.24	1.42	1.52
6	F	28	A	C6-N6	5.23	1.38	1.33
1	A	140	TYR	CG-CD2	-5.18	1.32	1.39
11	K	119	VAL	CB-CG2	-5.18	1.42	1.52
8	H	110	A	C1'-N9	-5.17	1.39	1.46
26	Y	133	PRO	N-CD	5.17	1.55	1.47
7	G	136	U	C1'-N1	5.15	1.56	1.48
11	K	186	VAL	CA-CB	-5.15	1.44	1.54
11	K	137	VAL	CB-CG2	-5.14	1.42	1.52
18	R	226	PRO	N-CD	5.13	1.55	1.47
26	Y	17	PRO	N-CD	5.12	1.55	1.47
18	R	223	PRO	N-CD	5.11	1.55	1.47
18	R	222	PRO	N-CD	5.08	1.54	1.47
1	A	225	TYR	CB-CG	-5.07	1.44	1.51
1	A	351	TYR	CB-CG	-5.07	1.44	1.51
18	R	225	PRO	N-CD	5.06	1.54	1.47

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	C	145	PHE	CB-CG	-5.05	1.42	1.51
1	A	1758	PRO	N-CD	5.05	1.54	1.47

All (329) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
28	s	481[A]	VAL	N-CA-C	-15.66	68.71	111.00
28	s	481[B]	VAL	N-CA-C	-15.66	68.71	111.00
40	o	55	ARG	NE-CZ-NH1	15.07	127.83	120.30
1	A	642	ARG	NE-CZ-NH2	-14.47	113.06	120.30
40	o	55	ARG	CD-NE-CZ	13.79	142.90	123.60
8	H	27	U	P-O3'-C3'	-12.86	104.26	119.70
8	H	167	U	C5-C4-O4	11.87	133.02	125.90
12	L	158	ARG	NE-CZ-NH1	11.62	126.11	120.30
40	o	55	ARG	NE-CZ-NH2	-11.37	114.61	120.30
40	o	75	ARG	NE-CZ-NH1	-11.30	114.65	120.30
16	O	221	PRO	CA-C-O	10.98	146.55	120.20
26	Y	13	PRO	N-CA-C	10.44	139.25	112.10
1	A	1370	ARG	NE-CZ-NH2	10.32	125.46	120.30
8	H	164	C	N1-C2-O2	-10.08	112.85	118.90
1	A	1370	ARG	NE-CZ-NH1	-9.22	115.69	120.30
12	L	158	ARG	NE-CZ-NH2	-9.14	115.73	120.30
1	A	781	ARG	NE-CZ-NH1	9.12	124.86	120.30
26	Y	14	ASP	N-CA-CB	-9.10	94.22	110.60
41	p	80	ARG	CD-NE-CZ	8.96	136.14	123.60
41	p	25	ARG	NE-CZ-NH1	8.94	124.77	120.30
8	H	162	U	N3-C2-O2	-8.86	116.00	122.20
11	K	90	PRO	CA-CB-CG	8.65	121.24	104.80
1	A	1245	ARG	NE-CZ-NH1	8.45	124.52	120.30
1	A	1291	CYS	CB-CA-C	8.30	127.00	110.40
8	H	164	C	C5'-C4'-O4'	-8.28	99.17	109.10
8	H	169	C	P-O3'-C3'	8.19	129.53	119.70
26	Y	204	LYS	O-C-N	-8.13	109.69	122.70
13	y	191	VAL	O-C-N	-8.11	109.72	122.70
1	A	404	LEU	CB-CG-CD1	8.09	124.75	111.00
8	H	34	U	O5'-P-OP1	-8.07	98.43	105.70
8	H	166	G	O4'-C1'-N9	8.01	114.61	108.20
27	Z	555	GLY	O-C-N	7.97	135.45	122.70
8	H	167	U	N3-C4-O4	-7.94	113.84	119.40
1	A	1667	ARG	NE-CZ-NH2	-7.88	116.36	120.30
16	O	35	ARG	NE-CZ-NH2	-7.72	116.44	120.30
1	A	552	ARG	NE-CZ-NH1	7.70	124.15	120.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	1195	ARG	NE-CZ-NH1	7.68	124.14	120.30
1	A	1310	ARG	NE-CZ-NH2	-7.66	116.47	120.30
40	o	107	ASP	CB-CG-OD1	7.65	125.19	118.30
1	A	778	ARG	NE-CZ-NH1	7.63	124.11	120.30
8	H	34	U	O5'-P-OP2	7.63	119.85	110.70
3	C	939	ARG	NE-CZ-NH1	7.57	124.09	120.30
8	H	35	A	O5'-P-OP2	-7.57	98.89	105.70
8	H	164	C	P-O3'-C3'	7.53	128.73	119.70
1	A	642	ARG	NH1-CZ-NH2	7.50	127.65	119.40
40	o	27	ARG	NE-CZ-NH2	-7.48	116.56	120.30
8	H	167	U	N1-C2-O2	7.46	128.02	122.80
1	A	153	ARG	NE-CZ-NH2	-7.40	116.60	120.30
8	H	164	C	N3-C2-O2	7.37	127.06	121.90
2	B	20	G	N9-C1'-C2'	7.31	123.50	114.00
8	H	77	C	OP2-P-O3'	7.29	121.24	105.20
8	H	89	U	OP2-P-O3'	7.25	121.14	105.20
8	H	70	C	OP2-P-O3'	7.24	121.13	105.20
8	H	114	A	OP2-P-O3'	7.24	121.13	105.20
8	H	92	U	OP2-P-O3'	7.24	121.13	105.20
8	H	180	G	OP2-P-O3'	7.24	121.12	105.20
8	H	81	G	OP2-P-O3'	7.23	121.11	105.20
8	H	141	C	OP2-P-O3'	7.23	121.10	105.20
8	H	71	C	OP2-P-O3'	7.23	121.10	105.20
8	H	84	C	OP2-P-O3'	7.23	121.10	105.20
8	H	59	A	OP2-P-O3'	7.22	121.09	105.20
8	H	150	U	OP2-P-O3'	7.22	121.09	105.20
8	H	58	U	OP2-P-O3'	7.22	121.08	105.20
8	H	91	U	OP2-P-O3'	7.21	121.07	105.20
8	H	57	A	OP2-P-O3'	7.21	121.07	105.20
8	H	113	G	OP2-P-O3'	7.21	121.06	105.20
8	H	149	A	OP2-P-O3'	7.21	121.06	105.20
8	H	54	U	OP2-P-O3'	7.21	121.06	105.20
8	H	83	A	OP2-P-O3'	7.21	121.06	105.20
8	H	148	C	OP2-P-O3'	7.21	121.06	105.20
8	H	183	G	OP2-P-O3'	7.20	121.05	105.20
8	H	79	G	OP2-P-O3'	7.20	121.05	105.20
8	H	68	G	OP2-P-O3'	7.20	121.04	105.20
8	H	73	C	OP2-P-O3'	7.20	121.04	105.20
8	H	88	A	OP2-P-O3'	7.20	121.03	105.20
8	H	55	U	OP2-P-O3'	7.19	121.02	105.20
8	H	82	G	OP2-P-O3'	7.19	121.02	105.20
8	H	80	A	OP2-P-O3'	7.19	121.02	105.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
44	3	6	GLN	CA-C-O	7.19	135.19	120.10
3	C	144	CYS	N-CA-CB	7.18	123.53	110.60
8	H	69	U	OP2-P-O3'	7.18	121.01	105.20
8	H	181	G	OP2-P-O3'	7.18	121.00	105.20
8	H	182	U	OP2-P-O3'	7.18	121.00	105.20
8	H	56	A	OP2-P-O3'	7.18	121.00	105.20
8	H	72	U	OP2-P-O3'	7.18	120.99	105.20
8	H	74	U	OP2-P-O3'	7.18	120.99	105.20
8	H	93	A	OP2-P-O3'	7.18	120.99	105.20
8	H	78	C	OP2-P-O3'	7.17	120.98	105.20
8	H	90	A	OP2-P-O3'	7.17	120.98	105.20
12	L	83	ARG	NE-CZ-NH2	7.16	123.88	120.30
18	R	180	THR	C-N-CD	-7.15	104.87	120.60
1	A	611	LEU	CB-CG-CD1	-7.14	98.87	111.00
8	H	168	A	P-O5'-C5'	-7.12	109.51	120.90
8	H	24	A	O5'-P-OP1	7.09	119.21	110.70
1	A	1544	ARG	NE-CZ-NH1	7.02	123.81	120.30
8	H	167	U	N3-C2-O2	-7.02	117.29	122.20
1	A	565	ARG	NE-CZ-NH2	-6.87	116.87	120.30
8	H	82	G	O3'-P-O5'	-6.83	91.03	104.00
8	H	84	C	O3'-P-O5'	-6.82	91.04	104.00
8	H	88	A	O3'-P-O5'	-6.82	91.05	104.00
8	H	56	A	O3'-P-O5'	-6.81	91.06	104.00
8	H	91	U	O3'-P-O5'	-6.81	91.06	104.00
8	H	73	C	O3'-P-O5'	-6.80	91.07	104.00
8	H	180	G	O3'-P-O5'	-6.80	91.07	104.00
8	H	183	G	O3'-P-O5'	-6.80	91.08	104.00
8	H	181	G	O3'-P-O5'	-6.80	91.08	104.00
8	H	72	U	O3'-P-O5'	-6.80	91.08	104.00
8	H	93	A	O3'-P-O5'	-6.80	91.08	104.00
8	H	78	C	O3'-P-O5'	-6.80	91.09	104.00
8	H	182	U	O3'-P-O5'	-6.79	91.09	104.00
8	H	70	C	O3'-P-O5'	-6.79	91.10	104.00
8	H	150	U	O3'-P-O5'	-6.79	91.10	104.00
8	H	141	C	O3'-P-O5'	-6.78	91.11	104.00
8	H	59	A	O3'-P-O5'	-6.78	91.12	104.00
8	H	79	G	O3'-P-O5'	-6.78	91.11	104.00
27	Z	555	GLY	C-N-CA	6.78	138.65	121.70
8	H	55	U	O3'-P-O5'	-6.77	91.13	104.00
8	H	81	G	O3'-P-O5'	-6.77	91.13	104.00
8	H	80	A	O3'-P-O5'	-6.77	91.14	104.00
8	H	54	U	O3'-P-O5'	-6.77	91.14	104.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
8	H	92	U	O3'-P-O5'	-6.77	91.14	104.00
2	B	104	C	C2'-C3'-O3'	-6.77	94.61	109.50
8	H	89	U	O3'-P-O5'	-6.77	91.14	104.00
8	H	149	A	O3'-P-O5'	-6.77	91.14	104.00
40	o	23	GLU	OE1-CD-OE2	-6.77	115.18	123.30
8	H	90	A	O3'-P-O5'	-6.76	91.15	104.00
8	H	83	A	O3'-P-O5'	-6.76	91.16	104.00
8	H	68	G	O3'-P-O5'	-6.75	91.17	104.00
8	H	113	G	O3'-P-O5'	-6.75	91.17	104.00
8	H	69	U	O3'-P-O5'	-6.75	91.17	104.00
8	H	57	A	O3'-P-O5'	-6.75	91.17	104.00
8	H	71	C	O3'-P-O5'	-6.75	91.18	104.00
8	H	155	C	P-O3'-C3'	6.75	127.80	119.70
8	H	114	A	O3'-P-O5'	-6.75	91.18	104.00
8	H	148	C	O3'-P-O5'	-6.75	91.18	104.00
8	H	74	U	O3'-P-O5'	-6.74	91.20	104.00
1	A	1667	ARG	NE-CZ-NH1	6.73	123.66	120.30
8	H	77	C	O3'-P-O5'	-6.72	91.22	104.00
2	B	26	A	O5'-P-OP2	6.72	118.76	110.70
41	p	89	ASP	CB-CG-OD1	6.71	124.34	118.30
8	H	58	U	O3'-P-O5'	-6.69	91.29	104.00
17	P	215	LEU	CB-CG-CD1	-6.63	99.73	111.00
28	q	46	PRO	N-CA-CB	6.62	111.24	103.30
3	C	420	CYS	CA-CB-SG	-6.62	102.09	114.00
28	s	481[A]	VAL	CA-C-N	-6.60	102.68	117.20
28	s	481[B]	VAL	CA-C-N	-6.60	102.68	117.20
1	A	1630	LEU	CB-CG-CD2	-6.60	99.79	111.00
2	B	12	U	N1-C1'-C2'	-6.58	104.76	112.00
24	W	279	LYS	N-CA-C	-6.58	93.25	111.00
8	H	24	A	O5'-P-OP2	-6.56	99.80	105.70
11	K	90	PRO	N-CA-CB	6.56	111.17	103.30
23	V	320	ARG	NE-CZ-NH2	-6.56	117.02	120.30
1	A	535	ARG	NE-CZ-NH1	-6.50	117.05	120.30
8	H	166	G	C8-N9-C4	-6.49	103.80	106.40
28	r	46	PRO	N-CA-CB	6.49	111.09	103.30
17	P	215	LEU	CB-CG-CD2	6.48	122.02	111.00
1	A	598	LEU	CB-CG-CD2	-6.47	100.00	111.00
1	A	1330	MET	CA-CB-CG	-6.44	102.35	113.30
28	q	60	PRO	N-CA-CB	6.44	111.03	103.30
31	w	114	LYS	N-CA-C	-6.43	93.65	111.00
15	N	101	CYS	CB-CA-C	-6.42	97.57	110.40
10	J	195	LEU	CB-CG-CD2	-6.40	100.13	111.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
44	3	86	GLY	CA-C-O	6.36	132.05	120.60
3	C	921	LEU	CB-CG-CD1	6.34	121.77	111.00
11	K	78	PRO	N-CA-CB	6.33	110.89	103.30
9	I	475	PRO	N-CA-CB	6.32	110.89	103.30
40	o	5	THR	N-CA-CB	-6.31	98.32	110.30
9	I	589	PRO	N-CA-CB	6.30	110.86	103.30
19	S	152	ARG	NE-CZ-NH2	-6.29	117.15	120.30
31	w	118	LEU	CA-CB-CG	6.27	129.72	115.30
18	R	205	ASP	CB-CG-OD2	6.27	123.94	118.30
1	A	1190	CYS	CA-CB-SG	-6.26	102.72	114.00
8	H	165	A	O4'-C1'-N9	-6.26	103.19	108.20
1	A	153	ARG	NE-CZ-NH1	6.26	123.43	120.30
16	O	181	TYR	CG-CD2-CE2	-6.24	116.30	121.30
20	T	282	ARG	NE-CZ-NH2	-6.24	117.18	120.30
1	A	506	LEU	CB-CG-CD1	-6.23	100.40	111.00
11	K	107	VAL	CA-CB-CG1	6.22	120.23	110.90
8	H	166	G	N9-C4-C5	6.21	107.89	105.40
24	W	108	ARG	NE-CZ-NH2	-6.20	117.20	120.30
20	T	220	VAL	CB-CA-C	-6.18	99.66	111.40
9	I	551	PRO	N-CA-CB	6.17	110.71	103.30
9	I	162	PRO	N-CA-CB	6.17	110.70	103.30
1	A	476	PHE	CB-CG-CD1	6.16	125.11	120.80
1	A	1544	ARG	NE-CZ-NH2	-6.15	117.23	120.30
1	A	1322	LEU	CB-CG-CD2	-6.14	100.56	111.00
1	A	976	MET	CG-SD-CE	-6.14	90.38	100.20
8	H	166	G	N3-C4-C5	-6.12	125.54	128.60
9	I	232	PRO	N-CA-CB	6.12	110.64	103.30
44	3	6	GLN	O-C-N	-6.12	112.91	122.70
1	A	719	CYS	CA-CB-SG	6.10	124.98	114.00
26	Y	25	LEU	C-N-CD	6.10	141.21	128.40
12	L	546	PRO	N-CA-CB	6.08	110.60	103.30
1	A	1285	LEU	CA-CB-CG	-6.08	101.31	115.30
9	I	788	PRO	N-CA-CB	6.08	110.60	103.30
9	I	177	PRO	N-CA-CB	6.07	110.58	103.30
12	L	558	PRO	N-CA-CB	6.06	110.57	103.30
40	o	132	ARG	CD-NE-CZ	6.04	132.05	123.60
1	A	1626	CYS	CA-CB-SG	6.02	124.83	114.00
18	R	222	PRO	C-N-CD	6.01	141.03	128.40
9	I	394	PRO	N-CA-CB	6.00	110.50	103.30
8	H	162	U	N1-C2-O2	6.00	127.00	122.80
23	V	509	LEU	CA-CB-CG	5.98	129.06	115.30
9	I	160	PRO	N-CA-CB	5.97	110.46	103.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
9	I	816	PRO	N-CA-CB	5.97	110.46	103.30
40	o	21	ASP	CB-CG-OD1	5.97	123.67	118.30
41	p	25	ARG	CD-NE-CZ	5.96	131.94	123.60
8	H	32	U	C5'-C4'-C3'	-5.94	106.49	116.00
8	H	168	A	C5'-C4'-C3'	-5.91	106.55	116.00
12	L	563	PRO	N-CA-CB	5.91	110.39	103.30
26	Y	71	LEU	C-N-CD	5.90	140.79	128.40
9	I	387	PRO	N-CA-CB	5.90	110.38	103.30
1	A	1245	ARG	NE-CZ-NH2	-5.89	117.36	120.30
9	I	342	PRO	N-CA-CB	5.86	110.34	103.30
8	H	164	C	C5-C4-N4	-5.84	116.11	120.20
12	L	564	PRO	N-CA-CB	5.84	110.31	103.30
40	o	27	ARG	CB-CA-C	-5.84	98.71	110.40
6	F	28	A	C4-C5-C6	5.84	119.92	117.00
26	Y	20	ILE	C-N-CD	5.83	140.64	128.40
3	C	148	CYS	CB-CA-C	5.82	122.04	110.40
28	q	19	PRO	N-CA-CB	5.82	110.28	103.30
40	o	64	ARG	NE-CZ-NH1	5.82	123.21	120.30
8	H	172	C	P-O3'-C3'	5.81	126.67	119.70
1	A	1448	LEU	CB-CG-CD2	-5.79	101.15	111.00
12	L	620	PRO	N-CA-CB	5.78	110.24	103.30
27	Z	611	TYR	C-N-CA	5.78	136.15	121.70
28	r	19	PRO	N-CA-CB	5.77	110.23	103.30
12	L	548	PRO	N-CA-CB	5.77	110.22	103.30
9	I	518	PRO	N-CA-CB	5.76	110.21	103.30
26	Y	16	ASP	C-N-CD	5.76	140.49	128.40
18	R	225	PRO	C-N-CD	5.75	140.47	128.40
1	A	1757	GLU	C-N-CD	5.74	140.46	128.40
8	H	167	U	O3'-P-O5'	-5.74	93.10	104.00
12	L	594	PRO	N-CA-CB	5.74	110.18	103.30
13	y	40	PRO	N-CA-CB	5.74	110.18	103.30
18	R	221	GLY	C-N-CD	5.73	140.43	128.40
1	A	565	ARG	NE-CZ-NH1	5.72	123.16	120.30
8	H	156	U	P-O3'-C3'	-5.72	112.84	119.70
9	I	588	PRO	N-CA-CB	5.70	110.14	103.30
16	O	48	CYS	CA-CB-SG	5.70	124.26	114.00
40	o	75	ARG	NH1-CZ-NH2	5.68	125.65	119.40
1	A	845	ARG	NE-CZ-NH2	5.64	123.12	120.30
40	o	78	ARG	NE-CZ-NH2	-5.64	117.48	120.30
1	A	332	TYR	N-CA-C	-5.62	95.83	111.00
11	K	93	SER	N-CA-CB	-5.62	102.08	110.50
7	G	-10	C	C2-N3-C4	5.60	122.70	119.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	F	65	G	P-O5'-C5'	-5.59	111.95	120.90
1	A	1190	CYS	CB-CA-C	5.58	121.56	110.40
1	A	420	ARG	NE-CZ-NH2	-5.58	117.51	120.30
1	A	923	ASP	CB-CG-OD1	5.57	123.31	118.30
40	o	58	ASP	N-CA-CB	-5.56	100.59	110.60
24	W	94	GLY	C-N-CD	5.56	140.08	128.40
8	H	166	G	C6-N1-C2	-5.56	121.77	125.10
6	F	50	A	C4'-C3'-C2'	-5.55	97.05	102.60
9	I	463	PRO	N-CA-CB	5.54	109.94	103.30
1	A	1330	MET	CG-SD-CE	-5.52	91.37	100.20
12	L	774	VAL	CA-CB-CG2	5.51	119.16	110.90
1	A	251	ASP	CB-CG-OD1	5.50	123.25	118.30
1	A	1594	CYS	CA-CB-SG	5.50	123.89	114.00
9	I	761	PRO	N-CA-CB	5.50	109.90	103.30
26	Y	132	ASN	C-N-CD	5.50	139.94	128.40
1	A	656	LEU	CB-CG-CD1	-5.49	101.67	111.00
13	y	63	ALA	N-CA-CB	-5.48	102.43	110.10
9	I	625	PRO	N-CA-CB	5.46	109.85	103.30
15	N	104	ARG	NE-CZ-NH2	-5.46	117.57	120.30
1	A	118	VAL	CB-CA-C	-5.45	101.05	111.40
3	C	146	VAL	CA-CB-CG2	-5.44	102.74	110.90
28	r	60	PRO	N-CA-CB	5.44	109.83	103.30
3	C	91	GLU	C-N-CD	-5.41	108.71	120.60
1	A	535	ARG	NE-CZ-NH2	5.40	123.00	120.30
7	G	-4	A	O5'-P-OP1	-5.40	100.84	105.70
22	U	19	VAL	CB-CA-C	-5.39	101.15	111.40
18	R	287	LEU	CB-CG-CD2	5.39	120.17	111.00
15	N	102	CYS	CB-CA-C	-5.38	99.63	110.40
8	H	157	G	O4'-C1'-N9	-5.37	103.91	108.20
1	A	712	HIS	CB-CA-C	-5.35	99.70	110.40
8	H	106	G	O5'-P-OP1	5.35	117.12	110.70
23	V	514	PHE	CB-CG-CD2	-5.35	117.05	120.80
12	L	144	MET	N-CA-C	-5.35	96.56	111.00
40	o	47	ILE	N-CA-CB	5.34	123.07	110.80
20	T	308	ARG	NE-CZ-NH2	-5.33	117.63	120.30
18	R	178	ARG	NE-CZ-NH2	-5.33	117.64	120.30
8	H	156	U	OP2-P-O3'	5.33	116.92	105.20
26	Y	21	PRO	CA-N-CD	-5.32	104.05	111.50
8	H	170	C	N3-C4-C5	-5.31	119.78	121.90
1	A	1161	LEU	CB-CG-CD1	-5.30	101.98	111.00
1	A	656	LEU	CA-CB-CG	-5.29	103.13	115.30
1	A	92	LEU	CB-CG-CD1	-5.28	102.02	111.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	314	ILE	CA-CB-CG1	-5.28	100.97	111.00
2	B	37	G	O5'-P-OP2	-5.28	100.95	105.70
3	C	921	LEU	CB-CG-CD2	-5.27	102.04	111.00
1	A	682	ASP	CB-CG-OD2	5.25	123.03	118.30
1	A	656	LEU	CB-CG-CD2	5.24	119.90	111.00
41	p	39	ASP	CB-CG-OD2	-5.24	113.59	118.30
31	w	115	GLY	N-CA-C	5.23	126.17	113.10
1	A	880	ARG	NE-CZ-NH2	-5.22	117.69	120.30
1	A	799	PRO	N-CA-C	-5.19	98.61	112.10
1	A	878	LEU	CB-CG-CD1	-5.18	102.19	111.00
18	R	267	ARG	NE-CZ-NH2	-5.17	117.71	120.30
8	H	160	A	P-O5'-C5'	-5.17	112.63	120.90
16	O	24	CYS	CA-CB-SG	5.17	123.30	114.00
1	A	647	LEU	CB-CG-CD1	-5.16	102.23	111.00
23	V	467	LEU	CB-CA-C	-5.16	100.40	110.20
3	C	776	GLU	N-CA-C	5.16	124.93	111.00
41	p	39	ASP	CB-CG-OD1	5.15	122.94	118.30
1	A	330	THR	CA-CB-CG2	-5.14	105.20	112.40
8	H	160	A	C4'-C3'-C2'	-5.13	97.47	102.60
8	H	157	G	P-O5'-C5'	-5.12	112.70	120.90
8	H	170	C	O4'-C1'-C2'	-5.12	100.68	105.80
1	A	638	LEU	CA-CB-CG	-5.12	103.52	115.30
2	B	20	G	O4'-C1'-N9	5.11	112.29	108.20
8	H	162	U	C2-N3-C4	-5.11	123.93	127.00
1	A	784	LEU	CA-CB-CG	-5.11	103.56	115.30
3	C	220	ARG	NE-CZ-NH2	-5.09	117.75	120.30
18	R	178	ARG	NE-CZ-NH1	5.09	122.85	120.30
12	L	189	ARG	NE-CZ-NH1	5.09	122.84	120.30
8	H	156	U	C4'-C3'-C2'	5.08	107.68	102.60
12	L	83	ARG	NE-CZ-NH1	-5.08	117.76	120.30
1	A	677	VAL	CB-CA-C	-5.08	101.75	111.40
13	y	165	PRO	N-CA-CB	5.07	109.39	103.30
13	y	164	PRO	N-CA-CB	5.06	109.37	103.30
13	y	166	PRO	N-CA-CB	5.06	109.37	103.30
20	T	233	LEU	CB-CG-CD1	-5.06	102.40	111.00
8	H	176	G	OP1-P-OP2	-5.05	112.02	119.60
40	o	99	SER	N-CA-CB	-5.03	102.95	110.50
18	R	101	ILE	CB-CA-C	-5.03	101.54	111.60
8	H	38	A	O5'-P-OP1	5.03	116.73	110.70
40	o	46	ALA	CB-CA-C	-5.00	102.59	110.10
1	A	548	ARG	NE-CZ-NH2	5.00	122.80	120.30

There are no chirality outliers.

All (56) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	166	PHE	Peptide
1	A	346	ASP	Peptide
1	A	408	PRO	Peptide
1	A	433	GLU	Peptide
1	A	642	ARG	Sidechain
1	A	941	LYS	Peptide
3	C	622	GLU	Peptide
3	C	736	GLY	Peptide
3	C	823	ALA	Peptide
4	D	430	LEU	Peptide
10	J	202	GLU	Peptide
12	L	202	ARG	Peptide
14	M	171	THR	Peptide
15	N	36	PRO	Peptide
18	R	94	GLY	Peptide
20	T	400	PHE	Mainchain,Peptide
26	Y	204	LYS	Mainchain
26	Y	34	ARG	Sidechain
26	Y	63	VAL	Peptide
27	Z	1023	TYR	Peptide
27	Z	1064	THR	Peptide
27	Z	1090	TYR	Peptide
27	Z	1113	THR	Peptide
27	Z	1119	TYR	Peptide
27	Z	475	LEU	Peptide
27	Z	479	MET	Peptide
27	Z	554	VAL	Peptide
27	Z	568	TYR	Peptide
27	Z	569	LEU	Peptide
27	Z	611	TYR	Peptide
27	Z	616	GLU	Peptide
27	Z	628	MET	Peptide
27	Z	711	VAL	Peptide
27	Z	721	GLU	Peptide
27	Z	740	PRO	Peptide
27	Z	747	MET	Peptide
27	Z	771	PRO	Peptide
27	Z	777	PRO	Peptide
27	Z	794	ALA	Peptide
27	Z	798	VAL	Mainchain,Peptide
27	Z	821	ILE	Peptide
27	Z	876	ASN	Peptide

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
27	Z	900	SER	Peptide
27	Z	904	GLN	Peptide
27	Z	905	ASP	Peptide
27	Z	962	SER	Peptide
27	Z	976	SER	Peptide
36	d	112	ASN	Peptide
36	k	112	ASN	Peptide
28	s	481[A]	VAL	Mainchain,Peptide
28	s	481[B]	VAL	Mainchain,Peptide
13	y	191	VAL	Mainchain

5.2 Too-close contacts [i](#)

Due to software issues we are unable to calculate clashes - this section is therefore empty.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	2247/2335 (96%)	2100 (94%)	107 (5%)	40 (2%)	7	36
3	C	856/972 (88%)	779 (91%)	57 (7%)	20 (2%)	5	31
4	D	1900/2136 (89%)	1799 (95%)	96 (5%)	5 (0%)	37	71
5	E	297/357 (83%)	272 (92%)	16 (5%)	9 (3%)	3	26
9	I	493/855 (58%)	475 (96%)	10 (2%)	8 (2%)	8	39
10	J	530/848 (62%)	483 (91%)	30 (6%)	17 (3%)	3	25
11	K	144/225 (64%)	134 (93%)	6 (4%)	4 (3%)	4	27
12	L	401/802 (50%)	375 (94%)	19 (5%)	7 (2%)	7	37
13	y	106/307 (34%)	98 (92%)	8 (8%)	0	100	100
14	M	89/243 (37%)	80 (90%)	3 (3%)	6 (7%)	1	15
15	N	141/144 (98%)	126 (89%)	12 (8%)	3 (2%)	5	33

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
16	O	279/420 (66%)	247 (88%)	26 (9%)	6 (2%)	5	32
17	P	92/229 (40%)	82 (89%)	9 (10%)	1 (1%)	12	46
18	R	235/536 (44%)	207 (88%)	14 (6%)	14 (6%)	1	16
19	S	157/166 (95%)	144 (92%)	10 (6%)	3 (2%)	6	35
20	T	311/514 (60%)	282 (91%)	17 (6%)	12 (4%)	2	22
21	Q	1304/1485 (88%)	1279 (98%)	25 (2%)	0	100	100
22	U	24/2752 (1%)	20 (83%)	3 (12%)	1 (4%)	2	21
23	V	444/908 (49%)	413 (93%)	26 (6%)	5 (1%)	12	46
24	W	436/579 (75%)	385 (88%)	32 (7%)	19 (4%)	2	20
25	X	69/425 (16%)	65 (94%)	2 (3%)	2 (3%)	3	27
26	Y	202/323 (62%)	182 (90%)	6 (3%)	14 (7%)	1	14
27	Z	611/1227 (50%)	517 (85%)	61 (10%)	33 (5%)	1	18
28	q	130/504 (26%)	119 (92%)	7 (5%)	4 (3%)	3	26
28	r	129/504 (26%)	118 (92%)	9 (7%)	2 (2%)	8	39
28	s	369/504 (73%)	352 (95%)	16 (4%)	1 (0%)	37	71
28	t	65/504 (13%)	64 (98%)	0	1 (2%)	8	40
29	u	388/411 (94%)	376 (97%)	9 (2%)	3 (1%)	16	53
30	v	142/148 (96%)	138 (97%)	4 (3%)	0	100	100
31	w	89/174 (51%)	87 (98%)	1 (1%)	1 (1%)	12	46
32	x	23/703 (3%)	22 (96%)	1 (4%)	0	100	100
33	a	75/126 (60%)	74 (99%)	1 (1%)	0	100	100
33	h	76/126 (60%)	75 (99%)	1 (1%)	0	100	100
34	b	81/229 (35%)	79 (98%)	2 (2%)	0	100	100
34	i	84/229 (37%)	82 (98%)	2 (2%)	0	100	100
35	c	79/119 (66%)	76 (96%)	3 (4%)	0	100	100
35	j	80/119 (67%)	77 (96%)	3 (4%)	0	100	100
36	d	95/118 (80%)	91 (96%)	4 (4%)	0	100	100
36	k	81/118 (69%)	78 (96%)	3 (4%)	0	100	100
37	f	72/86 (84%)	69 (96%)	3 (4%)	0	100	100
37	m	72/86 (84%)	68 (94%)	4 (6%)	0	100	100
38	e	77/92 (84%)	76 (99%)	1 (1%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
38	l	77/92 (84%)	76 (99%)	1 (1%)	0	100	100
39	g	72/76 (95%)	70 (97%)	2 (3%)	0	100	100
39	n	64/76 (84%)	62 (97%)	2 (3%)	0	100	100
40	o	160/255 (63%)	146 (91%)	12 (8%)	2 (1%)	10	42
41	p	92/225 (41%)	90 (98%)	2 (2%)	0	100	100
42	1	239/301 (79%)	232 (97%)	7 (3%)	0	100	100
43	2	386/646 (60%)	358 (93%)	20 (5%)	8 (2%)	5	33
44	3	167/754 (22%)	165 (99%)	2 (1%)	0	100	100
45	4	35/37 (95%)	29 (83%)	2 (6%)	4 (11%)	0	5
All	All	14867/26150 (57%)	13893 (93%)	719 (5%)	255 (2%)	10	37

All (255) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	82	ARG
1	A	92	LEU
1	A	167	PRO
1	A	188	LEU
1	A	331	TRP
1	A	346	ASP
1	A	365	VAL
1	A	367	SER
1	A	368	GLN
1	A	570	ASP
1	A	629	PHE
1	A	706	ALA
1	A	942	PRO
1	A	1518	LEU
1	A	1762	TYR
1	A	1828	ALA
3	C	156	GLU
3	C	388	VAL
3	C	427	PHE
3	C	444	GLY
3	C	457	VAL
3	C	458	ASP
3	C	516	LEU
3	C	824	THR
4	D	128	PRO

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
4	D	957	VAL
4	D	1584	ILE
5	E	193	THR
9	I	463	PRO
9	I	721	LYS
9	I	797	PHE
10	J	188	GLN
10	J	191	ALA
10	J	192	GLU
10	J	202	GLU
10	J	203	LEU
10	J	205	LEU
10	J	216	ASP
10	J	413	GLU
11	K	78	PRO
11	K	90	PRO
12	L	138	ARG
12	L	146	GLU
12	L	201	LYS
12	L	203	LYS
14	M	157	GLY
14	M	195	LYS
15	N	36	PRO
16	O	20	PHE
16	O	107	MET
17	P	49	ASP
18	R	71	GLN
18	R	135	PRO
18	R	136	ASP
18	R	186	VAL
18	R	223	PRO
19	S	164	PRO
20	T	186	PRO
20	T	268	LYS
20	T	341	ALA
20	T	343	PRO
20	T	495	ALA
23	V	596	LEU
23	V	597	PRO
24	W	156	VAL
24	W	199	TYR
24	W	205	VAL

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
24	W	213	GLN
24	W	279	LYS
24	W	299	LEU
24	W	325	LEU
24	W	372	ASN
24	W	492	ASN
25	X	51	GLU
25	X	64	LYS
26	Y	24	LYS
26	Y	25	LEU
26	Y	27	LYS
26	Y	37	ALA
26	Y	69	LEU
26	Y	110	ALA
27	Z	556	GLU
27	Z	574	TYR
27	Z	614	ARG
27	Z	711	VAL
27	Z	748	PRO
27	Z	771	PRO
27	Z	795	PRO
27	Z	821	ILE
27	Z	881	THR
27	Z	978	LEU
27	Z	1087	ILE
27	Z	1099	CYS
27	Z	1114	PRO
28	q	59	HIS
28	q	60	PRO
28	s	71	ILE
28	t	69	THR
29	u	383	ASN
43	2	114	LYS
43	2	186	PRO
43	2	233	PRO
43	2	239	VAL
43	2	282	TYR
43	2	382	ASN
45	4	4	ALA
45	4	22	ALA
45	4	23	ALA
1	A	308	ILE

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	349	ALA
1	A	370	PRO
1	A	374	ASP
1	A	382	GLU
1	A	383	PHE
1	A	631	ALA
1	A	1212	GLY
3	C	90	THR
3	C	364	SER
3	C	711	ARG
4	D	151	LYS
9	I	618	ARG
9	I	634	ILE
10	J	217	GLU
10	J	341	PRO
10	J	376	VAL
10	J	709	VAL
14	M	120	PRO
15	N	39	GLY
16	O	132	ARG
16	O	206	ASN
18	R	191	GLY
19	S	12	PRO
20	T	301	ASP
22	U	2	TYR
23	V	485	GLN
24	W	177	LYS
24	W	191	GLY
24	W	318	VAL
24	W	482	ASP
26	Y	96	THR
27	Z	570	HIS
27	Z	608	GLU
27	Z	778	ILE
27	Z	796	ASP
27	Z	798	VAL
27	Z	1085	LYS
27	Z	1098	PRO
28	q	9	ASN
29	u	340	GLY
29	u	385	ASP
31	w	115	GLY

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
40	o	160	LYS
1	A	51	PHE
1	A	212	PRO
1	A	378	PHE
1	A	1092	ILE
1	A	1831	LYS
1	A	1947	ASN
3	C	63	LYS
5	E	60	MET
5	E	88	ARG
5	E	256	ASP
9	I	601	GLN
9	I	752	ALA
10	J	190	THR
18	R	104	GLN
18	R	173	PRO
18	R	250	CYS
20	T	406	ILE
23	V	578	SER
24	W	102	GLN
26	Y	21	PRO
26	Y	52	LYS
26	Y	102	HIS
27	Z	615	PHE
27	Z	641	ALA
27	Z	822	ASP
27	Z	982	ALA
28	q	19	PRO
28	r	9	ASN
43	2	336	PRO
1	A	363	HIS
1	A	480	LYS
1	A	1363	GLN
3	C	754	VAL
3	C	856	HIS
5	E	162	ARG
9	I	617	GLU
10	J	189	ILE
10	J	206	LEU
10	J	604	PRO
11	K	65	ILE
12	L	132	PRO

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
12	L	585	TYR
16	O	134	VAL
18	R	124	VAL
18	R	234	SER
18	R	283	ASN
19	S	10	GLN
20	T	401	PRO
24	W	554	ILE
26	Y	28	ASP
26	Y	66	GLU
27	Z	509	MET
27	Z	605	LEU
27	Z	777	PRO
27	Z	904	GLN
27	Z	1110	MET
27	Z	1112	TYR
27	Z	1151	VAL
40	o	32	PRO
1	A	359	ILE
1	A	1339	ASP
1	A	1517	LYS
3	C	361	PRO
3	C	615	PRO
5	E	159	PRO
16	O	239	LEU
18	R	126	ASN
20	T	185	MET
20	T	189	GLN
20	T	226	ARG
24	W	301	GLY
24	W	330	GLY
26	Y	20	ILE
43	2	283	PRO
1	A	903	SER
1	A	1275	ARG
1	A	2013	GLY
3	C	94	ILE
3	C	360	ALA
3	C	623	GLU
5	E	270	LYS
14	M	161	PHE
18	R	249	PRO

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
23	V	609	GLN
24	W	376	PRO
24	W	549	HIS
27	Z	1103	PRO
3	C	66	TYR
5	E	149	GLY
12	L	215	PRO
11	K	17	PRO
1	A	186	GLU
10	J	241	VAL
14	M	174	PRO
20	T	411	GLY
26	Y	26	PRO
27	Z	1109	GLY
4	D	585	ILE
5	E	324	PRO
14	M	144	PRO
15	N	4	VAL
28	r	60	PRO
45	4	5	PRO

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	1778/2108 (84%)	1648 (93%)	130 (7%)	11	33
3	C	760/866 (88%)	694 (91%)	66 (9%)	8	28
5	E	256/300 (85%)	244 (95%)	12 (5%)	22	46
10	J	241/751 (32%)	222 (92%)	19 (8%)	10	32
11	K	54/196 (28%)	49 (91%)	5 (9%)	7	25
12	L	193/709 (27%)	156 (81%)	37 (19%)	1	8
13	y	33/256 (13%)	30 (91%)	3 (9%)	7	26
14	M	85/209 (41%)	64 (75%)	21 (25%)	0	3

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
15	N	130/130 (100%)	125 (96%)	5 (4%)	28	51
16	O	253/361 (70%)	248 (98%)	5 (2%)	50	68
17	P	90/203 (44%)	78 (87%)	12 (13%)	3	17
18	R	210/457 (46%)	156 (74%)	54 (26%)	0	3
19	S	129/134 (96%)	118 (92%)	11 (8%)	8	30
20	T	269/441 (61%)	252 (94%)	17 (6%)	15	38
22	U	21/2432 (1%)	16 (76%)	5 (24%)	0	4
23	V	324/838 (39%)	303 (94%)	21 (6%)	14	37
24	W	115/502 (23%)	81 (70%)	34 (30%)	0	2
25	X	33/381 (9%)	20 (61%)	13 (39%)	0	0
26	Y	114/289 (39%)	87 (76%)	27 (24%)	0	4
28	q	78/435 (18%)	69 (88%)	9 (12%)	4	19
28	r	76/435 (18%)	66 (87%)	10 (13%)	3	17
28	t	40/435 (9%)	37 (92%)	3 (8%)	11	33
29	u	344/361 (95%)	339 (98%)	5 (2%)	60	75
30	v	132/134 (98%)	131 (99%)	1 (1%)	79	84
31	w	76/143 (53%)	75 (99%)	1 (1%)	65	77
32	x	23/581 (4%)	23 (100%)	0	100	100
33	a	68/101 (67%)	68 (100%)	0	100	100
33	h	68/101 (67%)	68 (100%)	0	100	100
34	b	76/167 (46%)	74 (97%)	2 (3%)	41	61
34	i	77/167 (46%)	75 (97%)	2 (3%)	41	61
35	c	76/101 (75%)	74 (97%)	2 (3%)	41	61
35	j	77/101 (76%)	75 (97%)	2 (3%)	41	61
36	d	88/110 (80%)	86 (98%)	2 (2%)	45	64
36	k	80/110 (73%)	78 (98%)	2 (2%)	42	62
37	f	63/74 (85%)	62 (98%)	1 (2%)	58	74
37	m	63/74 (85%)	62 (98%)	1 (2%)	58	74
38	e	74/84 (88%)	74 (100%)	0	100	100
38	l	74/84 (88%)	74 (100%)	0	100	100
39	g	62/66 (94%)	61 (98%)	1 (2%)	58	74

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
39	n	59/66 (89%)	58 (98%)	1 (2%)	56	72
40	o	138/218 (63%)	134 (97%)	4 (3%)	37	58
41	p	82/195 (42%)	79 (96%)	3 (4%)	29	52
45	4	1/1 (100%)	1 (100%)	0	100	100
All	All	7083/15907 (44%)	6534 (92%)	549 (8%)	13	32

All (549) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	44	ARG
1	A	48	LYS
1	A	49	ARG
1	A	55	ASP
1	A	59	GLU
1	A	60	ASP
1	A	75	ASP
1	A	77	THR
1	A	78	ASN
1	A	82	ARG
1	A	86	ARG
1	A	88	TYR
1	A	89	LEU
1	A	152	ARG
1	A	165	ARG
1	A	177	ASP
1	A	180	ASP
1	A	181	ASN
1	A	185	VAL
1	A	204	LEU
1	A	233	PRO
1	A	250	VAL
1	A	258	PHE
1	A	284	ARG
1	A	294	ASN
1	A	295	GLU
1	A	325	HIS
1	A	330	THR
1	A	331	TRP
1	A	336	ASN
1	A	344	ASP
1	A	352	PHE

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	359	ILE
1	A	362	ARG
1	A	363	HIS
1	A	364	SER
1	A	371	LEU
1	A	377	GLU
1	A	383	PHE
1	A	389	LYS
1	A	391	THR
1	A	394	TYR
1	A	409	ARG
1	A	413	LEU
1	A	433	GLU
1	A	459	LEU
1	A	462	ARG
1	A	467	GLN
1	A	468	LYS
1	A	533	LYS
1	A	546	LEU
1	A	579	GLN
1	A	627	CYS
1	A	630	TRP
1	A	670	LYS
1	A	671	THR
1	A	673	THR
1	A	674	LYS
1	A	675	GLN
1	A	690	MET
1	A	697	MET
1	A	705	LYS
1	A	726	TRP
1	A	744	LYS
1	A	758	ARG
1	A	762	ARG
1	A	767	VAL
1	A	804	GLU
1	A	847	LYS
1	A	851	SER
1	A	855	ARG
1	A	856	LEU
1	A	861	ARG
1	A	880	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	883	ARG
1	A	904	HIS
1	A	948	PRO
1	A	1089	CYS
1	A	1094	ARG
1	A	1136	ARG
1	A	1141	ARG
1	A	1179	SER
1	A	1210	LYS
1	A	1211	ASP
1	A	1224	ARG
1	A	1246	GLN
1	A	1279	VAL
1	A	1321	GLU
1	A	1361	GLU
1	A	1363	GLN
1	A	1370	ARG
1	A	1393	ARG
1	A	1417	PRO
1	A	1427	ARG
1	A	1449	LYS
1	A	1504	GLU
1	A	1526	LEU
1	A	1532	ARG
1	A	1534	PHE
1	A	1570	LYS
1	A	1615	HIS
1	A	1626	CYS
1	A	1641	ARG
1	A	1678	ARG
1	A	1681	ARG
1	A	1732	LYS
1	A	1738	PRO
1	A	1754	TYR
1	A	1756	SER
1	A	1757	GLU
1	A	1763	LEU
1	A	1766	GLN
1	A	1768	TYR
1	A	1770	GLU
1	A	1771	LEU
1	A	1774	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	1790	ILE
1	A	1794	PHE
1	A	1813	ARG
1	A	1831	LYS
1	A	1865	ARG
1	A	1885	LYS
1	A	1887	SER
1	A	1888	GLU
1	A	1898	LYS
1	A	1949	ARG
1	A	1958	LYS
1	A	1966	HIS
1	A	1968	TRP
1	A	1986	LEU
3	C	61	GLU
3	C	62	ASP
3	C	63	LYS
3	C	64	LYS
3	C	66	TYR
3	C	68	THR
3	C	71	GLU
3	C	87	GLN
3	C	97	VAL
3	C	256	CYS
3	C	295	ASP
3	C	296	GLU
3	C	297	ASN
3	C	298	LEU
3	C	300	LEU
3	C	333	ASP
3	C	336	TYR
3	C	354	ARG
3	C	359	LYS
3	C	362	THR
3	C	366	GLN
3	C	387	ASP
3	C	389	ASP
3	C	427	PHE
3	C	428	THR
3	C	438	ILE
3	C	448	LYS
3	C	452	THR

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
3	C	454	THR
3	C	457	VAL
3	C	458	ASP
3	C	459	SER
3	C	463	GLU
3	C	468	CYS
3	C	474	LEU
3	C	475	MET
3	C	477	HIS
3	C	489	GLN
3	C	490	PHE
3	C	495	ARG
3	C	512	GLU
3	C	517	GLU
3	C	519	GLU
3	C	569	ARG
3	C	572	GLU
3	C	573	GLU
3	C	596	ASN
3	C	673	LYS
3	C	675	PHE
3	C	677	GLU
3	C	680	ASN
3	C	704	VAL
3	C	706	GLN
3	C	709	TRP
3	C	712	LYS
3	C	724	TRP
3	C	725	ASP
3	C	730	ARG
3	C	738	ASP
3	C	749	THR
3	C	750	LEU
3	C	763	LYS
3	C	826	ARG
3	C	856	HIS
3	C	941	LYS
3	C	943	LEU
5	E	74	PHE
5	E	153	PHE
5	E	161	ARG
5	E	229	TYR

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
5	E	243	LEU
5	E	248	SER
5	E	250	LEU
5	E	265	ARG
5	E	270	LYS
5	E	271	GLU
5	E	289	LEU
5	E	290	ARG
10	J	181	ASN
10	J	186	GLU
10	J	195	LEU
10	J	196	ARG
10	J	201	ARG
10	J	212	GLN
10	J	214	ILE
10	J	217	GLU
10	J	218	GLU
10	J	219	GLU
10	J	221	ASN
10	J	229	LYS
10	J	237	LYS
10	J	239	ARG
10	J	281	LYS
10	J	308	ARG
10	J	363	ARG
10	J	410	HIS
10	J	411	MET
11	K	38	GLU
11	K	90	PRO
11	K	117	GLN
11	K	126	LEU
11	K	171	GLN
12	L	20	LYS
12	L	24	MET
12	L	33	ARG
12	L	37	LEU
12	L	67	GLU
12	L	83	ARG
12	L	91	ARG
12	L	101	GLU
12	L	105	ASP
12	L	106	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
12	L	131	ASN
12	L	135	LYS
12	L	140	ASP
12	L	147	ASP
12	L	154	GLU
12	L	158	ARG
12	L	159	LEU
12	L	161	ASN
12	L	165	LYS
12	L	175	GLN
12	L	176	LEU
12	L	178	GLU
12	L	181	ARG
12	L	185	LEU
12	L	188	ARG
12	L	203	LYS
12	L	204	ARG
12	L	206	ARG
12	L	219	LYS
12	L	222	LEU
12	L	227	THR
12	L	228	SER
12	L	235	LEU
12	L	731	LEU
12	L	761	SER
12	L	766	ARG
12	L	781	GLU
13	y	3	ARG
13	y	12	LEU
13	y	40	PRO
14	M	117	ARG
14	M	118	LYS
14	M	122	LEU
14	M	124	PHE
14	M	142	ILE
14	M	147	GLU
14	M	148	THR
14	M	150	GLU
14	M	151	ARG
14	M	154	GLU
14	M	156	HIS
14	M	159	GLU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
14	M	167	LEU
14	M	168	LEU
14	M	172	HIS
14	M	177	GLU
14	M	195	LYS
14	M	197	SER
14	M	198	ARG
14	M	199	ARG
14	M	200	ARG
15	N	24	GLU
15	N	41	ARG
15	N	42	LYS
15	N	116	ASN
15	N	125	LYS
16	O	45	CYS
16	O	69	GLU
16	O	74	CYS
16	O	115	GLU
16	O	150	LEU
17	P	28	LYS
17	P	29	GLN
17	P	30	TYR
17	P	33	ARG
17	P	66	ARG
17	P	67	GLU
17	P	76	ARG
17	P	78	ARG
17	P	189	ASP
17	P	212	ASN
17	P	224	MET
17	P	229	LYS
18	R	56	GLU
18	R	66	GLU
18	R	71	GLN
18	R	72	TYR
18	R	75	ASP
18	R	76	MET
18	R	78	ARG
18	R	79	LYS
18	R	80	LYS
18	R	81	LYS
18	R	82	MET

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
18	R	86	LEU
18	R	89	GLN
18	R	92	SER
18	R	95	LYS
18	R	103	ARG
18	R	104	GLN
18	R	106	GLN
18	R	118	ASP
18	R	122	LYS
18	R	125	MET
18	R	128	ASP
18	R	137	GLU
18	R	158	LYS
18	R	170	LYS
18	R	171	LEU
18	R	175	GLN
18	R	181	PRO
18	R	183	GLN
18	R	186	VAL
18	R	188	PHE
18	R	189	ASN
18	R	195	ARG
18	R	211	ARG
18	R	212	PHE
18	R	213	LYS
18	R	214	ILE
18	R	215	ASN
18	R	220	ARG
18	R	231	HIS
18	R	241	GLU
18	R	250	CYS
18	R	258	LYS
18	R	264	LEU
18	R	265	ASP
18	R	266	LYS
18	R	267	ARG
18	R	268	LEU
18	R	279	HIS
18	R	280	ILE
18	R	297	LYS
18	R	307	GLN
18	R	312	MET

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
18	R	315	LYS
19	S	10	GLN
19	S	15	TYR
19	S	20	MET
19	S	91	LYS
19	S	100	MET
19	S	102	ASN
19	S	108	ASN
19	S	125	LYS
19	S	129	PHE
19	S	131	ARG
19	S	133	CYS
20	T	257	ARG
20	T	282	ARG
20	T	308	ARG
20	T	318	ARG
20	T	387	PHE
20	T	399	LYS
20	T	400	PHE
20	T	401	PRO
20	T	402	ASP
20	T	412	HIS
20	T	416	ILE
20	T	418	THR
20	T	455	GLN
20	T	460	ASP
20	T	461	SER
20	T	463	SER
20	T	478	LEU
22	U	1	MET
22	U	11	ARG
22	U	20	GLN
22	U	23	LEU
22	U	25	LEU
23	V	259	PHE
23	V	333	GLN
23	V	344	LYS
23	V	387	MET
23	V	452	LEU
23	V	457	ARG
23	V	461	LEU
23	V	465	SER

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
23	V	467	LEU
23	V	468	ASP
23	V	471	GLU
23	V	478	LYS
23	V	490	CYS
23	V	510	LEU
23	V	513	ARG
23	V	514	PHE
23	V	533	TYR
23	V	535	THR
23	V	540	GLU
23	V	577	SER
23	V	597	PRO
24	W	84	THR
24	W	88	MET
24	W	92	GLU
24	W	93	PHE
24	W	96	GLU
24	W	97	ASN
24	W	99	PHE
24	W	100	ARG
24	W	108	ARG
24	W	126	GLU
24	W	127	GLN
24	W	130	ARG
24	W	134	THR
24	W	139	LEU
24	W	144	ASP
24	W	146	HIS
24	W	152	TYR
24	W	157	GLU
24	W	160	GLU
24	W	169	GLU
24	W	170	THR
24	W	172	GLN
24	W	178	ARG
24	W	180	LYS
24	W	181	PHE
24	W	182	LYS
24	W	187	SER
24	W	198	LYS
24	W	200	VAL

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
24	W	201	ASP
24	W	204	ASP
24	W	207	LYS
24	W	209	SER
24	W	210	GLU
25	X	6	LEU
25	X	7	ASN
25	X	9	LYS
25	X	15	GLN
25	X	24	TRP
25	X	25	LYS
25	X	29	LYS
25	X	31	GLU
25	X	35	LYS
25	X	36	LYS
25	X	37	ILE
25	X	38	GLU
25	X	41	GLN
26	Y	3	GLU
26	Y	4	ARG
26	Y	18	SER
26	Y	19	LYS
26	Y	22	LYS
26	Y	23	LEU
26	Y	24	LYS
26	Y	28	ASP
26	Y	34	ARG
26	Y	36	MET
26	Y	51	TYR
26	Y	52	LYS
26	Y	54	LYS
26	Y	63	VAL
26	Y	64	GLN
26	Y	68	TYR
26	Y	71	LEU
26	Y	75	ARG
26	Y	80	CYS
26	Y	108	PHE
26	Y	130	LEU
26	Y	134	MET
26	Y	154	LEU
26	Y	160	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
26	Y	163	ARG
26	Y	164	GLN
26	Y	168	ASP
28	q	19	PRO
28	q	28	ARG
28	q	46	PRO
28	q	56	LYS
28	q	62	ARG
28	q	90	PHE
28	q	103	LEU
28	q	107	LEU
28	q	114	CYS
28	r	19	PRO
28	r	46	PRO
28	r	57	VAL
28	r	60	PRO
28	r	62	ARG
28	r	79	GLN
28	r	87	LEU
28	r	93	ARG
28	r	101	GLN
28	r	103	LEU
28	t	87	LEU
28	t	93	ARG
28	t	107	LEU
29	u	37	THR
29	u	301	ASN
29	u	316	ARG
29	u	337	TRP
29	u	360	LEU
30	v	119	GLU
31	w	118	LEU
34	i	13	ILE
34	i	58	GLN
35	j	40	LEU
35	j	54	GLN
36	k	45	ASN
36	k	112	ASN
37	m	55	LEU
39	n	65	ASN
40	o	5	THR
40	o	55	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
40	o	114	SER
40	o	126	THR
41	p	17	LYS
41	p	46	MET
41	p	87	ASP
34	b	13	ILE
34	b	58	GLN
35	c	40	LEU
35	c	54	GLN
36	d	45	ASN
36	d	112	ASN
37	f	55	LEU
39	g	65	ASN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (114) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	57	GLN
1	A	73	HIS
1	A	78	ASN
1	A	97	HIS
1	A	210	HIS
1	A	270	ASN
1	A	294	ASN
1	A	297	ASN
1	A	325	HIS
1	A	333	HIS
1	A	573	GLN
1	A	584	HIS
1	A	601	GLN
1	A	675	GLN
1	A	703	GLN
1	A	775	ASN
1	A	792	HIS
1	A	904	HIS
1	A	924	GLN
1	A	1096	HIS
1	A	1359	HIS
1	A	1527	ASN
1	A	1717	ASN
1	A	1784	ASN
1	A	1946	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
3	C	82	GLN
3	C	245	HIS
3	C	297	ASN
3	C	437	HIS
3	C	513	ASN
3	C	575	GLN
3	C	583	ASN
3	C	596	ASN
3	C	706	GLN
3	C	890	HIS
3	C	892	GLN
3	C	924	GLN
5	E	165	GLN
5	E	253	ASN
10	J	181	ASN
10	J	212	GLN
10	J	221	ASN
11	K	117	GLN
11	K	171	GLN
12	L	13	ASN
12	L	39	HIS
12	L	175	GLN
12	L	199	GLN
12	L	211	ASN
14	M	119	ASN
14	M	134	GLN
14	M	156	HIS
14	M	172	HIS
14	M	189	GLN
15	N	27	GLN
15	N	54	HIS
15	N	99	ASN
15	N	107	GLN
16	O	113	ASN
16	O	163	HIS
16	O	196	GLN
16	O	254	GLN
16	O	267	GLN
16	O	268	GLN
16	O	294	ASN
18	R	89	GLN
18	R	104	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
18	R	126	ASN
18	R	133	GLN
18	R	189	ASN
18	R	194	GLN
18	R	215	ASN
18	R	231	HIS
18	R	242	GLN
18	R	314	GLN
19	S	13	ASN
20	T	217	GLN
20	T	285	HIS
20	T	297	HIS
20	T	413	ASN
20	T	417	ASN
20	T	446	ASN
20	T	451	HIS
20	T	455	GLN
22	U	20	GLN
23	V	474	HIS
23	V	553	HIS
24	W	162	ASN
24	W	172	GLN
24	W	188	ASN
25	X	15	GLN
25	X	41	GLN
26	Y	57	ASN
26	Y	64	GLN
29	u	301	ASN
29	u	356	ASN
29	u	394	GLN
33	h	60	GLN
34	i	22	GLN
34	i	76	ASN
35	j	64	ASN
36	k	69	ASN
37	m	58	HIS
39	n	65	ASN
40	o	130	HIS
41	p	7	HIS
33	a	60	GLN
34	b	11	GLN
34	b	22	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
34	b	76	ASN
35	c	64	ASN
36	d	69	ASN
37	f	58	HIS
39	g	65	ASN

5.3.3 RNA [i](#)

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
2	B	82/117 (70%)	17 (20%)	6 (7%)
6	F	96/107 (89%)	43 (44%)	17 (17%)
7	G	85/275 (30%)	50 (58%)	8 (9%)
8	H	132/188 (70%)	26 (19%)	4 (3%)
All	All	395/687 (57%)	136 (34%)	35 (8%)

All (136) RNA backbone outliers are listed below:

Mol	Chain	Res	Type
2	B	12	U
2	B	13	C
2	B	19	A
2	B	20	G
2	B	21	A
2	B	22	U
2	B	23	C
2	B	24	G
2	B	25	C
2	B	26	A
2	B	28	A
2	B	36	C
2	B	38	C
2	B	45	C
2	B	57	G
2	B	70	A
2	B	71	C
6	F	6	C
6	F	7	G
6	F	8	C
6	F	10	U
6	F	12	G
6	F	25	C

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
6	F	26	U
6	F	27	A
6	F	28	A
6	F	29	A
6	F	31	U
6	F	33	G
6	F	34	G
6	F	35	A
6	F	36	A
6	F	37	C
6	F	38	G
6	F	45	A
6	F	46	G
6	F	47	A
6	F	48	A
6	F	49	G
6	F	51	U
6	F	54	G
6	F	55	C
6	F	56	A
6	F	59	G
6	F	60	C
6	F	61	C
6	F	62	C
6	F	67	G
6	F	68	C
6	F	74	U
6	F	78	A
6	F	79	C
6	F	80	G
6	F	81	C
6	F	82	A
6	F	83	A
6	F	84	A
6	F	85	U
6	F	86	U
6	F	87	C
7	G	-11	G
7	G	-6	C
7	G	-1	G
7	G	2	U
7	G	3	A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
7	G	5	G
7	G	6	A
7	G	7	G
7	G	8	C
7	G	10	U
7	G	11	A
7	G	12	G
7	G	13	C
7	G	14	A
7	G	17	U
7	G	21	A
7	G	22	C
7	G	23	U
7	G	24	G
7	G	25	G
7	G	26	U
7	G	27	U
7	G	28	A
7	G	29	C
7	G	30	C
7	G	31	U
7	G	120	G
7	G	121	G
7	G	122	U
7	G	123	U
7	G	124	U
7	G	125	C
7	G	126	C
7	G	127	U
7	G	128	U
7	G	129	G
7	G	130	A
7	G	138	A
7	G	142	U
7	G	143	U
7	G	145	U
7	G	146	C
7	G	147	C
7	G	148	U
7	G	149	G
7	G	150	U
7	G	151	C

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
7	G	152	C
7	G	153	C
7	G	154	U
8	H	13	C
8	H	15	U
8	H	16	U
8	H	17	U
8	H	19	G
8	H	22	U
8	H	24	A
8	H	25	G
8	H	29	A
8	H	30	A
8	H	31	G
8	H	112	G
8	H	143	A
8	H	147	G
8	H	152	G
8	H	153	A
8	H	154	C
8	H	156	U
8	H	157	G
8	H	164	C
8	H	165	A
8	H	168	A
8	H	169	C
8	H	177	A
8	H	178	A
8	H	179	C

All (35) RNA pucker outliers are listed below:

Mol	Chain	Res	Type
2	B	12	U
2	B	18	C
2	B	19	A
2	B	20	G
2	B	25	C
2	B	27	U
6	F	5	U
6	F	7	G
6	F	25	C

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
6	F	26	U
6	F	33	G
6	F	34	G
6	F	35	A
6	F	36	A
6	F	45	A
6	F	47	A
6	F	48	A
6	F	50	A
6	F	58	G
6	F	59	G
6	F	81	C
6	F	84	A
6	F	86	U
7	G	-12	G
7	G	16	G
7	G	20	A
7	G	21	A
7	G	22	C
7	G	23	U
7	G	146	C
7	G	152	C
8	H	15	U
8	H	156	U
8	H	164	C
8	H	168	A

5.4 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

2 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
18	SEP	R	232	18	8,9,10	0.73	0	8,12,14	1.38	1 (12%)
18	SEP	R	224	18	8,9,10	0.81	0	8,12,14	1.14	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
18	SEP	R	232	18	-	2/5/8/10	-
18	SEP	R	224	18	-	3/5/8/10	-

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
18	R	232	SEP	OG-CB-CA	-2.55	105.67	108.14

There are no chirality outliers.

All (5) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
18	R	224	SEP	CB-OG-P-O1P
18	R	224	SEP	CB-OG-P-O2P
18	R	224	SEP	CB-OG-P-O3P
18	R	232	SEP	N-CA-CB-OG
18	R	232	SEP	CA-CB-OG-P

There are no ring outliers.

No monomer is involved in short contacts.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 19 ligands modelled in this entry, 14 are monoatomic - leaving 5 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the

expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
51	ATP	u	702	48	26,33,33	0.92	0	31,52,52	1.54	5 (16%)
49	ADP	D	2201	-	24,29,29	0.97	1 (4%)	29,45,45	1.34	4 (13%)
47	GTP	C	1500	48	26,34,34	1.17	1 (3%)	32,54,54	1.81	8 (25%)
49	ADP	D	2202	-	24,29,29	0.95	1 (4%)	29,45,45	1.47	4 (13%)
46	IHP	A	3000	-	36,36,36	1.01	2 (5%)	54,60,60	1.62	12 (22%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
51	ATP	u	702	48	-	0/18/38/38	0/3/3/3
49	ADP	D	2201	-	-	8/12/32/32	0/3/3/3
47	GTP	C	1500	48	-	7/18/38/38	0/3/3/3
49	ADP	D	2202	-	-	2/12/32/32	0/3/3/3
46	IHP	A	3000	-	-	6/30/54/54	0/1/1/1

All (5) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
47	C	1500	GTP	C6-N1	-3.48	1.32	1.37
46	A	3000	IHP	P5-O45	-2.84	1.43	1.54
46	A	3000	IHP	P2-O12	2.65	1.64	1.59
49	D	2201	ADP	C5-C4	2.52	1.47	1.40
49	D	2202	ADP	C5-C4	2.31	1.47	1.40

All (33) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
51	u	702	ATP	PB-O3B-PG	-4.33	117.98	132.83
46	A	3000	IHP	O45-P5-O35	4.09	123.25	107.64
51	u	702	ATP	N3-C2-N1	-4.08	122.30	128.68
49	D	2202	ADP	PA-O3A-PB	-4.02	119.02	132.83
46	A	3000	IHP	O35-P5-O15	-3.97	88.20	105.99
47	C	1500	GTP	PA-O3A-PB	-3.79	119.83	132.83
47	C	1500	GTP	C5-C6-N1	3.78	120.62	113.95

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
47	C	1500	GTP	O6-C6-C5	-3.71	117.12	124.37
46	A	3000	IHP	O16-C6-C1	3.31	116.50	108.69
51	u	702	ATP	C4-C5-N7	-3.31	105.95	109.40
46	A	3000	IHP	C6-C1-C2	-3.22	103.36	110.41
49	D	2201	ADP	N3-C2-N1	-3.18	123.71	128.68
47	C	1500	GTP	PB-O3B-PG	-3.15	122.01	132.83
49	D	2202	ADP	C3'-C2'-C1'	3.11	105.66	100.98
47	C	1500	GTP	C2-N1-C6	-3.01	119.56	125.10
49	D	2202	ADP	N3-C2-N1	-2.97	124.04	128.68
47	C	1500	GTP	O2G-PG-O3B	2.91	114.38	104.64
49	D	2202	ADP	C4-C5-N7	-2.87	106.41	109.40
49	D	2201	ADP	C3'-C2'-C1'	2.76	105.13	100.98
46	A	3000	IHP	O44-P4-O34	2.73	118.08	107.64
51	u	702	ATP	PA-O3A-PB	-2.73	123.47	132.83
46	A	3000	IHP	C5-C6-C1	-2.66	104.58	110.41
49	D	2201	ADP	PA-O3A-PB	-2.45	124.43	132.83
49	D	2201	ADP	C4-C5-N7	-2.35	106.95	109.40
47	C	1500	GTP	C3'-C2'-C1'	2.31	104.46	100.98
47	C	1500	GTP	O4'-C4'-C3'	2.30	109.67	105.11
51	u	702	ATP	O4'-C1'-C2'	-2.28	103.59	106.93
46	A	3000	IHP	O35-P5-O25	2.27	119.57	110.68
46	A	3000	IHP	O12-C2-C3	2.13	113.72	108.69
46	A	3000	IHP	O15-C5-C4	-2.13	103.68	108.69
46	A	3000	IHP	O31-P1-O11	-2.09	96.62	105.99
46	A	3000	IHP	C4-C3-C2	2.09	114.98	110.41
46	A	3000	IHP	O42-P2-O22	2.08	118.84	110.68

There are no chirality outliers.

All (23) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
46	A	3000	IHP	C4-C5-O15-P5
46	A	3000	IHP	C6-C5-O15-P5
47	C	1500	GTP	PB-O3B-PG-O3G
47	C	1500	GTP	C5'-O5'-PA-O3A
47	C	1500	GTP	C5'-O5'-PA-O1A
47	C	1500	GTP	C5'-O5'-PA-O2A
49	D	2201	ADP	PA-O3A-PB-O2B
49	D	2201	ADP	C5'-O5'-PA-O1A
49	D	2201	ADP	C5'-O5'-PA-O2A
49	D	2201	ADP	C3'-C4'-C5'-O5'
47	C	1500	GTP	O4'-C4'-C5'-O5'

Continued on next page...


Continued from previous page...


Mol	Chain	Res	Type	Atoms
47	C	1500	GTP	C3'-C4'-C5'-O5'
49	D	2201	ADP	O4'-C4'-C5'-O5'
49	D	2202	ADP	C3'-C4'-C5'-O5'
49	D	2202	ADP	O4'-C4'-C5'-O5'
46	A	3000	IHP	C2-O12-P2-O22
46	A	3000	IHP	C1-O11-P1-O21
49	D	2201	ADP	PA-O3A-PB-O1B
49	D	2201	ADP	PA-O3A-PB-O3B
46	A	3000	IHP	C1-O11-P1-O31
46	A	3000	IHP	C5-O15-P5-O35
49	D	2201	ADP	C5'-O5'-PA-O3A
47	C	1500	GTP	PG-O3B-PB-O2B


There are no ring outliers.

No monomer is involved in short contacts.

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.







5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-6864. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X




Y




Z


6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 200




Y Index: 200




Z Index: 200


6.2.2 Raw map



X Index: 200



Y Index: 200




Z Index: 200


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 210




Y Index: 229




Z Index: 194


6.3.2 Raw map



X Index: 210



Y Index: 197




Z Index: 195


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X




Y




Z


6.4.2 Raw map



X



Y



Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.


6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.029. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

6.5.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [\(i\)](#)



The volume at the recommended contour level is 1595 nm³; this corresponds to an approximate mass of 1441 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum [i](#)




*Reported resolution corresponds to spatial frequency of 0.244 \AA^{-1}

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.244 Å⁻¹

8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	4.10	-	-
Author-provided FSC curve	-	-	-
Unmasked-calculated*	6.25	8.52	6.53

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 6.25 differs from the reported value 4.1 by more than 10 %

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-6864 and PDB model 5YZG. Per-residue inclusion information can be found in section 3 on page 16.

9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.029 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.029).







































































9.4 Atom inclusion [i](#)



At the recommended contour level, 65% of all backbone atoms, 65% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary











































The table lists the average atom inclusion at the recommended contour level (0.029) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.6510	 0.2050
1	 0.7200	 0.1430
2	 0.4000	 0.0390
3	 0.4680	 0.1560
4	 0.8700	 0.3750
A	 0.8370	 0.3780
B	 0.8520	 0.2730
C	 0.8680	 0.3820
D	 0.1460	 0.0280
E	 0.8900	 0.3500
F	 0.8650	 0.2960
G	 0.8510	 0.2700
H	 0.6310	 0.0890
I	 0.7740	 0.0680
J	 0.7230	 0.2200
K	 0.7130	 0.0690
L	 0.7540	 0.2330
M	 0.6960	 0.2110
N	 0.8730	 0.4120
O	 0.8470	 0.3230
P	 0.8100	 0.3700
Q	 0.4890	 0.0330
R	 0.8270	 0.3610
S	 0.8430	 0.3040
T	 0.9240	 0.4440
U	 0.9360	 0.4430
V	 0.6770	 0.2120
W	 0.7040	 0.1780
X	 0.8270	 0.3130
Y	 0.8360	 0.3570
Z	 0.6210	 0.1250
a	 0.3930	 0.0090
b	 0.3740	 0.0240
c	 0.4240	 0.0370
d	 0.4010	 0.0410



Continued on next page...

Continued from previous page...

Chain	Atom inclusion	Q-score
e	 0.5360	 0.0140
f	 0.4080	 0.0310
g	 0.4810	 0.0080
h	 0.5260	 0.0240
i	 0.4030	 -0.0170
j	 0.4980	 0.0360
k	 0.4200	 0.0330
l	 0.4910	 -0.0020
m	 0.5670	 0.0230
n	 0.5660	 0.0530
o	 0.1710	 0.0460
p	 0.3100	 -0.0180
q	 0.4200	 0.0250
r	 0.6580	 0.0370
s	 0.4310	 0.0090
t	 0.5920	 0.0430
u	 0.4450	 0.0850
v	 0.1650	 0.0720
w	 0.1540	 0.0230
x	 0.0860	 0.0040
y	 0.7300	 0.1960