



Full wwPDB X-ray Structure Validation Report ⓘ

Nov 23, 2020 – 09:30 am GMT

PDB ID : 6Z02
Title : Photosynthetic Reaction Center From Rhodobacter Sphaeroides strain RV in surfo crystallization
Authors : Gabdulkhakov, A.G.; Selikhanov, G.K.; Fufina, T.Y.; Vasilieva, L.G.; Betzel, C.
Deposited on : 2020-05-07
Resolution : 2.10 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.14.6
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.14.6


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.10 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	5197 (2.10-2.10)
Clashscore	141614	5710 (2.10-2.10)
Ramachandran outliers	138981	5647 (2.10-2.10)
Sidechain outliers	138945	5648 (2.10-2.10)
RSRZ outliers	127900	5083 (2.10-2.10)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	H	241	
2	L	281	
3	M	302	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
4	LDA	M	409	-	-	-	X
5	D12	H	704	-	-	-	X

2 Entry composition [i](#)

There are 20 unique types of molecules in this entry. The entry contains 7930 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Reaction center protein H chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	H	240	1848	1183	317	339	9	0	3	0

- Molecule 2 is a protein called Reaction center protein L chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
2	L	281	2244	1516	356	364	8	0	2	0

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
L	178	THR	SER	conflict	UNP P0C0Y8


- Molecule 3 is a protein called Reaction center protein M chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
3	M	302	2436	1630	397	399	10	0	4	0

There is a discrepancy between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
M	8	THR	SER	conflict	UNP P0C0Y9

- Molecule 4 is LAURYL DIMETHYLAMINE-N-OXIDE (three-letter code: LDA) (formula: C₁₄H₃₁NO).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	H	1	Total	C	N	O	0	0
			16	14	1	1		
4	H	1	Total	C	N	O	0	0
			16	14	1	1		
4	L	1	Total	C	N	O	0	0
			16	14	1	1		
4	M	1	Total	C	N	O	0	0
			16	14	1	1		
4	M	1	Total	C	N	O	0	0
			16	14	1	1		
4	M	1	Total	C	N	O	0	0
			16	14	1	1		

- Molecule 5 is DODECANE (three-letter code: D12) (formula: C₁₂H₂₆).




Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	H	1	Total C 12 12	0	0
5	H	1	Total C 12 12	0	0
5	H	1	Total C 12 12	0	0
5	L	1	Total C 12 12	0	0
5	M	1	Total C 12 12	0	0
5	M	1	Total C 12 12	0	0

- Molecule 6 is PENTADECANE (three-letter code: MYS) (formula: C₁₅H₃₂).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	H	1	Total C 15 15	0	0
6	L	1	Total C 15 15	0	0
6	M	1	Total C 15 15	0	0

- Molecule 7 is PHOSPHATE ION (three-letter code: PO4) (formula: O₄P).




Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
7	H	1	Total O P 5 4 1	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
7	M	1	Total	O	P	0	0
			5	4	1		
7	M	1	Total	O	P	0	0
			5	4	1		

- Molecule 8 is 1,2-ETHANEDIOL (three-letter code: EDO) (formula: C₂H₆O₂).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
8	H	1	Total	C	O	0	0
			4	2	2		
8	H	1	Total	C	O	0	0
			4	2	2		
8	H	1	Total	C	O	0	0
			4	2	2		
8	H	1	Total	C	O	0	0
			4	2	2		
8	L	1	Total	C	O	0	0
			4	2	2		
8	L	1	Total	C	O	0	0
			4	2	2		
8	L	1	Total	C	O	0	0
			4	2	2		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
8	L	1	Total C O 4 2 2	0	0
8	M	1	Total C O 4 2 2	0	0
8	M	1	Total C O 4 2 2	0	0
8	M	1	Total C O 4 2 2	0	0


- Molecule 9 is SODIUM ION (three-letter code: NA) (formula: Na).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
9	H	1	Total Na 1 1	0	0

- Molecule 10 is POTASSIUM ION (three-letter code: K) (formula: K).


Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
10	H	1	Total K 1 1	0	0

- Molecule 11 is BACTERIOCHLOROPHYLL A (three-letter code: BCL) (formula: $C_{55}H_{74}MgN_4O_6$) (labeled as "Ligand of Interest" by author).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	
11	L	1	Total	C	Mg	N	O	0	0
			66	55	1	4	6		
11	M	1	Total	C	Mg	N	O	0	0
			66	55	1	4	6		
11	M	1	Total	C	Mg	N	O	0	0
			66	55	1	4	6		
11	M	1	Total	C	Mg	N	O	0	0
			66	55	1	4	6		

- Molecule 12 is BACTERIOPHEOPHYTIN A (three-letter code: BPH) (formula: $C_{55}H_{76}N_4O_6$) (labeled as "Ligand of Interest" by author).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
12	L	1	Total	C	N	O	0	0
			65	55	4	6		
12	M	1	Total	C	N	O	0	0
			65	55	4	6		

- Molecule 13 is UBIQUINONE-10 (three-letter code: U10) (formula: $C_{59}H_{90}O_4$) (labeled as "Ligand of Interest" by author).




Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
13	L	1	Total	C O	0	0
			48	44 4		
13	M	1	Total	C O	0	0
			48	44 4		

- Molecule 14 is DECANE (three-letter code: D10) (formula: C₁₀H₂₂).




Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
14	L	1	Total	C	0	0
			10	10		

- Molecule 15 is 1,4-DIETHYLENE DIOXIDE (three-letter code: DIO) (formula: C₄H₈O₂).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
15	L	1	Total	C	O	0	0
			6	4	2		

- Molecule 16 is HEPTANE-1,2,3-TRIOL (three-letter code: HTO) (formula: C₇H₁₆O₃).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
16	L	1	Total	C	O	0	0
			10	7	3		
16	L	1	Total	C	O	0	0
			10	7	3		
16	L	1	Total	C	O	0	0
			9	6	3		

- Molecule 17 is FE (III) ION (three-letter code: FE) (formula: Fe) (labeled as "Ligand of Interest" by author).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
17	M	1	Total	Fe	0	0
			1	1		

- Molecule 18 is SPEROIDENONE (three-letter code: SPN) (formula: C₄₁H₇₀O₂) (labeled as "Ligand of Interest" by author).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
18	M	1	Total	C	O	0	0
			43	41	2		

- Molecule 19 is CARDIOLIPIN (three-letter code: CDL) (formula: C₈₁H₁₅₆O₁₇P₂) (labeled as "Ligand of Interest" by author).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
			Total	C	O	P		
19	M	1	81	62	17	2	0	0



- Molecule 20 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
20	H	217	Total	O	0	0
			217	217		
20	L	107	Total	O	0	0
			107	107		
20	M	120	Total	O	0	0
			120	120		



3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Reaction center protein H chain



- Molecule 2: Reaction center protein L chain



- Molecule 3: Reaction center protein M chain



4 Data and refinement statistics

Property	Value	Source
Space group	P 31 2 1	Depositor
Cell constants a, b, c, α , β , γ	139.85Å 139.85Å 185.37Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	43.20 – 2.10 43.28 – 2.10	Depositor EDS
% Data completeness (in resolution range)	99.6 (43.20-2.10) 99.6 (43.28-2.10)	Depositor EDS
R_{merge}	0.07	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.87 (at 2.10Å)	Xtriage
Refinement program	REFMAC 5.8.0253	Depositor
R, R_{free}	0.201 , 0.226 0.205 , 0.231	Depositor DCC
R_{free} test set	6085 reflections (5.00%)	wwPDB-VP
Wilson B-factor (Å ²)	36.1	Xtriage
Anisotropy	0.090	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.31 , 56.5	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtriage
Estimated twinning fraction	0.026 for -h,-k,l	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	7930	wwPDB-VP
Average B, all atoms (Å ²)	39.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.63% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: BCL, LDA, DIO, D10, D12, CDL, BPH, MYS, EDO, PO4, HTO, FE, SPN, NA, U10, K

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	H	0.41	0/1905	0.57	0/2590
2	L	0.38	0/2335	0.50	0/3196
3	M	0.38	0/2541	0.50	0/3468
All	All	0.39	0/6781	0.52	0/9254

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	H	1848	0	1866	18	0
2	L	2244	0	2204	21	0
3	M	2436	0	2362	21	0
4	H	32	0	62	4	0
4	L	16	0	31	0	0
4	M	64	0	124	7	0
5	H	36	0	78	5	0
5	L	12	0	26	1	0
5	M	24	0	52	2	0
6	H	15	0	32	1	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
6	L	15	0	32	0	0
6	M	15	0	32	1	0
7	H	5	0	0	0	0
7	M	10	0	0	0	0
8	H	20	0	30	5	0
8	L	20	0	30	0	0
8	M	12	0	18	2	0
9	H	1	0	0	0	0
10	H	1	0	0	0	0
11	L	66	0	74	0	0
11	M	198	0	222	4	0
12	L	65	0	76	0	0
12	M	65	0	76	1	0
13	L	48	0	63	2	0
13	M	48	0	63	0	0
14	L	10	0	22	0	0
15	L	6	0	8	2	0
16	L	29	0	43	3	0
17	M	1	0	0	0	0
18	M	43	0	70	5	0
19	M	81	0	106	6	0
20	H	217	0	0	1	0
20	L	107	0	0	0	0
20	M	120	0	0	1	0
All	All	7930	0	7802	74	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (74) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
5:H:705:D12:H11	4:M:420:LDA:H121	1.42	0.99
5:H:703:D12:H61	5:H:704:D12:H62	1.68	0.76
1:H:26:GLY:HA3	19:M:414:CDL:H192	1.73	0.70
2:L:49:ILE:HG21	16:L:315:HTO:H11	1.73	0.69
1:H:200:SER:H	8:H:710:EDO:H22	1.60	0.67
1:H:118[A]:ARG:HD3	1:H:120:LEU:HD12	1.77	0.67
2:L:219:LEU:O	3:M:132:ARG:NH1	2.27	0.66
2:L:52:SER:HB2	2:L:85:LEU:HD13	1.78	0.65
1:H:22:ILE:HG23	19:M:414:CDL:H222	1.80	0.63

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:M:229:PHE:HB2	3:M:244:ALA:HB2	1.79	0.62
2:L:69:PRO:HG2	2:L:142:TRP:HB2	1.82	0.62
11:M:401:BCL:CAB	18:M:407:SPN:H162	2.30	0.60
3:M:161:GLY:HA3	18:M:407:SPN:H201	1.85	0.59
2:L:266:TRP:CD2	15:L:308:DIO:H1'2	2.40	0.57
1:H:70:ARG:O	1:H:118[A]:ARG:NH2	2.37	0.57
2:L:224:ILE:H	13:L:303:U10:H103	1.70	0.57
5:H:703:D12:H102	19:M:414:CDL:H232	1.89	0.55
11:M:401:BCL:H62	11:M:402:BCL:H202	1.90	0.54
1:H:21:TRP:HZ2	4:H:701:LDA:HM11	1.73	0.53
3:M:13:ARG:HH12	4:M:410:LDA:H22	1.73	0.53
3:M:278:LEU:HD21	19:M:414:CDL:H382	1.92	0.52
3:M:2[A]:GLU:HG3	5:M:413:D12:H22	1.92	0.52
3:M:157:TRP:CE2	18:M:407:SPN:HM73	2.45	0.52
1:H:29:TYR:CE1	5:H:704:D12:H102	2.45	0.51
4:H:701:LDA:H82	5:H:705:D12:H13	1.93	0.51
2:L:193:LEU:HD23	13:L:303:U10:C2	2.40	0.51
3:M:66:TRP:CD1	3:M:122:MET:HB2	2.47	0.49
2:L:202:LYS:HD3	2:L:203:GLY:N	2.27	0.49
3:M:63:GLY:HA3	12:M:404:BPH:H5C1	1.94	0.49
3:M:59:SER:HB2	3:M:128:SER:OG	2.12	0.49
1:H:194:GLN:HE22	8:M:417:EDO:H22	1.78	0.49
4:M:410:LDA:HM21	4:M:410:LDA:H21	1.66	0.48
4:H:702:LDA:H22	4:H:702:LDA:HM11	1.52	0.48
3:M:144:LYS:N	19:M:414:CDL:OB3	2.28	0.47
3:M:101:TYR:O	3:M:104:SER:HB3	2.13	0.47
2:L:91:ILE:HG12	5:L:305:D12:H42	1.96	0.47
2:L:38:THR:HG21	2:L:100:TRP:HE3	1.80	0.47
1:H:45:GLU:HG3	1:H:94[A]:GLU:OE1	2.16	0.46
1:H:89:ARG:NH2	1:H:94[A]:GLU:HG2	2.31	0.45
3:M:3:TYR:CZ	3:M:5:ASN:HA	2.51	0.45
11:M:403:BCL:HBB2	11:M:403:BCL:HMB1	1.99	0.45
1:H:128:HIS:ND1	8:H:709:EDO:H12	2.32	0.45
1:H:132:LYS:NZ	8:H:709:EDO:H11	2.32	0.45
3:M:67:PHE:CE1	18:M:407:SPN:H61	2.52	0.45
2:L:202:LYS:HD3	2:L:202:LYS:C	2.38	0.45
2:L:272:TRP:CD1	3:M:87:ARG:HG3	2.52	0.44
3:M:35:PHE:HB2	4:M:410:LDA:H51	2.00	0.44
2:L:135:ARG:HB3	2:L:136:PRO:HD3	1.99	0.44
3:M:52[B]:LEU:HD23	3:M:52[B]:LEU:HA	1.83	0.43
16:L:314:HTO:H42	16:L:314:HTO:H12	1.71	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
11:M:401:BCL:H141	18:M:407:SPN:H101	2.01	0.43
4:H:702:LDA:H41	4:M:420:LDA:HM11	2.00	0.43
1:H:122:GLU:HB2	1:H:227:LEU:HD21	1.99	0.43
2:L:272:TRP:HA	2:L:275:ILE:HG13	2.01	0.43
2:L:18:GLY:O	2:L:21[B]:LEU:HB2	2.19	0.43
2:L:266:TRP:CE3	15:L:308:DIO:H1'2	2.54	0.43
1:H:60:LYS:H	1:H:60:LYS:HD2	1.84	0.42
2:L:22:PHE:HA	2:L:24:PHE:CE2	2.55	0.42
1:H:199:GLN:HE21	8:H:710:EDO:H12	1.85	0.42
2:L:55:LEU:HD13	2:L:81:ALA:HB2	2.01	0.42
1:H:42:LEU:HB3	2:L:1:ALA:HB1	2.00	0.42
2:L:249:ILE:HA	2:L:249:ILE:HD12	1.93	0.42
3:M:167:LEU:HD13	5:M:412:D12:H31	2.02	0.42
6:M:411:MYS:H22	6:M:411:MYS:H51	1.78	0.42
4:M:409:LDA:H61	4:M:409:LDA:H91	1.86	0.41
1:H:199:GLN:NE2	8:H:710:EDO:H12	2.35	0.41
2:L:54:VAL:CG1	2:L:59:TRP:HE1	2.33	0.41
3:M:2[A]:GLU:OE1	20:M:501:HOH:O	2.21	0.41
1:H:177:ARG:HB3	8:M:417:EDO:H21	2.03	0.41
4:M:420:LDA:H91	4:M:420:LDA:H122	1.93	0.41
3:M:72:ILE:HD13	3:M:72:ILE:HA	1.93	0.41
20:H:910:HOH:O	19:M:414:CDL:HA32	2.21	0.41
6:H:706:MYS:H152	16:L:315:HTO:H71	2.03	0.41
3:M:132:ARG:O	3:M:136:ARG:HG2	2.21	0.41

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	H	241/241 (100%)	239 (99%)	2 (1%)	0	100 100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
2	L	281/281 (100%)	274 (98%)	6 (2%)	1 (0%)	34	32
3	M	304/302 (101%)	292 (96%)	12 (4%)	0	100	100
All	All	826/824 (100%)	805 (98%)	20 (2%)	1 (0%)	51	54

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	L	52	SER

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	H	198/196 (101%)	195 (98%)	3 (2%)	65	71
2	L	222/220 (101%)	218 (98%)	4 (2%)	59	65
3	M	240/236 (102%)	236 (98%)	4 (2%)	60	67
All	All	660/652 (101%)	649 (98%)	11 (2%)	65	67

All (11) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	H	14	SER
1	H	60	LYS
1	H	221	SER
2	L	210	ASP
2	L	216	PHE
2	L	247	CYS
2	L	272	TRP
3	M	52[A]	LEU
3	M	52[B]	LEU
3	M	216	PHE
3	M	278	LEU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no

such sidechains identified.

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 50 ligands modelled in this entry, 3 are monoatomic - leaving 47 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
8	EDO	M	419	-	3,3,3	0.40	0	2,2,2	0.59	0
18	SPN	M	407	-	40,42,42	0.60	1 (2%)	50,52,52	1.71	12 (24%)
6	MYS	H	706	-	14,14,14	0.27	0	13,13,13	0.55	0
15	DIO	L	308	-	6,6,6	0.56	0	6,6,6	0.44	0
5	D12	M	413	-	11,11,11	0.27	0	10,10,10	0.55	0
4	LDA	M	409	-	12,15,15	2.07	1 (8%)	14,17,17	0.56	0
4	LDA	L	304	-	12,15,15	2.07	1 (8%)	14,17,17	0.43	0
5	D12	L	305	-	11,11,11	0.28	0	10,10,10	0.51	0
5	D12	H	703	-	11,11,11	0.29	0	10,10,10	0.51	0
16	HTO	L	315	-	9,9,9	0.23	0	10,10,10	1.26	1 (10%)
11	BCL	M	401	-	58,74,74	1.34	4 (6%)	69,115,115	1.56	13 (18%)
8	EDO	L	310	-	3,3,3	0.47	0	2,2,2	0.30	0
4	LDA	M	410	-	12,15,15	2.01	1 (8%)	14,17,17	0.61	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	LDA	H	702	-	12,15,15	1.99	1 (8%)	14,17,17	0.47	0
7	PO4	H	707	-	4,4,4	0.84	0	6,6,6	0.39	0
7	PO4	M	415	-	4,4,4	0.86	0	6,6,6	0.43	0
11	BCL	M	403	-	58,74,74	1.30	5 (8%)	69,115,115	1.32	10 (14%)
5	D12	H	704	-	11,11,11	0.33	0	10,10,10	0.40	0
8	EDO	L	311	-	3,3,3	0.53	0	2,2,2	0.17	0
16	HTO	L	314	-	9,9,9	0.26	0	10,10,10	0.87	0
16	HTO	L	316	-	8,8,9	0.56	0	9,9,10	0.82	0
8	EDO	H	708	-	3,3,3	0.52	0	2,2,2	0.25	0
8	EDO	H	710	-	3,3,3	0.52	0	2,2,2	0.37	0
8	EDO	H	712	-	3,3,3	0.49	0	2,2,2	0.44	0
8	EDO	L	313	-	3,3,3	0.51	0	2,2,2	0.24	0
19	CDL	M	414	-	80,80,99	1.06	4 (5%)	86,92,111	1.17	7 (8%)
13	U10	L	303	-	48,48,63	2.61	13 (27%)	58,61,79	1.80	16 (27%)
6	MYS	M	411	-	14,14,14	0.28	0	13,13,13	0.51	0
4	LDA	M	408	-	12,15,15	1.99	1 (8%)	14,17,17	0.56	0
12	BPH	L	302	-	64,70,70	1.03	7 (10%)	76,101,101	1.08	5 (6%)
8	EDO	H	711	-	3,3,3	0.48	0	2,2,2	0.41	0
11	BCL	M	402	-	58,74,74	1.42	4 (6%)	69,115,115	1.45	11 (15%)
8	EDO	L	309	-	3,3,3	0.46	0	2,2,2	0.42	0
8	EDO	M	417	-	3,3,3	0.43	0	2,2,2	0.73	0
14	D10	L	307	-	9,9,9	0.27	0	8,8,8	0.55	0
8	EDO	M	418	-	3,3,3	0.63	0	2,2,2	0.15	0
4	LDA	H	701	-	12,15,15	2.05	1 (8%)	14,17,17	0.74	0
6	MYS	L	306	-	14,14,14	0.31	0	13,13,13	0.41	0
7	PO4	M	416	-	4,4,4	0.81	0	6,6,6	0.57	0
5	D12	H	705	-	11,11,11	0.23	0	10,10,10	0.70	0
11	BCL	L	301	-	58,74,74	1.42	5 (8%)	69,115,115	1.30	8 (11%)
12	BPH	M	404	-	64,70,70	0.93	3 (4%)	76,101,101	1.50	17 (22%)
8	EDO	H	709	-	3,3,3	0.52	0	2,2,2	0.32	0
13	U10	M	406	-	48,48,63	2.60	13 (27%)	58,61,79	1.68	13 (22%)
8	EDO	L	312	-	3,3,3	0.42	0	2,2,2	0.50	0
5	D12	M	412	-	11,11,11	0.28	0	10,10,10	0.51	0
4	LDA	M	420	-	12,15,15	2.01	1 (8%)	14,17,17	0.72	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
8	EDO	M	419	-	-	0/1/1/1	-
18	SPN	M	407	-	-	18/50/51/51	-
6	MYS	H	706	-	-	2/12/12/12	-
15	DIO	L	308	-	-	-	0/1/1/1
5	D12	M	413	-	-	6/9/9/9	-
4	LDA	M	409	-	-	10/13/13/13	-
4	LDA	L	304	-	-	2/13/13/13	-
5	D12	L	305	-	-	2/9/9/9	-
5	D12	H	703	-	-	2/9/9/9	-
16	HTO	L	315	-	-	3/10/10/10	-
11	BCL	M	401	-	-	6/37/137/137	-
4	LDA	M	408	-	-	4/13/13/13	-
4	LDA	M	410	-	-	10/13/13/13	-
4	LDA	H	702	-	-	4/13/13/13	-
8	EDO	H	712	-	-	0/1/1/1	-
11	BCL	M	403	-	-	0/37/137/137	-
5	D12	H	704	-	-	0/9/9/9	-
8	EDO	L	311	-	-	0/1/1/1	-
16	HTO	L	314	-	-	2/10/10/10	-
16	HTO	L	316	-	-	5/9/9/10	-
8	EDO	L	310	-	-	0/1/1/1	-
8	EDO	H	708	-	-	0/1/1/1	-
8	EDO	H	710	-	-	0/1/1/1	-
8	EDO	L	313	-	-	0/1/1/1	-
19	CDL	M	414	-	-	27/91/91/110	-
13	U10	L	303	-	-	18/45/69/87	0/1/1/1
6	MYS	M	411	-	-	5/12/12/12	-
12	BPH	L	302	-	-	5/54/105/105	0/5/6/6
8	EDO	H	711	-	-	0/1/1/1	-
11	BCL	M	402	-	-	1/37/137/137	-
8	EDO	L	309	-	-	1/1/1/1	-
8	EDO	M	417	-	-	0/1/1/1	-
14	D10	L	307	-	-	2/7/7/7	-
8	EDO	M	418	-	-	0/1/1/1	-
4	LDA	H	701	-	-	4/13/13/13	-
6	MYS	L	306	-	-	2/12/12/12	-
5	D12	H	705	-	-	3/9/9/9	-
11	BCL	L	301	-	-	1/37/137/137	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
12	BPH	M	404	-	-	14/54/105/105	0/5/6/6
8	EDO	H	709	-	-	0/1/1/1	-
13	U10	M	406	-	-	13/45/69/87	0/1/1/1
8	EDO	L	312	-	-	1/1/1/1	-
5	D12	M	412	-	-	4/9/9/9	-
4	LDA	M	420	-	-	9/13/13/13	-

All (66) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	M	409	LDA	O1-N1	-7.10	1.25	1.42
4	L	304	LDA	O1-N1	-7.09	1.25	1.42
4	H	701	LDA	O1-N1	-6.96	1.25	1.42
4	M	420	LDA	O1-N1	-6.93	1.25	1.42
4	M	410	LDA	O1-N1	-6.86	1.26	1.42
4	M	408	LDA	O1-N1	-6.84	1.26	1.42
4	H	702	LDA	O1-N1	-6.81	1.26	1.42
13	M	406	U10	C33-C34	6.23	1.47	1.33
13	L	303	U10	C18-C19	6.22	1.47	1.33
13	M	406	U10	C13-C14	6.19	1.47	1.33
11	M	401	BCL	C1B-NB	6.05	1.40	1.35
13	L	303	U10	C23-C24	6.05	1.47	1.33
13	L	303	U10	C33-C34	6.03	1.47	1.33
13	L	303	U10	C13-C14	6.00	1.47	1.33
13	M	406	U10	C8-C9	5.98	1.47	1.33
13	M	406	U10	C28-C29	5.93	1.47	1.33
13	M	406	U10	C18-C19	5.92	1.47	1.33
13	L	303	U10	C28-C29	5.91	1.47	1.33
13	M	406	U10	C23-C24	5.90	1.47	1.33
13	L	303	U10	C8-C9	5.85	1.47	1.33
11	M	402	BCL	MG-NA	5.52	2.19	2.06
11	L	301	BCL	C1B-NB	5.37	1.40	1.35
11	M	402	BCL	C1B-NB	5.32	1.40	1.35
13	L	303	U10	C38-C39	5.32	1.47	1.32
11	M	403	BCL	C1B-NB	5.29	1.39	1.35
13	M	406	U10	C38-C39	5.20	1.47	1.32
13	L	303	U10	O4-C4	-5.10	1.24	1.36
11	L	301	BCL	MG-NA	4.90	2.17	2.06
13	M	406	U10	O4-C4	-4.49	1.25	1.36
13	M	406	U10	O3-C3	-4.48	1.25	1.36
19	M	414	CDL	OA8-CA7	4.42	1.46	1.33

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
13	L	303	U10	O3-C3	-4.41	1.26	1.36
19	M	414	CDL	OA6-CA5	4.41	1.46	1.34
11	M	401	BCL	MG-NA	4.30	2.16	2.06
19	M	414	CDL	OB6-CB5	4.19	1.46	1.34
11	M	402	BCL	MG-NC	4.09	2.16	2.06
19	M	414	CDL	OB8-CB7	4.02	1.45	1.33
11	L	301	BCL	MG-NC	3.59	2.14	2.06
11	M	401	BCL	OBD-CAD	3.41	1.27	1.22
11	L	301	BCL	OBD-CAD	3.22	1.26	1.22
11	M	403	BCL	MG-NA	3.14	2.13	2.06
13	L	303	U10	C4-C5	-2.97	1.40	1.48
11	M	403	BCL	OBD-CAD	2.96	1.26	1.22
13	M	406	U10	C6-C1	2.96	1.40	1.35
13	M	406	U10	C4-C5	-2.89	1.40	1.48
18	M	407	SPN	C1-C2	-2.86	1.51	1.53
13	L	303	U10	C3-C2	-2.85	1.40	1.48
11	L	301	BCL	C4B-NB	2.85	1.37	1.35
11	M	401	BCL	MG-NC	2.80	2.12	2.06
12	L	302	BPH	C3D-CAD	-2.76	1.41	1.47
11	M	403	BCL	C4B-NB	2.65	1.37	1.35
12	L	302	BPH	CHC-C1C	2.58	1.41	1.36
11	M	402	BCL	C4B-NB	2.50	1.37	1.35
13	M	406	U10	C3-C2	-2.41	1.41	1.48
12	L	302	BPH	CHB-C1B	2.39	1.43	1.38
13	L	303	U10	C6-C5	-2.37	1.40	1.46
12	M	404	BPH	C3D-CAD	-2.35	1.42	1.47
12	L	302	BPH	OBD-CAD	2.32	1.25	1.22
12	L	302	BPH	C1B-C2B	-2.29	1.40	1.45
12	L	302	BPH	C2C-C1C	-2.26	1.48	1.52
11	M	403	BCL	C3D-CAD	-2.17	1.40	1.46
13	L	303	U10	C6-C1	2.09	1.39	1.35
12	M	404	BPH	CHC-C1C	2.05	1.40	1.36
12	L	302	BPH	C4A-NA	2.03	1.40	1.35
13	M	406	U10	C6-C5	-2.02	1.41	1.46
12	M	404	BPH	C4A-NA	2.02	1.40	1.35

All (113) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
19	M	414	CDL	OA6-CA5-C11	5.26	122.83	111.50
11	M	401	BCL	CMB-C2B-C1B	-4.34	121.80	128.46
11	M	402	BCL	C4A-NA-C1A	4.32	108.65	106.71

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
11	L	301	BCL	CMB-C2B-C1B	-4.16	122.07	128.46
11	M	402	BCL	CMB-C2B-C1B	-4.11	122.14	128.46
11	M	402	BCL	C4D-C3D-CAD	-4.07	106.20	108.47
13	L	303	U10	C1M-C1-C6	-4.04	117.81	124.40
12	M	404	BPH	C11-C10-C8	4.02	128.92	115.92
11	M	401	BCL	C6-C7-C8	4.02	128.92	115.92
18	M	407	SPN	CM5-C13-C14	3.91	121.85	115.27
13	M	406	U10	C22-C23-C24	-3.88	118.32	127.66
13	L	303	U10	C7-C8-C9	-3.82	120.42	126.79
13	M	406	U10	C17-C18-C19	-3.81	118.49	127.66
18	M	407	SPN	CM6-C18-C17	3.81	121.68	115.27
13	L	303	U10	C22-C23-C24	-3.78	118.55	127.66
18	M	407	SPN	CM3-C5-C6	3.74	121.57	115.27
12	M	404	BPH	C1-C2-C3	-3.72	119.62	126.04
13	M	406	U10	C30-C29-C31	3.62	121.36	115.27
18	M	407	SPN	CM4-C9-C10	3.59	121.30	115.27
13	M	406	U10	C32-C33-C34	-3.57	119.06	127.66
11	M	401	BCL	OBD-CAD-CBD	-3.57	120.80	125.89
11	M	403	BCL	CMB-C2B-C1B	-3.52	123.06	128.46
12	M	404	BPH	OBD-CAD-CBD	-3.51	120.87	125.89
19	M	414	CDL	OB6-CB5-C51	3.44	118.91	111.50
12	L	302	BPH	C1C-NC-C4C	-3.41	107.54	110.54
11	M	401	BCL	CMB-C2B-C3B	3.34	130.94	124.68
18	M	407	SPN	C3-C4-C5	-3.33	121.24	126.79
13	L	303	U10	C32-C33-C34	-3.33	119.64	127.66
12	M	404	BPH	CAC-C3C-C2C	-3.31	105.99	114.26
11	M	402	BCL	CHA-C1A-NA	-3.29	118.87	126.40
13	L	303	U10	C35-C34-C36	3.20	120.65	115.27
11	L	301	BCL	C2A-C1A-CHA	3.13	129.34	123.86
12	M	404	BPH	CAC-C3C-C4C	3.05	120.51	112.67
11	M	402	BCL	CMB-C2B-C3B	3.05	130.38	124.68
11	L	301	BCL	CMB-C2B-C3B	3.04	130.36	124.68
11	L	301	BCL	CHA-C1A-NA	-3.03	119.45	126.40
13	L	303	U10	C15-C14-C16	3.03	120.36	115.27
11	M	402	BCL	OBD-CAD-CBD	-3.01	121.60	125.89
11	M	401	BCL	CHA-C1A-NA	-3.00	119.53	126.40
19	M	414	CDL	CA4-OA6-CA5	-2.99	110.42	117.79
13	M	406	U10	C27-C28-C29	-2.98	120.48	127.66
13	L	303	U10	C12-C13-C14	-2.98	120.48	127.66
11	M	402	BCL	C2A-C1A-CHA	2.94	129.01	123.86
11	M	403	BCL	CHA-C1A-NA	-2.94	119.67	126.40
13	M	406	U10	C15-C14-C16	2.90	120.15	115.27

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
11	M	401	BCL	C4D-C3D-CAD	-2.90	106.85	108.47
11	M	403	BCL	C1-C2-C3	-2.89	121.05	126.04
13	M	406	U10	C35-C34-C36	2.86	120.08	115.27
11	L	301	BCL	OBD-CAD-CBD	-2.85	121.82	125.89
19	M	414	CDL	OA8-CA7-C31	2.83	120.80	111.91
11	M	403	BCL	OBD-CAD-CBD	-2.83	121.85	125.89
13	L	303	U10	C10-C9-C11	2.79	119.96	115.27
13	L	303	U10	C25-C24-C26	2.78	119.95	115.27
12	L	302	BPH	OBD-CAD-CBD	-2.74	121.98	125.89
11	M	401	BCL	C2A-C1A-CHA	2.74	128.64	123.86
12	M	404	BPH	C15-C13-C12	-2.73	97.75	112.13
13	L	303	U10	C3M-O3-C3	2.73	126.13	116.47
18	M	407	SPN	C24-C23-C22	-2.73	106.32	115.76
11	M	401	BCL	CMD-C2D-C3D	2.72	129.77	124.68
19	M	414	CDL	OB8-CB7-C71	2.72	120.44	111.91
13	L	303	U10	C17-C18-C19	-2.71	121.13	127.66
13	L	303	U10	C30-C29-C31	2.70	119.81	115.27
16	L	315	HTO	O1-C1-C2	-2.69	105.20	111.07
13	M	406	U10	C41-C39-C40	2.62	120.39	114.60
13	M	406	U10	C25-C24-C26	2.58	119.61	115.27
12	M	404	BPH	O2A-C1-C2	-2.56	101.90	108.64
11	L	301	BCL	C4D-C3D-CAD	-2.54	107.05	108.47
12	M	404	BPH	C1C-NC-C4C	-2.54	108.31	110.54
11	M	403	BCL	C2A-C1A-CHA	2.54	128.29	123.86
11	M	403	BCL	CMB-C2B-C3B	2.51	129.37	124.68
18	M	407	SPN	C24-C25-C26	-2.49	121.65	127.66
19	M	414	CDL	OA6-CA5-OA7	-2.49	117.69	123.70
19	M	414	CDL	OB8-CB7-OB9	-2.47	117.36	123.59
12	M	404	BPH	CMD-C2D-C3D	2.46	129.28	124.68
13	M	406	U10	C20-C19-C21	2.46	119.41	115.27
12	M	404	BPH	CHD-C4C-NC	-2.45	122.29	125.20
11	M	403	BCL	OBB-CAB-CBB	-2.43	114.71	120.17
13	L	303	U10	C27-C28-C29	-2.42	121.83	127.66
13	M	406	U10	C10-C9-C11	2.41	119.33	115.27
12	M	404	BPH	CHC-C1C-NC	-2.40	122.35	125.20
11	L	301	BCL	OBB-CAB-CBB	-2.38	114.82	120.17
11	M	401	BCL	OBB-CAB-CBB	-2.37	114.83	120.17
12	L	302	BPH	O2D-CGD-O1D	-2.32	119.30	123.84
13	L	303	U10	O5-C5-C6	-2.32	117.48	121.55
11	M	402	BCL	CMD-C2D-C3D	2.32	129.02	124.68
13	M	406	U10	C26-C27-C28	-2.32	104.27	111.88
13	L	303	U10	C20-C19-C21	2.32	119.17	115.27

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
12	M	404	BPH	C6-C7-C8	-2.31	108.45	115.92
18	M	407	SPN	CM8-C26-C27	2.31	119.16	115.27
13	M	406	U10	C37-C38-C39	-2.30	119.89	127.75
11	M	403	BCL	CMD-C2D-C3D	2.29	128.97	124.68
12	L	302	BPH	C1-C2-C3	-2.29	122.08	126.04
11	M	403	BCL	O2A-CGA-O1A	-2.28	117.85	123.59
11	M	401	BCL	C4B-C3B-CAB	-2.27	122.74	127.13
11	M	401	BCL	C1C-NC-C4C	2.26	107.72	106.71
11	M	402	BCL	OBB-CAB-CBB	-2.26	115.09	120.17
12	M	404	BPH	O2D-CGD-O1D	-2.24	119.46	123.84
12	M	404	BPH	C3A-C4A-CHB	2.23	125.69	121.83
11	M	401	BCL	C16-C15-C13	2.22	123.11	115.92
18	M	407	SPN	CMB-C30-CM9	2.21	119.48	114.60
11	M	401	BCL	O2A-C1-C2	-2.20	102.85	108.64
18	M	407	SPN	C11-C12-C13	-2.14	122.50	127.66
12	L	302	BPH	CMD-C2D-C3D	2.14	128.68	124.68
11	M	402	BCL	C4B-C3B-CAB	-2.14	123.00	127.13
18	M	407	SPN	C28-C29-C30	-2.13	120.49	127.75
13	L	303	U10	C41-C39-C40	2.12	119.29	114.60
11	M	403	BCL	C4D-C3D-CAD	-2.10	107.30	108.47
11	L	301	BCL	CMD-C2D-C3D	2.06	128.53	124.68
12	M	404	BPH	C17-C16-C15	-2.06	103.79	113.24
11	M	402	BCL	C1C-NC-C4C	2.03	107.62	106.71
18	M	407	SPN	C17-C18-C19	-2.02	117.03	121.12
12	M	404	BPH	O2D-CGD-CBD	2.00	114.83	111.27
12	M	404	BPH	C16-C15-C13	2.00	122.39	115.92

There are no chirality outliers.

All (186) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
18	M	407	SPN	CM1-C1-O1-CMA
18	M	407	SPN	C2-C1-O1-CMA
18	M	407	SPN	C12-C13-C14-C15
18	M	407	SPN	CM5-C13-C14-C15
4	M	409	LDA	C2-C1-N1-O1
4	M	409	LDA	C2-C1-N1-CM1
4	M	409	LDA	C2-C1-N1-CM2
4	M	410	LDA	C2-C1-N1-O1
4	M	410	LDA	C2-C1-N1-CM1
4	M	410	LDA	C2-C1-N1-CM2
4	M	410	LDA	N1-C1-C2-C3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
16	L	316	HTO	C1-C2-C3-O3
16	L	316	HTO	C1-C2-C3-C4
16	L	316	HTO	O2-C2-C3-O3
16	L	316	HTO	O2-C2-C3-C4
16	L	316	HTO	C3-C4-C5-C6
19	M	414	CDL	CA2-OA2-PA1-OA4
19	M	414	CDL	CA3-OA5-PA1-OA2
19	M	414	CDL	CA3-OA5-PA1-OA3
19	M	414	CDL	CA3-OA5-PA1-OA4
19	M	414	CDL	CB2-OB2-PB2-OB3
19	M	414	CDL	CB2-OB2-PB2-OB5
19	M	414	CDL	CB3-OB5-PB2-OB3
12	M	404	BPH	C4B-C3B-CAB-CBB
12	M	404	BPH	C4B-C3B-CAB-OBB
12	M	404	BPH	C2B-C3B-CAB-CBB
4	M	420	LDA	C2-C1-N1-O1
4	M	420	LDA	C2-C1-N1-CM2
16	L	315	HTO	O1-C1-C2-O2
13	L	303	U10	C12-C13-C14-C15
13	L	303	U10	C12-C13-C14-C16
18	M	407	SPN	CM3-C5-C6-C7
18	M	407	SPN	C11-C10-C9-CM4
18	M	407	SPN	C16-C17-C18-CM6
18	M	407	SPN	C4-C5-C6-C7
18	M	407	SPN	C11-C10-C9-C8
18	M	407	SPN	C16-C17-C18-C19
13	L	303	U10	C29-C31-C32-C33
13	M	406	U10	C24-C26-C27-C28
18	M	407	SPN	C14-C15-C16-C17
13	M	406	U10	C27-C28-C29-C30
4	M	410	LDA	C11-C10-C9-C8
12	M	404	BPH	C14-C13-C15-C16
12	M	404	BPH	C13-C15-C16-C17
13	M	406	U10	C37-C38-C39-C40
13	L	303	U10	C27-C28-C29-C30
13	M	406	U10	C32-C33-C34-C35
11	M	401	BCL	C8-C10-C11-C12
16	L	315	HTO	O1-C1-C2-C3
12	M	404	BPH	C2B-C3B-CAB-OBB
5	M	413	D12	C6-C7-C8-C9
4	M	408	LDA	C4-C5-C6-C7
6	L	306	MYS	C2-C3-C4-C5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
4	M	420	LDA	C2-C3-C4-C5
5	M	412	D12	C5-C6-C7-C8
6	H	706	MYS	C11-C10-C9-C8
4	M	420	LDA	C4-C5-C6-C7
18	M	407	SPN	CM2-C1-O1-CMA
4	M	409	LDA	C7-C8-C9-C10
19	M	414	CDL	C36-C37-C38-C39
6	M	411	MYS	C6-C7-C8-C9
4	M	420	LDA	C7-C8-C9-C10
5	H	705	D12	C3-C4-C5-C6
4	L	304	LDA	C3-C4-C5-C6
4	M	420	LDA	C5-C6-C7-C8
13	L	303	U10	C9-C11-C12-C13
4	M	408	LDA	C7-C8-C9-C10
4	M	409	LDA	C1-C2-C3-C4
6	M	411	MYS	C5-C6-C7-C8
4	H	701	LDA	C1-C2-C3-C4
5	H	703	D12	C5-C6-C7-C8
4	M	420	LDA	C9-C10-C11-C12
13	M	406	U10	C37-C38-C39-C41
5	H	703	D12	C6-C7-C8-C9
5	H	705	D12	C2-C3-C4-C5
19	M	414	CDL	CA5-C11-C12-C13
4	H	702	LDA	C1-C2-C3-C4
19	M	414	CDL	CB7-C71-C72-C73
5	M	413	D12	C5-C6-C7-C8
19	M	414	CDL	CB3-OB5-PB2-OB2
4	H	702	LDA	C7-C8-C9-C10
19	M	414	CDL	C53-C54-C55-C56
19	M	414	CDL	CA3-CA4-CA6-OA8
13	L	303	U10	C24-C26-C27-C28
12	L	302	BPH	C4-C3-C5-C6
5	H	705	D12	C7-C8-C9-C10
6	M	411	MYS	C1-C2-C3-C4
11	M	401	BCL	C11-C12-C13-C15
16	L	314	HTO	C4-C5-C6-C7
13	M	406	U10	C32-C33-C34-C36
4	M	409	LDA	C4-C5-C6-C7
13	L	303	U10	C34-C36-C37-C38
4	M	410	LDA	C4-C5-C6-C7
6	M	411	MYS	C2-C3-C4-C5
12	M	404	BPH	C4-C3-C5-C6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
18	M	407	SPN	CM2-C1-C2-O2
18	M	407	SPN	CM2-C1-C2-C3
14	L	307	D10	C3-C4-C5-C6
4	M	410	LDA	C7-C8-C9-C10
19	M	414	CDL	C12-C13-C14-C15
16	L	315	HTO	C1-C2-C3-O3
4	L	304	LDA	C1-C2-C3-C4
4	M	410	LDA	C1-C2-C3-C4
12	L	302	BPH	C2-C3-C5-C6
5	M	413	D12	C7-C8-C9-C10
19	M	414	CDL	O1-C1-CA2-OA2
19	M	414	CDL	CB2-C1-CA2-OA2
13	M	406	U10	C29-C31-C32-C33
19	M	414	CDL	C71-C72-C73-C74
12	M	404	BPH	C5-C6-C7-C8
4	M	409	LDA	C5-C6-C7-C8
5	M	412	D12	C3-C4-C5-C6
19	M	414	CDL	C19-C20-C21-C22
12	M	404	BPH	C12-C13-C15-C16
13	M	406	U10	C27-C28-C29-C31
12	L	302	BPH	CAD-CBD-CGD-O2D
4	M	420	LDA	C2-C1-N1-CM1
4	M	409	LDA	C11-C10-C9-C8
16	L	314	HTO	O1-C1-C2-O2
12	M	404	BPH	C2-C3-C5-C6
14	L	307	D10	C4-C5-C6-C7
18	M	407	SPN	O1-C1-C2-O2
13	L	303	U10	C27-C28-C29-C31
13	L	303	U10	C37-C38-C39-C40
8	L	309	EDO	O1-C1-C2-O2
13	L	303	U10	C5-C4-O4-C4M
5	M	413	D12	C1-C2-C3-C4
5	L	305	D12	C9-C10-C11-C12
5	M	412	D12	C2-C3-C4-C5
18	M	407	SPN	C21-C22-C23-C24
5	L	305	D12	C11-C10-C9-C8
4	M	410	LDA	C9-C10-C11-C12
6	L	306	MYS	C5-C6-C7-C8
13	L	303	U10	C37-C38-C39-C41
8	L	312	EDO	O1-C1-C2-O2
19	M	414	CDL	OA6-CA4-CA6-OA8
19	M	414	CDL	C74-C75-C76-C77

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
4	M	410	LDA	C2-C3-C4-C5
5	M	413	D12	C3-C4-C5-C6
13	L	303	U10	C30-C29-C31-C32
13	L	303	U10	C28-C29-C31-C32
4	M	408	LDA	C5-C6-C7-C8
11	M	401	BCL	C2-C1-O2A-CGA
13	M	406	U10	C5-C4-O4-C4M
12	M	404	BPH	C11-C10-C8-C9
4	M	420	LDA	C3-C4-C5-C6
12	L	302	BPH	O2A-C1-C2-C3
12	M	404	BPH	C10-C11-C12-C13
19	M	414	CDL	OA7-CA5-OA6-CA4
4	H	701	LDA	C11-C10-C9-C8
13	M	406	U10	C25-C24-C26-C27
4	H	702	LDA	C9-C10-C11-C12
13	L	303	U10	C20-C19-C21-C22
12	M	404	BPH	C15-C16-C17-C18
11	M	402	BCL	CAA-CBA-CGA-O2A
13	M	406	U10	C3-C4-O4-C4M
4	M	409	LDA	C9-C10-C11-C12
11	M	401	BCL	C4-C3-C5-C6
13	L	303	U10	C35-C34-C36-C37
6	H	706	MYS	C2-C3-C4-C5
5	M	413	D12	C11-C10-C9-C8
11	M	401	BCL	CAD-CBD-CGD-O2D
11	L	301	BCL	CAD-CBD-CGD-O2D
12	M	404	BPH	CAD-CBD-CGD-O2D
13	L	303	U10	C15-C14-C16-C17
13	M	406	U10	C23-C24-C26-C27
19	M	414	CDL	C72-C71-CB7-OB8
18	M	407	SPN	CM7-C22-C23-C24
13	M	406	U10	C34-C36-C37-C38
19	M	414	CDL	C11-CA5-OA6-CA4
18	M	407	SPN	C2-C3-C4-C5
13	L	303	U10	C18-C19-C21-C22
13	L	303	U10	C33-C34-C36-C37
4	M	409	LDA	C6-C7-C8-C9
19	M	414	CDL	OA5-CA3-CA4-CA6
4	H	702	LDA	C2-C1-N1-O1
19	M	414	CDL	C72-C73-C74-C75
19	M	414	CDL	C32-C31-CA7-OA8
11	M	401	BCL	C11-C10-C8-C9

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
5	M	412	D12	C1-C2-C3-C4
4	H	701	LDA	C3-C4-C5-C6
4	H	701	LDA	C9-C10-C11-C12
6	M	411	MYS	C7-C8-C9-C10
19	M	414	CDL	C72-C71-CB7-OB9
4	M	408	LDA	C11-C10-C9-C8
12	L	302	BPH	C8-C10-C11-C12


There are no ring outliers.


26 monomers are involved in 44 short contacts:



Mol	Chain	Res	Type	Clashes	Symm-Clashes
18	M	407	SPN	5	0
6	H	706	MYS	1	0
15	L	308	DIO	2	0
5	M	413	D12	1	0
4	M	409	LDA	1	0
5	L	305	D12	1	0
5	H	703	D12	2	0
16	L	315	HTO	2	0
11	M	401	BCL	3	0
4	M	410	LDA	3	0
4	H	702	LDA	2	0
11	M	403	BCL	1	0
5	H	704	D12	2	0
16	L	314	HTO	1	0
8	H	710	EDO	3	0
19	M	414	CDL	6	0
13	L	303	U10	2	0
6	M	411	MYS	1	0
11	M	402	BCL	1	0
8	M	417	EDO	2	0
4	H	701	LDA	2	0
5	H	705	D12	2	0
12	M	404	BPH	1	0
8	H	709	EDO	2	0
5	M	412	D12	1	0
4	M	420	LDA	3	0



The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will


also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.











5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled '#RSRZ > 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q < 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	H	240/241 (99%)	-0.55	3 (1%) 77 80	26, 36, 49, 81	0
2	L	281/281 (100%)	-0.24	4 (1%) 75 78	24, 36, 64, 94	0
3	M	302/302 (100%)	-0.27	1 (0%) 94 94	22, 37, 58, 77	0
All	All	823/824 (99%)	-0.34	8 (0%) 82 85	22, 36, 59, 94	0

All (8) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	L	59	TRP	4.0
2	L	55	LEU	3.6
1	H	250	SER	3.3
2	L	276	PRO	3.1
1	H	249	LYS	2.5
2	L	51	TRP	2.5
3	M	27	ALA	2.4
1	H	160	ILE	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum,

median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
16	HTO	L	316	9/10	0.65	0.20	50,62,68,70	0
16	HTO	L	314	10/10	0.67	0.33	39,49,60,62	10
6	MYS	M	411	15/15	0.72	0.22	57,64,75,77	0
13	U10	L	303	48/63	0.76	0.29	29,49,58,66	48
8	EDO	H	710	4/4	0.77	0.29	54,59,60,72	0
5	D12	H	704	12/12	0.78	0.48	56,65,70,71	0
4	LDA	H	701	16/16	0.79	0.24	36,48,57,61	0
4	LDA	M	409	16/16	0.80	0.45	60,71,94,94	0
5	D12	L	305	12/12	0.82	0.44	56,62,67,67	0
5	D12	H	705	12/12	0.82	0.32	54,58,75,75	0
4	LDA	M	410	16/16	0.83	0.35	55,65,73,75	0
5	D12	H	703	12/12	0.84	0.31	52,56,66,75	0
4	LDA	M	408	16/16	0.85	0.19	43,51,68,72	0
4	LDA	L	304	16/16	0.85	0.19	49,61,79,87	0
15	DIO	L	308	6/6	0.86	0.20	56,59,62,68	0
5	D12	M	412	12/12	0.86	0.30	54,62,66,67	0
19	CDL	M	414	81/100	0.88	0.23	29,52,67,72	81
6	MYS	L	306	15/15	0.88	0.21	41,51,67,68	0
6	MYS	H	706	15/15	0.88	0.18	55,65,72,74	0
8	EDO	H	709	4/4	0.88	0.24	48,55,61,68	0
4	LDA	H	702	16/16	0.88	0.21	45,51,59,65	0
14	D10	L	307	10/10	0.89	0.40	47,62,67,69	0
5	D12	M	413	12/12	0.89	0.25	44,52,65,67	0
4	LDA	M	420	16/16	0.89	0.27	56,64,69,69	0
8	EDO	H	708	4/4	0.90	0.15	60,67,68,73	0
8	EDO	L	313	4/4	0.91	0.12	58,58,68,72	0
7	PO4	M	416	5/5	0.91	0.18	37,43,54,61	5
16	HTO	L	315	10/10	0.91	0.36	56,61,69,72	0
18	SPN	M	407	43/43	0.92	0.15	30,41,58,71	0
8	EDO	L	310	4/4	0.92	0.42	53,54,55,62	0
8	EDO	L	309	4/4	0.93	0.12	49,56,58,60	0
13	U10	M	406	48/63	0.93	0.16	20,31,59,63	0
8	EDO	M	419	4/4	0.93	0.26	48,57,63,81	0
8	EDO	H	712	4/4	0.93	0.13	42,45,47,59	0
8	EDO	M	417	4/4	0.94	0.12	37,39,41,41	0
7	PO4	H	707	5/5	0.94	0.21	69,74,79,80	0
8	EDO	L	312	4/4	0.95	0.31	37,40,45,54	0
8	EDO	H	711	4/4	0.95	0.12	44,45,46,51	0
12	BPH	M	404	65/65	0.95	0.13	28,37,82,91	0
9	NA	H	713	1/1	0.97	0.07	40,40,40,40	0
11	BCL	L	301	66/66	0.97	0.10	22,29,39,47	0

Continued on next page...

Continued from previous page...




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
7	PO4	M	415	5/5	0.97	0.12	66,67,69,71	0
11	BCL	M	403	66/66	0.97	0.14	20,29,48,56	0
8	EDO	M	418	4/4	0.97	0.07	28,34,36,42	0
12	BPH	L	302	65/65	0.97	0.12	22,29,42,50	0
11	BCL	M	401	66/66	0.97	0.11	22,31,58,64	0
8	EDO	L	311	4/4	0.97	0.09	37,40,42,45	0
10	K	H	714	1/1	0.98	0.06	39,39,39,39	0
11	BCL	M	402	66/66	0.98	0.10	22,28,53,64	0
17	FE	M	405	1/1	1.00	0.11	25,25,25,25	0


The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.



Electron density around CDL M 414:




$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)








Electron density around BPH M 404:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around BCL L 301:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around BCL M 403:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around BPH L 302:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around BCL M 401:**


$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around BCL M 402:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers [i](#)

There are no such residues in this entry.