

Full wwPDB X-ray Structure Validation Report (i)

Nov 9, 2020 - 11:09 PM GMT

PDB ID	:	4Z2R
Title	:	Crystal structure of 2-hydroxybiphenyl 3-monooxygenase from Pseudomonas
		azelaica
Authors	:	Kanteev, M.; Bregman-Cohen, A.; Fishman, A.
Deposited on	:	2015-03-30
Resolution	:	2.30 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org A user guide is available at https://www.wwpdb.org/validation/2017/XrayValidationReportHelp with specific help available everywhere you see the (i) symbol.

The following versions of software and data (see references (1)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix)	:	1.13
EDS	:	2.14.6
buster-report	:	1.1.7 (2018)
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.14.6

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure: X-RAY DIFFRACTION

The reported resolution of this entry is 2.30 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	$egin{array}{c} { m Whole \ archive} \ (\#{ m Entries}) \end{array}$	${f Similar\ resolution}\ (\#{ m Entries},{ m resolution\ range}({ m \AA}))$
R_{free}	130704	5042(2.30-2.30)
Clashscore	141614	$5643 \ (2.30-2.30)$
Ramachandran outliers	138981	5575(2.30-2.30)
Sidechain outliers	138945	5575(2.30-2.30)
RSRZ outliers	127900	4938 (2.30-2.30)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain		
1	А	592	67%	27%	•••
1	В	592	10%	22%	• 5%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:



Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	FAD	А	601	Х	-	-	-
2	FAD	В	601	Х	-	-	-



2 Entry composition (i)

There are 3 unique types of molecules in this entry. The entry contains 9421 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace	
1	А	566	Total 4350	C 2748	N 764	O 818	S 20	0	0	0
1	В	563	Total 4329	C 2734	N 761	0 814	S 20	0	0	0

• Molecule 1 is a protein called 2-hydroxybiphenyl-3-monooxygenase.

Chain	Residue	Modelled	Actual	Comment	Reference
А	-5	MET	-	initiating methionine	UNP 006647
А	-4	HIS	-	expression tag	UNP 006647
A	-3	HIS	-	expression tag	UNP 006647
А	-2	HIS	-	expression tag	UNP 006647
A	-1	HIS	-	expression tag	UNP 006647
A	0	HIS	-	expression tag	UNP 006647
А	1	HIS	-	expression tag	UNP 006647
В	-5	MET	-	initiating methionine	UNP 006647
В	-4	HIS	-	expression tag	UNP 006647
В	-3	HIS	-	expression tag	UNP 006647
В	-2	HIS	-	expression tag	UNP 006647
В	-1	HIS	-	expression tag	UNP 006647
В	0	HIS	-	expression tag	UNP 006647
В	1	HIS	-	expression tag	UNP 006647

There are 14 discrepancies between the modelled and reference sequences:

• Molecule 2 is FLAVIN-ADENINE DINUCLEOTIDE (three-letter code: FAD) (formula: $C_{27}H_{33}N_9O_{15}P_2$).





Mol	Chain	Residues		Ate	oms			ZeroOcc	AltConf
9	Λ	1	Total	С	Ν	Ο	Р	0	0
		1	53	27	9	15	2	0	0
0	В	1	Total	С	Ν	Ο	Р	0	0
	D	L	53	27	9	15	2	0	0

• Molecule 3 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	А	325	Total O 325 325	0	0
3	В	311	Total O 311 311	0	0



3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.



• Molecule 1: 2-hydroxybiphenyl-3-monooxygenase





M480 W315 M483 H316 M483 H316 M483 H316 M483 H316 M483 H316 M493 F331 M493 F331 M495 F333 M50 F333 M51 F333 M52 F333 M53 F333 M53 F333 M53 F333 M53 F333 M53 F333 M53 F333 M54 F333 M54 F33



4 Data and refinement statistics (i)

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants	154.35Å 131.49 Å 79.16 Å	Depositor
a, b, c, α , β , γ	90.00° 98.28° 90.00°	Depositor
$\mathbf{P}_{\text{assolution}}\left(\mathring{A}\right)$	29.27 - 2.30	Depositor
Resolution (A)	37.68 - 2.30	EDS
% Data completeness	97.0 (29.27-2.30)	Depositor
(in resolution range)	97.0(37.68-2.30)	EDS
R_{merge}	0.09	Depositor
R_{sym}	(Not available)	Depositor
$< I/\sigma(I) > 1$	$3.08 (at 2.29 \text{\AA})$	Xtriage
Refinement program	PHENIX 1.7.3_928	Depositor
D D.	0.234 , 0.258	Depositor
II, II, <i>free</i>	0.226 , 0.246	DCC
R_{free} test set	3408 reflections $(5.07%)$	wwPDB-VP
Wilson B-factor $(Å^2)$	24.1	Xtriage
Anisotropy	0.435	Xtriage
Bulk solvent $k_{sol}(e/A^3), B_{sol}(A^2)$	0.34 , 46.6	EDS
L-test for twinning ²	$ \langle L \rangle = 0.50, \langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.91	EDS
Total number of atoms	9421	wwPDB-VP
Average B, all atoms $(Å^2)$	28.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: The largest off-origin peak in the Patterson function is 16.28% of the height of the origin peak. No significant pseudotranslation is detected.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



¹Intensities estimated from amplitudes.

5 Model quality (i)

5.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: FAD

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	Chain	Bo	nd lengths	Bond angles		
	Chain	RMSZ	# Z > 5	RMSZ	# Z > 5	
1	А	0.92	9/4445~(0.2%)	0.90	20/6024~(0.3%)	
1	В	0.95	7/4423~(0.2%)	0.92	17/5994~(0.3%)	
All	All	0.94	16/8868~(0.2%)	0.91	37/12018~(0.3%)	

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	А	0	2
1	В	0	1
All	All	0	3

All (16) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	$\operatorname{Observed}(\operatorname{\AA})$	Ideal(Å)
1	А	73	PRO	N-CD	9.14	1.60	1.47
1	А	299	TYR	CD1-CE1	-6.67	1.29	1.39
1	А	359	GLU	CD-OE1	-6.11	1.19	1.25
1	В	164	GLY	C-N	5.95	1.47	1.34
1	А	253	VAL	CB-CG2	-5.81	1.40	1.52
1	В	316	HIS	C-N	-5.63	1.21	1.34
1	В	325	GLY	C-N	-5.54	1.21	1.34
1	А	301	VAL	CB-CG1	-5.53	1.41	1.52
1	А	148	VAL	CB-CG2	-5.46	1.41	1.52
1	В	221	GLY	C-N	-5.40	1.21	1.34
1	В	253	VAL	CB-CG2	-5.26	1.41	1.52
1	В	555	ARG	C-N	-5.25	1.24	1.34
1	A	$\overline{72}$	VAL	C-N	-5.11	1.24	1.34
1	A	299	TYR	CD2-CE2	-5.05	1.31	1.39



Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	$\operatorname{Observed}(\operatorname{\AA})$	Ideal(Å)
1	А	478	LEU	C-N	-5.03	1.22	1.34
1	В	356	TYR	CD1-CE1	-5.00	1.31	1.39

All (37) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
1	В	170	ARG	O-C-N	-9.86	106.92	122.70
1	А	71	ALA	N-CA-CB	8.71	122.29	110.10
1	А	239	ALA	CB-CA-C	-8.18	97.84	110.10
1	В	554	VAL	CB-CA-C	7.98	126.57	111.40
1	В	394	SER	N-CA-CB	7.57	121.86	110.50
1	А	72	VAL	C-N-CD	-7.31	104.51	120.60
1	А	195	GLN	CB-CA-C	-7.30	95.79	110.40
1	В	170	ARG	CA-C-N	7.18	133.00	117.20
1	А	19	ALA	O-C-N	-7.17	111.23	122.70
1	В	70	LEU	CB-CA-C	-7.11	96.69	110.20
1	А	77	MET	O-C-N	-6.91	111.45	123.20
1	В	555	ARG	N-CA-CB	-6.65	98.63	110.60
1	В	267	LYS	CB-CA-C	6.59	123.58	110.40
1	В	207	GLU	CB-CA-C	6.57	123.54	110.40
1	В	478	LEU	O-C-N	-6.40	112.46	122.70
1	А	77	MET	N-CA-CB	-6.16	99.52	110.60
1	В	555	ARG	O-C-N	6.05	132.60	121.10
1	А	70	LEU	CB-CA-C	-6.02	98.76	110.20
1	А	240	ALA	N-CA-CB	-5.99	101.72	110.10
1	А	263	PRO	N-CA-CB	5.92	110.41	103.30
1	В	393	GLU	N-CA-C	5.90	126.94	111.00
1	А	171	ALA	CB-CA-C	5.83	118.85	110.10
1	В	131	ALA	N-CA-C	-5.78	95.39	111.00
1	А	453	PRO	C-N-CA	-5.72	110.28	122.30
1	В	170	ARG	C-N-CA	5.69	135.92	121.70
1	В	522	LEU	CA-CB-CG	5.67	128.35	115.30
1	А	171	ALA	N-CA-CB	-5.65	102.19	110.10
1	А	53	ARG	NE-CZ-NH1	5.62	123.11	120.30
1	А	293	TRP	CB-CA-C	5.49	121.37	110.40
1	В	208	PHE	N-CA-CB	5.46	120.44	110.60
1	A	403	LEU	CA-CB-CG	5.44	127.80	115.30
1	A	77	MET	N-CA-C	5.21	125.06	111.00
1	В	156	ALA	CB-CA-C	5.14	117.81	110.10
1	A	53	ARG	NE-CZ-NH2	-5.11	117.74	120.30
1	В	134	ARG	NE-CZ-NH2	-5.09	117.75	120.30
1	A	116	CYS	O-C-N	5.05	130.78	122.70



Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
1	А	240	ALA	N-CA-C	5.00	124.50	111.00

There are no chirality outliers.

All (3) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	А	402	ARG	Sidechain
1	А	77	MET	Mainchain
1	В	402	ARG	Sidechain

5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	А	4350	0	4293	136	0
1	В	4329	0	4277	101	0
2	А	53	0	30	7	0
2	В	53	0	30	7	0
3	А	325	0	0	4	0
3	В	311	0	0	0	0
All	All	9421	0	8630	237	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 14.

All (237) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	${f Interatomic} \ {f distance} \ ({ m \AA})$	Clash overlap (Å)
1:A:197:GLY:O	1:A:198:ILE:HG22	1.58	1.00
1:B:544:SER:O	1:B:545:GLU:HB2	1.58	0.97
1:B:7:THR:O	1:B:171:ALA:HA	1.64	0.97
1:A:217:GLU:HA	1:A:217:GLU:OE1	1.70	0.92
1:B:154:VAL:HG21	1:B:174:ILE:HG13	1.54	0.89
1:B:46:ARG:NH2	2:B:601:FAD:O2'	2.07	0.85
1:A:266:THR:HG21	1:A:270:ALA:HB2	1.61	0.83



		Interatomic	Clash
Atom-1	Atom-2	distance $(Å)$	overlap (Å)
1:A:205:ASN:O	1:A:206:ILE:HG13	1.79	0.82
1:A:492:GLY:C	1:A:493:LYS:HG2	2.02	0.80
1:A:492:GLY:O	1:A:493:LYS:CG	2.32	0.78
1:B:118:LEU:CD2	1:B:123:PHE:HB2	2.14	0.77
1:A:243:MET:SD	1:A:246:PRO:HD3	2.25	0.77
1:A:244:ILE:O	1:A:245:ARG:HD3	1.85	0.76
1:A:37:ARG:HD3	1:A:143:GLU:HB2	1.67	0.74
1:A:143:GLU:O	1:A:143:GLU:HG3	1.88	0.73
1:A:206:ILE:HD12	1:A:254:TRP:HH2	1.54	0.72
1:A:386:SER:HB2	1:A:402:ARG:HH21	1.56	0.71
1:A:492:GLY:O	1:A:493:LYS:HG2	1.91	0.71
1:A:48:HIS:CE1	1:A:242:ARG:HD2	2.25	0.71
1:A:266:THR:CG2	1:A:270:ALA:HB2	2.19	0.71
1:A:569:ARG:O	1:A:573:GLU:HG3	1.92	0.70
1:A:154:VAL:HG21	1:A:174:ILE:HG13	1.73	0.69
1:A:205:ASN:O	1:A:206:ILE:CG1	2.40	0.69
1:A:206:ILE:HD12	1:A:254:TRP:CH2	2.27	0.69
1:A:20:MET:HG2	1:A:330:VAL:HG13	1.74	0.69
1:B:46:ARG:NH2	2:B:601:FAD:HO2'	1.90	0.68
1:A:244:ILE:HB	1:A:249:LYS:HB3	1.75	0.68
1:B:157:ARG:HD2	1:B:166:GLU:OE2	1.94	0.68
1:A:266:THR:HG23	1:A:269:GLU:HG3	1.76	0.68
1:B:45:PRO:HB2	1:B:242:ARG:NH2	2.08	0.68
1:A:46:ARG:NH2	2:A:601:FAD:O2'	2.27	0.68
1:B:45:PRO:HB2	1:B:242:ARG:HH22	1.57	0.68
1:B:264:GLU:O	1:B:265:ILE:HG13	1.95	0.67
1:B:46:ARG:HG2	2:B:601:FAD:C6	2.26	0.66
1:B:280:THR:OG1	1:B:281:ASP:N	2.28	0.66
1:A:495:ARG:HD3	1:A:521:GLU:OE2	1.97	0.65
1:B:278:ILE:HD11	1:B:280:THR:O	1.97	0.64
1:A:46:ARG:O	1:A:47:SER:C	2.35	0.64
1:B:312:GLY:HA2	1:B:329:SER:OG	1.96	0.64
1:A:205:ASN:HB3	1:A:251:ILE:HD11	1.80	0.64
1:A:326:LEU:HD23	1:A:326:LEU:C	2.18	0.64
1:A:198:ILE:O	1:A:199:GLY:C	2.37	0.64
1:A:511:ALA:HB1	1:A:522:LEU:HD22	1.79	0.63
1:B:48:HIS:NE2	1:B:242:ARG:HD2	2.13	0.63
1:A:47:SER:HB2	1:A:120:GLN:OE1	1.98	0.63
1:A:16:PRO:HD2	2:A:601:FAD:O2P	1.98	0.63
1:A:197:GLY:O	1:A:198:ILE:CG2	2.42	0.63
1:A:47:SER:OG	1:A:326:LEU:HB2	2.00	0.62



		Interatomic	Clash	
Atom-1	Atom-2	distance (Å)	overlap (Å)	
1:A:143:GLU:O	1:A:143:GLU:CG	2.48	0.62	
1:A:46:ARG:HG2	2:A:601:FAD:C6	2.30	0.61	
1:A:492:GLY:O	1:A:493:LYS:CB	2.48	0.61	
1:A:326:LEU:HD23	1:A:326:LEU:O	2.01	0.60	
1:A:206:ILE:HG22	1:A:206:ILE:O	2.02	0.59	
1:B:417:LEU:HD11	1:B:421:MET:HE3	1.85	0.59	
1:A:226:MET:O	1:A:238:VAL:HG13	2.02	0.59	
1:A:244:ILE:O	1:A:245:ARG:CD	2.51	0.59	
1:B:20:MET:HG2	1:B:330:VAL:HG13	1.84	0.58	
1:A:147:HIS:HB3	1:A:156:ALA:HB2	1.84	0.58	
1:A:285:VAL:HG12	1:A:286:GLU:N	2.17	0.58	
1:B:544:SER:O	1:B:545:GLU:CB	2.42	0.58	
1:A:243:MET:SD	1:A:243:MET:O	2.62	0.57	
1:A:58:LEU:HD13	1:A:67:ALA:HB2	1.85	0.57	
1:B:145:LEU:HD12	1:B:157:ARG:HG2	1.87	0.57	
1:B:198:ILE:O	1:B:198:ILE:HG22	2.04	0.57	
1:A:557:ASP:O	1:A:558:MET:HB2	2.05	0.56	
1:B:154:VAL:HG21	1:B:174:ILE:CG1	2.33	0.56	
1:B:379:PRO:HB2	1:B:380:PRO:HD3	1.86	0.56	
1:A:311:MET:HB3	1:A:356:TYR:OH	2.06	0.56	
1:B:48:HIS:CE1	1:B:242:ARG:HD2	2.41	0.56	
1:A:212:LEU:HD21	1:A:278:ILE:HD12	1.88	0.55	
1:A:39:ARG:NH2	3:A:711:HOH:O	2.38	0.55	
1:B:46:ARG:CZ	2:B:601:FAD:O2'	2.53	0.55	
1:B:303:ASN:OD1	1:B:357:ASP:HB2	2.06	0.55	
1:A:198:ILE:O	1:A:198:ILE:HG23	2.07	0.55	
1:B:278:ILE:HD12	1:B:280:THR:H	1.72	0.55	
1:A:154:VAL:HG21	1:A:174:ILE:CG1	2.37	0.53	
1:A:379:PRO:HB2	1:A:380:PRO:HD3	1.91	0.53	
1:B:130:GLU:O	1:B:134:ARG:HG3	2.07	0.53	
1:B:202:GLY:HA3	1:B:293:TRP:O	2.09	0.53	
1:B:546:ILE:HD12	1:B:550:GLY:HA3	1.90	0.53	
1:A:84:THR:HG21	1:A:400:LEU:HD11	1.91	0.53	
1:A:555:ARG:HD3	1:A:561:ALA:HB2	1.91	0.53	
1:B:145:LEU:HD11	1:B:159:LEU:HB2	1.91	0.53	
1:B:326:LEU:HD23	1:B:326:LEU:C	2.29	0.53	
1:A:425:ILE:HD11	3:A:876:HOH:O	2.09	0.53	
1:B:204:ILE:CG2	1:B:254:TRP:CE2	2.93	0.52	
1:A:285:VAL:CG1	1:A:286:GLU:N	2.73	0.52	
1:B:16:PRO:HD2	2:B:601:FAD:O2P	2.10	0.52	
1:A:245:ARG:HB2	1:A:249:LYS:HD2	1.92	0.52	



		Interatomic	Clash	
Atom-1	Atom-2	distance (Å)	overlap (Å)	
1:A:13:GLY:HA2	2:A:601:FAD:O4B	2.10	0.52	
1:B:45:PRO:O	1:B:46:ARG:O	2.28	0.51	
1:B:418:ARG:O	1:B:418:ARG:HD3	2.10	0.51	
1:B:543:ILE:CG2	1:B:544:SER:N	2.72	0.51	
1:B:452:ASP:OD2	1:B:453:PRO:O	2.28	0.51	
1:B:543:ILE:O	1:B:544:SER:C	2.49	0.51	
1:A:266:THR:HG23	1:A:269:GLU:CG	2.40	0.51	
1:B:417:LEU:HD21	1:B:421:MET:HE1	1.91	0.50	
1:A:399:ALA:HA	1:A:402:ARG:NH1	2.26	0.50	
1:B:182:SER:HB3	1:B:185:ALA:HB3	1.92	0.50	
1:A:208:PHE:CD2	1:A:274:ILE:HD13	2.46	0.50	
1:A:198:ILE:O	1:A:199:GLY:O	2.30	0.50	
1:B:241:LEU:C	1:B:241:LEU:HD12	2.32	0.50	
1:A:204:ILE:O	1:A:204:ILE:HG23	2.12	0.49	
1:B:196:MET:HG3	1:B:297:GLN:OE1	2.11	0.49	
1:A:7:THR:O	1:A:171:ALA:HA	2.11	0.49	
1:A:151:GLN:O	1:A:151:GLN:HG2	2.11	0.49	
1:B:458:ASP:OD2	1:B:461:PHE:HD2	1.95	0.49	
1:B:467:THR:HA	1:B:560:ILE:HD12	1.95	0.49	
1:A:46:ARG:O	1:A:47:SER:O	2.30	0.49	
1:B:241:LEU:CD2	1:B:278:ILE:HG22	2.42	0.49	
1:A:338:TRP:CE3	1:A:556:PRO:HG2	2.48	0.49	
1:B:500:THR:OG1	1:B:501:GLY:N	2.46	0.48	
1:B:540:TYR:O	1:B:544:SER:HB3	2.13	0.48	
1:A:108:GLU:HG3	1:A:114:ARG:NH2	2.29	0.48	
1:B:569:ARG:O	1:B:573:GLU:HG3	2.14	0.48	
1:A:117:ASP:OD2	1:A:117:ASP:C	2.52	0.48	
1:A:385:LEU:HD21	1:A:417:LEU:HD22	1.95	0.48	
1:B:484:ARG:HD2	1:B:537:TYR:OH	2.12	0.48	
1:A:198:ILE:O	1:A:198:ILE:CG2	2.61	0.48	
1:B:205:ASN:N	1:B:205:ASN:ND2	2.62	0.48	
1:B:46:ARG:O	1:B:47:SER:C	2.51	0.48	
1:B:544:SER:OG	1:B:545:GLU:N	2.47	0.48	
1:A:367:ILE:HG13	1:A:368:VAL:N	2.28	0.48	
1:A:515:SER:HB2	1:A:520:ILE:O	2.14	0.48	
1:A:157:ARG:HG3	3:A:942:HOH:O	2.12	0.48	
1:A:387:LEU:HD11	1:A:399:ALA:CB	2.44	0.47	
1:B:492:GLY:O	1:B:493:LYS:HB2	2.14	0.47	
1:A:206:ILE:HD13	1:A:270:ALA:HB1	1.96	0.47	
1:B:302:ARG:HA	1:B:357:ASP:OD1	2.14	0.47	
1:A:64:GLU:HG2	1:A:68:LYS:HE2	1.96	0.47	



		Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:A:45:PRO:O	1:A:46:ARG:O	2.32	0.47
1:B:387:LEU:HD11	1:B:396:MET:CE	2.44	0.47
1:B:557:ASP:O	1:B:558:MET:HB2	2.15	0.47
1:A:458:ASP:OD2	3:A:701:HOH:O	2.20	0.47
1:B:158:LEU:HD11	1:B:169:VAL:HG21	1.95	0.47
1:B:502:LEU:HD11	1:B:529:PRO:HD2	1.97	0.47
1:A:109:LEU:HD23	1:A:109:LEU:HA	1.66	0.47
1:B:204:ILE:HG21	1:B:254:TRP:CE2	2.49	0.47
1:A:144:TYR:HB3	2:A:601:FAD:N1A	2.30	0.47
1:A:205:ASN:C	1:A:206:ILE:HG13	2.35	0.46
1:A:245:ARG:HB2	1:A:249:LYS:HB2	1.97	0.46
1:A:213:SER:O	1:A:217:GLU:HB2	2.15	0.46
1:B:479:THR:HA	1:B:483:ARG:O	2.15	0.46
1:A:553:LEU:HB3	1:A:562:PHE:HB3	1.97	0.46
1:B:245:ARG:HB2	1:B:249:LYS:HB2	1.98	0.46
1:B:382:PHE:HE2	1:B:391:PRO:HD2	1.80	0.46
1:B:388:PRO:O	1:B:389:PRO:C	2.53	0.46
1:A:130:GLU:O	1:A:134:ARG:HG3	2.16	0.45
1:B:46:ARG:NE	2:B:601:FAD:O2'	2.50	0.45
1:A:246:PRO:HA	1:A:247:TRP:HA	1.42	0.45
1:B:319:THR:HB	1:B:320:PRO:HD2	1.97	0.45
1:A:141:LEU:HD13	1:A:162:VAL:HG23	1.98	0.45
1:B:246:PRO:HA	1:B:247:TRP:HA	1.62	0.45
1:A:178:ASP:OD2	1:A:184:VAL:HG23	2.17	0.45
1:B:119:PRO:HD2	1:B:122:TYR:CD2	2.52	0.45
1:B:198:ILE:HA	1:B:199:GLY:HA2	1.56	0.45
1:B:417:LEU:CD1	1:B:421:MET:HE3	2.46	0.45
1:A:154:VAL:O	1:A:170:ARG:HD2	2.16	0.45
1:B:387:LEU:CD1	1:B:396:MET:SD	3.05	0.45
1:A:436:LEU:HB3	1:A:463:TYR:CD1	2.52	0.45
1:A:323:GLY:O	1:A:327:ASN:ND2	2.50	0.45
1:A:544:SER:O	1:A:545:GLU:HB2	2.16	0.45
1:A:245:ARG:HD2	1:A:245:ARG:HA	1.57	0.44
1:A:24:LEU:O	1:A:28:LEU:HD12	2.17	0.44
1:A:303:ASN:OD1	1:A:357:ASP:HB2	2.18	0.44
1:A:118:LEU:HA	1:A:119:PRO:HD3	1.87	0.44
1:B:502:LEU:CD1	1:B:529:PRO:HD2	2.48	0.44
1:B:141:LEU:HD13	1:B:162:VAL:HG23	2.00	0.44
1:A:397:ALA:O	1:A:401:VAL:HG23	2.17	0.44
1:B:281:ASP:C	1:B:281:ASP:OD1	2.56	0.44
1:A:385:LEU:HD23	1:A:403:LEU:HD13	1.99	0.43



		Interatomic	Clash
Atom-1	Atom-2	distance $(Å)$	overlan (Å)
1:A:42:SEB:HA	1:A:43:PBO:HD2	1.84	0.43
1:A:204:ILE:HD12	1:A:264:GLU:HB3	2.00	0.43
1:B:178:ASP:OD2	1:B:184:VAL:HG23	2.18	0.43
1:B:154:VAL:CG2	1:B:174:ILE:HG13	2.37	0.43
1:A:145:LEU:HD11	1:A:159:LEU:HB2	1.99	0.43
1:A:206:ILE:HG12	1:A:290:ILE:HG12	2.00	0.43
1:A:418:ARG:O	1:A:418:ARG:HD3	2.19	0.43
1:A:58:LEU:CD1	1:A:67:ALA:HB2	2.48	0.43
1:A:91:PHE:CE1	1:A:400:LEU:CD2	3.02	0.43
1:B:225:TRP:CZ3	1:B:378:PHE:CE1	3.07	0.43
1:A:278:ILE:HG22	1:A:280:THR:HG22	2.00	0.43
1:A:422:ASP:O	1:A:425:ILE:HG22	2.19	0.43
1:B:205:ASN:HD22	1:B:205:ASN:N	2.16	0.43
1:B:225:TRP:CZ3	1:B:378:PHE:CZ	3.07	0.43
1:B:379:PRO:N	1:B:380:PRO:CD	2.82	0.43
1:B:266:THR:CG2	1:B:270:ALA:HB2	2.49	0.42
1:B:210:ALA:HB2	1:B:285:VAL:HG22	2.01	0.42
1:A:302:ARG:HA	1:A:357:ASP:OD1	2.19	0.42
1:B:514:VAL:HG22	1:B:576:ASN:HB2	2.01	0.42
1:A:120:GLN:HG3	1:A:326:LEU:HD12	2.01	0.42
1:A:75:GLU:CD	1:A:75:GLU:H	2.22	0.42
1:B:118:LEU:O	1:B:118:LEU:HD23	2.19	0.42
1:B:241:LEU:HD11	1:B:250:TRP:CE3	2.54	0.42
1:A:47:SER:HB3	1:A:326:LEU:HD12	2.02	0.42
1:B:13:GLY:HA2	2:B:601:FAD:O4B	2.18	0.42
1:A:139:ARG:HG3	1:A:142:THR:OG1	2.20	0.42
1:B:53:ARG:NH2	1:B:472:HIS:CD2	2.87	0.42
1:B:555:ARG:HA	1:B:556:PRO:HD3	1.78	0.42
1:A:392:THR:HG23	1:A:395:GLU:OE1	2.19	0.42
1:B:387:LEU:HD13	1:B:391:PRO:HG3	2.01	0.42
1:B:225:TRP:HZ3	1:B:378:PHE:CE1	2.36	0.42
1:B:271:LYS:HE3	1:B:275:HIS:NE2	2.35	0.42
1:A:182:SER:HB3	1:A:185:ALA:HB3	2.02	0.41
1:A:86:LEU:CD2	1:A:212:LEU:HD13	2.49	0.41
1:A:144:TYR:OH	1:A:147:HIS:HD2	2.02	0.41
1:A:147:HIS:HA	1:A:156:ALA:HA	2.00	0.41
1:B:417:LEU:HG	1:B:421:MET:CE	2.49	0.41
1:B:68:LYS:HA	1:B:71:ALA:HB3	2.02	0.41
1:B:79:GLU:O	1:B:221:GLY:HA3	2.20	0.41
1:A:218:HIS:CD2	1:A:219:ARG:HG2	2.55	0.41
1:A:398:GLU:HG3	1:A:402:ARG:NH1	2.35	0.41



Atom 1	Atom 2	Interatomic	Clash
Atom-1	Atom-2	${ m distance}~({ m \AA})$	overlap (Å)
1:A:326:LEU:C	1:A:326:LEU:CD2	2.88	0.41
1:A:555:ARG:CD	1:A:561:ALA:HB2	2.49	0.41
1:B:481:ASN:O	1:B:482:GLN:HB2	2.20	0.41
1:A:432:HIS:NE2	1:A:436:LEU:HD22	2.36	0.41
1:A:83:ALA:HB2	1:A:90:GLU:HA	2.02	0.41
1:A:144:TYR:OH	1:A:146:GLY:HA2	2.20	0.41
1:A:217:GLU:OE1	1:A:217:GLU:CA	2.50	0.41
1:A:243:MET:SD	1:A:243:MET:C	2.99	0.41
1:A:206:ILE:CD1	1:A:254:TRP:HH2	2.28	0.41
1:A:458:ASP:OD1	1:A:458:ASP:C	2.58	0.41
1:B:223:MET:HE2	1:B:225:TRP:HE1	1.85	0.41
1:B:314:ALA:O	1:B:317:ARG:NH2	2.53	0.41
1:A:398:GLU:HG3	1:A:402:ARG:HH11	1.85	0.41
1:B:311:MET:HB3	1:B:356:TYR:OH	2.21	0.40
1:A:393:GLU:HG2	1:A:393:GLU:H	1.67	0.40
1:A:91:PHE:CE1	1:A:400:LEU:HD21	2.57	0.40
1:A:46:ARG:NH2	2:A:601:FAD:O4'	2.54	0.40
1:A:312:GLY:HA3	2:A:601:FAD:O1P	2.22	0.40
1:B:209:SER:O	1:B:210:ALA:HB2	2.20	0.40
1:A:379:PRO:N	1:A:380:PRO:CD	2.84	0.40
1:A:446:PHE:HA	1:A:447:PRO:HD3	1.73	0.40
1:A:508:LYS:HD2	1:A:508:LYS:HA	1.94	0.40
1:B:200:ASP:OD1	1:B:200:ASP:O	2.40	0.40
1:B:387:LEU:HA	1:B:387:LEU:HD23	1.80	0.40
1:B:225:TRP:HZ3	1:B:378:PHE:CZ	2.39	0.40

There are no symmetry-related clashes.

5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	А	560/592~(95%)	524 (94%)	27~(5%)	9 (2%)	99



Mol	Chain	Analysed	Percentiles			
1	В	557/592~(94%)	512 (92%)	41 (7%)	4 (1%)	22 26
All	All	1117/1184 (94%)	1036~(93%)	68 (6%)	13 (1%)	13 14

All (13) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	А	46	ARG
1	А	206	ILE
1	В	46	ARG
1	А	47	SER
1	А	198	ILE
1	А	199	GLY
1	А	493	LYS
1	В	47	SER
1	В	406	ALA
1	В	545	GLU
1	А	6	GLU
1	А	391	PRO
1	А	73	PRO

5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles		
1	А	452/473~(96%)	446~(99%)	6 (1%)	69 82		
1	В	451/473~(95%)	443~(98%)	8 (2%)	59 75		
All	All	903/946~(96%)	889~(98%)	14 (2%)	62 78		

All (14) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	А	47	SER
1	А	143	GLU
1	А	196	MET



Mol	Chain	Res	Type
1	А	245	ARG
1	А	277	ILE
1	А	319	THR
1	В	47	SER
1	В	59	ARG
1	В	205	ASN
1	В	241	LEU
1	В	319	THR
1	В	329	SER
1	В	353	LEU
1	В	495	ARG

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (4) such sidechains are listed below:

Mol	Chain	Res	Type
1	А	147	HIS
1	А	205	ASN
1	В	147	HIS
1	В	205	ASN

5.3.3 RNA (i)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates (i)

There are no monosaccharides in this entry.

5.6 Ligand geometry (i)

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The



4Z2R

Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond length (or angles).

Mol Type	Chain Bes		Tink	B	ond leng	gths	E	Bond ang	gles	
	туре	Chain	nes		Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	FAD	А	601	-	51, 58, 58	2.87	16 (31%)	60,89,89	2.60	17 (28%)
2	FAD	В	601	-	51, 58, 58	2.79	18 (35%)	60,89,89	2.63	19 (31%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	FAD	А	601	-	1/1/9/9	15/30/50/50	0/6/6/6
2	FAD	В	601	-	1/1/9/9	12/30/50/50	0/6/6/6

All (34) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	А	601	FAD	C4X-C10	13.04	1.51	1.38
2	В	601	FAD	C4X-C10	12.44	1.51	1.38
2	А	601	FAD	C5X-N5	8.26	1.49	1.35
2	В	601	FAD	C5X-N5	7.43	1.47	1.35
2	В	601	FAD	C2'-C3'	4.51	1.62	1.53
2	А	601	FAD	C2-N1	4.31	1.46	1.38
2	А	601	FAD	C2B-C1B	-4.28	1.47	1.53
2	А	601	FAD	C1'-N10	-4.26	1.43	1.48
2	А	601	FAD	C2'-C3'	4.23	1.61	1.53
2	В	601	FAD	C2-N1	4.18	1.46	1.38
2	В	601	FAD	C9A-N10	4.06	1.44	1.38
2	В	601	FAD	C2B-C1B	-3.99	1.47	1.53
2	В	601	FAD	C1'-N10	-3.71	1.44	1.48
2	А	601	FAD	C4-N3	3.69	1.39	1.33
2	В	601	FAD	C4-C4X	3.24	1.46	1.41
2	В	601	FAD	C4-N3	3.24	1.38	1.33
2	А	601	FAD	C9A-N10	3.18	1.42	1.38
2	В	601	FAD	O2'-C2'	2.89	1.49	1.43
2	А	601	FAD	C4-C4X	2.82	1.46	1.41
2	В	601	FAD	C2A-N3A	2.56	1.36	1.32
2	А	601	FAD	O2'-C2'	2.56	1.48	1.43
2	A	601	FAD	C2A-N3A	2.53	1.36	1.32



Mol	Chain	\mathbf{Res}	Type	\mathbf{Atoms}	Z	Observed(A)	Ideal(Å)
2	В	601	FAD	C6A-N6A	2.47	1.43	1.34
2	В	601	FAD	O2B-C2B	-2.45	1.37	1.43
2	А	601	FAD	C6A-N6A	2.36	1.42	1.34
2	В	601	FAD	O3'-C3'	-2.35	1.37	1.43
2	А	601	FAD	O2B-C2B	-2.30	1.37	1.43
2	А	601	FAD	O3'-C3'	-2.18	1.37	1.43
2	А	601	FAD	O3B-C3B	-2.11	1.38	1.43
2	В	601	FAD	O4'-C4'	-2.10	1.38	1.43
2	В	601	FAD	O4B-C4B	-2.09	1.40	1.45
2	А	601	FAD	C2-N3	2.09	1.42	1.38
2	В	601	FAD	C1'-C2'	2.02	1.63	1.50
2	В	601	FAD	O3B-C3B	-2.01	1.38	1.43

All (36) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
2	А	601	FAD	C4-N3-C2	11.22	124.62	115.14
2	В	601	FAD	C4-N3-C2	10.92	124.36	115.14
2	В	601	FAD	O5'-P-O1P	-6.64	83.14	109.07
2	А	601	FAD	O5'-P-O1P	-6.36	84.23	109.07
2	В	601	FAD	N3A-C2A-N1A	-5.55	120.00	128.68
2	А	601	FAD	N3A-C2A-N1A	-5.46	120.14	128.68
2	А	601	FAD	C4'-C3'-C2'	5.44	124.67	113.36
2	В	601	FAD	O2P-P-O5'	-5.06	84.26	107.75
2	А	601	FAD	O2P-P-O5'	-4.88	85.07	107.75
2	В	601	FAD	C4'-C3'-C2'	4.88	123.50	113.36
2	А	601	FAD	O2'-C2'-C3'	4.82	120.81	109.10
2	В	601	FAD	O2'-C2'-C1'	4.31	119.98	109.59
2	В	601	FAD	C4X-C4-N3	-4.21	117.68	123.43
2	В	601	FAD	O2'-C2'-C3'	4.14	119.16	109.10
2	А	601	FAD	C4X-C4-N3	-4.11	117.80	123.43
2	А	601	FAD	C4-C4X-C10	-3.90	117.37	119.95
2	В	601	FAD	O3'-C3'-C2'	3.81	118.02	108.81
2	А	601	FAD	O2'-C2'-C1'	3.79	118.71	109.59
2	А	601	FAD	C4X-C10-N10	-3.55	116.66	120.30
2	А	601	FAD	O3'-C3'-C4'	3.52	117.32	108.81
2	В	601	FAD	O3'-C3'-C4'	3.49	117.25	108.81
2	В	601	FAD	C4X-N5-C5X	3.46	120.23	116.77
2	В	601	FAD	C1'-N10-C9A	3.27	120.87	118.29
2	A	601	FAD	O3'-C3'-C2'	3.26	116.69	108.81
2	В	601	FAD	C1'-C2'-C3'	3.06	118.34	109.79
2	А	601	FAD	C1'-C2'-C3'	3.04	118.29	109.79



Mol	Chain	\mathbf{Res}	\mathbf{Type}	\mathbf{Atoms}	Z	$\mathbf{Observed}(^{o})$	$Ideal(^{o})$
2	В	601	FAD	P-O3P-PA	-2.81	123.18	132.83
2	В	601	FAD	C4X-C10-N10	-2.70	117.53	120.30
2	А	601	FAD	C4A-C5A-N7A	-2.52	106.77	109.40
2	А	601	FAD	C4X-N5-C5X	2.52	119.29	116.77
2	В	601	FAD	C4-C4X-C10	-2.45	118.33	119.95
2	В	601	FAD	C1'-N10-C10	-2.33	116.32	118.41
2	А	601	FAD	C4-C4X-N5	2.29	121.21	118.60
2	В	601	FAD	C4A-C5A-N7A	-2.11	107.19	109.40
2	В	601	FAD	C4-C4X-N5	2.08	120.98	118.60
2	А	601	FAD	C1B-N9A-C4A	-2.03	123.07	126.64

All (2) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
2	А	601	FAD	C3'
2	В	601	FAD	C3'

All (27) torsion outliers are listed below:

Mol	Chain	\mathbf{Res}	Type	Atoms
2	А	601	FAD	C5B-O5B-PA-O1A
2	А	601	FAD	C5B-O5B-PA-O2A
2	А	601	FAD	N10-C1'-C2'-O2'
2	А	601	FAD	C1'-C2'-C3'-O3'
2	А	601	FAD	O2'-C2'-C3'-C4'
2	А	601	FAD	C2'-C3'-C4'-O4'
2	А	601	FAD	C5'-O5'-P-O3P
2	В	601	FAD	C1'-C2'-C3'-O3'
2	В	601	FAD	O2'-C2'-C3'-C4'
2	В	601	FAD	C2'-C3'-C4'-O4'
2	В	601	FAD	C5'-O5'-P-O1P
2	А	601	FAD	O4B-C4B-C5B-O5B
2	А	601	FAD	C2'-C3'-C4'-C5'
2	В	601	FAD	C2'-C3'-C4'-C5'
2	А	601	FAD	C3B-C4B-C5B-O5B
2	В	601	FAD	O4B-C4B-C5B-O5B
2	А	601	FAD	C3'-C4'-C5'-O5'
2	А	601	FAD	P-O3P-PA-O5B
2	В	601	FAD	P-O3P-PA-O5B
2	A	601	FAD	C5B-O5B-PA-O3P
2	В	601	FAD	C5B-O5B-PA-O3P
2	В	601	FAD	C5'-O5'-P-O3P



0 0 1 0 0 0	r^{r}							
Mol	Chain	\mathbf{Res}	Type	Atoms				
2	А	601	FAD	C5'-O5'-P-O1P				
2	В	601	FAD	C5B-O5B-PA-O1A				
2	В	601	FAD	N10-C1'-C2'-O2'				
2	А	601	FAD	O4'-C4'-C5'-O5'				
2	В	601	FAD	C3B-C4B-C5B-O5B				

Continued from previous page...

There are no ring outliers.

2 monomers are involved in 14 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	А	601	FAD	7	0
2	В	601	FAD	7	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less then 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.











5.7 Other polymers (i)

There are no such residues in this entry.

5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.



6 Fit of model and data (i)

6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled '#RSRZ> 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95^{th} percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ $>$	#RSRZ>2		$OWAB(Å^2)$	Q<0.9	
1	А	566/592~(95%)	0.70	64 (11%)	5	7	7, 22, 58, 126	0
1	В	563/592~(95%)	0.76	62~(11%)	5	7	9, 22, 70, 126	0
All	All	1129/1184~(95%)	0.73	126 (11%)	5	7	7, 22, 65, 126	0

All (126) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	В	198	ILE	15.4
1	А	198	ILE	10.6
1	В	392	THR	10.3
1	В	200	ASP	9.2
1	А	197	GLY	8.9
1	В	199	GLY	8.6
1	В	202	GLY	8.0
1	А	199	GLY	7.9
1	А	196	MET	7.6
1	А	200	ASP	6.6
1	В	265	ILE	6.6
1	В	194	GLY	6.4
1	В	201	SER	6.3
1	А	282	GLU	6.1
1	А	256	TYR	5.8
1	В	196	MET	5.8
1	В	388	PRO	5.6
1	В	390	ALA	5.6
1	А	264	GLU	5.4
1	В	393	GLU	5.2
1	A	202	GLY	5.0
1	A	195	GLN	5.0
1	A	268	GLU	5.0
1	В	197	GLY	4.9



Mol	Chain	Res	Type	RSRZ
1	А	516	GLN	4.9
1	А	388	PRO	4.9
1	В	264	GLU	4.8
1	В	569	ARG	4.7
1	А	265	ILE	4.7
1	В	282	GLU	4.7
1	В	268	GLU	4.6
1	В	270	ALA	4.4
1	В	210	ALA	4.3
1	В	266	THR	4.3
1	А	194	GLY	4.3
1	В	195	GLN	4.2
1	А	391	PRO	4.1
1	В	267	LYS	4.1
1	В	389	PRO	4.0
1	В	509	HIS	4.0
1	А	281	ASP	4.0
1	В	151	GLN	3.9
1	В	516	GLN	3.9
1	А	296	ASN	3.9
1	А	201	SER	3.9
1	В	281	ASP	3.9
1	А	263	PRO	3.8
1	В	391	PRO	3.8
1	В	271	LYS	3.7
1	А	272	LYS	3.6
1	А	270	ALA	3.4
1	А	390	ALA	3.4
1	В	283	ILE	3.3
1	В	454	GLY	3.3
1	В	254	TRP	3.3
1	В	398	GLU	3.2
1	А	148	VAL	3.2
1	A	151	GLN	3.2
1	В	296	ASN	3.2
1	В	269	GLU	3.2
1	В	394	SER	3.2
1	A	392	THR	3.1
1	A	144	TYR	3.1
1	A	389	PRO	3.1
1	В	211	ASP	3.1
1	A	254	TRP	3.1



4Z2R

Mol	Chain	Res	Type	RSRZ
1	В	517	SER	3.1
1	А	295	ILE	3.0
1	А	248	ASN	3.0
1	А	267	LYS	2.9
1	А	285	VAL	2.9
1	В	247	TRP	2.9
1	В	513	GLN	2.9
1	В	287	VAL	2.8
1	В	67	ALA	2.8
1	А	210	ALA	2.8
1	А	495	ARG	2.8
1	А	238	VAL	2.7
1	A	271	LYS	2.7
1	A	237	GLY	2.7
1	В	272	LYS	2.7
1	В	248	ASN	2.6
1	В	406	ALA	2.6
1	A	387	LEU	2.5
1	А	253	VAL	2.5
1	В	285	VAL	2.5
1	А	249	LYS	2.5
1	А	266	THR	2.5
1	A	386	SER	2.5
1	В	150	ASP	2.5
1	A	255	GLY	2.4
1	В	278	ILE	2.4
1	A	330	VAL	2.4
1	A	239	ALA	2.4
1	A	385	LEU	2.3
1	A	246	PRO	2.3
1	A	211	ASP	2.3
1	A	269	GLU	2.3
1	В	217	GLU	2.3
1	В	379	PRO	2.3
1	A	217	GLU	2.2
1	A	286	GLU	2.2
1	A	98	ALA	2.2
1	В	280	THR	2.2
1	В	273	ILE	2.2
1	A	409	GLU	2.2
1	В	544	SER	2.2
1	В	514	VAL	2.1



Mol	Chain	Res	Type	RSRZ
1	В	554	VAL	2.1
1	А	143	GLU	2.1
1	В	512	GLU	2.1
1	А	156	ALA	2.1
1	А	456	VAL	2.1
1	В	148	VAL	2.1
1	А	46	ARG	2.1
1	А	536	THR	2.1
1	В	515	SER	2.1
1	В	380	PRO	2.1
1	А	169	VAL	2.1
1	А	569	ARG	2.0
1	В	46	ARG	2.0
1	В	387	LEU	2.0
1	А	512	GLU	2.0
1	А	205	ASN	2.0
1	А	444	ALA	2.0
1	В	508	LYS	2.0

6.2 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates (i)

There are no monosaccharides in this entry.

6.4 Ligands (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95^{th} percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	FAD	В	601	53/53	0.91	0.17	17,29,44,46	0
2	FAD	А	601	53/53	0.93	0.16	18,27,41,44	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers



as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.





6.5 Other polymers (i)

There are no such residues in this entry.

