



## wwPDB EM Validation Summary Report ⓘ

Aug 28, 2024 – 12:50 PM JST

PDB ID : 8Z4D  
EMDB ID : EMD-39761  
Title : Structure of the S-ring region of the Vibrio flagellar MS-ring protein FliF with 34-fold symmetry applied  
Authors : Takekawa, N.; Nishikino, T.; Kishikawa, J.; Hirose, M.; Kato, T.; Imada, K.; Homma, M.  
Deposited on : 2024-04-17  
Resolution : 3.33 Å(reported)

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


EMDB validation analysis : 0.0.1.dev112  
MolProbity : 4.02b-467  
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)  
MapQ : 1.9.13  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.38.2

# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:  
*ELECTRON MICROSCOPY*

The reported resolution of this entry is 3.33 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.




























Metric	Whole archive (#Entries)	EM structures (#Entries)
Clashscore	210492	15764
Ramachandran outliers	207382	16835
Sidechain outliers	206894	16415

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion  $< 40\%$ ). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	1	945	13% . 85%
1	2	945	13% . 85%
1	3	945	13% . 85%
1	4	945	13% . 85%
1	5	945	13% . 85%
1	6	945	13% . 85%
1	7	945	13% . 85%
1	8	945	13% . 85%


*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Length	Quality of chain
1	9	945	 13% 85%
1	A	945	 13% 85%
1	B	945	 13% 85%
1	C	945	 13% 85%
1	D	945	 13% 85%
1	E	945	 13% 85%
1	F	945	 13% 85%
1	G	945	 13% 85%
1	H	945	 13% 85%
1	I	945	 13% 85%
1	J	945	 13% 85%
1	K	945	 13% 85%
1	L	945	 13% 85%
1	M	945	 13% 85%
1	N	945	 13% 85%
1	O	945	 13% 85%
1	P	945	 13% 85%
1	Q	945	 13% 85%
1	R	945	 13% 85%
1	S	945	 13% 85%
1	T	945	 13% 85%
1	U	945	 13% 85%
1	V	945	 13% 85%
1	W	945	 13% 85%
1	X	945	 13% 85%

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Length	Quality of chain
1	Y	945	 14% 85%

## 2 Entry composition [i](#)

There is only 1 type of molecule in this entry. The entry contains 38862 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Flagellar M-ring protein,Flagellar motor switch protein FliG.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
1	1	144	1143	703	208	230	2	0	0
1	2	144	1143	703	208	230	2	0	0
1	3	144	1143	703	208	230	2	0	0
1	4	144	1143	703	208	230	2	0	0
1	5	144	1143	703	208	230	2	0	0
1	6	144	1143	703	208	230	2	0	0
1	7	144	1143	703	208	230	2	0	0
1	8	144	1143	703	208	230	2	0	0
1	9	144	1143	703	208	230	2	0	0
1	A	144	1143	703	208	230	2	0	0
1	B	144	1143	703	208	230	2	0	0
1	C	144	1143	703	208	230	2	0	0
1	D	144	1143	703	208	230	2	0	0
1	E	144	1143	703	208	230	2	0	0
1	F	144	1143	703	208	230	2	0	0
1	G	144	1143	703	208	230	2	0	0
1	H	144	1143	703	208	230	2	0	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Residues	Atoms					AltConf	Trace
1	I	144	Total 1143	C 703	N 208	O 230	S 2	0	0
1	J	144	Total 1143	C 703	N 208	O 230	S 2	0	0
1	K	144	Total 1143	C 703	N 208	O 230	S 2	0	0
1	L	144	Total 1143	C 703	N 208	O 230	S 2	0	0
1	M	144	Total 1143	C 703	N 208	O 230	S 2	0	0
1	N	144	Total 1143	C 703	N 208	O 230	S 2	0	0
1	O	144	Total 1143	C 703	N 208	O 230	S 2	0	0
1	P	144	Total 1143	C 703	N 208	O 230	S 2	0	0
1	Q	144	Total 1143	C 703	N 208	O 230	S 2	0	0
1	R	144	Total 1143	C 703	N 208	O 230	S 2	0	0
1	S	144	Total 1143	C 703	N 208	O 230	S 2	0	0
1	T	144	Total 1143	C 703	N 208	O 230	S 2	0	0
1	U	144	Total 1143	C 703	N 208	O 230	S 2	0	0
1	V	144	Total 1143	C 703	N 208	O 230	S 2	0	0
1	W	144	Total 1143	C 703	N 208	O 230	S 2	0	0
1	X	144	Total 1143	C 703	N 208	O 230	S 2	0	0
1	Y	144	Total 1143	C 703	N 208	O 230	S 2	0	0

There are 578 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
1	-15	MET	-	initiating methionine	UNP Q75N27
1	-14	ASN	-	expression tag	UNP Q75N27
1	-13	HIS	-	expression tag	UNP Q75N27
1	-12	LYS	-	expression tag	UNP Q75N27
1	-11	VAL	-	expression tag	UNP Q75N27

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
1	-10	HIS	-	expression tag	UNP Q75N27
1	-9	HIS	-	expression tag	UNP Q75N27
1	-8	HIS	-	expression tag	UNP Q75N27
1	-7	HIS	-	expression tag	UNP Q75N27
1	-6	HIS	-	expression tag	UNP Q75N27
1	-5	HIS	-	expression tag	UNP Q75N27
1	-4	ILE	-	expression tag	UNP Q75N27
1	-3	GLU	-	expression tag	UNP Q75N27
1	-2	GLY	-	expression tag	UNP Q75N27
1	-1	ARG	-	expression tag	UNP Q75N27
1	0	HIS	-	expression tag	UNP Q75N27
1	792	SER	GLY	engineered mutation	UNP A0A0T7EAG0
2	-15	MET	-	initiating methionine	UNP Q75N27
2	-14	ASN	-	expression tag	UNP Q75N27
2	-13	HIS	-	expression tag	UNP Q75N27
2	-12	LYS	-	expression tag	UNP Q75N27
2	-11	VAL	-	expression tag	UNP Q75N27
2	-10	HIS	-	expression tag	UNP Q75N27
2	-9	HIS	-	expression tag	UNP Q75N27
2	-8	HIS	-	expression tag	UNP Q75N27
2	-7	HIS	-	expression tag	UNP Q75N27
2	-6	HIS	-	expression tag	UNP Q75N27
2	-5	HIS	-	expression tag	UNP Q75N27
2	-4	ILE	-	expression tag	UNP Q75N27
2	-3	GLU	-	expression tag	UNP Q75N27
2	-2	GLY	-	expression tag	UNP Q75N27
2	-1	ARG	-	expression tag	UNP Q75N27
2	0	HIS	-	expression tag	UNP Q75N27
2	792	SER	GLY	engineered mutation	UNP A0A0T7EAG0
3	-15	MET	-	initiating methionine	UNP Q75N27
3	-14	ASN	-	expression tag	UNP Q75N27
3	-13	HIS	-	expression tag	UNP Q75N27
3	-12	LYS	-	expression tag	UNP Q75N27
3	-11	VAL	-	expression tag	UNP Q75N27
3	-10	HIS	-	expression tag	UNP Q75N27
3	-9	HIS	-	expression tag	UNP Q75N27
3	-8	HIS	-	expression tag	UNP Q75N27
3	-7	HIS	-	expression tag	UNP Q75N27
3	-6	HIS	-	expression tag	UNP Q75N27
3	-5	HIS	-	expression tag	UNP Q75N27
3	-4	ILE	-	expression tag	UNP Q75N27
3	-3	GLU	-	expression tag	UNP Q75N27

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
3	-2	GLY	-	expression tag	UNP Q75N27
3	-1	ARG	-	expression tag	UNP Q75N27
3	0	HIS	-	expression tag	UNP Q75N27
3	792	SER	GLY	engineered mutation	UNP A0A0T7EAG0
4	-15	MET	-	initiating methionine	UNP Q75N27
4	-14	ASN	-	expression tag	UNP Q75N27
4	-13	HIS	-	expression tag	UNP Q75N27
4	-12	LYS	-	expression tag	UNP Q75N27
4	-11	VAL	-	expression tag	UNP Q75N27
4	-10	HIS	-	expression tag	UNP Q75N27
4	-9	HIS	-	expression tag	UNP Q75N27
4	-8	HIS	-	expression tag	UNP Q75N27
4	-7	HIS	-	expression tag	UNP Q75N27
4	-6	HIS	-	expression tag	UNP Q75N27
4	-5	HIS	-	expression tag	UNP Q75N27
4	-4	ILE	-	expression tag	UNP Q75N27
4	-3	GLU	-	expression tag	UNP Q75N27
4	-2	GLY	-	expression tag	UNP Q75N27
4	-1	ARG	-	expression tag	UNP Q75N27
4	0	HIS	-	expression tag	UNP Q75N27
4	792	SER	GLY	engineered mutation	UNP A0A0T7EAG0
5	-15	MET	-	initiating methionine	UNP Q75N27
5	-14	ASN	-	expression tag	UNP Q75N27
5	-13	HIS	-	expression tag	UNP Q75N27
5	-12	LYS	-	expression tag	UNP Q75N27
5	-11	VAL	-	expression tag	UNP Q75N27
5	-10	HIS	-	expression tag	UNP Q75N27
5	-9	HIS	-	expression tag	UNP Q75N27
5	-8	HIS	-	expression tag	UNP Q75N27
5	-7	HIS	-	expression tag	UNP Q75N27
5	-6	HIS	-	expression tag	UNP Q75N27
5	-5	HIS	-	expression tag	UNP Q75N27
5	-4	ILE	-	expression tag	UNP Q75N27
5	-3	GLU	-	expression tag	UNP Q75N27
5	-2	GLY	-	expression tag	UNP Q75N27
5	-1	ARG	-	expression tag	UNP Q75N27
5	0	HIS	-	expression tag	UNP Q75N27
5	792	SER	GLY	engineered mutation	UNP A0A0T7EAG0
6	-15	MET	-	initiating methionine	UNP Q75N27
6	-14	ASN	-	expression tag	UNP Q75N27
6	-13	HIS	-	expression tag	UNP Q75N27
6	-12	LYS	-	expression tag	UNP Q75N27

*Continued on next page...*



*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
6	-11	VAL	-	expression tag	UNP Q75N27
6	-10	HIS	-	expression tag	UNP Q75N27
6	-9	HIS	-	expression tag	UNP Q75N27
6	-8	HIS	-	expression tag	UNP Q75N27
6	-7	HIS	-	expression tag	UNP Q75N27
6	-6	HIS	-	expression tag	UNP Q75N27
6	-5	HIS	-	expression tag	UNP Q75N27
6	-4	ILE	-	expression tag	UNP Q75N27
6	-3	GLU	-	expression tag	UNP Q75N27
6	-2	GLY	-	expression tag	UNP Q75N27
6	-1	ARG	-	expression tag	UNP Q75N27
6	0	HIS	-	expression tag	UNP Q75N27
6	792	SER	GLY	engineered mutation	UNP A0A0T7EAG0
7	-15	MET	-	initiating methionine	UNP Q75N27
7	-14	ASN	-	expression tag	UNP Q75N27
7	-13	HIS	-	expression tag	UNP Q75N27
7	-12	LYS	-	expression tag	UNP Q75N27
7	-11	VAL	-	expression tag	UNP Q75N27
7	-10	HIS	-	expression tag	UNP Q75N27
7	-9	HIS	-	expression tag	UNP Q75N27
7	-8	HIS	-	expression tag	UNP Q75N27
7	-7	HIS	-	expression tag	UNP Q75N27
7	-6	HIS	-	expression tag	UNP Q75N27
7	-5	HIS	-	expression tag	UNP Q75N27
7	-4	ILE	-	expression tag	UNP Q75N27
7	-3	GLU	-	expression tag	UNP Q75N27
7	-2	GLY	-	expression tag	UNP Q75N27
7	-1	ARG	-	expression tag	UNP Q75N27
7	0	HIS	-	expression tag	UNP Q75N27
7	792	SER	GLY	engineered mutation	UNP A0A0T7EAG0
8	-15	MET	-	initiating methionine	UNP Q75N27
8	-14	ASN	-	expression tag	UNP Q75N27
8	-13	HIS	-	expression tag	UNP Q75N27
8	-12	LYS	-	expression tag	UNP Q75N27
8	-11	VAL	-	expression tag	UNP Q75N27
8	-10	HIS	-	expression tag	UNP Q75N27
8	-9	HIS	-	expression tag	UNP Q75N27
8	-8	HIS	-	expression tag	UNP Q75N27
8	-7	HIS	-	expression tag	UNP Q75N27
8	-6	HIS	-	expression tag	UNP Q75N27
8	-5	HIS	-	expression tag	UNP Q75N27
8	-4	ILE	-	expression tag	UNP Q75N27

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
8	-3	GLU	-	expression tag	UNP Q75N27
8	-2	GLY	-	expression tag	UNP Q75N27
8	-1	ARG	-	expression tag	UNP Q75N27
8	0	HIS	-	expression tag	UNP Q75N27
8	792	SER	GLY	engineered mutation	UNP A0A0T7EAG0
9	-15	MET	-	initiating methionine	UNP Q75N27
9	-14	ASN	-	expression tag	UNP Q75N27
9	-13	HIS	-	expression tag	UNP Q75N27
9	-12	LYS	-	expression tag	UNP Q75N27
9	-11	VAL	-	expression tag	UNP Q75N27
9	-10	HIS	-	expression tag	UNP Q75N27
9	-9	HIS	-	expression tag	UNP Q75N27
9	-8	HIS	-	expression tag	UNP Q75N27
9	-7	HIS	-	expression tag	UNP Q75N27
9	-6	HIS	-	expression tag	UNP Q75N27
9	-5	HIS	-	expression tag	UNP Q75N27
9	-4	ILE	-	expression tag	UNP Q75N27
9	-3	GLU	-	expression tag	UNP Q75N27
9	-2	GLY	-	expression tag	UNP Q75N27
9	-1	ARG	-	expression tag	UNP Q75N27
9	0	HIS	-	expression tag	UNP Q75N27
9	792	SER	GLY	engineered mutation	UNP A0A0T7EAG0
A	-15	MET	-	initiating methionine	UNP Q75N27
A	-14	ASN	-	expression tag	UNP Q75N27
A	-13	HIS	-	expression tag	UNP Q75N27
A	-12	LYS	-	expression tag	UNP Q75N27
A	-11	VAL	-	expression tag	UNP Q75N27
A	-10	HIS	-	expression tag	UNP Q75N27
A	-9	HIS	-	expression tag	UNP Q75N27
A	-8	HIS	-	expression tag	UNP Q75N27
A	-7	HIS	-	expression tag	UNP Q75N27
A	-6	HIS	-	expression tag	UNP Q75N27
A	-5	HIS	-	expression tag	UNP Q75N27
A	-4	ILE	-	expression tag	UNP Q75N27
A	-3	GLU	-	expression tag	UNP Q75N27
A	-2	GLY	-	expression tag	UNP Q75N27
A	-1	ARG	-	expression tag	UNP Q75N27
A	0	HIS	-	expression tag	UNP Q75N27
A	792	SER	GLY	engineered mutation	UNP A0A0T7EAG0
B	-15	MET	-	initiating methionine	UNP Q75N27
B	-14	ASN	-	expression tag	UNP Q75N27
B	-13	HIS	-	expression tag	UNP Q75N27

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
B	-12	LYS	-	expression tag	UNP Q75N27
B	-11	VAL	-	expression tag	UNP Q75N27
B	-10	HIS	-	expression tag	UNP Q75N27
B	-9	HIS	-	expression tag	UNP Q75N27
B	-8	HIS	-	expression tag	UNP Q75N27
B	-7	HIS	-	expression tag	UNP Q75N27
B	-6	HIS	-	expression tag	UNP Q75N27
B	-5	HIS	-	expression tag	UNP Q75N27
B	-4	ILE	-	expression tag	UNP Q75N27
B	-3	GLU	-	expression tag	UNP Q75N27
B	-2	GLY	-	expression tag	UNP Q75N27
B	-1	ARG	-	expression tag	UNP Q75N27
B	0	HIS	-	expression tag	UNP Q75N27
B	792	SER	GLY	engineered mutation	UNP A0A0T7EAG0
C	-15	MET	-	initiating methionine	UNP Q75N27
C	-14	ASN	-	expression tag	UNP Q75N27
C	-13	HIS	-	expression tag	UNP Q75N27
C	-12	LYS	-	expression tag	UNP Q75N27
C	-11	VAL	-	expression tag	UNP Q75N27
C	-10	HIS	-	expression tag	UNP Q75N27
C	-9	HIS	-	expression tag	UNP Q75N27
C	-8	HIS	-	expression tag	UNP Q75N27
C	-7	HIS	-	expression tag	UNP Q75N27
C	-6	HIS	-	expression tag	UNP Q75N27
C	-5	HIS	-	expression tag	UNP Q75N27
C	-4	ILE	-	expression tag	UNP Q75N27
C	-3	GLU	-	expression tag	UNP Q75N27
C	-2	GLY	-	expression tag	UNP Q75N27
C	-1	ARG	-	expression tag	UNP Q75N27
C	0	HIS	-	expression tag	UNP Q75N27
C	792	SER	GLY	engineered mutation	UNP A0A0T7EAG0
D	-15	MET	-	initiating methionine	UNP Q75N27
D	-14	ASN	-	expression tag	UNP Q75N27
D	-13	HIS	-	expression tag	UNP Q75N27
D	-12	LYS	-	expression tag	UNP Q75N27
D	-11	VAL	-	expression tag	UNP Q75N27
D	-10	HIS	-	expression tag	UNP Q75N27
D	-9	HIS	-	expression tag	UNP Q75N27
D	-8	HIS	-	expression tag	UNP Q75N27
D	-7	HIS	-	expression tag	UNP Q75N27
D	-6	HIS	-	expression tag	UNP Q75N27
D	-5	HIS	-	expression tag	UNP Q75N27

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
D	-4	ILE	-	expression tag	UNP Q75N27
D	-3	GLU	-	expression tag	UNP Q75N27
D	-2	GLY	-	expression tag	UNP Q75N27
D	-1	ARG	-	expression tag	UNP Q75N27
D	0	HIS	-	expression tag	UNP Q75N27
D	792	SER	GLY	engineered mutation	UNP A0A0T7EAG0
E	-15	MET	-	initiating methionine	UNP Q75N27
E	-14	ASN	-	expression tag	UNP Q75N27
E	-13	HIS	-	expression tag	UNP Q75N27
E	-12	LYS	-	expression tag	UNP Q75N27
E	-11	VAL	-	expression tag	UNP Q75N27
E	-10	HIS	-	expression tag	UNP Q75N27
E	-9	HIS	-	expression tag	UNP Q75N27
E	-8	HIS	-	expression tag	UNP Q75N27
E	-7	HIS	-	expression tag	UNP Q75N27
E	-6	HIS	-	expression tag	UNP Q75N27
E	-5	HIS	-	expression tag	UNP Q75N27
E	-4	ILE	-	expression tag	UNP Q75N27
E	-3	GLU	-	expression tag	UNP Q75N27
E	-2	GLY	-	expression tag	UNP Q75N27
E	-1	ARG	-	expression tag	UNP Q75N27
E	0	HIS	-	expression tag	UNP Q75N27
E	792	SER	GLY	engineered mutation	UNP A0A0T7EAG0
F	-15	MET	-	initiating methionine	UNP Q75N27
F	-14	ASN	-	expression tag	UNP Q75N27
F	-13	HIS	-	expression tag	UNP Q75N27
F	-12	LYS	-	expression tag	UNP Q75N27
F	-11	VAL	-	expression tag	UNP Q75N27
F	-10	HIS	-	expression tag	UNP Q75N27
F	-9	HIS	-	expression tag	UNP Q75N27
F	-8	HIS	-	expression tag	UNP Q75N27
F	-7	HIS	-	expression tag	UNP Q75N27
F	-6	HIS	-	expression tag	UNP Q75N27
F	-5	HIS	-	expression tag	UNP Q75N27
F	-4	ILE	-	expression tag	UNP Q75N27
F	-3	GLU	-	expression tag	UNP Q75N27
F	-2	GLY	-	expression tag	UNP Q75N27
F	-1	ARG	-	expression tag	UNP Q75N27
F	0	HIS	-	expression tag	UNP Q75N27
F	792	SER	GLY	engineered mutation	UNP A0A0T7EAG0
G	-15	MET	-	initiating methionine	UNP Q75N27
G	-14	ASN	-	expression tag	UNP Q75N27

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
G	-13	HIS	-	expression tag	UNP Q75N27
G	-12	LYS	-	expression tag	UNP Q75N27
G	-11	VAL	-	expression tag	UNP Q75N27
G	-10	HIS	-	expression tag	UNP Q75N27
G	-9	HIS	-	expression tag	UNP Q75N27
G	-8	HIS	-	expression tag	UNP Q75N27
G	-7	HIS	-	expression tag	UNP Q75N27
G	-6	HIS	-	expression tag	UNP Q75N27
G	-5	HIS	-	expression tag	UNP Q75N27
G	-4	ILE	-	expression tag	UNP Q75N27
G	-3	GLU	-	expression tag	UNP Q75N27
G	-2	GLY	-	expression tag	UNP Q75N27
G	-1	ARG	-	expression tag	UNP Q75N27
G	0	HIS	-	expression tag	UNP Q75N27
G	792	SER	GLY	engineered mutation	UNP A0A0T7EAG0
H	-15	MET	-	initiating methionine	UNP Q75N27
H	-14	ASN	-	expression tag	UNP Q75N27
H	-13	HIS	-	expression tag	UNP Q75N27
H	-12	LYS	-	expression tag	UNP Q75N27
H	-11	VAL	-	expression tag	UNP Q75N27
H	-10	HIS	-	expression tag	UNP Q75N27
H	-9	HIS	-	expression tag	UNP Q75N27
H	-8	HIS	-	expression tag	UNP Q75N27
H	-7	HIS	-	expression tag	UNP Q75N27
H	-6	HIS	-	expression tag	UNP Q75N27
H	-5	HIS	-	expression tag	UNP Q75N27
H	-4	ILE	-	expression tag	UNP Q75N27
H	-3	GLU	-	expression tag	UNP Q75N27
H	-2	GLY	-	expression tag	UNP Q75N27
H	-1	ARG	-	expression tag	UNP Q75N27
H	0	HIS	-	expression tag	UNP Q75N27
H	792	SER	GLY	engineered mutation	UNP A0A0T7EAG0
I	-15	MET	-	initiating methionine	UNP Q75N27
I	-14	ASN	-	expression tag	UNP Q75N27
I	-13	HIS	-	expression tag	UNP Q75N27
I	-12	LYS	-	expression tag	UNP Q75N27
I	-11	VAL	-	expression tag	UNP Q75N27
I	-10	HIS	-	expression tag	UNP Q75N27
I	-9	HIS	-	expression tag	UNP Q75N27
I	-8	HIS	-	expression tag	UNP Q75N27
I	-7	HIS	-	expression tag	UNP Q75N27
I	-6	HIS	-	expression tag	UNP Q75N27

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
I	-5	HIS	-	expression tag	UNP Q75N27
I	-4	ILE	-	expression tag	UNP Q75N27
I	-3	GLU	-	expression tag	UNP Q75N27
I	-2	GLY	-	expression tag	UNP Q75N27
I	-1	ARG	-	expression tag	UNP Q75N27
I	0	HIS	-	expression tag	UNP Q75N27
I	792	SER	GLY	engineered mutation	UNP A0A0T7EAG0
J	-15	MET	-	initiating methionine	UNP Q75N27
J	-14	ASN	-	expression tag	UNP Q75N27
J	-13	HIS	-	expression tag	UNP Q75N27
J	-12	LYS	-	expression tag	UNP Q75N27
J	-11	VAL	-	expression tag	UNP Q75N27
J	-10	HIS	-	expression tag	UNP Q75N27
J	-9	HIS	-	expression tag	UNP Q75N27
J	-8	HIS	-	expression tag	UNP Q75N27
J	-7	HIS	-	expression tag	UNP Q75N27
J	-6	HIS	-	expression tag	UNP Q75N27
J	-5	HIS	-	expression tag	UNP Q75N27
J	-4	ILE	-	expression tag	UNP Q75N27
J	-3	GLU	-	expression tag	UNP Q75N27
J	-2	GLY	-	expression tag	UNP Q75N27
J	-1	ARG	-	expression tag	UNP Q75N27
J	0	HIS	-	expression tag	UNP Q75N27
J	792	SER	GLY	engineered mutation	UNP A0A0T7EAG0
K	-15	MET	-	initiating methionine	UNP Q75N27
K	-14	ASN	-	expression tag	UNP Q75N27
K	-13	HIS	-	expression tag	UNP Q75N27
K	-12	LYS	-	expression tag	UNP Q75N27
K	-11	VAL	-	expression tag	UNP Q75N27
K	-10	HIS	-	expression tag	UNP Q75N27
K	-9	HIS	-	expression tag	UNP Q75N27
K	-8	HIS	-	expression tag	UNP Q75N27
K	-7	HIS	-	expression tag	UNP Q75N27
K	-6	HIS	-	expression tag	UNP Q75N27
K	-5	HIS	-	expression tag	UNP Q75N27
K	-4	ILE	-	expression tag	UNP Q75N27
K	-3	GLU	-	expression tag	UNP Q75N27
K	-2	GLY	-	expression tag	UNP Q75N27
K	-1	ARG	-	expression tag	UNP Q75N27
K	0	HIS	-	expression tag	UNP Q75N27
K	792	SER	GLY	engineered mutation	UNP A0A0T7EAG0
L	-15	MET	-	initiating methionine	UNP Q75N27

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
L	-14	ASN	-	expression tag	UNP Q75N27
L	-13	HIS	-	expression tag	UNP Q75N27
L	-12	LYS	-	expression tag	UNP Q75N27
L	-11	VAL	-	expression tag	UNP Q75N27
L	-10	HIS	-	expression tag	UNP Q75N27
L	-9	HIS	-	expression tag	UNP Q75N27
L	-8	HIS	-	expression tag	UNP Q75N27
L	-7	HIS	-	expression tag	UNP Q75N27
L	-6	HIS	-	expression tag	UNP Q75N27
L	-5	HIS	-	expression tag	UNP Q75N27
L	-4	ILE	-	expression tag	UNP Q75N27
L	-3	GLU	-	expression tag	UNP Q75N27
L	-2	GLY	-	expression tag	UNP Q75N27
L	-1	ARG	-	expression tag	UNP Q75N27
L	0	HIS	-	expression tag	UNP Q75N27
L	792	SER	GLY	engineered mutation	UNP A0A0T7EAG0
M	-15	MET	-	initiating methionine	UNP Q75N27
M	-14	ASN	-	expression tag	UNP Q75N27
M	-13	HIS	-	expression tag	UNP Q75N27
M	-12	LYS	-	expression tag	UNP Q75N27
M	-11	VAL	-	expression tag	UNP Q75N27
M	-10	HIS	-	expression tag	UNP Q75N27
M	-9	HIS	-	expression tag	UNP Q75N27
M	-8	HIS	-	expression tag	UNP Q75N27
M	-7	HIS	-	expression tag	UNP Q75N27
M	-6	HIS	-	expression tag	UNP Q75N27
M	-5	HIS	-	expression tag	UNP Q75N27
M	-4	ILE	-	expression tag	UNP Q75N27
M	-3	GLU	-	expression tag	UNP Q75N27
M	-2	GLY	-	expression tag	UNP Q75N27
M	-1	ARG	-	expression tag	UNP Q75N27
M	0	HIS	-	expression tag	UNP Q75N27
M	792	SER	GLY	engineered mutation	UNP A0A0T7EAG0
N	-15	MET	-	initiating methionine	UNP Q75N27
N	-14	ASN	-	expression tag	UNP Q75N27
N	-13	HIS	-	expression tag	UNP Q75N27
N	-12	LYS	-	expression tag	UNP Q75N27
N	-11	VAL	-	expression tag	UNP Q75N27
N	-10	HIS	-	expression tag	UNP Q75N27
N	-9	HIS	-	expression tag	UNP Q75N27
N	-8	HIS	-	expression tag	UNP Q75N27
N	-7	HIS	-	expression tag	UNP Q75N27

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
N	-6	HIS	-	expression tag	UNP Q75N27
N	-5	HIS	-	expression tag	UNP Q75N27
N	-4	ILE	-	expression tag	UNP Q75N27
N	-3	GLU	-	expression tag	UNP Q75N27
N	-2	GLY	-	expression tag	UNP Q75N27
N	-1	ARG	-	expression tag	UNP Q75N27
N	0	HIS	-	expression tag	UNP Q75N27
N	792	SER	GLY	engineered mutation	UNP A0A0T7EAG0
O	-15	MET	-	initiating methionine	UNP Q75N27
O	-14	ASN	-	expression tag	UNP Q75N27
O	-13	HIS	-	expression tag	UNP Q75N27
O	-12	LYS	-	expression tag	UNP Q75N27
O	-11	VAL	-	expression tag	UNP Q75N27
O	-10	HIS	-	expression tag	UNP Q75N27
O	-9	HIS	-	expression tag	UNP Q75N27
O	-8	HIS	-	expression tag	UNP Q75N27
O	-7	HIS	-	expression tag	UNP Q75N27
O	-6	HIS	-	expression tag	UNP Q75N27
O	-5	HIS	-	expression tag	UNP Q75N27
O	-4	ILE	-	expression tag	UNP Q75N27
O	-3	GLU	-	expression tag	UNP Q75N27
O	-2	GLY	-	expression tag	UNP Q75N27
O	-1	ARG	-	expression tag	UNP Q75N27
O	0	HIS	-	expression tag	UNP Q75N27
O	792	SER	GLY	engineered mutation	UNP A0A0T7EAG0
P	-15	MET	-	initiating methionine	UNP Q75N27
P	-14	ASN	-	expression tag	UNP Q75N27
P	-13	HIS	-	expression tag	UNP Q75N27
P	-12	LYS	-	expression tag	UNP Q75N27
P	-11	VAL	-	expression tag	UNP Q75N27
P	-10	HIS	-	expression tag	UNP Q75N27
P	-9	HIS	-	expression tag	UNP Q75N27
P	-8	HIS	-	expression tag	UNP Q75N27
P	-7	HIS	-	expression tag	UNP Q75N27
P	-6	HIS	-	expression tag	UNP Q75N27
P	-5	HIS	-	expression tag	UNP Q75N27
P	-4	ILE	-	expression tag	UNP Q75N27
P	-3	GLU	-	expression tag	UNP Q75N27
P	-2	GLY	-	expression tag	UNP Q75N27
P	-1	ARG	-	expression tag	UNP Q75N27
P	0	HIS	-	expression tag	UNP Q75N27
P	792	SER	GLY	engineered mutation	UNP A0A0T7EAG0

*Continued on next page...*



*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
Q	-15	MET	-	initiating methionine	UNP Q75N27
Q	-14	ASN	-	expression tag	UNP Q75N27
Q	-13	HIS	-	expression tag	UNP Q75N27
Q	-12	LYS	-	expression tag	UNP Q75N27
Q	-11	VAL	-	expression tag	UNP Q75N27
Q	-10	HIS	-	expression tag	UNP Q75N27
Q	-9	HIS	-	expression tag	UNP Q75N27
Q	-8	HIS	-	expression tag	UNP Q75N27
Q	-7	HIS	-	expression tag	UNP Q75N27
Q	-6	HIS	-	expression tag	UNP Q75N27
Q	-5	HIS	-	expression tag	UNP Q75N27
Q	-4	ILE	-	expression tag	UNP Q75N27
Q	-3	GLU	-	expression tag	UNP Q75N27
Q	-2	GLY	-	expression tag	UNP Q75N27
Q	-1	ARG	-	expression tag	UNP Q75N27
Q	0	HIS	-	expression tag	UNP Q75N27
Q	792	SER	GLY	engineered mutation	UNP A0A0T7EAG0
R	-15	MET	-	initiating methionine	UNP Q75N27
R	-14	ASN	-	expression tag	UNP Q75N27
R	-13	HIS	-	expression tag	UNP Q75N27
R	-12	LYS	-	expression tag	UNP Q75N27
R	-11	VAL	-	expression tag	UNP Q75N27
R	-10	HIS	-	expression tag	UNP Q75N27
R	-9	HIS	-	expression tag	UNP Q75N27
R	-8	HIS	-	expression tag	UNP Q75N27
R	-7	HIS	-	expression tag	UNP Q75N27
R	-6	HIS	-	expression tag	UNP Q75N27
R	-5	HIS	-	expression tag	UNP Q75N27
R	-4	ILE	-	expression tag	UNP Q75N27
R	-3	GLU	-	expression tag	UNP Q75N27
R	-2	GLY	-	expression tag	UNP Q75N27
R	-1	ARG	-	expression tag	UNP Q75N27
R	0	HIS	-	expression tag	UNP Q75N27
R	792	SER	GLY	engineered mutation	UNP A0A0T7EAG0
S	-15	MET	-	initiating methionine	UNP Q75N27
S	-14	ASN	-	expression tag	UNP Q75N27
S	-13	HIS	-	expression tag	UNP Q75N27
S	-12	LYS	-	expression tag	UNP Q75N27
S	-11	VAL	-	expression tag	UNP Q75N27
S	-10	HIS	-	expression tag	UNP Q75N27
S	-9	HIS	-	expression tag	UNP Q75N27
S	-8	HIS	-	expression tag	UNP Q75N27

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
S	-7	HIS	-	expression tag	UNP Q75N27
S	-6	HIS	-	expression tag	UNP Q75N27
S	-5	HIS	-	expression tag	UNP Q75N27
S	-4	ILE	-	expression tag	UNP Q75N27
S	-3	GLU	-	expression tag	UNP Q75N27
S	-2	GLY	-	expression tag	UNP Q75N27
S	-1	ARG	-	expression tag	UNP Q75N27
S	0	HIS	-	expression tag	UNP Q75N27
S	792	SER	GLY	engineered mutation	UNP A0A0T7EAG0
T	-15	MET	-	initiating methionine	UNP Q75N27
T	-14	ASN	-	expression tag	UNP Q75N27
T	-13	HIS	-	expression tag	UNP Q75N27
T	-12	LYS	-	expression tag	UNP Q75N27
T	-11	VAL	-	expression tag	UNP Q75N27
T	-10	HIS	-	expression tag	UNP Q75N27
T	-9	HIS	-	expression tag	UNP Q75N27
T	-8	HIS	-	expression tag	UNP Q75N27
T	-7	HIS	-	expression tag	UNP Q75N27
T	-6	HIS	-	expression tag	UNP Q75N27
T	-5	HIS	-	expression tag	UNP Q75N27
T	-4	ILE	-	expression tag	UNP Q75N27
T	-3	GLU	-	expression tag	UNP Q75N27
T	-2	GLY	-	expression tag	UNP Q75N27
T	-1	ARG	-	expression tag	UNP Q75N27
T	0	HIS	-	expression tag	UNP Q75N27
T	792	SER	GLY	engineered mutation	UNP A0A0T7EAG0
U	-15	MET	-	initiating methionine	UNP Q75N27
U	-14	ASN	-	expression tag	UNP Q75N27
U	-13	HIS	-	expression tag	UNP Q75N27
U	-12	LYS	-	expression tag	UNP Q75N27
U	-11	VAL	-	expression tag	UNP Q75N27
U	-10	HIS	-	expression tag	UNP Q75N27
U	-9	HIS	-	expression tag	UNP Q75N27
U	-8	HIS	-	expression tag	UNP Q75N27
U	-7	HIS	-	expression tag	UNP Q75N27
U	-6	HIS	-	expression tag	UNP Q75N27
U	-5	HIS	-	expression tag	UNP Q75N27
U	-4	ILE	-	expression tag	UNP Q75N27
U	-3	GLU	-	expression tag	UNP Q75N27
U	-2	GLY	-	expression tag	UNP Q75N27
U	-1	ARG	-	expression tag	UNP Q75N27
U	0	HIS	-	expression tag	UNP Q75N27

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
U	792	SER	GLY	engineered mutation	UNP A0A0T7EAG0
V	-15	MET	-	initiating methionine	UNP Q75N27
V	-14	ASN	-	expression tag	UNP Q75N27
V	-13	HIS	-	expression tag	UNP Q75N27
V	-12	LYS	-	expression tag	UNP Q75N27
V	-11	VAL	-	expression tag	UNP Q75N27
V	-10	HIS	-	expression tag	UNP Q75N27
V	-9	HIS	-	expression tag	UNP Q75N27
V	-8	HIS	-	expression tag	UNP Q75N27
V	-7	HIS	-	expression tag	UNP Q75N27
V	-6	HIS	-	expression tag	UNP Q75N27
V	-5	HIS	-	expression tag	UNP Q75N27
V	-4	ILE	-	expression tag	UNP Q75N27
V	-3	GLU	-	expression tag	UNP Q75N27
V	-2	GLY	-	expression tag	UNP Q75N27
V	-1	ARG	-	expression tag	UNP Q75N27
V	0	HIS	-	expression tag	UNP Q75N27
V	792	SER	GLY	engineered mutation	UNP A0A0T7EAG0
W	-15	MET	-	initiating methionine	UNP Q75N27
W	-14	ASN	-	expression tag	UNP Q75N27
W	-13	HIS	-	expression tag	UNP Q75N27
W	-12	LYS	-	expression tag	UNP Q75N27
W	-11	VAL	-	expression tag	UNP Q75N27
W	-10	HIS	-	expression tag	UNP Q75N27
W	-9	HIS	-	expression tag	UNP Q75N27
W	-8	HIS	-	expression tag	UNP Q75N27
W	-7	HIS	-	expression tag	UNP Q75N27
W	-6	HIS	-	expression tag	UNP Q75N27
W	-5	HIS	-	expression tag	UNP Q75N27
W	-4	ILE	-	expression tag	UNP Q75N27
W	-3	GLU	-	expression tag	UNP Q75N27
W	-2	GLY	-	expression tag	UNP Q75N27
W	-1	ARG	-	expression tag	UNP Q75N27
W	0	HIS	-	expression tag	UNP Q75N27
W	792	SER	GLY	engineered mutation	UNP A0A0T7EAG0
X	-15	MET	-	initiating methionine	UNP Q75N27
X	-14	ASN	-	expression tag	UNP Q75N27
X	-13	HIS	-	expression tag	UNP Q75N27
X	-12	LYS	-	expression tag	UNP Q75N27
X	-11	VAL	-	expression tag	UNP Q75N27
X	-10	HIS	-	expression tag	UNP Q75N27
X	-9	HIS	-	expression tag	UNP Q75N27

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
X	-8	HIS	-	expression tag	UNP Q75N27
X	-7	HIS	-	expression tag	UNP Q75N27
X	-6	HIS	-	expression tag	UNP Q75N27
X	-5	HIS	-	expression tag	UNP Q75N27
X	-4	ILE	-	expression tag	UNP Q75N27
X	-3	GLU	-	expression tag	UNP Q75N27
X	-2	GLY	-	expression tag	UNP Q75N27
X	-1	ARG	-	expression tag	UNP Q75N27
X	0	HIS	-	expression tag	UNP Q75N27
X	792	SER	GLY	engineered mutation	UNP A0A0T7EAG0
Y	-15	MET	-	initiating methionine	UNP Q75N27
Y	-14	ASN	-	expression tag	UNP Q75N27
Y	-13	HIS	-	expression tag	UNP Q75N27
Y	-12	LYS	-	expression tag	UNP Q75N27
Y	-11	VAL	-	expression tag	UNP Q75N27
Y	-10	HIS	-	expression tag	UNP Q75N27
Y	-9	HIS	-	expression tag	UNP Q75N27
Y	-8	HIS	-	expression tag	UNP Q75N27
Y	-7	HIS	-	expression tag	UNP Q75N27
Y	-6	HIS	-	expression tag	UNP Q75N27
Y	-5	HIS	-	expression tag	UNP Q75N27
Y	-4	ILE	-	expression tag	UNP Q75N27
Y	-3	GLU	-	expression tag	UNP Q75N27
Y	-2	GLY	-	expression tag	UNP Q75N27
Y	-1	ARG	-	expression tag	UNP Q75N27
Y	0	HIS	-	expression tag	UNP Q75N27
Y	792	SER	GLY	engineered mutation	UNP A0A0T7EAG0

















● Molecule 1: Flagellar M-ring protein,Flagellar motor switch protein FliG


Chain 6: 13% 85%






● Molecule 1: Flagellar M-ring protein,Flagellar motor switch protein FliG





• Molecule 1: Flagellar M-ring protein, Flagellar motor switch protein FliG

Chain 8: 13% 85%



ARG	GLN	VAL	ASN	PRO	THR	GLY	LEU	THR	PRO	M418	S419	E420	S421	G432	D437	Q438	G439	R440	G441	D442	L443	V446	K450	F451	A452	GLU	PRO	GLU	ALA	GLU	GLN	LEU	GLU	PRO	PRO	PRO	PRO	TRP	GLU	HIS	PRO	ASN	PHE	ASP	GLU	LEU	TRP	ARG	TRP	ALA		
SER	ALA	LEU	VAL	ILE	LEU	VAL	VAL	VAL	VAL	PRO	ALA	LYS	LYS	LEU	LEU	ASN	THR	ASP	ASP	GLU	ASP	GLU	GLY	PRO	ILE	GLY	ALA	ALA	GLY	LEU	THR	SER	ILE	ALA	ASP	ASP	VAL	VAL	ASP	PRO	GLN	ILE	ASP	ASP	ASN	ALA	GLY	GLU	LEU	PHE	GLU	ASP
GLY	SER	SER	ILE	ASP	THR	PRO	ASN	VAL	VAL	VAL	HIS	LYS	ASP	GLY	LEU	VAL	ALA	ASN	GLY	ASN	GLU	VAL	ARG	ALA	GLN	ALA	ALA	VAL	GLN	VAL	VAL	GLY	GLY	ASP	ASP	VAL	VAL	VAL	VAL	VAL	ASP	PRO	GLN	ILE	ASP	ASP	ASN	ALA	GLY	GLU	LEU	ASP
VAL	SER	THR	ILE	THR	GLY	GLY	GLU	GLU	LYS	ALA	ALA	THR	GLY	ILE	VAL	LEU	SER	GLY	ASP	ALA	GLN	ASP	ALA	GLN	SER	LEU	VAL	ALA	ALA	VAL	GLY	GLY	ASP	ASP	VAL	VAL	VAL	VAL	VAL	VAL	VAL	VAL	VAL	VAL	VAL	VAL	VAL	VAL	VAL	VAL	VAL	
GLU	ASP	ILE	GLN	TYR	TYR	ASN	ASN	ILE	MET	ASP	PHE	GLY	MET	ARG	ASN	ALA	ALA	ALA	VAL	VAL	ALA	ALA	VAL	VAL	VAL	VAL	VAL	VAL	VAL	VAL	VAL	VAL	VAL	VAL	VAL	VAL	VAL	VAL	VAL	VAL	VAL	VAL	VAL	VAL	VAL	VAL	VAL	VAL	VAL	VAL	VAL	VAL
ILE	VAL	ASN	GLY	HIS	PRO	GLN	ILE	THR	ALA	ILE	THR	ALA	ILE	VAL	VAL	SER	TYR	GLY	ASP	ALA	ALA	GLN	SER	GLY	GLN	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	
GLN	PHE	ALA	GLY	GLN	ALA	GLY	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	
GLU	VAL	ASP	GLN	GLY	ILE	GLN	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	
VAL	GLU	ALA	ALA	GLN	LYS	GLU	ILE	ALA	ALA	ASP	MET	ARG	GLY	GLY	GLU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	

• Molecule 1: Flagellar M-ring protein,Flagellar motor switch protein FlIG

Chain 9:  13% 85%

MET	ASN	HIS	VAL	VAL	HIS	HIS	HIS	HIS	HIS	ILE	GLY	ARG	HIS	HIS	ASP	ALA	LYS	LYS	SER	THR	VAL	THR	THR	THR	GLY	ASP	GLY	GLY	LEU	ALA	VAL	VAL	VAL	VAL	VAL	VAL	VAL	VAL	VAL	VAL	VAL	VAL	VAL	VAL	VAL	VAL	VAL	VAL	VAL	VAL	VAL	VAL	VAL			
ALA	VAL	GLY	ASP	LEU	LEU	LEU	ARG	GLN	VAL	VAL	VAL	LEU	VAL	VAL	ILE	ILE	CYS	VAL	VAL	ALA	THR	LEU	LEU	PHE	PHE	GLY	GLY	TRP	VAL	LYS	GLU	GLY	PRO	GLU	GLU	GLU	GLU	GLU	GLU	GLU	GLU	GLU	GLU	GLU	GLU	GLU	GLU	GLU	GLU	GLU	GLU	GLU	GLU			
TYR	LYS	LEU	ASP	GLY	THR	ILE	SER	VAL	VAL	VAL	THR	TYR	ASN	SER	ILE	LYS	LEU	GLY	VAL	VAL	ARG	SER	GLY	VAL	VAL	VAL	VAL	VAL	VAL	VAL	VAL	VAL	VAL	VAL	VAL	VAL	VAL	VAL	VAL	VAL	VAL	VAL	VAL	VAL	VAL	VAL	VAL	VAL	VAL	VAL	VAL	VAL	VAL	VAL	VAL	VAL
ARG	GLN	LEU	ALA	GLN	ILE	GLU	GLU	GLU	LYS	VAL	VAL	ARG	ALA	VAL	VAL	LEU	ALA	ALA	VAL	VAL	VAL	VAL	VAL	VAL	VAL	VAL	VAL	VAL	VAL	VAL	VAL	VAL	VAL	VAL	VAL	VAL	VAL	VAL	VAL	VAL	VAL	VAL	VAL	VAL	VAL	VAL	VAL	VAL	VAL	VAL	VAL	VAL	VAL	VAL	VAL	
VAL	ALA	SER	VAL	PRO	GLY	MET	LYS	THR	ASP	THR	VAL	THR	ASN	GLN	HIS	ARG	GLY	ARG	GLY	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU		
D311	P312	R313	T314	R318	R327	ASN	GLY	ASN	VAL	VAL	THR	THR	ALA	GLY	ILE	PRO	GLY	ALA	LEU	SER	ASN	GLN	PRO	PRO	PRO	ILE	ILE	ILE	ILE	ILE	ILE	ILE	ILE	ILE	ILE	ILE	ILE	ILE	ILE	ILE	ILE	ILE	ILE	ILE	ILE	ILE	ILE	ILE	ILE	ILE	ILE	ILE	ILE	ILE		
D402	ARG	GLN	VAL	ASN	PRO	ASP	THR	GLY	GLU	VAL	THR	THR	THR	PRO	M418	S419	E420	S421	G432	D437	Q438	G439	R440	G441	D442	L443	V446	K450	F451	A452	PRO	PRO	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY				
TRP	PHE	ALA	SER	ALA	VAL	VAL	ILE	VAL	VAL	VAL	VAL	VAL	VAL	VAL	VAL	VAL	VAL	VAL	VAL	VAL	VAL	VAL	VAL	VAL	VAL	VAL	VAL	VAL	VAL	VAL	VAL	VAL	VAL	VAL	VAL	VAL	VAL	VAL	VAL	VAL	VAL	VAL	VAL	VAL	VAL	VAL	VAL	VAL	VAL	VAL	VAL	VAL	VAL	VAL	VAL	
A285	S286	A287	A288	R289	R260	K261	E262	Q263	E264	R267	S268	Q269	E270	Q271	A272	L273	R274	E275	K276	I277	D278	Y287	L286	D289	F300	GLU	PRO	GLY	VAL	VAL	VAL	VAL	VAL	VAL	VAL	VAL	VAL	VAL	VAL	VAL	VAL	VAL	VAL	VAL	VAL	VAL	VAL	VAL	VAL	VAL	VAL	VAL				
D311	P312	R313	T314	R318	R327	ASN	GLY	ASN	VAL	VAL	THR	THR	ALA	GLY	ILE	PRO	GLY	ALA	LEU	SER	ASN	GLN	PRO	PRO	PRO	ILE	ILE	ILE	ILE	ILE	ILE	ILE	ILE	ILE	ILE	ILE	ILE	ILE	ILE	ILE	ILE	ILE	ILE	ILE	ILE	ILE	ILE	ILE	ILE	ILE	ILE	ILE	ILE	ILE	ILE	
D402	ARG	GLN	VAL	ASN	PRO	ASP	THR	GLY	GLU	VAL	THR	THR	THR	PRO	M418	S419	E420	S421	G432	D437	Q438	G439	R440	G441	D442	L443	V446	K450	F451	A452	PRO	PRO	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY			





















● Molecule 1: Flagellar M-ring protein, Flagellar motor switch protein FliG














GLU  
ALA  
ALA  
GLN  
LYS  
GLU  
ILE  
LEU  
LEU

Molecule 1: Flagellar M-ring protein, Flagellar motor switch protein FliG


Chain N:  13% 85%




Molecule 1: Flagellar M-ring protein, Flagellar motor switch protein FliG


Chain O:  13% 85%







● Molecule 1: Flagellar M-ring protein,Flagellar motor switch protein FliG







● Molecule 1: Flagellar M-ring protein, Flagellar motor switch protein FliG






● Molecule 1: Flagellar M-ring protein, Flagellar motor switch protein FliG





● Molecule 1: Flagellar M-ring protein,Flagellar motor switch protein FliG





ALA	PHE	LEU	ASP	GLU	GLY	ILE	ILE	ASN	GLN	GLY	LYS	TYR	THR	THR	ILE	ILE	GLY	MET	GLY
ALA	SER	ILE	VAL	ASP	VAL	VAL	PHE	ASN	GLY	GLY	HIS	PRO	THR	GLN	ILE	ILE	THR	ILE	GLY
MET	GLU	LYS	GLN	VAL	ASP	ALA	GLY	ASN	GLN	GLY	ALA	GLY	ALA	GLN	ILE	THR	ILE	ALA	GLY
ASN	LEU	VAL	VAL	VAL	VAL	ALA	ASP	GLN	GLN	GLY	ASN	GLN	GLY	ALA	ILE	LEU	LEU	VAL	ARG
VAL	ALA	VAL	VAL	VAL	ALA	ALA	ALA	GLN	GLY	GLY	GLY	GLY	GLY	ALA	ILE	LEU	LEU	LEU	ARG
VAL	ALA	VAL	VAL	VAL	ALA	ALA	ALA	GLN	GLY	GLY	GLY	GLY	GLY	ALA	ILE	LEU	LEU	LEU	ARG

● Molecule 1: Flagellar M-ring protein,Flagellar motor switch protein FliG



MET	ASN	HIS	LYS	VAL	VAL	HIS	HIS	HIS	HIS	ILE	ILE	GLY	GLY	ARG	ARG	ASN	GLY	LYS	VAL
ALA	VAL	ASP	ASP	LEU	GLY	ASP	LEU	LEU	ARG	GLN	VAL	VAL	VAL	LEU	VAL	VAL	LEU	LEU	VAL
TYR	LYS	LEU	ASN	GLY	ASN	THR	ILE	THR	SER	GLU	SER	SER	GLY	GLU	VAL	TYR	ASN	GLY	VAL
ARG	GLN	ALA	ALA	GLN	ILE	GLY	GLY	GLY	LYS	VAL	VAL	ARG	VAL	VAL	VAL	VAL	GLN	VAL	VAL
VAL	ALA	SER	ALA	VAL	PRO	GLY	MET	LYS	THR	THR	VAL	THR	VAL	VAL	THR	VAL	VAL	THR	VAL
ARG	GLN	ALA	ALA	GLN	ILE	GLY	GLY	GLY	VAL	ARG	VAL	VAL	VAL	VAL	VAL	VAL	GLN	VAL	VAL
VAL	ALA	SER	ALA	VAL	PRO	GLY	MET	LYS	THR	THR	VAL	THR	VAL	VAL	THR	VAL	VAL	THR	VAL
GLY	T313	T314	R318	R327	ASN	GLY	GLY	ASN	ASN	THR	THR	VAL	VAL	VAL	VAL	VAL	VAL	VAL	VAL
SER	ALA	LEU	VAL	ILE	VAL	VAL	VAL	VAL	PRO	ARG	PRO	ILE	ILE	ILE	ILE	ILE	ILE	ILE	ILE
GLY	SER	SER	ILE	ASP	LEU	PRO	ASN	VAL	VAL	ASP	ASP	ASP	ASP	ASP	ASP	ASP	ASP	ASP	ASP
VAL	SER	THR	ILE	THR	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY
GLU	ASP	ILE	GLN	TYR	THR	ASN	ASN	ASN	ASN	ASN	ASN	ASN	ASN	ASN	ASN	ASN	ASN	ASN	ASN
ILE	VAL	ASN	HIS	PRO	GLN	VAL	VAL	VAL	VAL	VAL	VAL	VAL	VAL	VAL	VAL	VAL	VAL	VAL	VAL
GLY	ASP	GLN	LYS	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR
GLY	SER	SER	ILE	ASP	LEU	PRO	ASN	VAL	VAL	ASP	ASP	ASP	ASP	ASP	ASP	ASP	ASP	ASP	ASP
VAL	SER	THR	ILE	THR	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY
GLU	ASP	ILE	GLN	TYR	THR	ASN	ASN	ASN	ASN	ASN	ASN	ASN	ASN	ASN	ASN	ASN	ASN	ASN	ASN
ILE	VAL	ASN	HIS	PRO	GLN	VAL	VAL	VAL	VAL	VAL	VAL	VAL	VAL	VAL	VAL	VAL	VAL	VAL	VAL
GLY	ASP	GLN	LYS	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR
GLY	SER	SER	ILE	ASP	LEU	PRO	ASN	VAL	VAL	ASP	ASP	ASP	ASP	ASP	ASP	ASP	ASP	ASP	ASP
VAL	SER	THR	ILE	THR	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY
GLY	SER	SER	ILE	ASP	LEU	PRO	ASN	VAL	VAL	ASP	ASP	ASP	ASP	ASP	ASP	ASP	ASP	ASP	ASP
VAL	SER	THR	ILE	THR	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY
ILE	VAL	ASN	HIS	PRO	GLN	VAL	VAL	VAL	VAL	VAL	VAL	VAL	VAL	VAL	VAL	VAL	VAL	VAL	VAL
GLY	ASP	GLN	LYS	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR
GLY	SER	SER	ILE	ASP	LEU	PRO	ASN	VAL	VAL	ASP	ASP	ASP	ASP	ASP	ASP	ASP	ASP	ASP	ASP
VAL	SER	THR	ILE	THR	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY
GLY	SER	SER	ILE	ASP	LEU	PRO	ASN	VAL	VAL	ASP	ASP	ASP	ASP	ASP	ASP	ASP	ASP	ASP	ASP
VAL	SER	THR	ILE	THR	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY
ILE	VAL	ASN	HIS	PRO	GLN	VAL	VAL	VAL	VAL	VAL	VAL	VAL	VAL	VAL	VAL	VAL	VAL	VAL	VAL
GLY	ASP	GLN	LYS	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR
GLY	SER	SER	ILE	ASP	LEU	PRO	ASN	VAL	VAL	ASP	ASP	ASP	ASP	ASP	ASP	ASP	ASP	ASP	ASP
VAL	SER	THR	ILE	THR	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY
GLY	SER	SER	ILE	ASP	LEU	PRO	ASN	VAL	VAL	ASP	ASP	ASP	ASP	ASP	ASP	ASP	ASP	ASP	ASP
VAL	SER	THR	ILE	THR	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY
ILE	VAL	ASN	HIS	PRO	GLN	VAL	VAL	VAL	VAL	VAL	VAL	VAL	VAL	VAL	VAL	VAL	VAL	VAL	VAL
GLY	ASP	GLN	LYS	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR
GLY	SER	SER	ILE	ASP	LEU	PRO	ASN	VAL	VAL	ASP	ASP	ASP	ASP	ASP	ASP	ASP	ASP	ASP	ASP
VAL	SER	THR	ILE	THR	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY
GLY	SER	SER	ILE	ASP	LEU	PRO	ASN	VAL	VAL	ASP	ASP	ASP	ASP	ASP	ASP	ASP	ASP	ASP	ASP
VAL	SER	THR	ILE	THR	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY
ILE	VAL	ASN	HIS	PRO	GLN	VAL	VAL	VAL	VAL	VAL	VAL	VAL	VAL	VAL	VAL	VAL	VAL	VAL	VAL
GLY	ASP	GLN	LYS	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR
GLY	SER	SER	ILE	ASP	LEU	PRO	ASN	VAL	VAL	ASP	ASP	ASP	ASP	ASP	ASP	ASP	ASP	ASP	ASP
VAL	SER	THR	ILE	THR	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY









## 4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, C34	Depositor
Number of particles used	43546	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	NONE	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ( $e^-/\text{\AA}^2$ )	49.7	Depositor
Minimum defocus (nm)	700	Depositor
Maximum defocus (nm)	1700	Depositor
Magnification	64000	Depositor
Image detector	GATAN K3 BIOCONTINUUM (6k x 4k)	Depositor
Maximum map value	1.398	Depositor
Minimum map value	-0.702	Depositor
Average map value	-0.000	Depositor
Map value standard deviation	0.032	Depositor
Recommended contour level	0.45	Depositor
Map size ( $\text{\AA}$ )	684.0, 684.0, 684.0	wwPDB
Map dimensions	600, 600, 600	wwPDB
Map angles ( $^\circ$ )	90.0, 90.0, 90.0	wwPDB
Pixel spacing ( $\text{\AA}$ )	1.14, 1.14, 1.14	Depositor

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	1	0.24	0/1153	0.52	0/1550
1	2	0.24	0/1153	0.52	0/1550
1	3	0.24	0/1153	0.52	0/1550
1	4	0.24	0/1153	0.52	0/1550
1	5	0.24	0/1153	0.52	0/1550
1	6	0.24	0/1153	0.52	0/1550
1	7	0.24	0/1153	0.52	0/1550
1	8	0.24	0/1153	0.52	0/1550
1	9	0.24	0/1153	0.52	0/1550
1	A	0.24	0/1153	0.52	0/1550
1	B	0.24	0/1153	0.52	0/1550
1	C	0.24	0/1153	0.52	0/1550
1	D	0.24	0/1153	0.52	0/1550
1	E	0.24	0/1153	0.52	0/1550
1	F	0.24	0/1153	0.52	0/1550
1	G	0.24	0/1153	0.52	0/1550
1	H	0.24	0/1153	0.52	0/1550
1	I	0.24	0/1153	0.52	0/1550
1	J	0.24	0/1153	0.52	0/1550
1	K	0.24	0/1153	0.52	0/1550
1	L	0.24	0/1153	0.52	0/1550
1	M	0.24	0/1153	0.52	0/1550
1	N	0.24	0/1153	0.52	0/1550
1	O	0.24	0/1153	0.52	0/1550
1	P	0.24	0/1153	0.52	0/1550
1	Q	0.24	0/1153	0.52	0/1550
1	R	0.24	0/1153	0.52	0/1550
1	S	0.24	0/1153	0.52	0/1550
1	T	0.24	0/1153	0.52	0/1550
1	U	0.24	0/1153	0.52	0/1550
1	V	0.24	0/1153	0.52	0/1550
1	W	0.24	0/1153	0.52	0/1550
1	X	0.24	0/1153	0.52	0/1550
1	Y	0.24	0/1153	0.52	0/1550

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
All	All	0.24	0/39202	0.52	0/52700

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

## 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	1	1143	0	1135	13	0
1	2	1143	0	1135	13	0
1	3	1143	0	1135	14	0
1	4	1143	0	1135	14	0
1	5	1143	0	1135	13	0
1	6	1143	0	1135	13	0
1	7	1143	0	1135	13	0
1	8	1143	0	1135	12	0
1	9	1143	0	1135	14	0
1	A	1143	0	1135	14	0
1	B	1143	0	1135	12	0
1	C	1143	0	1135	14	0
1	D	1143	0	1135	14	0
1	E	1143	0	1135	14	0
1	F	1143	0	1135	13	0
1	G	1143	0	1135	14	0
1	H	1143	0	1135	14	0
1	I	1143	0	1135	13	0
1	J	1143	0	1135	13	0
1	K	1143	0	1135	14	0
1	L	1143	0	1135	13	0
1	M	1143	0	1135	13	0
1	N	1143	0	1135	14	0
1	O	1143	0	1135	14	0
1	P	1143	0	1135	14	0

*Continued on next page...*

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	Q	1143	0	1135	14	0
1	R	1143	0	1135	14	0
1	S	1143	0	1135	13	0
1	T	1143	0	1135	12	0
1	U	1143	0	1135	13	0
1	V	1143	0	1135	12	0
1	W	1143	0	1135	13	0
1	X	1143	0	1135	14	0
1	Y	1143	0	1135	11	0
All	All	38862	0	38590	315	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

The worst 5 of 315 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:4:395:THR:HG22	1:4:443:LEU:HB3	1.83	0.61
1:2:395:THR:HG22	1:2:443:LEU:HB3	1.83	0.61
1:8:395:THR:HG22	1:8:443:LEU:HB3	1.83	0.61
1:1:395:THR:HG22	1:1:443:LEU:HB3	1.83	0.61
1:5:395:THR:HG22	1:5:443:LEU:HB3	1.83	0.61

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	1	138/945 (15%)	137 (99%)	1 (1%)	0	100	100
1	2	138/945 (15%)	137 (99%)	1 (1%)	0	100	100

Continued on next page...

*Continued from previous page...*

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	3	138/945 (15%)	137 (99%)	1 (1%)	0	100	100
1	4	138/945 (15%)	137 (99%)	1 (1%)	0	100	100
1	5	138/945 (15%)	137 (99%)	1 (1%)	0	100	100
1	6	138/945 (15%)	137 (99%)	1 (1%)	0	100	100
1	7	138/945 (15%)	137 (99%)	1 (1%)	0	100	100
1	8	138/945 (15%)	137 (99%)	1 (1%)	0	100	100
1	9	138/945 (15%)	137 (99%)	1 (1%)	0	100	100
1	A	138/945 (15%)	137 (99%)	1 (1%)	0	100	100
1	B	138/945 (15%)	137 (99%)	1 (1%)	0	100	100
1	C	138/945 (15%)	137 (99%)	1 (1%)	0	100	100
1	D	138/945 (15%)	137 (99%)	1 (1%)	0	100	100
1	E	138/945 (15%)	137 (99%)	1 (1%)	0	100	100
1	F	138/945 (15%)	137 (99%)	1 (1%)	0	100	100
1	G	138/945 (15%)	137 (99%)	1 (1%)	0	100	100
1	H	138/945 (15%)	137 (99%)	1 (1%)	0	100	100
1	I	138/945 (15%)	137 (99%)	1 (1%)	0	100	100
1	J	138/945 (15%)	137 (99%)	1 (1%)	0	100	100
1	K	138/945 (15%)	137 (99%)	1 (1%)	0	100	100
1	L	138/945 (15%)	137 (99%)	1 (1%)	0	100	100
1	M	138/945 (15%)	137 (99%)	1 (1%)	0	100	100
1	N	138/945 (15%)	137 (99%)	1 (1%)	0	100	100
1	O	138/945 (15%)	137 (99%)	1 (1%)	0	100	100
1	P	138/945 (15%)	137 (99%)	1 (1%)	0	100	100
1	Q	138/945 (15%)	137 (99%)	1 (1%)	0	100	100
1	R	138/945 (15%)	137 (99%)	1 (1%)	0	100	100
1	S	138/945 (15%)	137 (99%)	1 (1%)	0	100	100
1	T	138/945 (15%)	137 (99%)	1 (1%)	0	100	100
1	U	138/945 (15%)	137 (99%)	1 (1%)	0	100	100
1	V	138/945 (15%)	137 (99%)	1 (1%)	0	100	100
1	W	138/945 (15%)	137 (99%)	1 (1%)	0	100	100
1	X	138/945 (15%)	137 (99%)	1 (1%)	0	100	100

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	Y	138/945 (15%)	137 (99%)	1 (1%)	0	100	100
All	All	4692/32130 (15%)	4658 (99%)	34 (1%)	0	100	100

There are no Ramachandran outliers to report.

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	1	125/802 (16%)	122 (98%)	3 (2%)	44	68
1	2	125/802 (16%)	122 (98%)	3 (2%)	44	68
1	3	125/802 (16%)	122 (98%)	3 (2%)	44	68
1	4	125/802 (16%)	122 (98%)	3 (2%)	44	68
1	5	125/802 (16%)	122 (98%)	3 (2%)	44	68
1	6	125/802 (16%)	122 (98%)	3 (2%)	44	68
1	7	125/802 (16%)	122 (98%)	3 (2%)	44	68
1	8	125/802 (16%)	122 (98%)	3 (2%)	44	68
1	9	125/802 (16%)	122 (98%)	3 (2%)	44	68
1	A	125/802 (16%)	122 (98%)	3 (2%)	44	68
1	B	125/802 (16%)	122 (98%)	3 (2%)	44	68
1	C	125/802 (16%)	122 (98%)	3 (2%)	44	68
1	D	125/802 (16%)	122 (98%)	3 (2%)	44	68
1	E	125/802 (16%)	122 (98%)	3 (2%)	44	68
1	F	125/802 (16%)	122 (98%)	3 (2%)	44	68
1	G	125/802 (16%)	122 (98%)	3 (2%)	44	68
1	H	125/802 (16%)	122 (98%)	3 (2%)	44	68
1	I	125/802 (16%)	122 (98%)	3 (2%)	44	68
1	J	125/802 (16%)	122 (98%)	3 (2%)	44	68
1	K	125/802 (16%)	122 (98%)	3 (2%)	44	68

*Continued on next page...*

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	L	125/802 (16%)	122 (98%)	3 (2%)	44	68
1	M	125/802 (16%)	122 (98%)	3 (2%)	44	68
1	N	125/802 (16%)	122 (98%)	3 (2%)	44	68
1	O	125/802 (16%)	122 (98%)	3 (2%)	44	68
1	P	125/802 (16%)	122 (98%)	3 (2%)	44	68
1	Q	125/802 (16%)	122 (98%)	3 (2%)	44	68
1	R	125/802 (16%)	122 (98%)	3 (2%)	44	68
1	S	125/802 (16%)	122 (98%)	3 (2%)	44	68
1	T	125/802 (16%)	122 (98%)	3 (2%)	44	68
1	U	125/802 (16%)	122 (98%)	3 (2%)	44	68
1	V	125/802 (16%)	122 (98%)	3 (2%)	44	68
1	W	125/802 (16%)	122 (98%)	3 (2%)	44	68
1	X	125/802 (16%)	122 (98%)	3 (2%)	44	68
1	Y	125/802 (16%)	122 (98%)	3 (2%)	44	68
All	All	4250/27268 (16%)	4148 (98%)	102 (2%)	45	68

5 of 102 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	K	287	TYR
1	O	371	SER
1	Y	287	TYR
1	K	371	SER
1	M	371	SER

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

## 5.6 Ligand geometry [i](#)

There are no ligands in this entry.

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


## 6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-39761. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

### 6.1 Orthogonal projections [i](#)


#### 6.1.1 Primary map



X




Y




Z


#### 6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

## 6.2 Central slices [i](#)


### 6.2.1 Primary map



X Index: 300




Y Index: 300



Z Index: 300


### 6.2.2 Raw map



X Index: 300



Y Index: 300




Z Index: 300


The images above show central slices of the map in three orthogonal directions.

## 6.3 Largest variance slices [i](#)


### 6.3.1 Primary map



X Index: 346




Y Index: 254




Z Index: 315


### 6.3.2 Raw map



X Index: 346



Y Index: 254




Z Index: 314


The images above show the largest variance slices of the map in three orthogonal directions.

## 6.4 Orthogonal standard-deviation projections (False-color) [i](#)


### 6.4.1 Primary map



X




Y




Z


### 6.4.2 Raw map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.


## 6.5 Orthogonal surface views [i](#)

### 6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.45. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

### 6.5.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.



## 6.6 Mask visualisation [i](#)

This section shows the 3D surface view of the primary map at 50% transparency overlaid with the specified mask at 0% transparency


A mask typically either:

- Encompasses the whole structure
- Separates out a domain, a functional unit, a monomer or an area of interest from a larger structure


### 6.6.1 emd\_39761\_msk\_1.map [i](#)



X



Y




Z

## 7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

### 7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


## 7.2 Volume estimate [i](#)



The volume at the recommended contour level is 144 nm<sup>3</sup>; this corresponds to an approximate mass of 130 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

### 7.3 Rotationally averaged power spectrum [i](#)




\*Reported resolution corresponds to spatial frequency of 0.300 Å<sup>-1</sup>

## 8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

### 8.1 FSC [i](#)



\*Reported resolution corresponds to spatial frequency of 0.300  $\text{\AA}^{-1}$

## 8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	3.33	-	-
Author-provided FSC curve	3.33	3.64	3.35
Unmasked-calculated*	4.48	7.55	4.51

\*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 4.48 differs from the reported value 3.33 by more than 10 %

## 9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-39761 and PDB model 8Z4D. Per-residue inclusion information can be found in section 3 on page 21.

### 9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.45 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

## 9.2 Q-score mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.


## 9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.45).









































































## 9.4 Atom inclusion [i](#)



At the recommended contour level, 71% of all backbone atoms, 57% of all non-hydrogen atoms, are inside the map.

## 9.5 Map-model fit summary

The table lists the average atom inclusion at the recommended contour level (0.45) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.5690	 0.5290
1	 0.5680	 0.5300
2	 0.5720	 0.5310
3	 0.5630	 0.5300
4	 0.5660	 0.5290
5	 0.5630	 0.5290
6	 0.5680	 0.5290
7	 0.5730	 0.5290
8	 0.5700	 0.5280
9	 0.5700	 0.5250
A	 0.5730	 0.5270
B	 0.5710	 0.5260
C	 0.5730	 0.5270
D	 0.5660	 0.5280
E	 0.5700	 0.5300
F	 0.5710	 0.5290
G	 0.5670	 0.5290
H	 0.5660	 0.5270
I	 0.5720	 0.5280
J	 0.5720	 0.5290
K	 0.5630	 0.5310
L	 0.5640	 0.5290
M	 0.5640	 0.5290
N	 0.5680	 0.5300
O	 0.5750	 0.5300
P	 0.5700	 0.5280
Q	 0.5710	 0.5270
R	 0.5730	 0.5300
S	 0.5720	 0.5290
T	 0.5740	 0.5290
U	 0.5660	 0.5300
V	 0.5690	 0.5300
W	 0.5710	 0.5290
X	 0.5650	 0.5290
Y	 0.5680	 0.5290

