



wwPDB EM Validation Summary Report ⓘ

Aug 28, 2024 – 02:08 PM JST

PDB ID : 8Z4G
EMDB ID : EMD-39763
Title : Structure of the S-ring region of the Vibrio flagellar MS-ring protein FliF with 35-fold symmetry applied
Authors : Takekawa, N.; Nishikino, T.; Kishikawa, J.; Hirose, M.; Kato, T.; Imada, K.; Homma, M.
Deposited on : 2024-04-17
Resolution : 3.23 Å(reported)

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


EMDB validation analysis : 0.0.1.dev112
MolProbity : 4.02b-467
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.38.2

1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:
ELECTRON MICROSCOPY

The reported resolution of this entry is 3.23 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.




























Metric	Whole archive (#Entries)	EM structures (#Entries)
Clashscore	210492	15764
Ramachandran outliers	207382	16835
Sidechain outliers	206894	16415

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	1	945	12% 85%
1	2	945	13% 85%
1	3	945	13% 85%
1	4	945	12% 85%
1	5	945	12% 85%
1	6	945	12% 85%
1	7	945	12% 85%
1	8	945	13% 85%



Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	9	945	 13% 85%
1	A	945	 12% 85%
1	B	945	 13% 85%
1	C	945	 13% 85%
1	D	945	 12% 85%
1	E	945	 13% 85%
1	F	945	 12% 85%
1	G	945	 13% 85%
1	H	945	 13% 85%
1	I	945	 12% 85%
1	J	945	 12% 85%
1	K	945	 12% 85%
1	L	945	 13% 85%
1	M	945	 12% 85%
1	N	945	 12% 85%
1	O	945	 12% 85%
1	P	945	 12% 85%
1	Q	945	 12% 85%
1	R	945	 12% 85%
1	S	945	 13% 85%
1	T	945	 13% 85%
1	U	945	 12% 85%
1	V	945	 13% 85%
1	W	945	 12% 85%
1	X	945	 13% 85%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	Y	945	 13% 85%
1	Z	945	 12% 85%

2 Entry composition [i](#)

There is only 1 type of molecule in this entry. The entry contains 40565 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Flagellar M-ring protein,Flagellar motor switch protein FliG.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
1	1	146	1159	713	210	234	2	0	0
1	2	146	1159	713	210	234	2	0	0
1	3	146	1159	713	210	234	2	0	0
1	4	146	1159	713	210	234	2	0	0
1	5	146	1159	713	210	234	2	0	0
1	6	146	1159	713	210	234	2	0	0
1	7	146	1159	713	210	234	2	0	0
1	8	146	1159	713	210	234	2	0	0
1	9	146	1159	713	210	234	2	0	0
1	A	146	1159	713	210	234	2	0	0
1	B	146	1159	713	210	234	2	0	0
1	C	146	1159	713	210	234	2	0	0
1	D	146	1159	713	210	234	2	0	0
1	E	146	1159	713	210	234	2	0	0
1	F	146	1159	713	210	234	2	0	0
1	G	146	1159	713	210	234	2	0	0
1	H	146	1159	713	210	234	2	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					AltConf	Trace
1	I	146	Total	C	N	O	S	0	0
			1159	713	210	234	2		
1	J	146	Total	C	N	O	S	0	0
			1159	713	210	234	2		
1	K	146	Total	C	N	O	S	0	0
			1159	713	210	234	2		
1	L	146	Total	C	N	O	S	0	0
			1159	713	210	234	2		
1	M	146	Total	C	N	O	S	0	0
			1159	713	210	234	2		
1	N	146	Total	C	N	O	S	0	0
			1159	713	210	234	2		
1	O	146	Total	C	N	O	S	0	0
			1159	713	210	234	2		
1	P	146	Total	C	N	O	S	0	0
			1159	713	210	234	2		
1	Q	146	Total	C	N	O	S	0	0
			1159	713	210	234	2		
1	R	146	Total	C	N	O	S	0	0
			1159	713	210	234	2		
1	S	146	Total	C	N	O	S	0	0
			1159	713	210	234	2		
1	T	146	Total	C	N	O	S	0	0
			1159	713	210	234	2		
1	U	146	Total	C	N	O	S	0	0
			1159	713	210	234	2		
1	V	146	Total	C	N	O	S	0	0
			1159	713	210	234	2		
1	W	146	Total	C	N	O	S	0	0
			1159	713	210	234	2		
1	X	146	Total	C	N	O	S	0	0
			1159	713	210	234	2		
1	Y	146	Total	C	N	O	S	0	0
			1159	713	210	234	2		
1	Z	146	Total	C	N	O	S	0	0
			1159	713	210	234	2		

There are 595 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
1	-15	MET	-	initiating methionine	UNP Q75N27
1	-14	ASN	-	expression tag	UNP Q75N27
1	-13	HIS	-	expression tag	UNP Q75N27

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
1	-12	LYS	-	expression tag	UNP Q75N27
1	-11	VAL	-	expression tag	UNP Q75N27
1	-10	HIS	-	expression tag	UNP Q75N27
1	-9	HIS	-	expression tag	UNP Q75N27
1	-8	HIS	-	expression tag	UNP Q75N27
1	-7	HIS	-	expression tag	UNP Q75N27
1	-6	HIS	-	expression tag	UNP Q75N27
1	-5	HIS	-	expression tag	UNP Q75N27
1	-4	ILE	-	expression tag	UNP Q75N27
1	-3	GLU	-	expression tag	UNP Q75N27
1	-2	GLY	-	expression tag	UNP Q75N27
1	-1	ARG	-	expression tag	UNP Q75N27
1	0	HIS	-	expression tag	UNP Q75N27
1	792	SER	GLY	engineered mutation	UNP A0A0T7EAG0
2	-15	MET	-	initiating methionine	UNP Q75N27
2	-14	ASN	-	expression tag	UNP Q75N27
2	-13	HIS	-	expression tag	UNP Q75N27
2	-12	LYS	-	expression tag	UNP Q75N27
2	-11	VAL	-	expression tag	UNP Q75N27
2	-10	HIS	-	expression tag	UNP Q75N27
2	-9	HIS	-	expression tag	UNP Q75N27
2	-8	HIS	-	expression tag	UNP Q75N27
2	-7	HIS	-	expression tag	UNP Q75N27
2	-6	HIS	-	expression tag	UNP Q75N27
2	-5	HIS	-	expression tag	UNP Q75N27
2	-4	ILE	-	expression tag	UNP Q75N27
2	-3	GLU	-	expression tag	UNP Q75N27
2	-2	GLY	-	expression tag	UNP Q75N27
2	-1	ARG	-	expression tag	UNP Q75N27
2	0	HIS	-	expression tag	UNP Q75N27
2	792	SER	GLY	engineered mutation	UNP A0A0T7EAG0
3	-15	MET	-	initiating methionine	UNP Q75N27
3	-14	ASN	-	expression tag	UNP Q75N27
3	-13	HIS	-	expression tag	UNP Q75N27
3	-12	LYS	-	expression tag	UNP Q75N27
3	-11	VAL	-	expression tag	UNP Q75N27
3	-10	HIS	-	expression tag	UNP Q75N27
3	-9	HIS	-	expression tag	UNP Q75N27
3	-8	HIS	-	expression tag	UNP Q75N27
3	-7	HIS	-	expression tag	UNP Q75N27
3	-6	HIS	-	expression tag	UNP Q75N27
3	-5	HIS	-	expression tag	UNP Q75N27

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
3	-4	ILE	-	expression tag	UNP Q75N27
3	-3	GLU	-	expression tag	UNP Q75N27
3	-2	GLY	-	expression tag	UNP Q75N27
3	-1	ARG	-	expression tag	UNP Q75N27
3	0	HIS	-	expression tag	UNP Q75N27
3	792	SER	GLY	engineered mutation	UNP A0A0T7EAG0
4	-15	MET	-	initiating methionine	UNP Q75N27
4	-14	ASN	-	expression tag	UNP Q75N27
4	-13	HIS	-	expression tag	UNP Q75N27
4	-12	LYS	-	expression tag	UNP Q75N27
4	-11	VAL	-	expression tag	UNP Q75N27
4	-10	HIS	-	expression tag	UNP Q75N27
4	-9	HIS	-	expression tag	UNP Q75N27
4	-8	HIS	-	expression tag	UNP Q75N27
4	-7	HIS	-	expression tag	UNP Q75N27
4	-6	HIS	-	expression tag	UNP Q75N27
4	-5	HIS	-	expression tag	UNP Q75N27
4	-4	ILE	-	expression tag	UNP Q75N27
4	-3	GLU	-	expression tag	UNP Q75N27
4	-2	GLY	-	expression tag	UNP Q75N27
4	-1	ARG	-	expression tag	UNP Q75N27
4	0	HIS	-	expression tag	UNP Q75N27
4	792	SER	GLY	engineered mutation	UNP A0A0T7EAG0
5	-15	MET	-	initiating methionine	UNP Q75N27
5	-14	ASN	-	expression tag	UNP Q75N27
5	-13	HIS	-	expression tag	UNP Q75N27
5	-12	LYS	-	expression tag	UNP Q75N27
5	-11	VAL	-	expression tag	UNP Q75N27
5	-10	HIS	-	expression tag	UNP Q75N27
5	-9	HIS	-	expression tag	UNP Q75N27
5	-8	HIS	-	expression tag	UNP Q75N27
5	-7	HIS	-	expression tag	UNP Q75N27
5	-6	HIS	-	expression tag	UNP Q75N27
5	-5	HIS	-	expression tag	UNP Q75N27
5	-4	ILE	-	expression tag	UNP Q75N27
5	-3	GLU	-	expression tag	UNP Q75N27
5	-2	GLY	-	expression tag	UNP Q75N27
5	-1	ARG	-	expression tag	UNP Q75N27
5	0	HIS	-	expression tag	UNP Q75N27
5	792	SER	GLY	engineered mutation	UNP A0A0T7EAG0
6	-15	MET	-	initiating methionine	UNP Q75N27
6	-14	ASN	-	expression tag	UNP Q75N27

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
6	-13	HIS	-	expression tag	UNP Q75N27
6	-12	LYS	-	expression tag	UNP Q75N27
6	-11	VAL	-	expression tag	UNP Q75N27
6	-10	HIS	-	expression tag	UNP Q75N27
6	-9	HIS	-	expression tag	UNP Q75N27
6	-8	HIS	-	expression tag	UNP Q75N27
6	-7	HIS	-	expression tag	UNP Q75N27
6	-6	HIS	-	expression tag	UNP Q75N27
6	-5	HIS	-	expression tag	UNP Q75N27
6	-4	ILE	-	expression tag	UNP Q75N27
6	-3	GLU	-	expression tag	UNP Q75N27
6	-2	GLY	-	expression tag	UNP Q75N27
6	-1	ARG	-	expression tag	UNP Q75N27
6	0	HIS	-	expression tag	UNP Q75N27
6	792	SER	GLY	engineered mutation	UNP A0A0T7EAG0
7	-15	MET	-	initiating methionine	UNP Q75N27
7	-14	ASN	-	expression tag	UNP Q75N27
7	-13	HIS	-	expression tag	UNP Q75N27
7	-12	LYS	-	expression tag	UNP Q75N27
7	-11	VAL	-	expression tag	UNP Q75N27
7	-10	HIS	-	expression tag	UNP Q75N27
7	-9	HIS	-	expression tag	UNP Q75N27
7	-8	HIS	-	expression tag	UNP Q75N27
7	-7	HIS	-	expression tag	UNP Q75N27
7	-6	HIS	-	expression tag	UNP Q75N27
7	-5	HIS	-	expression tag	UNP Q75N27
7	-4	ILE	-	expression tag	UNP Q75N27
7	-3	GLU	-	expression tag	UNP Q75N27
7	-2	GLY	-	expression tag	UNP Q75N27
7	-1	ARG	-	expression tag	UNP Q75N27
7	0	HIS	-	expression tag	UNP Q75N27
7	792	SER	GLY	engineered mutation	UNP A0A0T7EAG0
8	-15	MET	-	initiating methionine	UNP Q75N27
8	-14	ASN	-	expression tag	UNP Q75N27
8	-13	HIS	-	expression tag	UNP Q75N27
8	-12	LYS	-	expression tag	UNP Q75N27
8	-11	VAL	-	expression tag	UNP Q75N27
8	-10	HIS	-	expression tag	UNP Q75N27
8	-9	HIS	-	expression tag	UNP Q75N27
8	-8	HIS	-	expression tag	UNP Q75N27
8	-7	HIS	-	expression tag	UNP Q75N27
8	-6	HIS	-	expression tag	UNP Q75N27

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
8	-5	HIS	-	expression tag	UNP Q75N27
8	-4	ILE	-	expression tag	UNP Q75N27
8	-3	GLU	-	expression tag	UNP Q75N27
8	-2	GLY	-	expression tag	UNP Q75N27
8	-1	ARG	-	expression tag	UNP Q75N27
8	0	HIS	-	expression tag	UNP Q75N27
8	792	SER	GLY	engineered mutation	UNP A0A0T7EAG0
9	-15	MET	-	initiating methionine	UNP Q75N27
9	-14	ASN	-	expression tag	UNP Q75N27
9	-13	HIS	-	expression tag	UNP Q75N27
9	-12	LYS	-	expression tag	UNP Q75N27
9	-11	VAL	-	expression tag	UNP Q75N27
9	-10	HIS	-	expression tag	UNP Q75N27
9	-9	HIS	-	expression tag	UNP Q75N27
9	-8	HIS	-	expression tag	UNP Q75N27
9	-7	HIS	-	expression tag	UNP Q75N27
9	-6	HIS	-	expression tag	UNP Q75N27
9	-5	HIS	-	expression tag	UNP Q75N27
9	-4	ILE	-	expression tag	UNP Q75N27
9	-3	GLU	-	expression tag	UNP Q75N27
9	-2	GLY	-	expression tag	UNP Q75N27
9	-1	ARG	-	expression tag	UNP Q75N27
9	0	HIS	-	expression tag	UNP Q75N27
9	792	SER	GLY	engineered mutation	UNP A0A0T7EAG0
A	-15	MET	-	initiating methionine	UNP Q75N27
A	-14	ASN	-	expression tag	UNP Q75N27
A	-13	HIS	-	expression tag	UNP Q75N27
A	-12	LYS	-	expression tag	UNP Q75N27
A	-11	VAL	-	expression tag	UNP Q75N27
A	-10	HIS	-	expression tag	UNP Q75N27
A	-9	HIS	-	expression tag	UNP Q75N27
A	-8	HIS	-	expression tag	UNP Q75N27
A	-7	HIS	-	expression tag	UNP Q75N27
A	-6	HIS	-	expression tag	UNP Q75N27
A	-5	HIS	-	expression tag	UNP Q75N27
A	-4	ILE	-	expression tag	UNP Q75N27
A	-3	GLU	-	expression tag	UNP Q75N27
A	-2	GLY	-	expression tag	UNP Q75N27
A	-1	ARG	-	expression tag	UNP Q75N27
A	0	HIS	-	expression tag	UNP Q75N27
A	792	SER	GLY	engineered mutation	UNP A0A0T7EAG0
B	-15	MET	-	initiating methionine	UNP Q75N27

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	-14	ASN	-	expression tag	UNP Q75N27
B	-13	HIS	-	expression tag	UNP Q75N27
B	-12	LYS	-	expression tag	UNP Q75N27
B	-11	VAL	-	expression tag	UNP Q75N27
B	-10	HIS	-	expression tag	UNP Q75N27
B	-9	HIS	-	expression tag	UNP Q75N27
B	-8	HIS	-	expression tag	UNP Q75N27
B	-7	HIS	-	expression tag	UNP Q75N27
B	-6	HIS	-	expression tag	UNP Q75N27
B	-5	HIS	-	expression tag	UNP Q75N27
B	-4	ILE	-	expression tag	UNP Q75N27
B	-3	GLU	-	expression tag	UNP Q75N27
B	-2	GLY	-	expression tag	UNP Q75N27
B	-1	ARG	-	expression tag	UNP Q75N27
B	0	HIS	-	expression tag	UNP Q75N27
B	792	SER	GLY	engineered mutation	UNP A0A0T7EAG0
C	-15	MET	-	initiating methionine	UNP Q75N27
C	-14	ASN	-	expression tag	UNP Q75N27
C	-13	HIS	-	expression tag	UNP Q75N27
C	-12	LYS	-	expression tag	UNP Q75N27
C	-11	VAL	-	expression tag	UNP Q75N27
C	-10	HIS	-	expression tag	UNP Q75N27
C	-9	HIS	-	expression tag	UNP Q75N27
C	-8	HIS	-	expression tag	UNP Q75N27
C	-7	HIS	-	expression tag	UNP Q75N27
C	-6	HIS	-	expression tag	UNP Q75N27
C	-5	HIS	-	expression tag	UNP Q75N27
C	-4	ILE	-	expression tag	UNP Q75N27
C	-3	GLU	-	expression tag	UNP Q75N27
C	-2	GLY	-	expression tag	UNP Q75N27
C	-1	ARG	-	expression tag	UNP Q75N27
C	0	HIS	-	expression tag	UNP Q75N27
C	792	SER	GLY	engineered mutation	UNP A0A0T7EAG0
D	-15	MET	-	initiating methionine	UNP Q75N27
D	-14	ASN	-	expression tag	UNP Q75N27
D	-13	HIS	-	expression tag	UNP Q75N27
D	-12	LYS	-	expression tag	UNP Q75N27
D	-11	VAL	-	expression tag	UNP Q75N27
D	-10	HIS	-	expression tag	UNP Q75N27
D	-9	HIS	-	expression tag	UNP Q75N27
D	-8	HIS	-	expression tag	UNP Q75N27
D	-7	HIS	-	expression tag	UNP Q75N27

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
D	-6	HIS	-	expression tag	UNP Q75N27
D	-5	HIS	-	expression tag	UNP Q75N27
D	-4	ILE	-	expression tag	UNP Q75N27
D	-3	GLU	-	expression tag	UNP Q75N27
D	-2	GLY	-	expression tag	UNP Q75N27
D	-1	ARG	-	expression tag	UNP Q75N27
D	0	HIS	-	expression tag	UNP Q75N27
D	792	SER	GLY	engineered mutation	UNP A0A0T7EAG0
E	-15	MET	-	initiating methionine	UNP Q75N27
E	-14	ASN	-	expression tag	UNP Q75N27
E	-13	HIS	-	expression tag	UNP Q75N27
E	-12	LYS	-	expression tag	UNP Q75N27
E	-11	VAL	-	expression tag	UNP Q75N27
E	-10	HIS	-	expression tag	UNP Q75N27
E	-9	HIS	-	expression tag	UNP Q75N27
E	-8	HIS	-	expression tag	UNP Q75N27
E	-7	HIS	-	expression tag	UNP Q75N27
E	-6	HIS	-	expression tag	UNP Q75N27
E	-5	HIS	-	expression tag	UNP Q75N27
E	-4	ILE	-	expression tag	UNP Q75N27
E	-3	GLU	-	expression tag	UNP Q75N27
E	-2	GLY	-	expression tag	UNP Q75N27
E	-1	ARG	-	expression tag	UNP Q75N27
E	0	HIS	-	expression tag	UNP Q75N27
E	792	SER	GLY	engineered mutation	UNP A0A0T7EAG0
F	-15	MET	-	initiating methionine	UNP Q75N27
F	-14	ASN	-	expression tag	UNP Q75N27
F	-13	HIS	-	expression tag	UNP Q75N27
F	-12	LYS	-	expression tag	UNP Q75N27
F	-11	VAL	-	expression tag	UNP Q75N27
F	-10	HIS	-	expression tag	UNP Q75N27
F	-9	HIS	-	expression tag	UNP Q75N27
F	-8	HIS	-	expression tag	UNP Q75N27
F	-7	HIS	-	expression tag	UNP Q75N27
F	-6	HIS	-	expression tag	UNP Q75N27
F	-5	HIS	-	expression tag	UNP Q75N27
F	-4	ILE	-	expression tag	UNP Q75N27
F	-3	GLU	-	expression tag	UNP Q75N27
F	-2	GLY	-	expression tag	UNP Q75N27
F	-1	ARG	-	expression tag	UNP Q75N27
F	0	HIS	-	expression tag	UNP Q75N27
F	792	SER	GLY	engineered mutation	UNP A0A0T7EAG0

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
G	-15	MET	-	initiating methionine	UNP Q75N27
G	-14	ASN	-	expression tag	UNP Q75N27
G	-13	HIS	-	expression tag	UNP Q75N27
G	-12	LYS	-	expression tag	UNP Q75N27
G	-11	VAL	-	expression tag	UNP Q75N27
G	-10	HIS	-	expression tag	UNP Q75N27
G	-9	HIS	-	expression tag	UNP Q75N27
G	-8	HIS	-	expression tag	UNP Q75N27
G	-7	HIS	-	expression tag	UNP Q75N27
G	-6	HIS	-	expression tag	UNP Q75N27
G	-5	HIS	-	expression tag	UNP Q75N27
G	-4	ILE	-	expression tag	UNP Q75N27
G	-3	GLU	-	expression tag	UNP Q75N27
G	-2	GLY	-	expression tag	UNP Q75N27
G	-1	ARG	-	expression tag	UNP Q75N27
G	0	HIS	-	expression tag	UNP Q75N27
G	792	SER	GLY	engineered mutation	UNP A0A0T7EAG0
H	-15	MET	-	initiating methionine	UNP Q75N27
H	-14	ASN	-	expression tag	UNP Q75N27
H	-13	HIS	-	expression tag	UNP Q75N27
H	-12	LYS	-	expression tag	UNP Q75N27
H	-11	VAL	-	expression tag	UNP Q75N27
H	-10	HIS	-	expression tag	UNP Q75N27
H	-9	HIS	-	expression tag	UNP Q75N27
H	-8	HIS	-	expression tag	UNP Q75N27
H	-7	HIS	-	expression tag	UNP Q75N27
H	-6	HIS	-	expression tag	UNP Q75N27
H	-5	HIS	-	expression tag	UNP Q75N27
H	-4	ILE	-	expression tag	UNP Q75N27
H	-3	GLU	-	expression tag	UNP Q75N27
H	-2	GLY	-	expression tag	UNP Q75N27
H	-1	ARG	-	expression tag	UNP Q75N27
H	0	HIS	-	expression tag	UNP Q75N27
H	792	SER	GLY	engineered mutation	UNP A0A0T7EAG0
I	-15	MET	-	initiating methionine	UNP Q75N27
I	-14	ASN	-	expression tag	UNP Q75N27
I	-13	HIS	-	expression tag	UNP Q75N27
I	-12	LYS	-	expression tag	UNP Q75N27
I	-11	VAL	-	expression tag	UNP Q75N27
I	-10	HIS	-	expression tag	UNP Q75N27
I	-9	HIS	-	expression tag	UNP Q75N27
I	-8	HIS	-	expression tag	UNP Q75N27

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
I	-7	HIS	-	expression tag	UNP Q75N27
I	-6	HIS	-	expression tag	UNP Q75N27
I	-5	HIS	-	expression tag	UNP Q75N27
I	-4	ILE	-	expression tag	UNP Q75N27
I	-3	GLU	-	expression tag	UNP Q75N27
I	-2	GLY	-	expression tag	UNP Q75N27
I	-1	ARG	-	expression tag	UNP Q75N27
I	0	HIS	-	expression tag	UNP Q75N27
I	792	SER	GLY	engineered mutation	UNP A0A0T7EAG0
J	-15	MET	-	initiating methionine	UNP Q75N27
J	-14	ASN	-	expression tag	UNP Q75N27
J	-13	HIS	-	expression tag	UNP Q75N27
J	-12	LYS	-	expression tag	UNP Q75N27
J	-11	VAL	-	expression tag	UNP Q75N27
J	-10	HIS	-	expression tag	UNP Q75N27
J	-9	HIS	-	expression tag	UNP Q75N27
J	-8	HIS	-	expression tag	UNP Q75N27
J	-7	HIS	-	expression tag	UNP Q75N27
J	-6	HIS	-	expression tag	UNP Q75N27
J	-5	HIS	-	expression tag	UNP Q75N27
J	-4	ILE	-	expression tag	UNP Q75N27
J	-3	GLU	-	expression tag	UNP Q75N27
J	-2	GLY	-	expression tag	UNP Q75N27
J	-1	ARG	-	expression tag	UNP Q75N27
J	0	HIS	-	expression tag	UNP Q75N27
J	792	SER	GLY	engineered mutation	UNP A0A0T7EAG0
K	-15	MET	-	initiating methionine	UNP Q75N27
K	-14	ASN	-	expression tag	UNP Q75N27
K	-13	HIS	-	expression tag	UNP Q75N27
K	-12	LYS	-	expression tag	UNP Q75N27
K	-11	VAL	-	expression tag	UNP Q75N27
K	-10	HIS	-	expression tag	UNP Q75N27
K	-9	HIS	-	expression tag	UNP Q75N27
K	-8	HIS	-	expression tag	UNP Q75N27
K	-7	HIS	-	expression tag	UNP Q75N27
K	-6	HIS	-	expression tag	UNP Q75N27
K	-5	HIS	-	expression tag	UNP Q75N27
K	-4	ILE	-	expression tag	UNP Q75N27
K	-3	GLU	-	expression tag	UNP Q75N27
K	-2	GLY	-	expression tag	UNP Q75N27
K	-1	ARG	-	expression tag	UNP Q75N27
K	0	HIS	-	expression tag	UNP Q75N27

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
K	792	SER	GLY	engineered mutation	UNP A0A0T7EAG0
L	-15	MET	-	initiating methionine	UNP Q75N27
L	-14	ASN	-	expression tag	UNP Q75N27
L	-13	HIS	-	expression tag	UNP Q75N27
L	-12	LYS	-	expression tag	UNP Q75N27
L	-11	VAL	-	expression tag	UNP Q75N27
L	-10	HIS	-	expression tag	UNP Q75N27
L	-9	HIS	-	expression tag	UNP Q75N27
L	-8	HIS	-	expression tag	UNP Q75N27
L	-7	HIS	-	expression tag	UNP Q75N27
L	-6	HIS	-	expression tag	UNP Q75N27
L	-5	HIS	-	expression tag	UNP Q75N27
L	-4	ILE	-	expression tag	UNP Q75N27
L	-3	GLU	-	expression tag	UNP Q75N27
L	-2	GLY	-	expression tag	UNP Q75N27
L	-1	ARG	-	expression tag	UNP Q75N27
L	0	HIS	-	expression tag	UNP Q75N27
L	792	SER	GLY	engineered mutation	UNP A0A0T7EAG0
M	-15	MET	-	initiating methionine	UNP Q75N27
M	-14	ASN	-	expression tag	UNP Q75N27
M	-13	HIS	-	expression tag	UNP Q75N27
M	-12	LYS	-	expression tag	UNP Q75N27
M	-11	VAL	-	expression tag	UNP Q75N27
M	-10	HIS	-	expression tag	UNP Q75N27
M	-9	HIS	-	expression tag	UNP Q75N27
M	-8	HIS	-	expression tag	UNP Q75N27
M	-7	HIS	-	expression tag	UNP Q75N27
M	-6	HIS	-	expression tag	UNP Q75N27
M	-5	HIS	-	expression tag	UNP Q75N27
M	-4	ILE	-	expression tag	UNP Q75N27
M	-3	GLU	-	expression tag	UNP Q75N27
M	-2	GLY	-	expression tag	UNP Q75N27
M	-1	ARG	-	expression tag	UNP Q75N27
M	0	HIS	-	expression tag	UNP Q75N27
M	792	SER	GLY	engineered mutation	UNP A0A0T7EAG0
N	-15	MET	-	initiating methionine	UNP Q75N27
N	-14	ASN	-	expression tag	UNP Q75N27
N	-13	HIS	-	expression tag	UNP Q75N27
N	-12	LYS	-	expression tag	UNP Q75N27
N	-11	VAL	-	expression tag	UNP Q75N27
N	-10	HIS	-	expression tag	UNP Q75N27
N	-9	HIS	-	expression tag	UNP Q75N27

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
N	-8	HIS	-	expression tag	UNP Q75N27
N	-7	HIS	-	expression tag	UNP Q75N27
N	-6	HIS	-	expression tag	UNP Q75N27
N	-5	HIS	-	expression tag	UNP Q75N27
N	-4	ILE	-	expression tag	UNP Q75N27
N	-3	GLU	-	expression tag	UNP Q75N27
N	-2	GLY	-	expression tag	UNP Q75N27
N	-1	ARG	-	expression tag	UNP Q75N27
N	0	HIS	-	expression tag	UNP Q75N27
N	792	SER	GLY	engineered mutation	UNP A0A0T7EAG0
O	-15	MET	-	initiating methionine	UNP Q75N27
O	-14	ASN	-	expression tag	UNP Q75N27
O	-13	HIS	-	expression tag	UNP Q75N27
O	-12	LYS	-	expression tag	UNP Q75N27
O	-11	VAL	-	expression tag	UNP Q75N27
O	-10	HIS	-	expression tag	UNP Q75N27
O	-9	HIS	-	expression tag	UNP Q75N27
O	-8	HIS	-	expression tag	UNP Q75N27
O	-7	HIS	-	expression tag	UNP Q75N27
O	-6	HIS	-	expression tag	UNP Q75N27
O	-5	HIS	-	expression tag	UNP Q75N27
O	-4	ILE	-	expression tag	UNP Q75N27
O	-3	GLU	-	expression tag	UNP Q75N27
O	-2	GLY	-	expression tag	UNP Q75N27
O	-1	ARG	-	expression tag	UNP Q75N27
O	0	HIS	-	expression tag	UNP Q75N27
O	792	SER	GLY	engineered mutation	UNP A0A0T7EAG0
P	-15	MET	-	initiating methionine	UNP Q75N27
P	-14	ASN	-	expression tag	UNP Q75N27
P	-13	HIS	-	expression tag	UNP Q75N27
P	-12	LYS	-	expression tag	UNP Q75N27
P	-11	VAL	-	expression tag	UNP Q75N27
P	-10	HIS	-	expression tag	UNP Q75N27
P	-9	HIS	-	expression tag	UNP Q75N27
P	-8	HIS	-	expression tag	UNP Q75N27
P	-7	HIS	-	expression tag	UNP Q75N27
P	-6	HIS	-	expression tag	UNP Q75N27
P	-5	HIS	-	expression tag	UNP Q75N27
P	-4	ILE	-	expression tag	UNP Q75N27
P	-3	GLU	-	expression tag	UNP Q75N27
P	-2	GLY	-	expression tag	UNP Q75N27
P	-1	ARG	-	expression tag	UNP Q75N27

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
P	0	HIS	-	expression tag	UNP Q75N27
P	792	SER	GLY	engineered mutation	UNP A0A0T7EAG0
Q	-15	MET	-	initiating methionine	UNP Q75N27
Q	-14	ASN	-	expression tag	UNP Q75N27
Q	-13	HIS	-	expression tag	UNP Q75N27
Q	-12	LYS	-	expression tag	UNP Q75N27
Q	-11	VAL	-	expression tag	UNP Q75N27
Q	-10	HIS	-	expression tag	UNP Q75N27
Q	-9	HIS	-	expression tag	UNP Q75N27
Q	-8	HIS	-	expression tag	UNP Q75N27
Q	-7	HIS	-	expression tag	UNP Q75N27
Q	-6	HIS	-	expression tag	UNP Q75N27
Q	-5	HIS	-	expression tag	UNP Q75N27
Q	-4	ILE	-	expression tag	UNP Q75N27
Q	-3	GLU	-	expression tag	UNP Q75N27
Q	-2	GLY	-	expression tag	UNP Q75N27
Q	-1	ARG	-	expression tag	UNP Q75N27
Q	0	HIS	-	expression tag	UNP Q75N27
Q	792	SER	GLY	engineered mutation	UNP A0A0T7EAG0
R	-15	MET	-	initiating methionine	UNP Q75N27
R	-14	ASN	-	expression tag	UNP Q75N27
R	-13	HIS	-	expression tag	UNP Q75N27
R	-12	LYS	-	expression tag	UNP Q75N27
R	-11	VAL	-	expression tag	UNP Q75N27
R	-10	HIS	-	expression tag	UNP Q75N27
R	-9	HIS	-	expression tag	UNP Q75N27
R	-8	HIS	-	expression tag	UNP Q75N27
R	-7	HIS	-	expression tag	UNP Q75N27
R	-6	HIS	-	expression tag	UNP Q75N27
R	-5	HIS	-	expression tag	UNP Q75N27
R	-4	ILE	-	expression tag	UNP Q75N27
R	-3	GLU	-	expression tag	UNP Q75N27
R	-2	GLY	-	expression tag	UNP Q75N27
R	-1	ARG	-	expression tag	UNP Q75N27
R	0	HIS	-	expression tag	UNP Q75N27
R	792	SER	GLY	engineered mutation	UNP A0A0T7EAG0
S	-15	MET	-	initiating methionine	UNP Q75N27
S	-14	ASN	-	expression tag	UNP Q75N27
S	-13	HIS	-	expression tag	UNP Q75N27
S	-12	LYS	-	expression tag	UNP Q75N27
S	-11	VAL	-	expression tag	UNP Q75N27
S	-10	HIS	-	expression tag	UNP Q75N27

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
S	-9	HIS	-	expression tag	UNP Q75N27
S	-8	HIS	-	expression tag	UNP Q75N27
S	-7	HIS	-	expression tag	UNP Q75N27
S	-6	HIS	-	expression tag	UNP Q75N27
S	-5	HIS	-	expression tag	UNP Q75N27
S	-4	ILE	-	expression tag	UNP Q75N27
S	-3	GLU	-	expression tag	UNP Q75N27
S	-2	GLY	-	expression tag	UNP Q75N27
S	-1	ARG	-	expression tag	UNP Q75N27
S	0	HIS	-	expression tag	UNP Q75N27
S	792	SER	GLY	engineered mutation	UNP A0A0T7EAG0
T	-15	MET	-	initiating methionine	UNP Q75N27
T	-14	ASN	-	expression tag	UNP Q75N27
T	-13	HIS	-	expression tag	UNP Q75N27
T	-12	LYS	-	expression tag	UNP Q75N27
T	-11	VAL	-	expression tag	UNP Q75N27
T	-10	HIS	-	expression tag	UNP Q75N27
T	-9	HIS	-	expression tag	UNP Q75N27
T	-8	HIS	-	expression tag	UNP Q75N27
T	-7	HIS	-	expression tag	UNP Q75N27
T	-6	HIS	-	expression tag	UNP Q75N27
T	-5	HIS	-	expression tag	UNP Q75N27
T	-4	ILE	-	expression tag	UNP Q75N27
T	-3	GLU	-	expression tag	UNP Q75N27
T	-2	GLY	-	expression tag	UNP Q75N27
T	-1	ARG	-	expression tag	UNP Q75N27
T	0	HIS	-	expression tag	UNP Q75N27
T	792	SER	GLY	engineered mutation	UNP A0A0T7EAG0
U	-15	MET	-	initiating methionine	UNP Q75N27
U	-14	ASN	-	expression tag	UNP Q75N27
U	-13	HIS	-	expression tag	UNP Q75N27
U	-12	LYS	-	expression tag	UNP Q75N27
U	-11	VAL	-	expression tag	UNP Q75N27
U	-10	HIS	-	expression tag	UNP Q75N27
U	-9	HIS	-	expression tag	UNP Q75N27
U	-8	HIS	-	expression tag	UNP Q75N27
U	-7	HIS	-	expression tag	UNP Q75N27
U	-6	HIS	-	expression tag	UNP Q75N27
U	-5	HIS	-	expression tag	UNP Q75N27
U	-4	ILE	-	expression tag	UNP Q75N27
U	-3	GLU	-	expression tag	UNP Q75N27
U	-2	GLY	-	expression tag	UNP Q75N27

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
U	-1	ARG	-	expression tag	UNP Q75N27
U	0	HIS	-	expression tag	UNP Q75N27
U	792	SER	GLY	engineered mutation	UNP A0A0T7EAG0
V	-15	MET	-	initiating methionine	UNP Q75N27
V	-14	ASN	-	expression tag	UNP Q75N27
V	-13	HIS	-	expression tag	UNP Q75N27
V	-12	LYS	-	expression tag	UNP Q75N27
V	-11	VAL	-	expression tag	UNP Q75N27
V	-10	HIS	-	expression tag	UNP Q75N27
V	-9	HIS	-	expression tag	UNP Q75N27
V	-8	HIS	-	expression tag	UNP Q75N27
V	-7	HIS	-	expression tag	UNP Q75N27
V	-6	HIS	-	expression tag	UNP Q75N27
V	-5	HIS	-	expression tag	UNP Q75N27
V	-4	ILE	-	expression tag	UNP Q75N27
V	-3	GLU	-	expression tag	UNP Q75N27
V	-2	GLY	-	expression tag	UNP Q75N27
V	-1	ARG	-	expression tag	UNP Q75N27
V	0	HIS	-	expression tag	UNP Q75N27
V	792	SER	GLY	engineered mutation	UNP A0A0T7EAG0
W	-15	MET	-	initiating methionine	UNP Q75N27
W	-14	ASN	-	expression tag	UNP Q75N27
W	-13	HIS	-	expression tag	UNP Q75N27
W	-12	LYS	-	expression tag	UNP Q75N27
W	-11	VAL	-	expression tag	UNP Q75N27
W	-10	HIS	-	expression tag	UNP Q75N27
W	-9	HIS	-	expression tag	UNP Q75N27
W	-8	HIS	-	expression tag	UNP Q75N27
W	-7	HIS	-	expression tag	UNP Q75N27
W	-6	HIS	-	expression tag	UNP Q75N27
W	-5	HIS	-	expression tag	UNP Q75N27
W	-4	ILE	-	expression tag	UNP Q75N27
W	-3	GLU	-	expression tag	UNP Q75N27
W	-2	GLY	-	expression tag	UNP Q75N27
W	-1	ARG	-	expression tag	UNP Q75N27
W	0	HIS	-	expression tag	UNP Q75N27
W	792	SER	GLY	engineered mutation	UNP A0A0T7EAG0
X	-15	MET	-	initiating methionine	UNP Q75N27
X	-14	ASN	-	expression tag	UNP Q75N27
X	-13	HIS	-	expression tag	UNP Q75N27
X	-12	LYS	-	expression tag	UNP Q75N27
X	-11	VAL	-	expression tag	UNP Q75N27

Continued on next page...


Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
X	-10	HIS	-	expression tag	UNP Q75N27
X	-9	HIS	-	expression tag	UNP Q75N27
X	-8	HIS	-	expression tag	UNP Q75N27
X	-7	HIS	-	expression tag	UNP Q75N27
X	-6	HIS	-	expression tag	UNP Q75N27
X	-5	HIS	-	expression tag	UNP Q75N27
X	-4	ILE	-	expression tag	UNP Q75N27
X	-3	GLU	-	expression tag	UNP Q75N27
X	-2	GLY	-	expression tag	UNP Q75N27
X	-1	ARG	-	expression tag	UNP Q75N27
X	0	HIS	-	expression tag	UNP Q75N27
X	792	SER	GLY	engineered mutation	UNP A0A0T7EAG0
Y	-15	MET	-	initiating methionine	UNP Q75N27
Y	-14	ASN	-	expression tag	UNP Q75N27
Y	-13	HIS	-	expression tag	UNP Q75N27
Y	-12	LYS	-	expression tag	UNP Q75N27
Y	-11	VAL	-	expression tag	UNP Q75N27
Y	-10	HIS	-	expression tag	UNP Q75N27
Y	-9	HIS	-	expression tag	UNP Q75N27
Y	-8	HIS	-	expression tag	UNP Q75N27
Y	-7	HIS	-	expression tag	UNP Q75N27
Y	-6	HIS	-	expression tag	UNP Q75N27
Y	-5	HIS	-	expression tag	UNP Q75N27
Y	-4	ILE	-	expression tag	UNP Q75N27
Y	-3	GLU	-	expression tag	UNP Q75N27
Y	-2	GLY	-	expression tag	UNP Q75N27
Y	-1	ARG	-	expression tag	UNP Q75N27
Y	0	HIS	-	expression tag	UNP Q75N27
Y	792	SER	GLY	engineered mutation	UNP A0A0T7EAG0
Z	-15	MET	-	initiating methionine	UNP Q75N27
Z	-14	ASN	-	expression tag	UNP Q75N27
Z	-13	HIS	-	expression tag	UNP Q75N27
Z	-12	LYS	-	expression tag	UNP Q75N27
Z	-11	VAL	-	expression tag	UNP Q75N27
Z	-10	HIS	-	expression tag	UNP Q75N27
Z	-9	HIS	-	expression tag	UNP Q75N27
Z	-8	HIS	-	expression tag	UNP Q75N27
Z	-7	HIS	-	expression tag	UNP Q75N27
Z	-6	HIS	-	expression tag	UNP Q75N27
Z	-5	HIS	-	expression tag	UNP Q75N27
Z	-4	ILE	-	expression tag	UNP Q75N27
Z	-3	GLU	-	expression tag	UNP Q75N27


Continued on next page...


Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
Z	-2	GLY	-	expression tag	UNP Q75N27
Z	-1	ARG	-	expression tag	UNP Q75N27
Z	0	HIS	-	expression tag	UNP Q75N27
Z	792	SER	GLY	engineered mutation	UNP A0A0T7EAG0




● Molecule 1: Flagellar M-ring protein, Flagellar motor switch protein FliG






● Molecule 1: Flagellar M-ring protein,Flagellar motor switch protein FliG




• Molecule 1: Flagellar M-ring protein,Flagellar motor switch protein FliG

Chain S: 13% 85%



• Molecule 1: Flagellar M-ring protein,Flagellar motor switch protein FliG

Chain T: 13% 85%



ARG
ASP
VAL
PRO
GLN
ALA
ASP
VAL
LEU
GLN
LYS
MET
ALA
LEU
LYS
SER
GLY
ALA
ASP
SER
LEU
ARG
GLU
LYS
VAL
PHE
LYS
ASN
MET
SER
LYS
ARG
ALA
ALA
GLU
MET
MET
ARG
ASP
ASP
ILE
GLU
ALA
MET
PRO
PRO
VAL
ARG
VAL
ALA
ASP
VAL
GLU
ALA
ALA
GLN
LYS
GLU
ILE
LEU
ALA
ILE

ALA
ARG
MET
ALA
ASP
ALA
GLY
GLU
LEU
MET
LEU
SER
GLY
ALA
ALA
ASP
GLU
PHE
LEU

4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, C35	Depositor
Number of particles used	184915	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	NONE	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	49.7	Depositor
Minimum defocus (nm)	700	Depositor
Maximum defocus (nm)	1700	Depositor
Magnification	64000	Depositor
Image detector	GATAN K3 BIOCONTINUUM (6k x 4k)	Depositor
Maximum map value	1.682	Depositor
Minimum map value	-0.966	Depositor
Average map value	-0.001	Depositor
Map value standard deviation	0.037	Depositor
Recommended contour level	0.45	Depositor
Map size (\AA)	684.0, 684.0, 684.0	wwPDB
Map dimensions	600, 600, 600	wwPDB
Map angles ($^\circ$)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (\AA)	1.14, 1.14, 1.14	Depositor

5 Model quality [i](#)

5.1 Standard geometry [i](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	1	0.26	0/1170	0.54	0/1573
1	2	0.27	0/1170	0.55	0/1573
1	3	0.27	0/1170	0.54	0/1573
1	4	0.27	0/1170	0.54	0/1573
1	5	0.27	0/1170	0.55	0/1573
1	6	0.27	0/1170	0.55	0/1573
1	7	0.27	0/1170	0.54	0/1573
1	8	0.27	0/1170	0.54	0/1573
1	9	0.27	0/1170	0.54	0/1573
1	A	0.26	0/1170	0.54	0/1573
1	B	0.27	0/1170	0.54	0/1573
1	C	0.27	0/1170	0.54	0/1573
1	D	0.27	0/1170	0.54	0/1573
1	E	0.27	0/1170	0.54	0/1573
1	F	0.26	0/1170	0.54	0/1573
1	G	0.27	0/1170	0.55	0/1573
1	H	0.27	0/1170	0.54	0/1573
1	I	0.27	0/1170	0.54	0/1573
1	J	0.27	0/1170	0.55	0/1573
1	K	0.27	0/1170	0.54	0/1573
1	L	0.27	0/1170	0.54	0/1573
1	M	0.26	0/1170	0.54	0/1573
1	N	0.27	0/1170	0.54	0/1573
1	O	0.26	0/1170	0.54	0/1573
1	P	0.27	0/1170	0.55	0/1573
1	Q	0.26	0/1170	0.55	0/1573
1	R	0.27	0/1170	0.55	0/1573
1	S	0.27	0/1170	0.54	0/1573
1	T	0.27	0/1170	0.54	0/1573
1	U	0.27	0/1170	0.54	0/1573
1	V	0.27	0/1170	0.54	0/1573
1	W	0.27	0/1170	0.54	0/1573
1	X	0.26	0/1170	0.54	0/1573
1	Y	0.27	0/1170	0.54	0/1573

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	Z	0.26	0/1170	0.55	0/1573
All	All	0.27	0/40950	0.54	0/55055

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	1	0	1
1	2	0	1
1	3	0	1
1	4	0	1
1	5	0	1
1	6	0	1
1	7	0	1
1	8	0	1
1	9	0	1
1	A	0	1
1	B	0	1
1	C	0	1
1	D	0	1
1	E	0	1
1	F	0	1
1	G	0	1
1	H	0	1
1	I	0	1
1	J	0	1
1	K	0	1
1	L	0	1
1	M	0	1
1	N	0	1
1	O	0	1
1	P	0	1
1	Q	0	1
1	R	0	1
1	S	0	1
1	T	0	1
1	U	0	1
1	V	0	1
1	W	0	1
1	X	0	1

Continued on next page...

Continued from previous page...

Mol	Chain	#Chirality outliers	#Planarity outliers
1	Y	0	1
1	Z	0	1
All	All	0	35

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

5 of 35 planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	1	393	ARG	Sidechain
1	2	393	ARG	Sidechain
1	3	393	ARG	Sidechain
1	4	393	ARG	Sidechain
1	5	393	ARG	Sidechain

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	1	1159	0	1149	21	0
1	2	1159	0	1149	15	0
1	3	1159	0	1149	17	0
1	4	1159	0	1149	21	0
1	5	1159	0	1149	20	0
1	6	1159	0	1149	20	0
1	7	1159	0	1149	22	0
1	8	1159	0	1149	19	0
1	9	1159	0	1149	19	0
1	A	1159	0	1149	20	0
1	B	1159	0	1149	18	0
1	C	1159	0	1149	19	0
1	D	1159	0	1149	19	0
1	E	1159	0	1149	18	0
1	F	1159	0	1149	20	0
1	G	1159	0	1149	18	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	H	1159	0	1149	18	0
1	I	1159	0	1149	20	0
1	J	1159	0	1149	22	0
1	K	1159	0	1149	20	0
1	L	1159	0	1149	19	0
1	M	1159	0	1149	20	0
1	N	1159	0	1149	21	0
1	O	1159	0	1149	19	0
1	P	1159	0	1149	19	0
1	Q	1159	0	1149	20	0
1	R	1159	0	1149	19	0
1	S	1159	0	1149	18	0
1	T	1159	0	1149	17	0
1	U	1159	0	1149	18	0
1	V	1159	0	1149	17	0
1	W	1159	0	1149	17	0
1	X	1159	0	1149	17	0
1	Y	1159	0	1149	17	0
1	Z	1159	0	1149	24	0
All	All	40565	0	40215	523	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

The worst 5 of 523 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:1:263:GLN:NE2	1:Z:269:GLN:HE21	1.71	0.87
1:2:269:GLN:HE21	1:3:263:GLN:NE2	1.72	0.87
1:L:269:GLN:HE21	1:M:263:GLN:NE2	1.73	0.86
1:5:269:GLN:HE21	1:6:263:GLN:NE2	1.74	0.85
1:K:269:GLN:HE21	1:L:263:GLN:NE2	1.76	0.83

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	1	140/945 (15%)	139 (99%)	1 (1%)	0	100	100
1	2	140/945 (15%)	139 (99%)	1 (1%)	0	100	100
1	3	140/945 (15%)	139 (99%)	1 (1%)	0	100	100
1	4	140/945 (15%)	140 (100%)	0	0	100	100
1	5	140/945 (15%)	140 (100%)	0	0	100	100
1	6	140/945 (15%)	139 (99%)	1 (1%)	0	100	100
1	7	140/945 (15%)	140 (100%)	0	0	100	100
1	8	140/945 (15%)	140 (100%)	0	0	100	100
1	9	140/945 (15%)	140 (100%)	0	0	100	100
1	A	140/945 (15%)	139 (99%)	1 (1%)	0	100	100
1	B	140/945 (15%)	139 (99%)	1 (1%)	0	100	100
1	C	140/945 (15%)	139 (99%)	1 (1%)	0	100	100
1	D	140/945 (15%)	139 (99%)	1 (1%)	0	100	100
1	E	140/945 (15%)	140 (100%)	0	0	100	100
1	F	140/945 (15%)	140 (100%)	0	0	100	100
1	G	140/945 (15%)	139 (99%)	1 (1%)	0	100	100
1	H	140/945 (15%)	139 (99%)	1 (1%)	0	100	100
1	I	140/945 (15%)	139 (99%)	1 (1%)	0	100	100
1	J	140/945 (15%)	140 (100%)	0	0	100	100
1	K	140/945 (15%)	139 (99%)	1 (1%)	0	100	100
1	L	140/945 (15%)	139 (99%)	1 (1%)	0	100	100
1	M	140/945 (15%)	140 (100%)	0	0	100	100
1	N	140/945 (15%)	139 (99%)	1 (1%)	0	100	100
1	O	140/945 (15%)	139 (99%)	1 (1%)	0	100	100
1	P	140/945 (15%)	140 (100%)	0	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	Q	140/945 (15%)	140 (100%)	0	0	100	100
1	R	140/945 (15%)	139 (99%)	1 (1%)	0	100	100
1	S	140/945 (15%)	140 (100%)	0	0	100	100
1	T	140/945 (15%)	139 (99%)	1 (1%)	0	100	100
1	U	140/945 (15%)	139 (99%)	1 (1%)	0	100	100
1	V	140/945 (15%)	139 (99%)	1 (1%)	0	100	100
1	W	140/945 (15%)	139 (99%)	1 (1%)	0	100	100
1	X	140/945 (15%)	140 (100%)	0	0	100	100
1	Y	140/945 (15%)	139 (99%)	1 (1%)	0	100	100
1	Z	140/945 (15%)	139 (99%)	1 (1%)	0	100	100
All	All	4900/33075 (15%)	4878 (100%)	22 (0%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	1	127/802 (16%)	120 (94%)	7 (6%)	18	48
1	2	127/802 (16%)	120 (94%)	7 (6%)	18	48
1	3	127/802 (16%)	120 (94%)	7 (6%)	18	48
1	4	127/802 (16%)	120 (94%)	7 (6%)	18	48
1	5	127/802 (16%)	120 (94%)	7 (6%)	18	48
1	6	127/802 (16%)	120 (94%)	7 (6%)	18	48
1	7	127/802 (16%)	120 (94%)	7 (6%)	18	48
1	8	127/802 (16%)	120 (94%)	7 (6%)	18	48
1	9	127/802 (16%)	120 (94%)	7 (6%)	18	48
1	A	127/802 (16%)	120 (94%)	7 (6%)	18	48
1	B	127/802 (16%)	120 (94%)	7 (6%)	18	48

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	C	127/802 (16%)	120 (94%)	7 (6%)	18	48
1	D	127/802 (16%)	120 (94%)	7 (6%)	18	48
1	E	127/802 (16%)	120 (94%)	7 (6%)	18	48
1	F	127/802 (16%)	120 (94%)	7 (6%)	18	48
1	G	127/802 (16%)	120 (94%)	7 (6%)	18	48
1	H	127/802 (16%)	120 (94%)	7 (6%)	18	48
1	I	127/802 (16%)	120 (94%)	7 (6%)	18	48
1	J	127/802 (16%)	120 (94%)	7 (6%)	18	48
1	K	127/802 (16%)	120 (94%)	7 (6%)	18	48
1	L	127/802 (16%)	120 (94%)	7 (6%)	18	48
1	M	127/802 (16%)	120 (94%)	7 (6%)	18	48
1	N	127/802 (16%)	120 (94%)	7 (6%)	18	48
1	O	127/802 (16%)	120 (94%)	7 (6%)	18	48
1	P	127/802 (16%)	120 (94%)	7 (6%)	18	48
1	Q	127/802 (16%)	120 (94%)	7 (6%)	18	48
1	R	127/802 (16%)	120 (94%)	7 (6%)	18	48
1	S	127/802 (16%)	120 (94%)	7 (6%)	18	48
1	T	127/802 (16%)	120 (94%)	7 (6%)	18	48
1	U	127/802 (16%)	120 (94%)	7 (6%)	18	48
1	V	127/802 (16%)	120 (94%)	7 (6%)	18	48
1	W	127/802 (16%)	120 (94%)	7 (6%)	18	48
1	X	127/802 (16%)	120 (94%)	7 (6%)	18	48
1	Y	127/802 (16%)	120 (94%)	7 (6%)	18	48
1	Z	127/802 (16%)	120 (94%)	7 (6%)	18	48
All	All	4445/28070 (16%)	4200 (94%)	245 (6%)	20	48

5 of 245 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	H	371	SER
1	W	385	ARG
1	L	371	SER
1	W	279	SER
1	Y	393	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 35 such sidechains are listed below:

Mol	Chain	Res	Type
1	T	263	GLN
1	U	263	GLN
1	X	263	GLN
1	D	263	GLN
1	C	263	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-39763. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X




Y




Z


6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 300




Y Index: 300




Z Index: 300


6.2.2 Raw map



X Index: 300



Y Index: 300




Z Index: 300


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 349




Y Index: 348




Z Index: 285


6.3.2 Raw map



X Index: 242



Y Index: 243




Z Index: 247


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X




Y




Z


6.4.2 Raw map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.


6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.45. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

6.5.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


6.6 Mask visualisation [i](#)

This section shows the 3D surface view of the primary map at 50% transparency overlaid with the specified mask at 0% transparency


A mask typically either:

- Encompasses the whole structure
- Separates out a domain, a functional unit, a monomer or an area of interest from a larger structure


6.6.1 emd_39763_msk_1.map [i](#)



X



Y




Z

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 183 nm^3 ; this corresponds to an approximate mass of 165 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum [i](#)




*Reported resolution corresponds to spatial frequency of 0.310 Å⁻¹

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.310 Å⁻¹

8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	3.23	-	-
Author-provided FSC curve	3.23	3.46	3.25
Unmasked-calculated*	147.06	344.83	151.52

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 147.06 differs from the reported value 3.23 by more than 10 %

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-39763 and PDB model 8Z4G. Per-residue inclusion information can be found in section [3](#) on page [22](#).

9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.45 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.45).









































































9.4 Atom inclusion [i](#)



At the recommended contour level, 78% of all backbone atoms, 66% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary

The table lists the average atom inclusion at the recommended contour level (0.45) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.6570	 0.5180
1	 0.6580	 0.5320
2	 0.6520	 0.5130
3	 0.6470	 0.5120
4	 0.6510	 0.5130
5	 0.6500	 0.5190
6	 0.6540	 0.5120
7	 0.6530	 0.5120
8	 0.6510	 0.5140
9	 0.6620	 0.5170
A	 0.6670	 0.5240
B	 0.6680	 0.5220
C	 0.6660	 0.5280
D	 0.6650	 0.5290
E	 0.6550	 0.5260
F	 0.6620	 0.5260
G	 0.6640	 0.5220
H	 0.6540	 0.5260
I	 0.6510	 0.5160
J	 0.6470	 0.5140
K	 0.6490	 0.5190
L	 0.6490	 0.5150
M	 0.6550	 0.5130
N	 0.6550	 0.5140
O	 0.6480	 0.5110
P	 0.6560	 0.5110
Q	 0.6620	 0.5100
R	 0.6610	 0.5110
S	 0.6610	 0.5140
T	 0.6560	 0.5180
U	 0.6700	 0.5190
V	 0.6650	 0.5200
W	 0.6660	 0.5180
X	 0.6560	 0.5170
Y	 0.6580	 0.5190
Z	 0.6540	 0.5170

