

Full wwPDB X-ray Structure Validation Report (i)

Jul 12, 2022 – 01:16 pm BST

PDB ID	:	7Z50
Title	:	Structure of the highly diabetogenic 4.1-T cell receptor targeting a hybrid
		insulin peptide bound to I-Ag7.
Authors	:	Lopez-Sagaseta, J.; Erausquin, E.
Deposited on	:	2022-03-06
Resolution	:	2.65 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org A user guide is available at https://www.wwpdb.org/validation/2017/XrayValidationReportHelp with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (1)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.8.4, CSD as541be (2020)
Xtriage (Phenix)	:	1.13
EDS	:	2.29
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0267
CCP4	:	7.1.010 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.29

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure: $X\text{-}RAY \, DIFFRACTION$

The reported resolution of this entry is 2.65 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Motrie	Whole archive	Similar resolution
WIEUTIC	$(\# { m Entries})$	$(\# { m Entries}, { m resolution} { m range}({ m \AA}))$
R _{free}	130704	1332 (2.68-2.64)
Clashscore	141614	1374(2.68-2.64)
Ramachandran outliers	138981	1349(2.68-2.64)
Sidechain outliers	138945	1349 (2.68-2.64)
RSRZ outliers	127900	1318 (2.68-2.64)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain									
			3%									
1	А	202	79%		10% 10%							
			3%									
1	C	202	76%		13% 10%							
			.%									
2	В	230	63%	14%	23%							
			6%									
2	D	230	59%	15% •	25%							
			11%									
3	E	242	83%		15% ·							



Conti	nued fron	n previous	page	
Mol	Chain	Length	Quality of chair	1
3	F	242	3% 	14% •
4	G	207	% • 75%	12% · 11%
4	Н	207	2% 78%	12% 10%
5	Т	15	67%	20% 13%
5	W	15	7%	27%



2 Entry composition (i)

There are 10 unique types of molecules in this entry. The entry contains 12716 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	1 A 182	Total	С	Ν	0	S	0	0	0	
		162	1397	902	227	265	3	0	0	0
1	C	191	Total	С	Ν	0	S	0	0	0
	181	1400	909	225	263	3	U		U	

• Molecule 1 is a protein called H-2 class II histocompatibility antigen, A-D alpha chain.

Chain	Residue	Modelled	Actual	Comment	Reference
А	74	CYS	ILE	engineered mutation	UNP P04228
А	194	SER	-	expression tag	UNP P04228
А	195	LEU	-	expression tag	UNP P04228
А	196	GLU	-	expression tag	UNP P04228
А	197	VAL	-	expression tag	UNP P04228
А	198	LEU	-	expression tag	UNP P04228
А	199	PHE	-	expression tag	UNP P04228
А	200	GLN	-	expression tag	UNP P04228
С	74	CYS	ILE	engineered mutation	UNP P04228
С	194	SER	-	expression tag	UNP P04228
С	195	LEU	-	expression tag	UNP P04228
С	196	GLU	-	expression tag	UNP P04228
С	197	VAL	-	expression tag	UNP P04228
С	198	LEU	-	expression tag	UNP P04228
С	199	PHE	-	expression tag	UNP P04228
С	200	GLN	-	expression tag	UNP P04228

There are 16 discrepancies between the modelled and reference sequences:

• Molecule 2 is a protein called H2-Ab1 protein.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B 177	Total	С	Ν	0	S	0	0	0	
2 Б	111	1437	906	256	269	6	0	0	0	
9	9 D 1'	172	Total	С	Ν	Ο	S	0	0	0
	173	1369	868	239	256	6	0	0	U	



7	Z50
	_ • •

Chain	Rosiduo	Modelled	Actual	Commont	Roforonco
B	25	IFI	Actual	ovprossion tog	INP 031135
D B	-20			expression tag	UNI Q31135
B	-24	THR	-	expression tag	UNI Q31135
B	-23		-	expression tag	UNP Q31135
B	-22		-	expression tag	UNI Q31135
D B	-21	IFU	-	expression tag	UNI Q31135
D B	-20	CLU	-	expression tag	UNI Q31135
D B	-19		-	expression tag	$\frac{000}{00000000000000000000000000000000$
D P	-18	CLU	-	expression tag	$\frac{\text{UNI}}{\text{UND}} \frac{\text{Q31133}}{\text{Q31135}}$
D	-17		-	expression tag	$\frac{\text{UNF}}{\text{UND}} \stackrel{\text{(21133)}}{}$
D	-10		-	expression tag	$\frac{\text{UNF}}{\text{UND}} \stackrel{\text{O}1135}{\text{O}21125}$
D	-13	ASE	-	expression tag	$\frac{\text{UNF}}{\text{UND}} \frac{021133}{21125}$
D	-14	CVS	-	expression tag	UNP Q51155
D	-13		-	expression tag	$\frac{\text{UNF}}{\text{UND}} \frac{021133}{21125}$
D	-12	GLI	-	expression tag	$\frac{\text{UNP Q31133}}{\text{UND Q31135}}$
D	-11	GLI	-	expression tag	$\frac{\text{UNP} \text{ Q31133}}{\text{UND} $
D	-10	GLI	-	expression tag	UNP Q51155
B D	-9	GLY	-	expression tag	$\frac{\text{UNP Q31133}}{\text{UND Q31125}}$
D	-8	GLI	-	expression tag	$\frac{\text{UNP} \text{ Q31133}}{\text{UND} $
B D	- (SER	-	expression tag	UNP Q31135
B D	-0	GLY	-	expression tag	UNP Q31135
B D		GLY	-	expression tag	UNP Q31135
B D	-4		-	expression tag	UNP Q31135
B	-3	SER	-	expression tag	UNP Q31135
B	-Z	GLY	-	expression tag	UNP Q31135
B D	-1	GLI	-	expression tag	UNP Q31135
B D	100	SER	-	expression tag	UNP Q31135
B	198	SER LEU	-	expression tag	UNP Q31135
	199		-	expression tag	UNP Q31135
B D	200		-	expression tag	$\frac{\text{UNP Q31133}}{\text{UND Q31125}}$
B D	201		-	expression tag	UNP Q31135
	202		-	expression tag	UNP Q31135
B	203	PHE	-	expression tag	UNP Q31135
	204	GLN	-	expression tag	UNP Q31135
	-25		-	expression tag	UNP Q31135
	-24	GLN	-	expression tag	UNP Q31135
	-23	I HK	-	expression tag	UNP Q31135
	-22		-	expression tag	UNP Q31135
	-21	ALA	-	expression tag	UNP Q31135
	-20		-	expression tag	UNP Q31135
	-19	GLU	-	expression tag	UNP Q31135
	-18	VAL	-	expression tag	UNP Q31135
D	-17	GLU	-	expression tag	UNP Q31135

There are 66 discrepancies between the modelled and reference sequences:



Chain	Residue	Modelled	Actual	Comment	Reference
D	-16	ASP	-	expression tag	UNP Q31135
D	-15	ASP	-	expression tag	UNP Q31135
D	-14	PRO	-	expression tag	UNP Q31135
D	-13	CYS	-	expression tag	UNP Q31135
D	-12	GLY	-	expression tag	UNP Q31135
D	-11	GLY	-	expression tag	UNP Q31135
D	-10	GLY	-	expression tag	UNP Q31135
D	-9	GLY	-	expression tag	UNP Q31135
D	-8	GLY	-	expression tag	UNP Q31135
D	-7	SER	-	expression tag	UNP Q31135
D	-6	GLY	-	expression tag	UNP Q31135
D	-5	GLY	-	expression tag	UNP Q31135
D	-4	GLY	-	expression tag	UNP Q31135
D	-3	SER	-	expression tag	UNP Q31135
D	-2	GLY	-	expression tag	UNP Q31135
D	-1	GLY	-	expression tag	UNP Q31135
D	0	SER	-	expression tag	UNP Q31135
D	198	SER	-	expression tag	UNP Q31135
D	199	LEU	-	expression tag	UNP Q31135
D	200	GLU	-	expression tag	UNP Q31135
D	201	VAL	-	expression tag	UNP Q31135
D	202	LEU	-	expression tag	UNP Q31135
D	203	PHE	-	expression tag	UNP Q31135
D	204	GLN	-	expression tag	UNP Q31135

• Molecule 3 is a protein called 4.1 TCR beta chain.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace	
2	2 E	242	Total	С	Ν	0	S	0	0	0
0		242	1855	1175	326	346	8	0		
2	Б	941	Total	С	Ν	0	S	0	0	0
3 F	241	1849	1171	323	348	7	0	0	U	

• Molecule 4 is a protein called 4.1 TCR alpha chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
4		185	Total	С	Ν	0	S	0	0	0
4 G	G		1382	868	234	272	8	0		
4	ц	186	Total	С	Ν	0	S	0	0	0
	п	100	1391	878	235	270	8	0		U

• Molecule 5 is a protein called Hybrid insulin peptide.



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf	Trace		
5	с т	13	Total	С	Ν	Ο	S	0	0	0
	1		99	61	14	23	1	0		
5	W	V 15	Total	С	Ν	Ο	S	0	0	0
D VV	10	107	65	16	25	1	0		0	

• Molecule 6 is 2-acetamido-2-deoxy-beta-D-glucopyranose (three-letter code: NAG) (formula: $C_8H_{15}NO_6$).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	А	1	Total C N O 14 8 1 5	0	0
6	В	1	Total C N O 14 8 1 5	0	0
6	С	1	Total C N O 14 8 1 5	0	0
6	С	1	Total C N O 14 8 1 5	0	0
6	D	1	Total C N O 14 8 1 5	0	0

• Molecule 7 is 1,2-ETHANEDIOL (three-letter code: EDO) (formula: $C_2H_6O_2$).





Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
7	А	1	$\begin{array}{ccc} \text{Total} & \text{C} & \text{O} \\ 4 & 2 & 2 \end{array}$	0	0
7	В	1	$\begin{array}{ccc} \text{Total} \text{C} \text{O} \\ 4 2 2 \end{array}$	0	0
7	D	1	$\begin{array}{ccc} \text{Total} & \text{C} & \text{O} \\ 4 & 2 & 2 \end{array}$	0	0
7	Ε	1	$\begin{array}{ccc} \text{Total} & \text{C} & \text{O} \\ 4 & 2 & 2 \end{array}$	0	0
7	G	1	$\begin{array}{ccc} \text{Total} & \text{C} & \text{O} \\ 4 & 2 & 2 \end{array}$	0	0
7	G	1	$\begin{array}{ccc} \text{Total} \text{C} \text{O} \\ 4 2 2 \end{array}$	0	0

• Molecule 8 is SODIUM ION (three-letter code: NA) (formula: Na).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
8	F	1	Total Na 1 1	0	0
8	Н	1	Total Na 1 1	0	0

• Molecule 9 is CHLORIDE ION (three-letter code: CL) (formula: Cl).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
9	G	1	Total Cl 1 1	0	0



• Molecule 10 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
10	А	33	Total O 33 33	0	0
10	В	47	$\begin{array}{cc} \text{Total} & \text{O} \\ 47 & 47 \end{array}$	0	0
10	С	34	$\begin{array}{ccc} \text{Total} & \text{O} \\ 34 & 34 \end{array}$	0	0
10	D	41	Total O 41 41	0	0
10	Е	34	$\begin{array}{ccc} \text{Total} & \text{O} \\ 34 & 34 \end{array}$	0	0
10	F	51	Total O 51 51	0	0
10	G	33	Total O 33 33	0	0
10	Н	45	Total O 45 45	0	0
10	Т	9	Total O 9 9	0	0
10	W	6	TotalO66	0	0



3 Residue-property plots (i)

LEU GGLN LEU LEU LEU LEU LEU CGCY SGLY CCYS GGLY CCYS GGLY GGLY GGLY GGLY GGLY GGLY SER SER SER SER

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.



• Molecule 1: H-2 class II histocompatibility antigen, A-D alpha chain





• Molecule 5: Hybrid insulin peptide



Chain T:	67%	20%	13%					
L-1 V6 B7 D8 C11 GLY GLY GLY								
• Molecule 5: Hybrid insulin peptide								
7%								
Chain W:	73%	:	27%					
L-1 V6 B7 08 C11 G12 G13 G13								



4 Data and refinement statistics (i)

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants	213.62Å 133.46Å 102.56Å	Depositor
a, b, c, α , β , γ	90.00° 103.69° 90.00°	Depositor
Bosolution(A)	49.82 - 2.65	Depositor
Resolution (A)	49.82 - 2.65	EDS
% Data completeness	99.8 (49.82-2.65)	Depositor
(in resolution range)	99.9 (49.82-2.65)	EDS
R_{merge}	0.13	Depositor
R_{sym}	(Not available)	Depositor
$< I/\sigma(I) > 1$	$1.50 (at 2.65 \text{\AA})$	Xtriage
Refinement program	PHENIX 1.20.1_4487	Depositor
P. P.	0.221 , 0.261	Depositor
$\mathbf{n}, \mathbf{n}_{free}$	0.221 , 0.260	DCC
R_{free} test set	4064 reflections $(5.02%)$	wwPDB-VP
Wilson B-factor $(Å^2)$	57.2	Xtriage
Anisotropy	0.198	Xtriage
Bulk solvent $k_{sol}(e/Å^3), B_{sol}(Å^2)$	(Not available), (Not available)	EDS
L-test for twinning ²	$ L > = 0.50, < L^2 > = 0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.92	EDS
Total number of atoms	12716	wwPDB-VP
Average B, all atoms $(Å^2)$	62.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: The analyses of the Patterson function reveals a significant off-origin peak that is 21.81 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 6.4844e-03. The detected translational NCS is most likely also responsible for the elevated intensity ratio.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



¹Intensities estimated from amplitudes.

5 Model quality (i)

5.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: NA, EDO, NAG, CL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	Chain	Bond	lengths	Bond angles		
		RMSZ	# Z > 5	RMSZ	# Z > 5	
1	А	0.26	0/1442	0.44	0/1981	
1	С	0.25	0/1446	0.44	0/1984	
2	В	0.26	0/1471	0.53	0/2000	
2	D	0.24	0/1401	0.50	0/1908	
3	Е	0.25	0/1908	0.50	0/2609	
3	F	0.25	0/1901	0.49	0/2599	
4	G	0.26	0/1409	0.51	0/1916	
4	Н	0.25	0/1418	0.49	0/1927	
5	Т	0.23	0/99	0.37	0/135	
5	W	0.25	0/107	0.39	0/145	
All	All	0.25	0/12602	0.49	0/17204	

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	А	1397	0	1251	16	0
1	С	1400	0	1266	22	0
2	В	1437	0	1341	18	0



Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	D	1369	0	1247	21	0
3	Е	1855	0	1712	21	0
3	F	1849	0	1709	21	0
4	G	1382	0	1251	17	0
4	Н	1391	0	1282	18	0
5	Т	99	0	95	2	0
5	W	107	0	101	3	0
6	А	14	0	13	0	0
6	В	14	0	13	0	0
6	С	28	0	26	0	0
6	D	14	0	13	0	0
7	А	4	0	6	0	0
7	В	4	0	6	0	0
7	D	4	0	6	0	0
7	Ε	4	0	6	0	0
7	G	8	0	12	1	0
8	F	1	0	0	0	0
8	Н	1	0	0	0	0
9	G	1	0	0	0	0
10	А	33	0	0	0	0
10	В	47	0	0	0	0
10	С	34	0	0	3	0
10	D	41	0	0	2	0
10	Е	34	0	0	2	0
10	F	51	0	0	1	0
10	G	33	0	0	2	0
10	Н	45	0	0	1	0
10	Т	9	0	0	0	0
10	W	6	0	0	0	0
All	All	12716	0	11356	141	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

All (141) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:15:TYR:OH	1:A:20:ASP:OD1	1.94	0.85
2:D:98:VAL:HG21	2:D:174:VAL:HG11	1.64	0.80
3:E:166:SER:OG	4:H:164:MET:O	2.03	0.76
1:C:13:THR:OG1	10:C:401:HOH:O	2.05	0.71



	A i a	Interatomic	Clash	
Atom-1	Atom-2	distance (Å)	overlap (Å)	
2:D:74:ASP:OD1	2:D:78:ARG:NH1	2.24	0.71	
2:B:74:ASP:OD1	2:B:78:ARG:NE	2.27	0.68	
2:D:52:GLU:OE1	2:D:55:ARG:NH1	2.27	0.67	
1:A:124:LEU:HB2	1:A:164:ASP:HB2	1.78	0.66	
3:F:193:ARG:NH1	10:F:403:HOH:O	2.28	0.65	
3:F:29:SER:OG	5:W:8:ASP:OD2	2.15	0.64	
3:F:130:GLU:OE1	4:G:125:ARG:NH1	2.30	0.64	
2:D:5:ARG:N	10:D:403:HOH:O	2.33	0.61	
3:E:33:TRP:HB2	3:E:46:THR:HG22	1.82	0.61	
4:G:28:ASP:OD2	7:G:303:EDO:O2	2.18	0.61	
1:C:87:GLU:OE2	2:D:34:ARG:NH1	2.33	0.61	
1:C:124:LEU:HB2	1:C:164:ASP:HB2	1.84	0.60	
1:C:16:GLN:HG2	2:D:8:VAL:HG22	1.81	0.60	
2:D:10:GLN:HB2	2:D:31:ILE:HB	1.83	0.60	
3:F:132:GLU:OE2	3:F:193:ARG:NH2	2.35	0.59	
3:F:20:LEU:HD22	3:F:107:THR:HG21	1.84	0.59	
1:C:120:ASN:HB2	1:C:168:GLU:HB2	1.85	0.58	
1:C:13:THR:HG23	1:C:65:ILE:HD13	1.85	0.57	
1:C:16:GLN:HE22	1:C:118:VAL:HG23	1.70	0.57	
1:C:64:ASN:ND2	10:C:401:HOH:O	2.17	0.56	
4:G:144:THR:O	4:G:159:LYS:NZ	2.35	0.56	
2:D:100:ILE:HD11	2:D:172:CYS:HB2	1.88	0.55	
3:E:35:ARG:NH1	3:E:43:GLU:OE1	2.39	0.55	
1:A:68:GLU:OE1	2:B:9:HIS:ND1	2.38	0.55	
3:E:116:LYS:O	10:E:401:HOH:O	2.17	0.55	
2:B:119:THR:HG22	2:B:155:GLN:HB2	1.89	0.54	
1:C:15:TYR:OH	1:C:20:ASP:OD1	2.20	0.54	
2:B:186:GLU:OE1	2:B:188:ARG:NH1	2.35	0.53	
4:G:58:LYS:NZ	10:G:404:HOH:O	2.40	0.53	
2:D:41:ASP:HB3	2:D:44:VAL:HG23	1.90	0.52	
1:A:120:ASN:HB2	1:A:168:GLU:HB2	1.89	0.52	
2:B:11:PHE:CG	5:T:6:VAL:HG22	2.45	0.52	
3:E:1:MET:SD	3:E:1:MET:N	2.71	0.52	
4:H:147:SER:OG	4:H:150:LYS:N	2.42	0.52	
2:B:10:GLN:HB2	2:B:31:ILE:HB	1.90	0.52	
2:D:95:GLN:NE2	2:D:178:SER:O	2.41	0.51	
3:E:34:TYR:OH	4:H:100:TYR:HB2	2.11	0.51	
3:E:51:GLN:NE2	10:E:404:HOH:O	2.44	0.51	
1:C:113:ASN:ND2	10:C:405:HOH:O	2.36	0.51	
3:F:169:CYS:HB2	4:G:162:LEU:HB3	1.93	0.50	
2:B:12:LYS:HB2	2:B:29:ARG:HB2	1.93	0.50	



		Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
4:H:21:SER:HG	4:H:77:HIS:HD1	1.55	0.50
2:B:86:VAL:HG22	2:B:87:PRO:HD3	1.95	0.49
1:C:9:PHE:HB2	1:C:27:GLU:HB2	1.93	0.49
1:A:16:GLN:HE22	1:A:118:VAL:HG23	1.78	0.49
2:D:11:PHE:CG	5:W:6:VAL:HG22	2.48	0.49
1:A:167:VAL:HB	1:A:176:VAL:HG22	1.95	0.49
4:H:60:THR:O	4:H:60:THR:OG1	2.31	0.49
4:G:161:VAL:HG22	4:G:172:ASN:OD1	2.13	0.49
3:E:29:SER:OG	5:T:8:ASP:OD2	2.28	0.48
4:H:21:SER:OG	4:H:77:HIS:ND1	2.46	0.48
3:F:32:PHE:HB2	3:F:92:ALA:HB3	1.94	0.48
4:H:147:SER:HG	4:H:150:LYS:N	2.11	0.48
2:D:36:GLU:OE2	2:D:39:ARG:HB2	2.14	0.47
4:H:55:MET:HE1	4:H:58:LYS:HB2	1.95	0.47
1:C:89:PRO:HD2	1:C:172:LEU:HG	1.96	0.47
3:F:34:TYR:OH	4:G:100:TYR:HB2	2.14	0.47
3:F:108:ARG:HG2	3:F:152:HIS:CE1	2.49	0.47
4:H:46:LYS:HB2	4:H:46:LYS:HE2	1.56	0.47
3:F:141:LEU:HD13	3:F:192:LEU:HD23	1.97	0.47
1:A:16:GLN:HE22	1:A:118:VAL:CG2	2.28	0.46
2:B:81:TYR:O	2:B:86:VAL:HG13	2.15	0.46
4:H:15:GLN:HG3	4:H:16:GLU:N	2.30	0.46
1:A:9:PHE:HB2	1:A:27:GLU:HB2	1.97	0.46
1:A:99:VAL:HG21	1:A:180:TRP:CZ2	2.51	0.46
3:F:152:HIS:HB3	3:F:213:TYR:HB2	1.97	0.46
2:B:130:TRP:HB3	2:B:160:LEU:HD22	1.98	0.45
3:F:191:ARG:HE	4:G:173:SER:HB2	1.81	0.45
3:F:128:PRO:HD2	3:F:199:TRP:CZ2	2.52	0.45
3:E:115:LEU:O	3:E:118:VAL:HG12	2.17	0.45
1:C:100:LEU:HB2	1:C:103:GLN:HG2	1.97	0.45
2:D:12:LYS:HB2	2:D:29:ARG:HB2	1.98	0.45
4:G:173:SER:OG	10:G:401:HOH:O	2.21	0.45
1:C:99:VAL:HG21	1:C:180:TRP:CZ2	2.52	0.45
1:A:15:TYR:CE1	1:A:69:LYS:HE3	2.51	0.45
2:B:129:ARG:HD2	2:B:136:GLU:OE2	2.17	0.45
2:B:86:VAL:HA	2:B:90:LEU:HB2	2.00	0.44
4:H:46:LYS:NZ	10:H:404:HOH:O	2.30	0.44
3:F:207:ARG:HG3	3:F:236:GLU:HB3	1.99	0.44
1:A:72:LEU:HD13	2:B:9:HIS:HB2	1.99	0.44
3:E:30:ALA:HB1	3:E:47:TYR:HE1	1.82	0.44
3:F:125:VAL:HG13	3:F:235:ALA:HB3	1.99	0.44



	louis page	Interatomic	Clash	
Atom-1	Atom-2	distance (Å)	overlap (Å)	
2:B:96:PRO:HB3	2:B:121:PHE:HB3	1.99	0.44	
1:C:103:GLN:O	1:C:103:GLN:NE2	2.51	0.43	
1:C:122:THR:HG23	1:C:166:LYS:HB3	2.00	0.43	
4:G:49:ILE:HD13	4:G:65:VAL:HG13	2.00	0.43	
2:D:119:THR:HG22	2:D:155:GLN:HB2	2.00	0.43	
3:E:120:PRO:HD3	3:E:228:PRO:HB3	1.99	0.43	
3:E:221:TRP:NE1	3:E:223:GLN:O	2.52	0.43	
3:F:108:ARG:NH2	3:F:151:ASP:HB3	2.34	0.43	
1:A:159:ASP:OD1	1:A:160:ASP:N	2.52	0.43	
2:B:16:TYR:HB2	2:B:25:ARG:HB3	2.00	0.43	
3:E:44:PHE:O	3:E:58:GLY:HA3	2.19	0.43	
4:G:124:LEU:HD13	4:G:134:VAL:HG12	2.01	0.43	
2:B:36:GLU:O	2:B:51:THR:HG23	2.19	0.43	
1:C:100:LEU:O	1:C:103:GLN:HG3	2.19	0.42	
2:D:159:MET:SD	2:D:159:MET:N	2.92	0.42	
3:E:201:ASN:O	3:E:239:GLY:HA3	2.19	0.42	
3:E:96:GLN:HB2	3:E:99:ASN:HB3	2.00	0.42	
3:F:30:ALA:HB1	3:F:47:TYR:HE1	1.84	0.42	
4:H:147:SER:HB3	4:H:156:ILE:HD13	2.01	0.42	
2:B:36:GLU:OE2	2:B:39:ARG:HB2	2.20	0.42	
4:G:34:PHE:HB2	4:G:51:ILE:HG22	2.01	0.42	
4:G:57:ARG:HE	4:G:59:GLN:HE21	1.66	0.42	
4:G:154:VAL:HG22	4:G:178:SER:HB2	2.02	0.42	
3:E:129:SER:O	3:E:133:ILE:HG13	2.19	0.42	
3:E:169:CYS:HB2	4:H:162:LEU:HB3	2.02	0.42	
4:H:154:VAL:HG22	4:H:178:SER:HB2	2.01	0.42	
1:A:20:ASP:OD1	1:A:69:LYS:HE2	2.19	0.42	
3:E:128:PRO:HG2	3:E:139:ALA:HB1	2.02	0.41	
3:F:151:ASP:OD1	3:F:174:PRO:HG3	2.20	0.41	
3:E:67:GLN:NE2	3:E:75:THR:OG1	2.53	0.41	
2:D:162:MET:HE3	2:D:170:TYR:HE1	1.86	0.41	
4:G:55:MET:HE3	4:G:55:MET:HB3	1.97	0.41	
1:C:99:VAL:HG21	1:C:180:TRP:CH2	2.54	0.41	
4:G:111:ILE:HG21	4:G:142:SER:HB3	2.01	0.41	
4:H:51:ILE:HG13	4:H:55:MET:HE2	2.01	0.41	
1:C:57:GLU:OE1	4:G:98:TYR:OH	2.34	0.41	
3:E:8:ARG:HH12	3:E:105:ALA:HB1	1.85	0.41	
3:F:49:ARG:HB3	3:F:54:ILE:CD1	2.51	0.41	
3:F:128:PRO:HG2	3:F:139:ALA:HB1	2.03	0.41	
4:H:34:PHE:HB2	4:H:51:ILE:HG22	2.03	0.41	
4:H:164:MET:C	4:H:166:SER:H	$2.\overline{25}$	0.41	



Atom 1	Atom 2	Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:A:15:TYR:CE2	1:A:69:LYS:HG3	2.56	0.41
1:A:16:GLN:HG2	2:B:8:VAL:HG22	2.03	0.41
1:C:162:ILE:HD12	1:C:162:ILE:O	2.20	0.41
2:D:96:PRO:HB3	2:D:121:PHE:HB3	2.02	0.41
3:E:189:SER:OG	3:E:191:ARG:NH1	2.54	0.41
2:D:114:LEU:HD11	2:D:170:TYR:CD1	2.55	0.40
4:H:58:LYS:HB3	4:H:65:VAL:HG23	2.03	0.40
1:C:78:ARG:HD3	5:W:12:GLY:O	2.22	0.40
2:D:72:GLU:HA	2:D:75:THR:OG1	2.21	0.40
3:F:63:ARG:HD2	3:F:79:GLN:O	2.21	0.40
2:D:128:VAL:HA	2:D:173:HIS:O	2.21	0.40
1:A:15:TYR:CZ	1:A:69:LYS:HG3	2.56	0.40
1:C:16:GLN:HE22	1:C:118:VAL:CG2	2.32	0.40
2:D:140:GLY:N	10:D:406:HOH:O	2.38	0.40

There are no symmetry-related clashes.

5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Perce	ntiles
1	А	180/202~(89%)	177~(98%)	3(2%)	0	100	100
1	С	179/202~(89%)	176 (98%)	3 (2%)	0	100	100
2	В	173/230~(75%)	171 (99%)	2 (1%)	0	100	100
2	D	167/230~(73%)	164 (98%)	3 (2%)	0	100	100
3	Е	240/242~(99%)	236 (98%)	4 (2%)	0	100	100
3	F	239/242~(99%)	234 (98%)	5 (2%)	0	100	100
4	G	181/207~(87%)	169 (93%)	12 (7%)	0	100	100
4	Н	182/207~(88%)	172 (94%)	10 (6%)	0	100	100
5	Т	11/15~(73%)	11 (100%)	0	0	100	100



Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percer	ntiles
5	W	13/15~(87%)	12 (92%)	1 (8%)	0	100	100
All	All	1565/1792~(87%)	1522 (97%)	43 (3%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent side chain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the side chain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Perce	ntiles
1	А	144/183~(79%)	140~(97%)	4(3%)	43	61
1	С	145/183~(79%)	143~(99%)	2(1%)	67	81
2	В	151/201~(75%)	146~(97%)	5(3%)	38	54
2	D	139/201~(69%)	135~(97%)	4 (3%)	42	60
3	Ε	189/210~(90%)	180~(95%)	9~(5%)	25	39
3	F	188/210~(90%)	180 (96%)	8 (4%)	29	44
4	G	140/185~(76%)	131 (94%)	9 (6%)	17	27
4	Н	143/185~(77%)	137~(96%)	6 (4%)	30	45
5	Т	12/12~(100%)	11 (92%)	1 (8%)	11	16
5	W	12/12~(100%)	11 (92%)	1 (8%)	11	16
All	All	1263/1582~(80%)	1214 (96%)	49 (4%)	32	48

All (49) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	А	20	ASP
1	А	116	PRO
1	А	122	THR
1	А	131	THR
2	В	5	ARG
2	В	91	ARG
2	В	101	SER
2	В	143	SER



Mol	Chain	Res	Type
2	В	162	MET
1	С	97	SER
1	С	103	GLN
2	D	5	ARG
2	D	57	SER
2	D	91	ARG
2	D	162	MET
3	Е	8	ARG
3	Е	19	THR
3	Е	67	GLN
3	Е	71	GLN
3	Е	134	SER
3	Е	175	LEU
3	Е	189	SER
3	Е	191	ARG
3	Е	227	LYS
3	F	8	ARG
3	F	19	THR
3	F	26	SER
3	F	46	THR
3	F	108	ARG
3	F	191	ARG
3	F	193	ARG
3	F	197	THR
4	G	4	GLN
4	G	19	SER
4	G	53	SER
4	G	55	MET
4	G	57	ARG
4	G	59	GLN
4	G	73	ARG
4	G	94	SER
4	G	173	SER
4	Н	53	SER
4	Н	65	VAL
4	Н	68	ASP
4	Н	73	ARG
4	Н	94	SER
4	Н	141	ASP
5	Т	11	CYS
5	W	11	CYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (9) such



sidechains are listed below:

Mol	Chain	\mathbf{Res}	Type
1	А	16	GLN
1	С	16	GLN
2	D	145	GLN
3	Ε	73	HIS
3	F	117	ASN
3	F	218	ASN
4	G	59	GLN
4	G	82	GLN
4	Н	187	ASN

5.3.3 RNA (i)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates (i)

There are no monosaccharides in this entry.

5.6 Ligand geometry (i)

Of 14 ligands modelled in this entry, 3 are monoatomic - leaving 11 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
7	EDO	D	302	-	3,3,3	0.46	0	2,2,2	0.34	0
6	NAG	А	301	1	14,14,15	0.23	0	17,19,21	0.45	0
6	NAG	С	302	1	14,14,15	0.27	0	17,19,21	0.51	0
7	EDO	А	302	-	3,3,3	0.45	0	2,2,2	0.35	0



Mol	Type Ch	Chain	Chain Res	Link	Bo	ond leng	$_{\rm ths}$	Bond angles		
WIOI	Type	Ullaili			Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
7	EDO	Е	301	-	3,3,3	0.46	0	2,2,2	0.33	0
6	NAG	В	301	2	14,14,15	0.26	0	17,19,21	0.44	0
6	NAG	С	301	1	14,14,15	0.60	1 (7%)	$17,\!19,\!21$	0.48	0
7	EDO	В	302	-	3,3,3	0.46	0	2,2,2	0.34	0
7	EDO	G	301	-	3,3,3	0.46	0	2,2,2	0.37	0
6	NAG	D	301	2	14,14,15	0.27	0	17,19,21	0.36	0
7	EDO	G	303	-	3,3,3	0.46	0	2,2,2	0.31	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
7	EDO	D	302	-	-	0/1/1/1	-
6	NAG	А	301	1	-	2/6/23/26	0/1/1/1
6	NAG	С	302	1	-	2/6/23/26	0/1/1/1
7	EDO	А	302	-	-	0/1/1/1	-
7	EDO	Е	301	-	-	0/1/1/1	-
6	NAG	В	301	2	-	0/6/23/26	0/1/1/1
6	NAG	С	301	1	-	0/6/23/26	0/1/1/1
7	EDO	В	302	-	-	0/1/1/1	-
7	EDO	G	301	-	-	0/1/1/1	-
6	NAG	D	301	2	-	1/6/23/26	0/1/1/1
7	EDO	G	303	-	-	0/1/1/1	-

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
6	С	301	NAG	O5-C1	-2.07	1.40	1.43

There are no bond angle outliers.

There are no chirality outliers.

All (5) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
6	А	301	NAG	O5-C5-C6-O6
6	С	302	NAG	O5-C5-C6-O6
6	А	301	NAG	C4-C5-C6-O6
6	С	302	NAG	C4-C5-C6-O6



Continued from previous page...

Mol	Chain	Res	Type	Atoms
6	D	301	NAG	O5-C5-C6-O6

There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
7	G	303	EDO	1	0

5.7 Other polymers (i)

There are no such residues in this entry.

5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.



6 Fit of model and data (i)

6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled '#RSRZ> 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95^{th} percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<rsrz></rsrz>	#RSRZ>2	$OWAB(Å^2)$	Q<0.9
1	А	182/202~(90%)	0.38	6 (3%) 46 43	41, 54, 85, 113	0
1	С	181/202~(89%)	0.40	7 (3%) 39 35	41, 57, 84, 116	0
2	В	177/230~(76%)	0.26	2 (1%) 80 79	42, 54, 79, 103	0
2	D	173/230~(75%)	0.49	14 (8%) 12 9	42, 58, 97, 127	0
3	Е	242/242~(100%)	0.50	26 (10%) 6 4	46, 68, 107, 122	0
3	F	241/242~(99%)	0.21	7 (2%) 51 48	47, 61, 82, 110	0
4	G	185/207~(89%)	0.35	2 (1%) 80 79	43, 61, 99, 124	0
4	Н	186/207~(89%)	0.37	5 (2%) 54 50	43, 69, 104, 148	0
5	Т	13/15~(86%)	0.26	0 100 100	43, 46, 54, 61	0
5	W	$15/15\ (100\%)$	0.53	1 (6%) 17 14	44, 46, 87, 90	0
All	All	1595/1792~(89%)	0.37	70 (4%) 34 31	41, 60, 97, 148	0

All (70) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
3	Е	1	MET	4.2
2	D	170	TYR	4.2
2	D	112	ASN	4.2
1	А	159	ASP	4.0
3	Е	203	ARG	3.9
5	W	13	GLY	3.8
1	С	159	ASP	3.8
3	Ε	180	ALA	3.7
1	С	179	HIS	3.6
2	D	167	GLY	3.6
2	D	169	VAL	3.5
3	Е	224	ASP	3.5
3	Е	73	HIS	3.5



Mol

3

2

2

1

4

2

1

2

2

3

4

3

2

А

В

D

Е

Η

Е

D

Ε	182	ASN	3.0
Е	115	LEU	3.0
С	180	TRP	2.8
Н	147	SER	2.7
Е	221	TRP	2.7
D	187	TRP	2.7
Ε	225	ARG	2.7
Е	195	SER	2.6
F	222	THR	2.6
F	1	MET	2.5
А	160	ASP	2.5
G	166	SER	2.5
D	164	PRO	2.4
А	158	SER	2.4
С	181	GLU	2.4
Ε	219	ASP	2.3
Е	222	THR	2.3
С	161	ASP	2.3
Е	226	ALA	2.3
F	180	ALA	2.3
D	174	VAL	2.3
А	179	HIS	2.3
Е	216	SER	2.3
Е	116	LYS	2.3
Е	218	ASN	2.3
Н	145	ASN	2.3
Е	215	LEU	2.3
В	112	ASN	2.3
Е	181	LEU	2.3

Continued from previous page...

 Res

229

101

102

182

146

162

Type

VAL

SER

LEU

PRO

VAL

MET

RSRZ

3.4

3.3

3.3

3.2

3.2

3.2

Chain

Е

D

D

С

Η

D

VAL Continued on next page...

PRO

ALA

GLU

ALA

SER

LYS

182

189

168

139

166

227

115

2.2

2.2

2.2

2.2

2.2

2.2

2.1



Mol	Chain	Res	Type	RSRZ
3	Е	15	GLY	2.1
4	Н	182	ASP	2.1
3	F	137	GLN	2.1
3	Е	21	TRP	2.1
3	F	79	GLN	2.1
2	D	172	CYS	2.1
3	Е	214	GLY	2.1
3	F	195	SER	2.1
3	F	224	ASP	2.1
1	А	127	SER	2.1
4	G	133	SER	2.1
2	D	173	HIS	2.0
1	С	129	SER	2.0
3	Е	223	GLN	2.0
3	Е	220	GLU	2.0

Continued from previous page...

6.2 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates (i)

There are no monosaccharides in this entry.

6.4 Ligands (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95^{th} percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	$B-factors(Å^2)$	Q<0.9
6	NAG	D	301	14/15	0.53	0.39	101,119,136,140	0
6	NAG	С	302	14/15	0.69	0.35	79,102,109,109	0
6	NAG	А	301	14/15	0.77	0.34	75,97,101,103	0
6	NAG	В	301	14/15	0.77	0.28	84,94,101,103	0
7	EDO	G	303	4/4	0.81	0.32	59,59,61,65	0
7	EDO	Е	301	4/4	0.82	0.46	67,68,71,74	0
6	NAG	С	301	14/15	0.82	0.29	90,97,108,109	0
8	NA	Н	301	1/1	0.88	0.28	47,47,47,47	0



Mol	Type	Chain	Res	Atoms	RSCC	RSR	$B-factors(Å^2)$	Q<0.9
7	EDO	G	301	4/4	0.89	0.17	$50,\!52,\!54,\!59$	0
7	EDO	В	302	4/4	0.91	0.18	$53,\!57,\!59,\!59$	0
7	EDO	А	302	4/4	0.92	0.18	$54,\!58,\!58,\!62$	0
7	EDO	D	302	4/4	0.92	0.21	64,65,71,72	0
8	NA	F	301	1/1	0.96	0.20	47,47,47,47	1
9	CL	G	302	1/1	0.96	0.14	47,47,47,47	0

Continued from previous page...

6.5 Other polymers (i)

There are no such residues in this entry.

