

# Full wwPDB X-ray Structure Validation Report (i)

#### Mar 13, 2023 – 12:54 pm GMT

PDB ID	:	7Z5N
Title	:	Crystal structure of DYRK1A in complex with CX-4945
Authors	:	Pustelny, K.; Grygier, P.; Golik, P.; Dubin, G.; Czarna, A.
Deposited on	:	2022-03-09
Resolution	:	2.77 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at *validation@mail.wwpdb.org* A user guide is available at https://www.wwpdb.org/validation/2017/XrayValidationReportHelp with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (1)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.8.4, CSD as541be (2020)
Xtriage (Phenix)	:	1.13
EDS	:	2.32.1
buster-report	:	1.1.7(2018)
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.32.1

# 1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure:  $X\text{-}RAY \, DIFFRACTION$ 

The reported resolution of this entry is 2.77 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R <sub>free</sub>	130704	4107 (2.80-2.76)
Clashscore	141614	4575 (2.80-2.76)
Ramachandran outliers	138981	4487 (2.80-2.76)
Sidechain outliers	138945	4489 (2.80-2.76)
RSRZ outliers	127900	4027 (2.80-2.76)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain		
1	А	370	% • 84%	10%	6%
1	В	370	4%	100/	70/
	D	510	82% •	10%	7%
1	С	370	83% 5%	9%	7%
1	D	370	79%	12% •	9%
1	Е	370	84%	8%	8%



Mol	Chain	Length	Quality of chain						
1	F	370	<u>6%</u> 80%	13% • 6%					
1	G	370	9%	18% • 10%					
1	Н	370	65%	17% <b>•</b> 17%					



## 2 Entry composition (i)

There are 8 unique types of molecules in this entry. The entry contains 21926 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace	
1	Δ	346	Total	С	Ν	0	Р	$\mathbf{S}$	0	0	0
	A	340	2766	1779	471	498	1	17	0	0	0
1	В	3/13	Total	$\mathbf{C}$	Ν	Ο	Р	$\mathbf{S}$	0	0	Ο
	D	040	2724	1752	461	493	1	17	0	0	0
1	С	344	Total	$\mathbf{C}$	Ν	Ο	Р	$\mathbf{S}$	0	0	0
1	U	044	2741	1768	462	493	1	17	0	0	0
1	а	338	Total	$\mathbf{C}$	Ν	Ο	Р	$\mathbf{S}$	0	0	0
1	D	000	2658	1710	449	481	1	17		0	0
1	F	340	Total	$\mathbf{C}$	Ν	Ο	Р	$\mathbf{S}$	0	0	0
1	Ľ	040	2714	1747	459	490	1	17	0	0	0
1	F	346	Total	$\mathbf{C}$	Ν	Ο	Р	$\mathbf{S}$	0	0	0
	Г	040	2675	1710	463	484	1	17	0	0	0
1	C	222	Total	$\mathbf{C}$	Ν	0	Р	$\mathbf{S}$	0	0	0
	G	000	2587	1671	430	469	1	16	0	0	0
1	н	307	Total	C	Ν	0	Р	S	0	0	0
	11	507	2341	1482	409	433	1	16		0	0

• Molecule 1 is a protein called Dual specificity tyrosine-phosphorylation-regulated kinase 1A.

There are 48 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
А	490	HIS	-	expression tag	UNP Q13627
А	491	HIS	-	expression tag	UNP Q13627
А	492	HIS	-	expression tag	UNP Q13627
А	493	HIS	-	expression tag	UNP Q13627
А	494	HIS	-	expression tag	UNP Q13627
А	495	HIS	-	expression tag	UNP Q13627
В	490	HIS	-	expression tag	UNP Q13627
В	491	HIS	-	expression tag	UNP Q13627
В	492	HIS	-	expression tag	UNP Q13627
В	493	HIS	-	expression tag	UNP Q13627
В	494	HIS	-	expression tag	UNP Q13627
В	495	HIS	-	expression tag	UNP Q13627
С	490	HIS	-	expression tag	UNP Q13627



Chain	Residue	Modelled	Actual	Comment	Reference
С	491	HIS	-	expression tag	UNP Q13627
C	492	HIS	-	expression tag	UNP Q13627
С	493	HIS	-	expression tag	UNP Q13627
С	494	HIS	-	expression tag	UNP Q13627
С	495	HIS	-	expression tag	UNP Q13627
D	490	HIS	-	expression tag	UNP Q13627
D	491	HIS	-	expression tag	UNP Q13627
D	492	HIS	-	expression tag	UNP Q13627
D	493	HIS	-	expression tag	UNP Q13627
D	494	HIS	-	expression tag	UNP Q13627
D	495	HIS	-	expression tag	UNP Q13627
Е	490	HIS	-	expression tag	UNP Q13627
Е	491	HIS	-	expression tag	UNP Q13627
Е	492	HIS	-	expression tag	UNP Q13627
Е	493	HIS	-	expression tag	UNP Q13627
Е	494	HIS	-	expression tag	UNP Q13627
Е	495	HIS	-	expression tag	UNP Q13627
F	490	HIS	-	expression tag	UNP Q13627
F	491	HIS	-	expression tag	UNP Q13627
F	492	HIS	-	expression tag	UNP Q13627
F	493	HIS	-	expression tag	UNP Q13627
F	494	HIS	-	expression tag	UNP Q13627
F	495	HIS	-	expression tag	UNP Q13627
G	490	HIS	-	expression tag	UNP Q13627
G	491	HIS	-	expression tag	UNP Q13627
G	492	HIS	-	expression tag	UNP Q13627
G	493	HIS	-	expression tag	UNP Q13627
G	494	HIS	-	expression tag	UNP Q13627
G	495	HIS	-	expression tag	UNP Q13627
Н	490	HIS	-	expression tag	UNP Q13627
Н	491	HIS	-	expression tag	UNP Q13627
Н	492	HIS	-	expression tag	UNP Q13627
Н	493	HIS	-	expression tag	UNP Q13627
Н	494	HIS	-	expression tag	UNP Q13627
Н	495	HIS	-	expression tag	UNP Q13627

Continued from previous page...

• Molecule 2 is  $5-[(3-chlorophenyl)amino]benzo[c][2,6]naphthyridine-8-carboxylic acid (three-letter code: 3NG) (formula: <math>C_{19}H_{12}ClN_3O_2$ ).





Mol	Chain	Residues		Ate	$\mathbf{oms}$			ZeroOcc	AltConf	
2	Δ	1	Total	С	Cl	Ν	0	0	0	
	11	1	25	19	1	3	2	0		
2	В	1	Total	С	Cl	Ν	Ο	0	0	
	D	T	25	19	1	3	2	0	0	
0	С	1	Total	С	Cl	Ν	0	0	0	
	C	L	25	19	1	3	2	0	0	
0	р	1	Total	С	Cl	Ν	0	0	0	
	D	1	25	19	1	3	2			
0	Б	1	Total	С	Cl	Ν	Ο	0	0	
	E	1	25	19	1	3	2	0	0	
0	F	1	Total	С	Cl	Ν	0	0	0	
	Г	L	25	19	1	3	2	0	0	
0	С	1	Total	С	Cl	Ν	Ο	0	0	
	G		25	19	1	3	2	U	0	
0	ц	1	Total	С	Cl	Ν	Ο	0	0	
	п	L	25	19	1	3	2	U		

• Molecule 3 is SULFATE ION (three-letter code: SO4) (formula:  $O_4S$ ).





Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	А	1	$\begin{array}{ccc} \text{Total} & \text{O} & \text{S} \\ 5 & 4 & 1 \end{array}$	0	0
3	А	1	$\begin{array}{ccc} \text{Total} & \text{O} & \text{S} \\ 5 & 4 & 1 \end{array}$	0	0
3	А	1	$\begin{array}{ccc} \text{Total} & \text{O} & \text{S} \\ 5 & 4 & 1 \end{array}$	0	0
3	А	1	$\begin{array}{ccc} \text{Total} & \text{O} & \text{S} \\ 5 & 4 & 1 \end{array}$	0	0
3	А	1	$\begin{array}{ccc} \text{Total} & \text{O} & \text{S} \\ 5 & 4 & 1 \end{array}$	0	0
3	В	1	$\begin{array}{ccc} \text{Total} & \text{O} & \text{S} \\ 5 & 4 & 1 \end{array}$	0	0
3	В	1	$\begin{array}{ccc} \text{Total} & \text{O} & \text{S} \\ 5 & 4 & 1 \end{array}$	0	0
3	В	1	$\begin{array}{ccc} \text{Total} & \text{O} & \text{S} \\ 5 & 4 & 1 \end{array}$	0	0
3	В	1	$\begin{array}{ccc} \text{Total} & \text{O} & \text{S} \\ 5 & 4 & 1 \end{array}$	0	0
3	В	1	$\begin{array}{ccc} \text{Total} & \text{O} & \text{S} \\ 5 & 4 & 1 \end{array}$	0	0
3	С	1	$\begin{array}{ccc} \text{Total} & \text{O} & \text{S} \\ 5 & 4 & 1 \end{array}$	0	0
3	С	1	$\begin{array}{ccc} \text{Total} & \text{O} & \text{S} \\ 5 & 4 & 1 \end{array}$	0	0
3	С	1	$\begin{array}{ccc} \text{Total} & \text{O} & \text{S} \\ 5 & 4 & 1 \end{array}$	0	0
3	D	1	$\begin{array}{ccc} \text{Total} & \text{O} & \text{S} \\ 5 & 4 & 1 \end{array}$	0	0



Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	D	1	$\begin{array}{ccc} \text{Total} & \text{O} & \text{S} \\ 5 & 4 & 1 \end{array}$	0	0
3	D	1	$\begin{array}{ccc} \text{Total} & \text{O} & \text{S} \\ 5 & 4 & 1 \end{array}$	0	0
3	Е	1	$\begin{array}{ccc} \text{Total} & \text{O} & \text{S} \\ 5 & 4 & 1 \end{array}$	0	0
3	Е	1	$\begin{array}{ccc} \text{Total} & \text{O} & \text{S} \\ 5 & 4 & 1 \end{array}$	0	0
3	F	1	$\begin{array}{ccc} \text{Total} & \text{O} & \text{S} \\ 5 & 4 & 1 \end{array}$	0	0
3	G	1	$\begin{array}{ccc} \text{Total} & \text{O} & \text{S} \\ 5 & 4 & 1 \end{array}$	0	0
3	G	1	$\begin{array}{ccc} \text{Total} & \text{O} & \text{S} \\ 5 & 4 & 1 \end{array}$	0	0
3	Н	1	$\begin{array}{ccc} \text{Total} & \text{O} & \text{S} \\ 5 & 4 & 1 \end{array}$	0	0

• Molecule 4 is TETRAETHYLENE GLYCOL (three-letter code: PG4) (formula:  $C_8H_{18}O_5$ ).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	А	1	Total C O   13 8 5	0	0
4	А	1	Total C O   13 8 5	0	0
4	В	1	Total C O   13 8 5	0	0



Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	В	1	Total C O	0	0
4	С	1	Total C O	0	0
-	Ũ	1	13 8 5	Ŭ	0
4	D	1	Total C O	0	0
4	D	1	13  8  5	0	0
4	E	1	Total C O	0	0
4	E	1	13  8  5	0	U
4	и	1	Total C O	0	0
4	n	1	13  8  5	U	U

• Molecule 5 is DI(HYDROXYETHYL)ETHER (three-letter code: PEG) (formula:  $C_4H_{10}O_3$ ).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	А	1	$\begin{array}{ccc} \text{Total}  \text{C}  \text{O} \\ 7  4  3 \end{array}$	0	0
5	Е	1	$\begin{array}{ccc} \text{Total}  \text{C}  \text{O} \\ 7  4  3 \end{array}$	0	0
5	G	1	$\begin{array}{ccc} \text{Total}  \text{C}  \text{O} \\ 7  4  3 \end{array}$	0	0
5	G	1	$\begin{array}{ccc} \text{Total}  \text{C}  \text{O} \\ 7  4  3 \end{array}$	0	0

• Molecule 6 is 1,2-ETHANEDIOL (three-letter code: EDO) (formula:  $C_2H_6O_2$ ).





Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	А	1	$\begin{array}{ccc} \text{Total} & \text{C} & \text{O} \\ 4 & 2 & 2 \end{array}$	0	0
6	А	1	$\begin{array}{ccc} \text{Total}  \text{C}  \text{O} \\ 4  2  2 \end{array}$	0	0
6	А	1	$\begin{array}{ccc} \text{Total}  \text{C}  \text{O} \\ 4  2  2 \end{array}$	0	0
6	В	1	$\begin{array}{ccc} \text{Total}  \text{C}  \text{O} \\ 4  2  2 \end{array}$	0	0
6	В	1	$\begin{array}{ccc} \text{Total} & \text{C} & \text{O} \\ 4 & 2 & 2 \end{array}$	0	0
6	В	1	$\begin{array}{ccc} \text{Total} & \text{C} & \text{O} \\ 4 & 2 & 2 \end{array}$	0	0
6	С	1	$\begin{array}{ccc} \text{Total} & \text{C} & \text{O} \\ 4 & 2 & 2 \end{array}$	0	0
6	С	1	$\begin{array}{ccc} \text{Total} & \text{C} & \text{O} \\ 4 & 2 & 2 \end{array}$	0	0
6	С	1	$\begin{array}{ccc} \text{Total} & \text{C} & \text{O} \\ 4 & 2 & 2 \end{array}$	0	0
6	Ε	1	$\begin{array}{ccc} \text{Total} & \text{C} & \text{O} \\ 4 & 2 & 2 \end{array}$	0	0
6	F	1	$\begin{array}{ccc} \text{Total} & \text{C} & \text{O} \\ 4 & 2 & 2 \end{array}$	0	0
6	G	1	$\begin{array}{ccc} \text{Total} & \text{C} & \text{O} \\ 4 & 2 & 2 \end{array}$	0	0
6	G	1	$\begin{array}{c cc} \text{Total} & \text{C} & \text{O} \\ 4 & 2 & 2 \end{array}$	0	0

• Molecule 7 is TRIETHYLENE GLYCOL (three-letter code: PGE) (formula:  $C_6H_{14}O_4$ ).





Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
7	В	1	Total C O   10 6 4	0	0
7	Н	1	Total C O 10 6 4	0	0

• Molecule 8 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
8	А	53	Total O   53 53	0	0
8	В	31	Total O   31 31	0	0
8	С	38	Total O   38 38	0	0
8	D	21	TotalO2121	0	0
8	Е	26	$\begin{array}{cc} \text{Total} & \text{O} \\ 26 & 26 \end{array}$	0	0
8	F	8	Total O 8 8	0	0
8	G	12	$\begin{array}{cc} \text{Total} & \text{O} \\ 12 & 12 \end{array}$	0	0
8	Н	17	Total O 17 17	0	0



## 3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.











• Molecule 1: Dual specificity tyrosine-phosphorylation-regulated kinase 1A





## 4 Data and refinement statistics (i)

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants	247.68Å 134.32Å 121.72Å	Depositor
a, b, c, $\alpha$ , $\beta$ , $\gamma$	$90.00^{\circ}$ $96.48^{\circ}$ $90.00^{\circ}$	Depositor
$\mathbf{Posolution} \left( \overset{\texttt{A}}{A} \right)$	26.14 - 2.77	Depositor
Resolution (A)	48.11 - 2.77	EDS
% Data completeness	99.8 (26.14-2.77)	Depositor
(in resolution range)	99.8 (48.11-2.77)	EDS
$R_{merge}$	0.10	Depositor
R <sub>sym</sub>	(Not available)	Depositor
$< I/\sigma(I) > 1$	$1.42 (at 2.77 \text{\AA})$	Xtriage
Refinement program	PHENIX 1.20.1_4487	Depositor
D D	0.205 , $0.252$	Depositor
$\mathbf{n},  \mathbf{n}_{free}$	0.206 , $0.252$	DCC
$R_{free}$ test set	5112 reflections $(5.09\%)$	wwPDB-VP
Wilson B-factor $(Å^2)$	69.7	Xtriage
Anisotropy	0.204	Xtriage
Bulk solvent $k_{sol}(e/Å^3), B_{sol}(Å^2)$	0.35 , $67.5$	EDS
L-test for $twinning^2$	$ < L >=0.49, < L^2>=0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
$F_o, F_c$ correlation	0.94	EDS
Total number of atoms	21926	wwPDB-VP
Average B, all atoms $(Å^2)$	84.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: The largest off-origin peak in the Patterson function is 5.68% of the height of the origin peak. No significant pseudotranslation is detected.

<sup>&</sup>lt;sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



<sup>&</sup>lt;sup>1</sup>Intensities estimated from amplitudes.

# 5 Model quality (i)

## 5.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: PG4, PEG, 3NG, PTR, SO4, PGE, EDO

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	Chain	Bond lengths		Bond angles	
IVIOI	Unam	RMSZ	# Z  > 5	RMSZ	# Z  > 5
1	А	0.29	0/2815	0.49	0/3805
1	В	0.26	0/2772	0.47	0/3751
1	С	0.27	0/2789	0.49	0/3773
1	D	0.28	0/2704	0.48	0/3662
1	Е	0.28	0/2761	0.48	0/3733
1	F	0.27	0/2721	0.50	0/3686
1	G	0.28	0/2632	0.50	0/3567
1	Н	0.30	0/2374	0.51	0/3213
All	All	0.28	0/21568	0.49	0/29190

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

#### 5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	А	2766	0	2692	22	0
1	В	2724	0	2615	21	0
1	С	2741	0	2658	19	0
1	D	2658	0	2522	33	0
1	Е	2714	0	2618	18	0



7Z5N
------

	Chain	Non-H	$\frac{page}{\mathbf{H}(\mathbf{modol})}$	H(addod)	Clashos	Symm_Clashos
1		2675		11(auueu)	01a511e5	Symm-Clashes
1	F C	2073	0	2400		0
1	G II	2007	0	2434	40	0
		2541	0	2105	30	0
	A D	20	0	11	0	0
	D	20	0	11	1	0
		20	0	11	1	0
2	D F	25	0	11	0	0
2		25	0	11	1	0
2	F	25	0	11	1	0
2	G	25	0	11	0	0
2	H	25	0	11	1	0
3	A	25	0	0	0	0
3	B	25	0	0	0	0
3	C	15	0	0	1	0
3	D	15	0	0	0	0
3	E	10	0	0	0	0
3	F	5	0	0	0	0
3	G	10	0	0	0	0
3	Н	5	0	0	0	0
4	A	26	0	36	1	0
4	В	26	0	36	0	0
4	С	13	0	18	1	0
4	D	13	0	18	1	0
4	E	13	0	18	2	0
4	Н	13	0	18	0	0
5	A	7	0	10	0	0
5	E	7	0	10	0	0
5	G	14	0	20	2	0
6	А	12	0	18	0	0
6	В	12	0	18	0	0
6	С	12	0	18	0	0
6	E	4	0	6	0	0
6	F	4	0	6	0	0
6	G	8	0	12	3	0
7	В	10	0	14	1	0
7	H	10	0	14	1	0
8	A	53	0	0	1	0
8	В	31	0	0	0	0
8	С	38	0	0	1	0
8	D	21	0	0	0	0
8	Е	26	0	0	0	0
8	F	8	0	0	0	0



	J						
Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes	
8	G	12	0	0	1	0	
8	Н	17	0	0	0	0	
All	All	21926	0	20510	226	0	

Continued from previous page...

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (226) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom 1	Atom 2	Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:D:257:VAL:CG1	1:D:261:LEU:HD23	1.67	1.23
1:D:257:VAL:HG11	1:D:261:LEU:CD2	1.74	1.16
1:D:257:VAL:HG11	1:D:261:LEU:HD23	0.90	0.88
1:A:215:THR:HG22	1:A:217:MET:H	1.39	0.88
1:B:215:THR:HG22	1:B:217:MET:H	1.46	0.80
1:E:247:ASP:OD1	1:E:250:ARG:NH2	2.21	0.73
1:D:257:VAL:HG12	1:D:258:SER:N	2.03	0.73
1:E:215:THR:HG22	1:E:217:MET:H	1.54	0.72
1:G:155:TRP:CE2	1:G:161:ILE:HD11	2.26	0.70
1:A:388:ALA:HB3	1:A:391:ALA:HB2	1.73	0.70
1:D:423:LEU:HA	1:D:426:ILE:HG12	1.74	0.70
1:D:159:TYR:OH	1:D:226:ARG:NH1	2.26	0.68
1:B:388:ALA:HB3	1:B:391:ALA:HB2	1.75	0.67
1:C:388:ALA:HB3	1:C:391:ALA:HB2	1.76	0.67
1:D:346:SER:O	1:D:350:ILE:HG13	1.95	0.67
1:G:388:ALA:HB3	1:G:391:ALA:HB2	1.77	0.66
1:G:355:HIS:NE2	8:G:601:HOH:O	2.28	0.66
1:F:215:THR:HG22	1:F:217:MET:H	1.61	0.66
1:D:421:ARG:HG2	1:D:426:ILE:HD11	1.80	0.64
1:D:257:VAL:HG12	1:D:261:LEU:HB3	1.79	0.63
1:E:388:ALA:HB3	1:E:391:ALA:HB2	1.81	0.62
1:D:257:VAL:HG11	1:D:261:LEU:CG	2.30	0.61
1:E:429:VAL:HG13	1:E:449:TYR:HB3	1.82	0.61
1:G:366:GLU:HB3	6:G:507:EDO:H12	1.81	0.61
1:G:192:ASN:OD1	1:G:232:ASN:HB3	2.00	0.61
1:G:321:PTR:HE2	6:G:507:EDO:H11	1.82	0.60
1:F:167:LYS:HG2	1:F:172:GLN:HG2	1.82	0.60
1:F:323:GLN:HB3	1:F:328:ARG:HA	1.83	0.60
1:H:206:LEU:HA	1:H:209:LEU:HD12	1.83	0.60
1:H:164:LEU:HA	1:H:174:VAL:HG12	1.84	0.59
1:B:322:ILE:HG23	1:B:323:GLN:HG3	1.84	0.59



		Interatomic	Clash	
Atom-1	Atom-2	distance (Å)	overlap (Å)	
1:D:257:VAL:CG1	1:D:258:SER:N	2.66	0.58	
1:F:265:PHE:HD1	1:F:303:ILE:HD13	1.68	0.58	
1:H:218:LYS:HB3	1:H:275:PHE:HE2	1.68	0.58	
1:B:461:ASP:O	1:B:467:ARG:NH1	2.37	0.58	
1:D:381:PRO:HG2	1:D:384:ILE:HD12	1.85	0.57	
1:G:380:PRO:HG2	1:G:385:LEU:HD21	1.85	0.57	
1:D:257:VAL:HG12	1:D:258:SER:H	1.66	0.57	
1:D:257:VAL:CG1	1:D:258:SER:H	2.18	0.57	
1:F:297:ASN:HB2	1:F:300:ARG:HB2	1.87	0.57	
1:C:390:LYS:NZ	8:C:602:HOH:O	2.38	0.56	
1:H:339:ASP:OD1	1:H:341:ALA:N	2.34	0.56	
1:G:336:MET:HG2	1:G:389:PRO:HD2	1.88	0.56	
1:G:197:LEU:HD12	1:G:234:LEU:HD12	1.88	0.55	
1:G:210:MET:HE1	1:G:221:ILE:HG12	1.88	0.55	
1:C:244:ASN:OD1	1:C:247:ASP:N	2.35	0.55	
1:H:345:TRP:CZ2	1:H:373:ILE:HD13	2.41	0.55	
1:F:148:ILE:HD12	1:F:148:ILE:O	2.07	0.55	
1:F:423:LEU:HA	1:F:426:ILE:HD13	1.89	0.55	
1:A:294:LEU:HD22	1:A:306:VAL:HG11	1.90	0.54	
1:D:257:VAL:CG1	1:D:261:LEU:HB3	2.38	0.54	
1:G:321:PTR:CE2	6:G:507:EDO:H11	2.38	0.54	
1:A:334:LEU:HB3	1:A:388:ALA:HB1	1.90	0.54	
1:B:376:VAL:HG22	1:B:421:ARG:HG2	1.89	0.53	
1:D:461:ASP:O	1:D:467:ARG:NH1	2.42	0.53	
1:F:426:ILE:H	1:F:426:ILE:HD12	1.72	0.53	
1:H:345:TRP:HZ2	1:H:373:ILE:HD13	1.72	0.53	
1:C:334:LEU:HB3	1:C:388:ALA:HB1	1.90	0.53	
1:H:297:ASN:HB3	1:H:300:ARG:HB2	1.89	0.53	
1:C:193:LYS:HB3	1:C:196:PHE:HD1	1.74	0.52	
1:H:278:THR:HG22	1:H:280:GLU:HG2	1.91	0.52	
1:F:265:PHE:CD1	1:F:303:ILE:HD13	2.44	0.52	
1:G:184:TRP:CE2	5:G:505:PEG:H32	2.43	0.52	
1:F:314:LEU:HD12	1:F:315:GLY:H	1.75	0.52	
1:G:431:THR:HG22	1:G:431:THR:O	2.10	0.52	
1:D:476:HIS:CD2	1:D:477:SER:H	2.28	0.52	
1:E:205:ARG:NH2	1:E:313:GLN:OE1	2.38	0.52	
1:G:421:ARG:O	1:G:421:ARG:HG3	2.10	0.51	
1:E:280:GLU:OE1	1:E:280:GLU:N	2.33	0.51	
1:F:270:CYS:HB3	1:F:474:LEU:HD22	1.92	0.51	
1:H:461:ASP:HB3	1:H:467:ARG:HA	1.91	0.51	
1:G:266:ALA:HB2	1:G:351:LEU:HD21	1.92	0.51	



		Interatomic	Clash	
Atom-1	Atom-2	distance $(Å)$	overlap (Å)	
1:A:400:ASP:HB3	1:A:402:THR:HG22	1.92	0.51	
1:C:175:LYS:HD3	4:C:505:PG4:H12	1.93	0.51	
1:H:429:VAL:HG22	1:H:449:TYR:HB3	1.92	0.50	
1:G:394:PHE:HB2	1:G:395:PHE:CD1	2.45	0.50	
1:G:455:LEU:O	1:G:459:MET:HG3	2.11	0.50	
1:D:267:GLN:O	1:D:271:THR:OG1	2.29	0.50	
1:F:148:ILE:HD13	1:F:150:LYS:HE3	1.93	0.49	
1:F:202:ILE:O	1:F:206:LEU:HD12	2.12	0.49	
1:D:323:GLN:OE1	1:D:342:ILE:HB	2.11	0.49	
1:H:184:TRP:CE2	7:H:504:PGE:H42	2.48	0.49	
1:B:249:LEU:HD22	1:B:357:GLY:HA2	1.95	0.49	
1:E:184:TRP:CZ2	4:E:504:PG4:H21	2.48	0.49	
1:G:146:ASP:HB3	1:G:172:GLN:HE21	1.78	0.49	
1:E:322:ILE:HG13	1:E:323:GLN:HG3	1.94	0.49	
1:A:284:ILE:HD11	1:A:314:LEU:HD13	1.95	0.48	
1:B:254:PHE:CD2	1:F:416:LYS:HD3	2.48	0.48	
1:D:184:TRP:CE2	4:D:505:PG4:H82	2.48	0.48	
1:G:206:LEU:O	1:G:210:MET:HG3	2.12	0.48	
1:A:213:HIS:O	1:A:218:LYS:HE2	2.14	0.48	
1:C:165:ILE:HD11	1:C:175:LYS:HB2	1.95	0.48	
1:F:230:PHE:CE2	1:F:231:ARG:HG3	2.48	0.48	
1:A:317:ARG:HG2	1:A:338:TYR:CE2	2.49	0.48	
1:B:158:ARG:O	1:B:179:ARG:HG2	2.14	0.48	
1:E:334:LEU:HB3	1:E:388:ALA:HB1	1.96	0.48	
1:H:462:TYR:O	1:H:463:ASP:C	2.51	0.48	
1:G:184:TRP:CZ2	5:G:505:PEG:H32	2.49	0.48	
1:G:326:PHE:CD1	1:G:362:SER:HA	2.49	0.48	
1:A:317:ARG:NH1	8:A:604:HOH:O	2.47	0.47	
1:D:297:ASN:ND2	1:D:298:PRO:HD2	2.29	0.47	
1:B:350:ILE:O	1:B:354:MET:HG2	2.14	0.47	
1:D:244:ASN:HA	1:D:294:LEU:HA	1.97	0.47	
1:A:214:ASP:HA	1:A:218:LYS:NZ	2.29	0.47	
1:D:380:PRO:HB2	1:D:385:LEU:HD21	1.95	0.47	
1:G:145:TYR:CG	1:G:193:LYS:HG3	2.50	0.47	
1:G:265:PHE:O	1:G:269:MET:HG2	2.15	0.47	
1:B:259:LEU:HB2	1:B:355:HIS:HE1	1.80	0.47	
1:H:259:LEU:HA	1:H:262:THR:OG1	2.15	0.47	
1:B:291:GLU:OE1	1:B:291:GLU:N	2.46	0.46	
1:C:247:ASP:OD1	1:C:250:ARG:NH2	2.47	0.46	
1:C:273:LEU:HA	1:C:276:LEU:HD23	1.97	0.46	
1:F:198:ASN:HA	1:F:201:GLN:HE21	1.80	0.46	



		Interatomic	Clash	
Atom-1	Atom-2	distance (Å)	overlap (Å)	
1:H:188:LYS:HD3	1:H:190:ILE:HD11	1.96	0.46	
1:F:217:MET:HB2	1:F:275:PHE:HB2	1.96	0.46	
1:G:225:LYS:HB2	1:G:237:VAL:HG12	1.98	0.46	
1:F:187:ILE:HG12	1:F:237:VAL:HG22	1.97	0.46	
1:C:217:MET:HB3	1:C:275:PHE:HB2	1.98	0.46	
1:H:275:PHE:HE1	1:H:281:LEU:HD11	1.81	0.46	
1:G:242:SER:O	1:G:294:LEU:HD12	2.16	0.46	
7:B:512:PGE:H3	7:B:512:PGE:H52	1.73	0.46	
1:F:321:PTR:HE2	1:F:328:ARG:NH1	2.31	0.46	
1:G:207:LEU:O	1:G:211:ASN:ND2	2.48	0.46	
1:E:265:PHE:CD1	1:E:303:ILE:HD13	2.50	0.46	
1:F:284:ILE:HD11	1:F:339:ASP:C	2.36	0.46	
1:G:421:ARG:HH21	1:G:426:ILE:HG21	1.81	0.46	
1:G:374:VAL:HG13	1:G:418:PRO:HB3	1.98	0.45	
1:H:295:LEU:HD23	1:H:303:ILE:HG22	1.98	0.45	
1:F:173:VAL:HG21	2:F:501:3NG:H17	1.97	0.45	
1:G:396:GLU:N	1:G:404:ASN:O	2.44	0.45	
1:H:352:VAL:O	1:H:356:THR:HG23	2.16	0.45	
1:F:361:PHE:CD2	1:F:373:ILE:HD13	2.51	0.45	
1:H:264:LYS:O	1:H:268:GLN:HG3	2.15	0.45	
1:H:165:ILE:HD11	1:H:175:LYS:HB2	1.98	0.45	
1:D:192:ASN:HB2	1:D:233:HIS:CE1	2.52	0.45	
1:F:323:GLN:O	1:F:324:SER:C	2.55	0.45	
1:D:369:GLN:O	1:D:372:LYS:N	2.49	0.45	
1:D:257:VAL:CG1	1:D:261:LEU:CD2	2.57	0.45	
1:F:385:LEU:HD13	1:F:403:TRP:CD2	2.52	0.45	
1:B:344:MET:HG2	1:B:468:ILE:O	2.16	0.44	
1:D:404:ASN:OD1	1:D:405:LEU:N	2.49	0.44	
1:E:184:TRP:CD1	4:E:504:PG4:H31	2.52	0.44	
1:H:363:GLY:H	1:H:369:GLN:NE2	2.15	0.44	
1:A:414:GLU:OE2	1:G:325:ARG:NH2	2.51	0.44	
1:D:284:ILE:HG12	1:D:340:LEU:HA	1.99	0.44	
1:C:417:PRO:HB2	1:C:420:THR:HG21	1.99	0.44	
1:F:416:LYS:HE3	1:F:421:ARG:HD2	1.99	0.44	
1:G:266:ALA:HB2	1:G:351:LEU:CD2	2.48	0.44	
1:H:170:PHE:CE1	1:H:188:LYS:HG3	2.52	0.44	
1:H:350:ILE:O	1:H:354:MET:HG2	2.17	0.44	
1:G:276:LEU:CD2	1:G:283:ILE:HB	2.48	0.44	
1:C:241:LEU:HB2	1:C:294:LEU:HD23	1.99	0.44	
1:G:318:ILE:O	1:G:318:ILE:HG13	2.18	0.44	
1:G:455:LEU:HB2	1:G:476:HIS:CE1	2.53	0.44	



	A	Interatomic	Clash	
Atom-1	Atom-2	distance (Å)	overlap (Å)	
1:A:406:LYS:HE3	1:A:406:LYS:HB3	1.73	0.44	
1:D:376:VAL:HG22	1:D:421:ARG:HD3	2.00	0.44	
1:B:290:PRO:HD3	1:B:350:ILE:HG12	1.98	0.43	
1:C:248:LEU:HD11	1:C:295:LEU:HD11	2.00	0.43	
2:E:501:3NG:H17	2:E:501:3NG:N9	2.33	0.43	
1:D:161:ILE:HD13	1:D:176:ALA:HB2	1.99	0.43	
1:A:288:LEU:HD23	1:A:288:LEU:HA	1.84	0.43	
1:E:249:LEU:HD11	1:E:357:GLY:HA2	1.99	0.43	
1:E:215:THR:HG22	1:E:217:MET:N	2.27	0.43	
1:B:355:HIS:HD2	1:B:434:PRO:HG2	1.82	0.43	
1:H:468:ILE:HG13	1:H:473:ALA:HB2	1.99	0.43	
1:H:269:MET:HG3	1:H:347:LEU:HD11	2.01	0.43	
1:C:166:GLY:HA3	2:C:501:3NG:C19	2.49	0.43	
1:F:144:ASN:O	1:F:191:LYS:HD3	2.19	0.43	
1:F:169:SER:O	1:F:191:LYS:NZ	2.51	0.43	
1:H:339:ASP:OD1	1:H:340:LEU:N	2.52	0.43	
1:F:329:SER:HA	1:F:345:TRP:CD1	2.54	0.43	
1:H:376:VAL:HG12	1:H:421:ARG:HB3	2.00	0.43	
1:A:315:GLY:C	1:A:317:ARG:H	2.21	0.42	
1:A:274:LEU:HB2	1:A:470:PRO:HB2	2.01	0.42	
1:E:455:LEU:HD13	1:E:476:HIS:CD2	2.54	0.42	
1:F:201:GLN:H	1:F:201:GLN:HG2	1.65	0.42	
1:H:468:ILE:CG1	1:H:473:ALA:HB2	2.49	0.42	
1:B:393:LYS:HG2	1:B:394:PHE:CE1	2.54	0.42	
1:D:192:ASN:OD1	1:D:232:ASN:ND2	2.50	0.42	
1:F:162:ASP:HB3	1:F:175:LYS:HG2	2.02	0.42	
1:G:330:PRO:HA	1:G:333:LEU:HB2	2.01	0.42	
1:H:275:PHE:HD1	1:H:275:PHE:C	2.23	0.42	
1:B:248:LEU:HD12	1:B:248:LEU:HA	1.80	0.42	
1:C:339:ASP:OD1	1:C:339:ASP:N	2.49	0.42	
1:G:362:SER:O	1:G:362:SER:OG	2.37	0.42	
1:A:207:LEU:HD23	1:A:210:MET:HE3	2.02	0.42	
1:E:244:ASN:HA	1:E:294:LEU:HA	2.01	0.42	
1:E:405:LEU:HD12	1:E:405:LEU:H	1.85	0.42	
1:G:366:GLU:HG3	1:G:393:LYS:NZ	2.34	0.42	
1:A:429:VAL:HG22	1:A:449:TYR:HB3	2.01	0.42	
1:F:288:LEU:HD23	1:F:288:LEU:HA	1.81	0.42	
1:C:328:ARG:HD2	1:C:333:LEU:HD13	2.01	0.42	
1:D:421:ARG:HG2	1:D:426:ILE:CD1	2.50	0.42	
1:H:417:PRO:O	1:H:420:THR:OG1	2.29	0.41	
1:F:284:ILE:HG12	1:F:340:LEU:HA	2.02	0.41	



Atom 1	Atom 2	Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:H:206:LEU:O	1:H:210:MET:HG3	2.20	0.41
1:G:257:VAL:HB	1:G:261:LEU:HD23	2.02	0.41
1:G:388:ALA:CB	1:G:391:ALA:HB2	2.49	0.41
1:H:149:VAL:HG11	1:H:174:VAL:HG11	2.02	0.41
1:H:288:LEU:HD23	1:H:288:LEU:HA	1.84	0.41
1:H:307:ASP:H	2:H:501:3NG:C23	2.34	0.41
1:H:420:THR:O	1:H:422:LYS:N	2.54	0.41
1:B:450:LEU:HD23	1:B:450:LEU:HA	1.92	0.41
1:C:227:HIS:O	1:H:194:LYS:HE3	2.19	0.41
1:H:423:LEU:O	1:H:424:HIS:C	2.58	0.41
1:A:257:VAL:HB	1:A:261:LEU:HD23	2.03	0.41
1:G:421:ARG:NH2	1:G:426:ILE:HG21	2.35	0.41
1:C:245:LEU:HB3	1:C:354:MET:SD	2.60	0.41
1:A:314:LEU:HD12	1:A:314:LEU:HA	1.83	0.41
1:B:345:TRP:HZ2	1:B:373:ILE:HD13	1.86	0.41
1:H:275:PHE:C	1:H:275:PHE:CD1	2.93	0.41
1:A:206:LEU:HD22	1:A:283:ILE:HG12	2.03	0.41
1:E:217:MET:HB3	1:E:275:PHE:HB2	2.02	0.41
1:A:201:GLN:HA	4:A:507:PG4:H82	2.01	0.41
1:A:353:GLU:HG3	1:A:358:GLU:C	2.41	0.41
1:B:260:ASN:HA	1:B:263:ARG:NH1	2.36	0.41
1:E:378:GLY:HA2	1:E:418:PRO:HB3	2.03	0.41
1:F:385:LEU:HD23	1:F:385:LEU:HA	1.82	0.41
1:G:187:ILE:HA	1:G:236:LEU:O	2.21	0.41
1:B:334:LEU:HB3	1:B:388:ALA:HB1	2.03	0.41
1:G:451:LYS:HD3	1:G:477:SER:C	2.42	0.41
1:D:335:GLY:O	1:D:389:PRO:HG2	2.21	0.40
1:G:344:MET:HG2	1:G:468:ILE:O	2.20	0.40
1:H:371:ASN:ND2	1:H:415:TYR:CD2	2.90	0.40
1:B:197:LEU:O	1:B:201:GLN:HG3	2.22	0.40
1:C:365:ASN:HB2	3:C:504:SO4:S	2.61	0.40

There are no symmetry-related clashes.

### 5.3 Torsion angles (i)

#### 5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.



Mol	Chain	Analysed	Favoured	Allowed	Outliers	Perce	$\mathbf{ntiles}$
1	А	343/370~(93%)	330 (96%)	12 (4%)	1 (0%)	41	70
1	В	338/370~(91%)	320 (95%)	17 (5%)	1 (0%)	41	70
1	С	339/370~(92%)	322 (95%)	16 (5%)	1 (0%)	41	70
1	D	331/370~(90%)	311 (94%)	20 (6%)	0	100	100
1	Е	333/370~(90%)	311 (93%)	20 (6%)	2(1%)	25	54
1	F	343/370~(93%)	324 (94%)	19 (6%)	0	100	100
1	G	326/370~(88%)	305 (94%)	21 (6%)	0	100	100
1	Н	297/370~(80%)	279 (94%)	18 (6%)	0	100	100
All	All	2650/2960~(90%)	2502 (94%)	143 (5%)	5 (0%)	47	76

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

All (5) Ramachandran outliers are listed below:

Mol	Chain	$\mathbf{Res}$	Type
1	А	316	GLN
1	Е	323	GLN
1	Е	400	ASP
1	В	323	GLN
1	С	323	GLN

#### 5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent side chain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	А	287/328~(88%)	286 (100%)	1 (0%)	92 97
1	В	279/328~(85%)	276~(99%)	3~(1%)	73 90
1	С	283/328~(86%)	277~(98%)	6 (2%)	53 81
1	D	268/328~(82%)	261~(97%)	7 (3%)	46 76
1	Ε	280/328~(85%)	278~(99%)	2(1%)	84 94
1	F	259/328~(79%)	253~(98%)	6 (2%)	50 79



Mol	Chain	Analysed	Rotameric	Outliers	Perce	$\mathbf{ntiles}$
1	G	256/328~(78%)	247~(96%)	9~(4%)	36	67
1	Н	220/328~(67%)	210 (96%)	10 (4%)	27	58
All	All	2132/2624 (81%)	2088 (98%)	44 (2%)	53	81

All (44) residues with a non-rotameric sidechain are listed below:

Mol	Chain	$\mathbf{Res}$	Type
1	А	182	GLN
1	В	216	GLU
1	В	320	GLN
1	В	399	PRO
1	С	146	ASP
1	С	317	ARG
1	С	358	GLU
1	С	390	LYS
1	С	394	PHE
1	С	458	ARG
1	D	157	ASP
1	D	226	ARG
1	D	242	SER
1	D	371	ASN
1	D	398	LEU
1	D	444	HIS
1	D	477	SER
1	Е	157	ASP
1	Е	462	TYR
1	F	205	ARG
1	F	206	LEU
1	F	245	LEU
1	F	324	SER
1	F	326	PHE
1	F	462	TYR
1	G	140	TYR
1	G	146	ASP
1	G	213	HIS
1	G	234	LEU
1	G	275	PHE
1	G	282	SER
1	G	316	GLN
1	G	323	GLN
1	G	371	ASN



Mol	Chain	Res	Type
1	Н	137	ASN
1	Н	242	SER
1	Н	275	PHE
1	Н	282	SER
1	Н	301	SER
1	Н	365	ASN
1	Н	413	ARG
1	Н	423	LEU
1	Н	463	ASP
1	Н	469	GLN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (7) such sidechains are listed below:

Mol	Chain	Res	Type
1	А	475	GLN
1	В	182	GLN
1	С	251	ASN
1	D	297	ASN
1	F	213	HIS
1	G	151	ASN
1	G	369	GLN

#### 5.3.3 RNA (i)

There are no RNA molecules in this entry.

#### 5.4 Non-standard residues in protein, DNA, RNA chains (i)

8 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	Turne	Chain	Dec	Tink	Bond lengths			Bond angles		
MOI	туре	Unain	nes		Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
1	PTR	В	321	1	15,16,17	1.33	1 (6%)	19,22,24	0.57	0



Mal	Turne	Chain	Dec	Tiple	Bo	Bond lengths			Bond angles		
	туре	Unam	nes		Counts	RMSZ	# Z >2	Counts	RMSZ	# Z >2	
1	PTR	А	321	1	15,16,17	1.32	1 (6%)	19,22,24	0.76	1 (5%)	
1	PTR	С	321	1	15,16,17	1.21	2 (13%)	19,22,24	0.73	0	
1	PTR	Е	321	1	15,16,17	1.31	1 (6%)	19,22,24	0.49	0	
1	PTR	G	321	1	15,16,17	1.33	1 (6%)	19,22,24	0.50	0	
1	PTR	D	321	1	15,16,17	1.35	1 (6%)	19,22,24	0.44	0	
1	PTR	F	321	1	15,16,17	0.51	0	19,22,24	0.59	0	
1	PTR	Н	321	1	15,16,17	1.36	1 (6%)	19,22,24	0.49	0	

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	PTR	В	321	1	-	4/10/11/13	0/1/1/1
1	PTR	А	321	1	-	1/10/11/13	0/1/1/1
1	PTR	С	321	1	-	0/10/11/13	0/1/1/1
1	PTR	Е	321	1	-	0/10/11/13	0/1/1/1
1	PTR	G	321	1	-	1/10/11/13	0/1/1/1
1	PTR	D	321	1	-	2/10/11/13	0/1/1/1
1	PTR	F	321	1	-	3/10/11/13	0/1/1/1
1	PTR	Н	321	1	-	2/10/11/13	0/1/1/1

All (8) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	$\operatorname{Ideal}(\operatorname{\AA})$
1	Н	321	PTR	OH-CZ	-4.43	1.30	1.40
1	D	321	PTR	OH-CZ	-4.40	1.30	1.40
1	В	321	PTR	OH-CZ	-4.30	1.30	1.40
1	G	321	PTR	OH-CZ	-4.22	1.31	1.40
1	Е	321	PTR	OH-CZ	-4.21	1.31	1.40
1	А	321	PTR	OH-CZ	-4.18	1.31	1.40
1	С	321	PTR	OH-CZ	-3.87	1.31	1.40
1	С	321	PTR	P-OH	2.13	1.62	1.59

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
1	А	321	PTR	CG-CB-CA	2.01	118.18	114.10



There are no chirality outliers.

Mol	Chain	$\mathbf{Res}$	Type	Atoms
1	В	321	PTR	O-C-CA-CB
1	F	321	PTR	O-C-CA-CB
1	Н	321	PTR	N-CA-CB-CG
1	Н	321	PTR	C-CA-CB-CG
1	G	321	PTR	CZ-OH-P-O3P
1	F	321	PTR	CA-CB-CG-CD1
1	F	321	PTR	CA-CB-CG-CD2
1	А	321	PTR	CZ-OH-P-O1P
1	В	321	PTR	CZ-OH-P-O1P
1	D	321	PTR	CA-CB-CG-CD2
1	D	321	PTR	CA-CB-CG-CD1
1	В	321	PTR	CA-CB-CG-CD1
1	В	321	PTR	CA-CB-CG-CD2

All (13) torsion outliers are listed below:

There are no ring outliers.

2 monomers are involved in 3 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
1	G	321	PTR	2	0
1	F	321	PTR	1	0

## 5.5 Carbohydrates (i)

There are no monosaccharides in this entry.

## 5.6 Ligand geometry (i)

57 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Dog	Link	Bo	Bond lengths			Bond angles			
WIOI	туре	Ullalli	nes		Counts	RMSZ	# Z >2	Counts	RMSZ	# Z  > 2		
3	SO4	А	504	-	4,4,4	0.14	0	$6,\!6,\!6$	0.05	0		



Mal	<b>T</b>	Chain	Dag	T : 1-	Bo	ond leng	$_{\rm ths}$	В	Bond angles		
IVI01	Type	Chain	Res		Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2	
4	PG4	D	505	-	12,12,12	0.17	0	11,11,11	0.56	0	
3	SO4	D	503	-	4,4,4	0.14	0	$6,\!6,\!6$	0.10	0	
6	EDO	В	510	-	3,3,3	0.48	0	$2,\!2,\!2$	0.28	0	
3	SO4	E	503	-	4,4,4	0.13	0	6,6,6	0.07	0	
3	SO4	G	502	-	4,4,4	0.14	0	6,6,6	0.07	0	
5	PEG	G	504	-	$6,\!6,\!6$	0.15	0	$5,\!5,\!5$	0.07	0	
6	EDO	F	503	-	3,3,3	0.47	0	2,2,2	0.29	0	
3	SO4	C	504	-	4,4,4	0.14	0	6,6,6	0.09	0	
6	EDO	E	506	-	3,3,3	0.47	0	2,2,2	0.33	0	
7	PGE	В	512	-	9,9,9	0.31	0	8,8,8	0.30	0	
2	3NG	Ε	501	-	$27,\!28,\!28$	0.65	1 (3%)	38,40,40	0.84	1 (2%)	
3	SO4	F	502	-	$4,\!4,\!4$	0.14	0	$6,\!6,\!6$	0.08	0	
3	SO4	С	503	-	4,4,4	0.15	0	$6,\!6,\!6$	0.05	0	
2	3NG	G	501	-	$27,\!28,\!28$	0.64	1 (3%)	38,40,40	0.85	1 (2%)	
6	EDO	А	510	-	3,3,3	0.48	0	2,2,2	0.29	0	
7	PGE	Н	504	-	$9,\!9,\!9$	0.35	0	8,8,8	0.23	0	
4	PG4	Н	503	-	12,12,12	0.16	0	11,11,11	0.60	0	
6	EDO	G	507	-	3,3,3	0.08	0	2,2,2	0.22	0	
2	3NG	В	501	-	27,28,28	0.65	1 (3%)	38,40,40	0.82	1 (2%)	
2	3NG	D	501	-	27,28,28	0.63	1 (3%)	38,40,40	0.82	1 (2%)	
6	EDO	А	512	-	3,3,3	0.47	0	2,2,2	0.29	0	
4	PG4	С	505	-	12,12,12	0.14	0	11,11,11	0.59	0	
3	SO4	В	505	-	4,4,4	0.14	0	$6,\!6,\!6$	0.05	0	
5	PEG	Е	505	-	$6,\!6,\!6$	0.15	0	$5,\!5,\!5$	0.07	0	
4	PG4	В	507	-	12,12,12	0.15	0	11,11,11	0.60	0	
6	EDO	С	507	-	3, 3, 3	0.43	0	$2,\!2,\!2$	0.48	0	
4	PG4	E	504	-	12,12,12	0.15	0	11,11,11	0.61	0	
3	SO4	В	504	-	4,4,4	0.16	0	6,6,6	0.09	0	
6	EDO	В	511	-	3,3,3	0.48	0	2,2,2	0.29	0	
3	SO4	A	503	-	4,4,4	0.14	0	6,6,6	0.07	0	
3	SO4	С	502	-	4,4,4	0.15	0	6,6,6	0.13	0	
3	SO4	В	502	-	4,4,4	0.44	0	6,6,6	0.05	0	
3	SO4	В	506	-	4,4,4	0.42	0	6,6,6	0.13	0	
2	3NG	F	501	-	27,28,28	0.62	0	38,40,40	0.82	1 (2%)	
3	SO4	D	502	-	4,4,4	0.13	0	6,6,6	0.07	0	
4	PG4	A	508	-	12,12,12	0.15	0	11,11,11	0.63	0	
5	PEG	A	509	-	6,6,6	0.15	0	5,5,5	0.07	0	
3	SO4	D	504	-	4,4,4	0.14	0	6,6,6	0.09	0	
2	3NG	Н	501	-	27,28,28	0.63	1 (3%)	38,40,40	0.82	0	
5	PEG	G	505		6,6,6	0.11	0	$5,\!5,\!5$	0.08	0	
3	SO4	E	502	-	4,4,4	0.14	0	6,6,6	0.08	0	
3	SO4	Н	502	-	4,4,4	0.41	0	$6,\!6,\!6$	0.04	0	



Mol	Type	Chain	Bos	Link	Bo	Bond lengths			Bond angles		
10101	Type	Ullalli	nes		Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2	
3	SO4	A	505	-	4,4,4	0.14	0	6,6,6	0.19	0	
6	EDO	В	509	-	3,3,3	0.47	0	2,2,2	0.28	0	
4	PG4	A	507	-	12,12,12	0.12	0	11,11,11	0.61	0	
6	EDO	G	506	-	3,3,3	0.09	0	2,2,2	0.14	0	
3	SO4	G	503	-	4,4,4	0.13	0	6,6,6	0.05	0	
6	EDO	С	506	-	3,3,3	0.46	0	2,2,2	0.28	0	
2	3NG	А	501	-	27,28,28	0.65	1 (3%)	38,40,40	0.82	1 (2%)	
3	SO4	В	503	-	4,4,4	0.13	0	6,6,6	0.06	0	
6	EDO	С	508	-	3,3,3	0.09	0	2,2,2	0.18	0	
3	SO4	А	502	-	4,4,4	0.15	0	6,6,6	0.11	0	
3	SO4	А	506	-	4,4,4	0.42	0	6,6,6	0.06	0	
4	PG4	В	508	-	12,12,12	0.13	0	11,11,11	0.55	0	
6	EDO	А	511	-	3,3,3	0.49	0	2,2,2	0.29	0	
2	3NG	С	501	-	27,28,28	0.64	1 (3%)	38,40,40	0.84	1 (2%)	

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	PG4	D	505	-	-	4/10/10/10	-
6	EDO	В	510	-	-	0/1/1/1	-
5	PEG	G	504	-	-	0/4/4/4	-
6	EDO	F	503	-	-	0/1/1/1	-
6	EDO	Е	506	-	-	0/1/1/1	-
7	PGE	В	512	-	-	4/7/7/7	-
2	3NG	Е	501	-	-	0/8/8/8	0/4/4/4
2	3NG	G	501	-	-	0/8/8/8	0/4/4/4
6	EDO	А	510	-	-	0/1/1/1	-
7	PGE	Н	504	-	-	0/7/7/7	-
4	PG4	Н	503	-	-	2/10/10/10	-
6	EDO	G	507	-	-	1/1/1/1	-
2	3NG	В	501	-	-	0/8/8/8	0/4/4/4
2	3NG	D	501	-	-	0/8/8/8	0/4/4/4
6	EDO	А	512	-	-	1/1/1/1	-
4	PG4	С	505	-	-	3/10/10/10	-
5	PEG	E	505	-	-	3/4/4/4	-
6	EDO	С	507	-	-	0/1/1/1	-
4	PG4	В	507	-	-	6/10/10/10	-
4	PG4	Е	504	-	-	3/10/10/10	-



7Z5N
------

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
6	EDO	В	511	-	-	0/1/1/1	-
5	PEG	А	509	-	-	2/4/4/4	-
2	3NG	F	501	-	-	4/8/8/8	0/4/4/4
4	PG4	А	508	-	-	5/10/10/10	-
2	3NG	Н	501	-	-	1/8/8/8	0/4/4/4
5	PEG	G	505	-	-	1/4/4/4	-
6	EDO	В	509	-	-	0/1/1/1	-
6	EDO	G	506	-	-	0/1/1/1	-
4	PG4	А	507	-	-	1/10/10/10	-
6	EDO	С	506	-	-	0/1/1/1	-
2	3NG	А	501	-	-	0/8/8/8	0/4/4/4
6	EDO	С	508	-	-	1/1/1/1	-
4	PG4	В	508	-	-	4/10/10/10	-
6	EDO	A	511	-	-	0/1/1/1	-
2	3NG	С	501	-	-	0/8/8/8	0/4/4/4

All (7) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	$\operatorname{Ideal}(\operatorname{\AA})$
2	В	501	3NG	O25-C23	-2.14	1.24	1.30
2	Н	501	3NG	O25-C23	-2.13	1.24	1.30
2	А	501	3NG	O25-C23	-2.12	1.24	1.30
2	Е	501	3NG	O25-C23	-2.11	1.24	1.30
2	D	501	3NG	O25-C23	-2.09	1.24	1.30
2	С	501	3NG	O25-C23	-2.09	1.24	1.30
2	G	501	3NG	O25-C23	-2.02	1.24	1.30

All (7) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Ζ	$\mathbf{Observed}(^{o})$	$\mathbf{Ideal}(^{o})$
2	Е	501	3NG	C10-N9-C1	2.11	120.83	116.67
2	С	501	3NG	C10-N9-C1	2.09	120.81	116.67
2	А	501	3NG	C10-N9-C1	2.08	120.78	116.67
2	В	501	3NG	C10-N9-C1	2.04	120.72	116.67
2	G	501	3NG	C10-N9-C1	2.02	120.67	116.67
2	D	501	3NG	C10-N9-C1	2.02	120.66	116.67
2	F	501	3NG	C10-N9-C1	2.01	120.65	116.67

There are no chirality outliers.

All (46) torsion outliers are listed below:



Mol	Chain	Res	Type	Atoms
4	С	505	PG4	O4-C7-C8-O5
4	В	508	PG4	O2-C3-C4-O3
4	В	507	PG4	O3-C5-C6-O4
4	А	508	PG4	O3-C5-C6-O4
4	В	507	PG4	O1-C1-C2-O2
5	Е	505	PEG	O2-C3-C4-O4
4	D	505	PG4	O4-C7-C8-O5
4	В	507	PG4	O2-C3-C4-O3
6	А	512	EDO	O1-C1-C2-O2
4	Е	504	PG4	O2-C3-C4-O3
7	В	512	PGE	C4-C3-O2-C2
4	А	508	PG4	O4-C7-C8-O5
5	Е	505	PEG	O1-C1-C2-O2
7	В	512	PGE	C3-C4-O3-C5
4	Н	503	PG4	O3-C5-C6-O4
5	G	505	PEG	O1-C1-C2-O2
4	D	505	PG4	C5-C6-O4-C7
4	А	508	PG4	C5-C6-O4-C7
4	С	505	PG4	C1-C2-O2-C3
4	D	505	PG4	C4-C3-O2-C2
5	А	509	PEG	O2-C3-C4-O4
4	А	508	PG4	O2-C3-C4-O3
4	А	507	PG4	O3-C5-C6-O4
6	G	507	EDO	O1-C1-C2-O2
4	В	507	PG4	C6-C5-O3-C4
4	Н	503	PG4	C1-C2-O2-C3
4	D	505	PG4	O1-C1-C2-O2
4	В	508	PG4	C5-C6-O4-C7
4	В	507	PG4	C4-C3-O2-C2
5	Ε	505	PEG	C4-C3-O2-C2
7	В	512	PGE	C6-C5-O3-C4
4	В	508	PG4	C1-C2-O2-C3
4	Ε	504	PG4	O4-C7-C8-O5
2	F	501	3NG	O24-C23-C5-C6
2	F	501	3NG	O25-C23-C5-C6
4	В	508	PG4	C3-C4-O3-C5
2	F	$50\overline{1}$	3NG	O24-C23-C5-C4
2	F	501	3NG	O25-C23-C5-C4
4	A	508	PG4	O1-C1-C2-O2
6	C	$50\overline{8}$	EDO	O1-C1-C2-O2
5	A	509	PEG	C1-C2-O2-C3
4	C	$50\overline{5}$	$PG\overline{4}$	O2-C3-C4-O3
4	Е	504	PG4	C5-C6-O4-C7



Mol	Chain	Res	Type	Atoms
4	В	507	PG4	O4-C7-C8-O5
2	Н	501	3NG	C21-C16-N15-C10
7	В	512	PGE	O2-C3-C4-O3

Continued from previous page...

There are no ring outliers.

13 monomers are involved in 17 short contacts:

Mol	Chain	$\mathbf{Res}$	Type	Clashes	Symm-Clashes
4	D	505	PG4	1	0
3	С	504	SO4	1	0
7	В	512	PGE	1	0
2	Е	501	3NG	1	0
7	Н	504	PGE	1	0
6	G	507	EDO	3	0
4	С	505	PG4	1	0
4	Е	504	PG4	2	0
2	F	501	3NG	1	0
2	Н	501	3NG	1	0
5	G	505	PEG	2	0
4	А	507	PG4	1	0
2	С	501	3NG	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less then 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.

























![](_page_38_Picture_4.jpeg)

![](_page_39_Figure_3.jpeg)

![](_page_39_Picture_4.jpeg)

![](_page_40_Figure_3.jpeg)

## 5.7 Other polymers (i)

There are no such residues in this entry.

## 5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.

![](_page_40_Picture_8.jpeg)

## 6 Fit of model and data (i)

## 6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled '#RSRZ> 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	< <b>RSRZ</b> >	#RSRZ>2	$OWAB(Å^2)$	Q<0.9
1	А	345/370~(93%)	0.31	5 (1%) 75 73	46, 62, 97, 140	0
1	В	342/370~(92%)	0.35	13 (3%) 40 35	49, 73, 107, 142	0
1	С	343/370~(92%)	0.18	3 (0%) 84 82	52, 68, 99, 127	0
1	D	337/370~(91%)	0.38	20 (5%) 22 17	51, 93, 134, 167	0
1	Е	339/370~(91%)	0.26	7 (2%) 63 59	51, 80, 112, 133	0
1	F	345/370~(93%)	0.52	24 (6%) 16 11	80, 100, 127, 162	0
1	G	332/370~(89%)	0.55	32 (9%) 8 5	69, 92, 127, 145	0
1	Н	306/370~(82%)	0.61	26 (8%) 10 7	64, 102, 134, 160	0
All	All	2689/2960~(90%)	0.39	130 (4%) 30 24	46, 84, 125, 167	0

All (130) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	F	230	PHE	5.5
1	F	140	TYR	4.6
1	F	443	GLY	4.5
1	Н	447	ALA	4.4
1	G	159	TYR	4.3
1	Н	340	LEU	4.2
1	Н	270	CYS	3.9
1	F	137	ASN	3.8
1	Ε	338	TYR	3.8
1	G	447	ALA	3.7
1	Е	395	PHE	3.7
1	D	444	HIS	3.6
1	Н	468	ILE	3.5
1	D	462	TYR	3.5
1	G	402	THR	3.5
1	F	447	ALA	3.5

![](_page_41_Picture_10.jpeg)

Mol	Chain	Res	Type	RSRZ
1	F	440	GLY	3.5
1	G	403	TRP	3.4
1	Н	145	TYR	3.4
1	G	391	ALA	3.4
1	D	395	PHE	3.4
1	Н	472	TYR	3.4
1	G	184	TRP	3.3
1	В	136	TYR	3.3
1	F	159	TYR	3.3
1	С	399	PRO	3.3
1	F	184	TRP	3.3
1	G	183	GLU	3.3
1	F	411	GLY	3.2
1	D	140	TYR	3.2
1	G	179	ARG	3.2
1	Н	147	TYR	3.2
1	Е	403	TRP	3.1
1	D	257	VAL	3.1
1	Н	443	GLY	3.1
1	D	399	PRO	3.1
1	G	395	PHE	3.0
1	В	140	TYR	3.0
1	Н	424	HIS	3.0
1	Н	423	LEU	3.0
1	В	440	GLY	3.0
1	Е	434	PRO	3.0
1	F	135	VAL	3.0
1	Н	479	PHE	3.0
1	Н	215	THR	3.0
1	Н	380	PRO	3.0
1	Н	462	TYR	3.0
1	G	401	GLY	3.0
1	В	403	TRP	2.9
1	F	403	TRP	2.9
1	Н	196	PHE	2.9
1	F	155	TRP	2.9
1	G	158	ARG	2.9
1	F	231	ARG	2.9
1	G	449	TYR	2.8
1	С	180	VAL	2.8
1	A	177	TYR	2.8
1	G	442	SER	2.8

![](_page_42_Picture_6.jpeg)

Mol	Chain	Res	Type	RSRZ
1	F	147	TYR	2.8
1	F	437	ARG	2.7
1	G	432	GLY	2.7
1	Н	465	LYS	2.7
1	G	445	THR	2.7
1	D	435	GLY	2.7
1	F	392	ARG	2.7
1	G	196	PHE	2.6
1	D	148	ILE	2.6
1	G	177	TYR	2.6
1	Н	148	ILE	2.6
1	Н	370	MET	2.6
1	G	388	ALA	2.6
1	В	410	ASP	2.6
1	D	139	GLY	2.6
1	В	439	ALA	2.6
1	В	441	GLU	2.6
1	D	440	GLY	2.6
1	F	332	VAL	2.5
1	В	401	GLY	2.5
1	G	155	TRP	2.5
1	D	441	GLU	2.5
1	А	322	ILE	2.5
1	Н	470	PRO	2.5
1	F	139	GLY	2.5
1	Н	378	GLY	2.5
1	G	240	MET	2.5
1	В	432	GLY	2.4
1	G	140	TYR	2.4
1	F	408	THR	2.4
1	G	322	ILE	2.4
1	F	435	GLY	2.4
1	В	147	TYR	2.4
1	В	408	THR	2.4
1	G	180	VAL	2.4
1	А	176	ALA	2.3
1	Н	461	ASP	2.3
1	F	397	LYS	2.3
1	F	436	GLY	2.3
1	С	177	TYR	2.3
1	D	384	ILE	2.3
1	G	443	GLY	2.3

![](_page_43_Picture_6.jpeg)

7Z5N
------

Mol	Chain	Res	Type	RSRZ
1	G	444	HIS	2.3
1	Н	288	LEU	2.3
1	F	256	GLY	2.2
1	D	137	ASN	2.2
1	F	439	ALA	2.2
1	Е	397	LYS	2.2
1	В	427	LEU	2.2
1	G	230	PHE	2.2
1	D	428	GLY	2.2
1	G	182	GLN	2.2
1	D	418	PRO	2.2
1	Н	473	ALA	2.1
1	D	442	SER	2.1
1	G	334	LEU	2.1
1	Н	444	HIS	2.1
1	D	401	GLY	2.1
1	А	187	ILE	2.1
1	В	447	ALA	2.1
1	Н	326	PHE	2.1
1	G	233	HIS	2.1
1	Е	399	PRO	2.1
1	D	436	GLY	2.0
1	Н	170	PHE	2.0
1	G	423	LEU	2.0
1	G	440	GLY	2.0
1	А	182	GLN	2.0
1	D	429	VAL	2.0
1	G	381	PRO	2.0
1	D	397	LYS	2.0
1	Е	438	ARG	2.0

### 6.2 Non-standard residues in protein, DNA, RNA chains (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median,  $95^{th}$  percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	$B-factors(A^2)$	Q<0.9
1	PTR	Н	321	16/17	0.80	0.36	117,136,148,157	0
1	PTR	С	321	16/17	0.88	0.21	68,80,97,100	0
1	PTR	G	321	16/17	0.89	0.18	91,105,109,112	0

![](_page_44_Picture_9.jpeg)

Mol	Type	Chain	Res	Atoms	RSCC	RSR	$\mathbf{B} ext{-factors}(\mathrm{\AA}^2)$	Q<0.9
1	PTR	D	321	16/17	0.89	0.17	96,108,117,127	0
1	PTR	F	321	16/17	0.92	0.19	93,111,118,119	0
1	PTR	Е	321	16/17	0.93	0.19	80,92,104,106	0
1	PTR	А	321	16/17	0.93	0.23	$58,\!68,\!78,\!85$	0
1	PTR	В	321	16/17	0.94	0.24	69,77,85,92	0

Continued from previous page...

#### 6.3 Carbohydrates (i)

There are no monosaccharides in this entry.

#### 6.4 Ligands (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median,  $95^{th}$  percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	$B-factors(Å^2)$	Q<0.9
6	EDO	G	507	4/4	0.66	0.29	80,98,101,105	0
6	EDO	F	503	4/4	0.67	0.38	98,106,107,110	0
5	PEG	G	505	7/7	0.69	0.30	113,117,134,152	0
5	PEG	Е	505	7/7	0.70	0.22	65,85,91,95	0
4	PG4	А	508	13/13	0.75	0.35	84,91,102,103	0
3	SO4	Н	502	5/5	0.76	0.27	114,118,126,189	0
6	EDO	Е	506	4/4	0.79	0.30	94,99,110,110	0
3	SO4	В	503	5/5	0.79	0.17	123,130,155,161	0
6	EDO	А	512	4/4	0.79	0.20	70,75,78,82	0
4	PG4	С	505	13/13	0.80	0.23	82,96,108,109	0
3	SO4	В	504	5/5	0.82	0.23	78,87,106,136	0
5	PEG	А	509	7/7	0.83	0.19	68,75,82,87	0
6	EDO	В	510	4/4	0.84	0.43	75,77,89,91	0
2	3NG	F	501	25/25	0.84	0.23	85,95,107,108	0
4	PG4	D	505	13/13	0.84	0.19	67,82,99,100	0
3	SO4	G	502	5/5	0.84	0.27	106,112,122,144	0
3	SO4	А	506	5/5	0.85	0.26	118,122,149,152	0
6	EDO	С	506	4/4	0.85	0.45	65,70,76,78	0
6	EDO	С	508	4/4	0.85	0.21	67, 73, 79, 86	0
3	SO4	В	506	5/5	0.86	0.63	111,124,132,247	0
6	EDO	A	511	4/4	0.86	0.18	70,76,80,86	0
4	PG4	Е	504	13/13	0.86	0.15	59,72,80,82	0
7	PGE	Н	504	10/10	0.87	0.21	$59,\!68,\!76,\!79$	0

![](_page_45_Picture_11.jpeg)

7Z5N
------

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
7	PGE	В	512	10/10	0.88	0.21	72,77,87,88	0
3	SO4	В	502	5/5	0.88	0.19	88,95,110,124	0
6	EDO	G	506	4/4	0.89	0.28	67,72,75,86	0
6	EDO	С	507	4/4	0.89	0.40	71,71,78,85	0
4	PG4	Н	503	13/13	0.90	0.19	51,65,76,78	0
3	SO4	D	502	5/5	0.92	0.29	89,101,109,112	0
3	SO4	Е	503	5/5	0.92	0.15	97,100,124,127	0
6	EDO	В	509	4/4	0.92	0.47	64,66,77,87	0
2	3NG	D	501	25/25	0.92	0.21	63,78,91,96	0
6	EDO	В	511	4/4	0.92	0.12	81,87,89,90	0
3	SO4	С	504	5/5	0.92	0.19	77,84,98,109	0
6	EDO	А	510	4/4	0.92	0.31	64,69,69,69	0
3	SO4	D	503	5/5	0.93	0.18	97,107,125,127	0
3	SO4	G	503	5/5	0.93	0.14	115,125,129,145	0
3	SO4	А	502	5/5	0.93	0.15	76,78,100,113	0
5	PEG	G	504	7/7	0.93	0.21	73,86,95,96	0
4	PG4	А	507	13/13	0.93	0.22	47,57,65,67	0
3	SO4	D	504	5/5	0.94	0.15	86,93,98,117	0
3	SO4	А	505	5/5	0.94	0.18	80,83,95,126	0
3	SO4	В	505	5/5	0.94	0.29	104,108,124,124	0
4	PG4	В	507	13/13	0.95	0.18	46,53,59,66	0
2	3NG	G	501	25/25	0.95	0.18	66,72,87,91	0
2	3NG	Н	501	25/25	0.95	0.20	62,73,82,88	0
2	3NG	Е	501	25/25	0.95	0.21	$50,\!58,\!73,\!75$	0
3	SO4	А	503	5/5	0.95	0.16	77,90,105,107	0
3	SO4	F	502	5/5	0.95	0.10	101,111,113,113	0
3	SO4	Е	502	5/5	0.96	0.16	83,86,103,106	0
4	PG4	В	508	13/13	0.96	0.18	44,55,68,77	0
2	3NG	А	501	25/25	0.96	0.19	45,59,70,71	0
2	3NG	В	501	25/25	0.96	0.18	50,56,65,71	0
2	3NG	С	501	25/25	0.96	0.18	54,60,67,73	0
3	SO4	С	502	5/5	0.97	0.16	73,75,85,87	0
3	SO4	С	503	5/5	0.98	0.12	79,80,87,92	0
3	SO4	A	504	5/5	0.99	0.15	73,85,93,98	0

atio  $\alpha$ d fa

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

![](_page_46_Picture_6.jpeg)

![](_page_47_Figure_3.jpeg)

![](_page_47_Picture_4.jpeg)

![](_page_48_Figure_3.jpeg)

![](_page_48_Picture_4.jpeg)

![](_page_49_Figure_3.jpeg)

![](_page_49_Picture_4.jpeg)

![](_page_50_Figure_3.jpeg)

![](_page_50_Picture_4.jpeg)

![](_page_51_Figure_3.jpeg)

![](_page_51_Picture_4.jpeg)

![](_page_52_Figure_3.jpeg)

![](_page_52_Picture_4.jpeg)

![](_page_53_Figure_3.jpeg)

![](_page_53_Picture_4.jpeg)

![](_page_54_Figure_3.jpeg)

## 6.5 Other polymers (i)

There are no such residues in this entry.

![](_page_54_Picture_6.jpeg)