



# wwPDB X-ray Structure Validation Summary Report ⓘ

Mar 13, 2023 – 12:54 pm GMT

PDB ID : 7Z5N  
Title : Crystal structure of DYRK1A in complex with CX-4945  
Authors : Pustelny, K.; Grygier, P.; Golik, P.; Dubin, G.; Czarna, A.  
Deposited on : 2022-03-09  
Resolution : 2.77 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.4, CSD as541be (2020)  
Xtriage (Phenix) : 1.13  
EDS : 2.32.1  
buster-report : 1.1.7 (2018)  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.32.1


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.77 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.






Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	4107 (2.80-2.76)
Clashscore	141614	4575 (2.80-2.76)
Ramachandran outliers	138981	4487 (2.80-2.76)
Sidechain outliers	138945	4489 (2.80-2.76)
RSRZ outliers	127900	4027 (2.80-2.76)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	370	 84% 10% 6%
1	B	370	 4% 82% 10% 7%
1	C	370	 83% 9% 7%
1	D	370	 5% 79% 12% 9%
1	E	370	 2% 84% 8% 8%

Continued on next page...

*Continued from previous page...*

Mol	Chain	Length	Quality of chain
1	F	370	 <p>6% 80% 13% • 6%</p>
1	G	370	 <p>9% 71% 18% • 10%</p>
1	H	370	 <p>7% 65% 17% • 17%</p>

## 2 Entry composition

There are 8 unique types of molecules in this entry. The entry contains 21926 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Dual specificity tyrosine-phosphorylation-regulated kinase 1A.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
			Total	C	N	O	P	S			
1	A	346	Total 2766	C 1779	N 471	O 498	P 1	S 17	0	0	0
1	B	343	Total 2724	C 1752	N 461	O 493	P 1	S 17	0	0	0
1	C	344	Total 2741	C 1768	N 462	O 493	P 1	S 17	0	0	0
1	D	338	Total 2658	C 1710	N 449	O 481	P 1	S 17	0	0	0
1	E	340	Total 2714	C 1747	N 459	O 490	P 1	S 17	0	0	0
1	F	346	Total 2675	C 1710	N 463	O 484	P 1	S 17	0	0	0
1	G	333	Total 2587	C 1671	N 430	O 469	P 1	S 16	0	0	0
1	H	307	Total 2341	C 1482	N 409	O 433	P 1	S 16	0	0	0

There are 48 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	490	HIS	-	expression tag	UNP Q13627
A	491	HIS	-	expression tag	UNP Q13627
A	492	HIS	-	expression tag	UNP Q13627
A	493	HIS	-	expression tag	UNP Q13627
A	494	HIS	-	expression tag	UNP Q13627
A	495	HIS	-	expression tag	UNP Q13627
B	490	HIS	-	expression tag	UNP Q13627
B	491	HIS	-	expression tag	UNP Q13627
B	492	HIS	-	expression tag	UNP Q13627
B	493	HIS	-	expression tag	UNP Q13627
B	494	HIS	-	expression tag	UNP Q13627
B	495	HIS	-	expression tag	UNP Q13627
C	490	HIS	-	expression tag	UNP Q13627

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
C	491	HIS	-	expression tag	UNP Q13627
C	492	HIS	-	expression tag	UNP Q13627
C	493	HIS	-	expression tag	UNP Q13627
C	494	HIS	-	expression tag	UNP Q13627
C	495	HIS	-	expression tag	UNP Q13627
D	490	HIS	-	expression tag	UNP Q13627
D	491	HIS	-	expression tag	UNP Q13627
D	492	HIS	-	expression tag	UNP Q13627
D	493	HIS	-	expression tag	UNP Q13627
D	494	HIS	-	expression tag	UNP Q13627
D	495	HIS	-	expression tag	UNP Q13627
E	490	HIS	-	expression tag	UNP Q13627
E	491	HIS	-	expression tag	UNP Q13627
E	492	HIS	-	expression tag	UNP Q13627
E	493	HIS	-	expression tag	UNP Q13627
E	494	HIS	-	expression tag	UNP Q13627
E	495	HIS	-	expression tag	UNP Q13627
F	490	HIS	-	expression tag	UNP Q13627
F	491	HIS	-	expression tag	UNP Q13627
F	492	HIS	-	expression tag	UNP Q13627
F	493	HIS	-	expression tag	UNP Q13627
F	494	HIS	-	expression tag	UNP Q13627
F	495	HIS	-	expression tag	UNP Q13627
G	490	HIS	-	expression tag	UNP Q13627
G	491	HIS	-	expression tag	UNP Q13627
G	492	HIS	-	expression tag	UNP Q13627
G	493	HIS	-	expression tag	UNP Q13627
G	494	HIS	-	expression tag	UNP Q13627
G	495	HIS	-	expression tag	UNP Q13627
H	490	HIS	-	expression tag	UNP Q13627
H	491	HIS	-	expression tag	UNP Q13627
H	492	HIS	-	expression tag	UNP Q13627
H	493	HIS	-	expression tag	UNP Q13627
H	494	HIS	-	expression tag	UNP Q13627
H	495	HIS	-	expression tag	UNP Q13627

- Molecule 2 is 5-[(3-chlorophenyl)amino]benzo[c][2,6]naphthyridine-8-carboxylic acid (three-letter code: 3NG) (formula: C<sub>19</sub>H<sub>12</sub>ClN<sub>3</sub>O<sub>2</sub>).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	
			Total	C	Cl	N			O
2	A	1	Total	C	Cl	N	O	0	0
			25	19	1	3	2		
2	B	1	Total	C	Cl	N	O	0	0
			25	19	1	3	2		
2	C	1	Total	C	Cl	N	O	0	0
			25	19	1	3	2		
2	D	1	Total	C	Cl	N	O	0	0
			25	19	1	3	2		
2	E	1	Total	C	Cl	N	O	0	0
			25	19	1	3	2		
2	F	1	Total	C	Cl	N	O	0	0
			25	19	1	3	2		
2	G	1	Total	C	Cl	N	O	0	0
			25	19	1	3	2		
2	H	1	Total	C	Cl	N	O	0	0
			25	19	1	3	2		

- Molecule 3 is SULFATE ION (three-letter code: SO4) (formula: O<sub>4</sub>S).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	O	S	0	0
			5	4	1		
3	A	1	Total	O	S	0	0
			5	4	1		
3	A	1	Total	O	S	0	0
			5	4	1		
3	A	1	Total	O	S	0	0
			5	4	1		
3	B	1	Total	O	S	0	0
			5	4	1		
3	B	1	Total	O	S	0	0
			5	4	1		
3	B	1	Total	O	S	0	0
			5	4	1		
3	B	1	Total	O	S	0	0
			5	4	1		
3	C	1	Total	O	S	0	0
			5	4	1		
3	C	1	Total	O	S	0	0
			5	4	1		
3	C	1	Total	O	S	0	0
			5	4	1		
3	D	1	Total	O	S	0	0
			5	4	1		

*Continued on next page...*

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	D	1	Total	O	S	0	0
			5	4	1		
3	D	1	Total	O	S	0	0
			5	4	1		
3	E	1	Total	O	S	0	0
			5	4	1		
3	E	1	Total	O	S	0	0
			5	4	1		
3	F	1	Total	O	S	0	0
			5	4	1		
3	G	1	Total	O	S	0	0
			5	4	1		
3	G	1	Total	O	S	0	0
			5	4	1		
3	H	1	Total	O	S	0	0
			5	4	1		

- Molecule 4 is TETRAETHYLENE GLYCOL (three-letter code: PG4) (formula: C<sub>8</sub>H<sub>18</sub>O<sub>5</sub>).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	C	O	0	0
			13	8	5		
4	A	1	Total	C	O	0	0
			13	8	5		
4	B	1	Total	C	O	0	0
			13	8	5		


Continued on next page...



Continued from previous page...


Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	B	1	Total	C	O	0	0
			13	8	5		
4	C	1	Total	C	O	0	0
			13	8	5		
4	D	1	Total	C	O	0	0
			13	8	5		
4	E	1	Total	C	O	0	0
			13	8	5		
4	H	1	Total	C	O	0	0
			13	8	5		

- Molecule 5 is DI(HYDROXYETHYL)ETHER (three-letter code: PEG) (formula: C<sub>4</sub>H<sub>10</sub>O<sub>3</sub>).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	A	1	Total	C	O	0	0
			7	4	3		
5	E	1	Total	C	O	0	0
			7	4	3		
5	G	1	Total	C	O	0	0
			7	4	3		
5	G	1	Total	C	O	0	0
			7	4	3		

- Molecule 6 is 1,2-ETHANEDIOL (three-letter code: EDO) (formula: C<sub>2</sub>H<sub>6</sub>O<sub>2</sub>).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	A	1	Total C O 4 2 2	0	0
6	A	1	Total C O 4 2 2	0	0
6	A	1	Total C O 4 2 2	0	0
6	B	1	Total C O 4 2 2	0	0
6	B	1	Total C O 4 2 2	0	0
6	B	1	Total C O 4 2 2	0	0
6	C	1	Total C O 4 2 2	0	0
6	C	1	Total C O 4 2 2	0	0
6	C	1	Total C O 4 2 2	0	0
6	E	1	Total C O 4 2 2	0	0
6	F	1	Total C O 4 2 2	0	0
6	G	1	Total C O 4 2 2	0	0
6	G	1	Total C O 4 2 2	0	0

- Molecule 7 is TRIETHYLENE GLYCOL (three-letter code: PGE) (formula: C<sub>6</sub>H<sub>14</sub>O<sub>4</sub>).



Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	B	1	Total	C O	0	0
			10	6 4		
7	H	1	Total	C O	0	0
			10	6 4		


- Molecule 8 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
8	A	53	Total	O	0	0
			53	53		
8	B	31	Total	O	0	0
			31	31		
8	C	38	Total	O	0	0
			38	38		
8	D	21	Total	O	0	0
			21	21		
8	E	26	Total	O	0	0
			26	26		
8	F	8	Total	O	0	0
			8	8		
8	G	12	Total	O	0	0
			12	12		
8	H	17	Total	O	0	0
			17	17		


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Dual specificity tyrosine-phosphorylation-regulated kinase 1A




- Molecule 1: Dual specificity tyrosine-phosphorylation-regulated kinase 1A




- Molecule 1: Dual specificity tyrosine-phosphorylation-regulated kinase 1A




- Molecule 1: Dual specificity tyrosine-phosphorylation-regulated kinase 1A







• Molecule 1: Dual specificity tyrosine-phosphorylation-regulated kinase 1A



## 4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	247.68Å 134.32Å 121.72Å 90.00° 96.48° 90.00°	Depositor
Resolution (Å)	26.14 – 2.77 48.11 – 2.77	Depositor EDS
% Data completeness (in resolution range)	99.8 (26.14-2.77) 99.8 (48.11-2.77)	Depositor EDS
$R_{merge}$	0.10	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	1.42 (at 2.77Å)	Xtrriage
Refinement program	PHENIX 1.20.1_4487	Depositor
R, $R_{free}$	0.205 , 0.252 0.206 , 0.252	Depositor DCC
$R_{free}$ test set	5112 reflections (5.09%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	69.7	Xtrriage
Anisotropy	0.204	Xtrriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.35 , 67.5	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.49$ , $\langle L^2 \rangle = 0.32$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
$F_o, F_c$ correlation	0.94	EDS
Total number of atoms	21926	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	84.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.68% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: PG4, PEG, 3NG, PTR, SO4, PGE, EDO

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.29	0/2815	0.49	0/3805
1	B	0.26	0/2772	0.47	0/3751
1	C	0.27	0/2789	0.49	0/3773
1	D	0.28	0/2704	0.48	0/3662
1	E	0.28	0/2761	0.48	0/3733
1	F	0.27	0/2721	0.50	0/3686
1	G	0.28	0/2632	0.50	0/3567
1	H	0.30	0/2374	0.51	0/3213
All	All	0.28	0/21568	0.49	0/29190

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2766	0	2692	22	0
1	B	2724	0	2615	21	0
1	C	2741	0	2658	19	0
1	D	2658	0	2522	33	0
1	E	2714	0	2618	18	0

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	F	2675	0	2488	33	0
1	G	2587	0	2434	43	0
1	H	2341	0	2105	38	0
2	A	25	0	11	0	0
2	B	25	0	11	0	0
2	C	25	0	11	1	0
2	D	25	0	11	0	0
2	E	25	0	11	1	0
2	F	25	0	11	1	0
2	G	25	0	11	0	0
2	H	25	0	11	1	0
3	A	25	0	0	0	0
3	B	25	0	0	0	0
3	C	15	0	0	1	0
3	D	15	0	0	0	0
3	E	10	0	0	0	0
3	F	5	0	0	0	0
3	G	10	0	0	0	0
3	H	5	0	0	0	0
4	A	26	0	36	1	0
4	B	26	0	36	0	0
4	C	13	0	18	1	0
4	D	13	0	18	1	0
4	E	13	0	18	2	0
4	H	13	0	18	0	0
5	A	7	0	10	0	0
5	E	7	0	10	0	0
5	G	14	0	20	2	0
6	A	12	0	18	0	0
6	B	12	0	18	0	0
6	C	12	0	18	0	0
6	E	4	0	6	0	0
6	F	4	0	6	0	0
6	G	8	0	12	3	0
7	B	10	0	14	1	0
7	H	10	0	14	1	0
8	A	53	0	0	1	0
8	B	31	0	0	0	0
8	C	38	0	0	1	0
8	D	21	0	0	0	0
8	E	26	0	0	0	0
8	F	8	0	0	0	0

*Continued on next page...*

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
8	G	12	0	0	1	0
8	H	17	0	0	0	0
All	All	21926	0	20510	226	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

The worst 5 of 226 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:257:VAL:CG1	1:D:261:LEU:HD23	1.67	1.23
1:D:257:VAL:HG11	1:D:261:LEU:CD2	1.74	1.16
1:D:257:VAL:HG11	1:D:261:LEU:HD23	0.90	0.88
1:A:215:THR:HG22	1:A:217:MET:H	1.39	0.88
1:B:215:THR:HG22	1:B:217:MET:H	1.46	0.80

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	343/370 (93%)	330 (96%)	12 (4%)	1 (0%)	41	70
1	B	338/370 (91%)	320 (95%)	17 (5%)	1 (0%)	41	70
1	C	339/370 (92%)	322 (95%)	16 (5%)	1 (0%)	41	70
1	D	331/370 (90%)	311 (94%)	20 (6%)	0	100	100
1	E	333/370 (90%)	311 (93%)	20 (6%)	2 (1%)	25	54
1	F	343/370 (93%)	324 (94%)	19 (6%)	0	100	100
1	G	326/370 (88%)	305 (94%)	21 (6%)	0	100	100
1	H	297/370 (80%)	279 (94%)	18 (6%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
All	All	2650/2960 (90%)	2502 (94%)	143 (5%)	5 (0%)	47 76

All (5) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	316	GLN
1	E	323	GLN
1	E	400	ASP
1	B	323	GLN
1	C	323	GLN

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	287/328 (88%)	286 (100%)	1 (0%)	92 97
1	B	279/328 (85%)	276 (99%)	3 (1%)	73 90
1	C	283/328 (86%)	277 (98%)	6 (2%)	53 81
1	D	268/328 (82%)	261 (97%)	7 (3%)	46 76
1	E	280/328 (85%)	278 (99%)	2 (1%)	84 94
1	F	259/328 (79%)	253 (98%)	6 (2%)	50 79
1	G	256/328 (78%)	247 (96%)	9 (4%)	36 67
1	H	220/328 (67%)	210 (96%)	10 (4%)	27 58
All	All	2132/2624 (81%)	2088 (98%)	44 (2%)	53 81

5 of 44 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	G	234	LEU
1	H	242	SER
1	G	275	PHE
1	G	323	GLN
1	H	282	SER

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 7 such sidechains are listed below:

Mol	Chain	Res	Type
1	D	297	ASN
1	F	213	HIS
1	G	369	GLN
1	G	151	ASN
1	C	251	ASN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

8 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
1	PTR	B	321	1	15,16,17	1.33	1 (6%)	19,22,24	0.57	0
1	PTR	A	321	1	15,16,17	1.32	1 (6%)	19,22,24	0.76	1 (5%)
1	PTR	C	321	1	15,16,17	1.21	2 (13%)	19,22,24	0.73	0
1	PTR	E	321	1	15,16,17	1.31	1 (6%)	19,22,24	0.49	0
1	PTR	G	321	1	15,16,17	1.33	1 (6%)	19,22,24	0.50	0
1	PTR	D	321	1	15,16,17	1.35	1 (6%)	19,22,24	0.44	0
1	PTR	F	321	1	15,16,17	0.51	0	19,22,24	0.59	0
1	PTR	H	321	1	15,16,17	1.36	1 (6%)	19,22,24	0.49	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '2' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	PTR	B	321	1	-	4/10/11/13	0/1/1/1
1	PTR	A	321	1	-	1/10/11/13	0/1/1/1
1	PTR	C	321	1	-	0/10/11/13	0/1/1/1
1	PTR	E	321	1	-	0/10/11/13	0/1/1/1
1	PTR	G	321	1	-	1/10/11/13	0/1/1/1
1	PTR	D	321	1	-	2/10/11/13	0/1/1/1
1	PTR	F	321	1	-	3/10/11/13	0/1/1/1
1	PTR	H	321	1	-	2/10/11/13	0/1/1/1

The worst 5 of 8 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	H	321	PTR	OH-CZ	-4.43	1.30	1.40
1	D	321	PTR	OH-CZ	-4.40	1.30	1.40
1	B	321	PTR	OH-CZ	-4.30	1.30	1.40
1	G	321	PTR	OH-CZ	-4.22	1.31	1.40
1	E	321	PTR	OH-CZ	-4.21	1.31	1.40

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	321	PTR	CG-CB-CA	2.01	118.18	114.10

There are no chirality outliers.

5 of 13 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
1	B	321	PTR	O-C-CA-CB
1	F	321	PTR	O-C-CA-CB
1	H	321	PTR	N-CA-CB-CG
1	H	321	PTR	C-CA-CB-CG
1	G	321	PTR	CZ-OH-P-O3P

There are no ring outliers.

2 monomers are involved in 3 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
1	G	321	PTR	2	0
1	F	321	PTR	1	0

## 5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 5.6 Ligand geometry [i](#)

57 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
3	SO4	A	504	-	4,4,4	0.14	0	6,6,6	0.05	0
4	PG4	D	505	-	12,12,12	0.17	0	11,11,11	0.56	0
3	SO4	D	503	-	4,4,4	0.14	0	6,6,6	0.10	0
6	EDO	B	510	-	3,3,3	0.48	0	2,2,2	0.28	0
3	SO4	E	503	-	4,4,4	0.13	0	6,6,6	0.07	0
3	SO4	G	502	-	4,4,4	0.14	0	6,6,6	0.07	0
5	PEG	G	504	-	6,6,6	0.15	0	5,5,5	0.07	0
6	EDO	F	503	-	3,3,3	0.47	0	2,2,2	0.29	0
3	SO4	C	504	-	4,4,4	0.14	0	6,6,6	0.09	0
6	EDO	E	506	-	3,3,3	0.47	0	2,2,2	0.33	0
7	PGE	B	512	-	9,9,9	0.31	0	8,8,8	0.30	0
2	3NG	E	501	-	27,28,28	0.65	1 (3%)	38,40,40	0.84	1 (2%)
3	SO4	F	502	-	4,4,4	0.14	0	6,6,6	0.08	0
3	SO4	C	503	-	4,4,4	0.15	0	6,6,6	0.05	0
2	3NG	G	501	-	27,28,28	0.64	1 (3%)	38,40,40	0.85	1 (2%)
6	EDO	A	510	-	3,3,3	0.48	0	2,2,2	0.29	0
7	PGE	H	504	-	9,9,9	0.35	0	8,8,8	0.23	0
4	PG4	H	503	-	12,12,12	0.16	0	11,11,11	0.60	0
6	EDO	G	507	-	3,3,3	0.08	0	2,2,2	0.22	0
2	3NG	B	501	-	27,28,28	0.65	1 (3%)	38,40,40	0.82	1 (2%)
2	3NG	D	501	-	27,28,28	0.63	1 (3%)	38,40,40	0.82	1 (2%)
6	EDO	A	512	-	3,3,3	0.47	0	2,2,2	0.29	0
4	PG4	C	505	-	12,12,12	0.14	0	11,11,11	0.59	0
3	SO4	B	505	-	4,4,4	0.14	0	6,6,6	0.05	0
5	PEG	E	505	-	6,6,6	0.15	0	5,5,5	0.07	0
4	PG4	B	507	-	12,12,12	0.15	0	11,11,11	0.60	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
6	EDO	C	507	-	3,3,3	0.43	0	2,2,2	0.48	0
4	PG4	E	504	-	12,12,12	0.15	0	11,11,11	0.61	0
3	SO4	B	504	-	4,4,4	0.16	0	6,6,6	0.09	0
6	EDO	B	511	-	3,3,3	0.48	0	2,2,2	0.29	0
3	SO4	A	503	-	4,4,4	0.14	0	6,6,6	0.07	0
3	SO4	C	502	-	4,4,4	0.15	0	6,6,6	0.13	0
3	SO4	B	502	-	4,4,4	0.44	0	6,6,6	0.05	0
3	SO4	B	506	-	4,4,4	0.42	0	6,6,6	0.13	0
2	3NG	F	501	-	27,28,28	0.62	0	38,40,40	0.82	1 (2%)
3	SO4	D	502	-	4,4,4	0.13	0	6,6,6	0.07	0
4	PG4	A	508	-	12,12,12	0.15	0	11,11,11	0.63	0
5	PEG	A	509	-	6,6,6	0.15	0	5,5,5	0.07	0
3	SO4	D	504	-	4,4,4	0.14	0	6,6,6	0.09	0
2	3NG	H	501	-	27,28,28	0.63	1 (3%)	38,40,40	0.82	0
5	PEG	G	505	-	6,6,6	0.11	0	5,5,5	0.08	0
3	SO4	E	502	-	4,4,4	0.14	0	6,6,6	0.08	0
3	SO4	H	502	-	4,4,4	0.41	0	6,6,6	0.04	0
3	SO4	A	505	-	4,4,4	0.14	0	6,6,6	0.19	0
6	EDO	B	509	-	3,3,3	0.47	0	2,2,2	0.28	0
4	PG4	A	507	-	12,12,12	0.12	0	11,11,11	0.61	0
6	EDO	G	506	-	3,3,3	0.09	0	2,2,2	0.14	0
3	SO4	G	503	-	4,4,4	0.13	0	6,6,6	0.05	0
6	EDO	C	506	-	3,3,3	0.46	0	2,2,2	0.28	0
2	3NG	A	501	-	27,28,28	0.65	1 (3%)	38,40,40	0.82	1 (2%)
3	SO4	B	503	-	4,4,4	0.13	0	6,6,6	0.06	0
6	EDO	C	508	-	3,3,3	0.09	0	2,2,2	0.18	0
3	SO4	A	502	-	4,4,4	0.15	0	6,6,6	0.11	0
3	SO4	A	506	-	4,4,4	0.42	0	6,6,6	0.06	0
4	PG4	B	508	-	12,12,12	0.13	0	11,11,11	0.55	0
6	EDO	A	511	-	3,3,3	0.49	0	2,2,2	0.29	0
2	3NG	C	501	-	27,28,28	0.64	1 (3%)	38,40,40	0.84	1 (2%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	PG4	D	505	-	-	4/10/10/10	-
6	EDO	B	510	-	-	0/1/1/1	-
5	PEG	G	504	-	-	0/4/4/4	-

*Continued on next page...*

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
6	EDO	F	503	-	-	0/1/1/1	-
6	EDO	E	506	-	-	0/1/1/1	-
7	PGE	B	512	-	-	4/7/7/7	-
2	3NG	E	501	-	-	0/8/8/8	0/4/4/4
2	3NG	G	501	-	-	0/8/8/8	0/4/4/4
6	EDO	A	510	-	-	0/1/1/1	-
7	PGE	H	504	-	-	0/7/7/7	-
4	PG4	H	503	-	-	2/10/10/10	-
6	EDO	G	507	-	-	1/1/1/1	-
2	3NG	B	501	-	-	0/8/8/8	0/4/4/4
2	3NG	D	501	-	-	0/8/8/8	0/4/4/4
6	EDO	A	512	-	-	1/1/1/1	-
4	PG4	C	505	-	-	3/10/10/10	-
5	PEG	E	505	-	-	3/4/4/4	-
6	EDO	C	507	-	-	0/1/1/1	-
4	PG4	B	507	-	-	6/10/10/10	-
4	PG4	E	504	-	-	3/10/10/10	-
6	EDO	B	511	-	-	0/1/1/1	-
5	PEG	A	509	-	-	2/4/4/4	-
2	3NG	F	501	-	-	4/8/8/8	0/4/4/4
4	PG4	A	508	-	-	5/10/10/10	-
2	3NG	H	501	-	-	1/8/8/8	0/4/4/4
5	PEG	G	505	-	-	1/4/4/4	-
6	EDO	B	509	-	-	0/1/1/1	-
6	EDO	G	506	-	-	0/1/1/1	-
4	PG4	A	507	-	-	1/10/10/10	-
6	EDO	C	506	-	-	0/1/1/1	-
2	3NG	A	501	-	-	0/8/8/8	0/4/4/4
6	EDO	C	508	-	-	1/1/1/1	-
4	PG4	B	508	-	-	4/10/10/10	-
6	EDO	A	511	-	-	0/1/1/1	-
2	3NG	C	501	-	-	0/8/8/8	0/4/4/4

The worst 5 of 7 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	501	3NG	O25-C23	-2.14	1.24	1.30
2	H	501	3NG	O25-C23	-2.13	1.24	1.30
2	A	501	3NG	O25-C23	-2.12	1.24	1.30
2	E	501	3NG	O25-C23	-2.11	1.24	1.30

Continued on next page...



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	D	501	3NG	O25-C23	-2.09	1.24	1.30

The worst 5 of 7 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	E	501	3NG	C10-N9-C1	2.11	120.83	116.67
2	C	501	3NG	C10-N9-C1	2.09	120.81	116.67
2	A	501	3NG	C10-N9-C1	2.08	120.78	116.67
2	B	501	3NG	C10-N9-C1	2.04	120.72	116.67
2	G	501	3NG	C10-N9-C1	2.02	120.67	116.67

There are no chirality outliers.

5 of 46 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	C	505	PG4	O4-C7-C8-O5
4	B	508	PG4	O2-C3-C4-O3
4	B	507	PG4	O3-C5-C6-O4
4	A	508	PG4	O3-C5-C6-O4
4	B	507	PG4	O1-C1-C2-O2


There are no ring outliers.


13 monomers are involved in 17 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	D	505	PG4	1	0
3	C	504	SO4	1	0
7	B	512	PGE	1	0
2	E	501	3NG	1	0
7	H	504	PGE	1	0
6	G	507	EDO	3	0
4	C	505	PG4	1	0
4	E	504	PG4	2	0
2	F	501	3NG	1	0
2	H	501	3NG	1	0
5	G	505	PEG	2	0
4	A	507	PG4	1	0
2	C	501	3NG	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In


addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.






















## 5.7 Other polymers [\(i\)](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [\(i\)](#)

There are no chain breaks in this entry.

## 6 Fit of model and data [i](#)

### 6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	345/370 (93%)	0.31	5 (1%) 75 73	46, 62, 97, 140	0
1	B	342/370 (92%)	0.35	13 (3%) 40 35	49, 73, 107, 142	0
1	C	343/370 (92%)	0.18	3 (0%) 84 82	52, 68, 99, 127	0
1	D	337/370 (91%)	0.38	20 (5%) 22 17	51, 93, 134, 167	0
1	E	339/370 (91%)	0.26	7 (2%) 63 59	51, 80, 112, 133	0
1	F	345/370 (93%)	0.52	24 (6%) 16 11	80, 100, 127, 162	0
1	G	332/370 (89%)	0.55	32 (9%) 8 5	69, 92, 127, 145	0
1	H	306/370 (82%)	0.61	26 (8%) 10 7	64, 102, 134, 160	0
All	All	2689/2960 (90%)	0.39	130 (4%) 30 24	46, 84, 125, 167	0

The worst 5 of 130 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	F	230	PHE	5.5
1	F	140	TYR	4.6
1	F	443	GLY	4.5
1	H	447	ALA	4.4
1	G	159	TYR	4.3

### 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q < 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
1	PTR	H	321	16/17	0.80	0.36	117,136,148,157	0

*Continued on next page...*

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
1	PTR	C	321	16/17	0.88	0.21	68,80,97,100	0
1	PTR	G	321	16/17	0.89	0.18	91,105,109,112	0
1	PTR	D	321	16/17	0.89	0.17	96,108,117,127	0
1	PTR	F	321	16/17	0.92	0.19	93,111,118,119	0
1	PTR	E	321	16/17	0.93	0.19	80,92,104,106	0
1	PTR	A	321	16/17	0.93	0.23	58,68,78,85	0
1	PTR	B	321	16/17	0.94	0.24	69,77,85,92	0

### 6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

### 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
6	EDO	G	507	4/4	0.66	0.29	80,98,101,105	0
6	EDO	F	503	4/4	0.67	0.38	98,106,107,110	0
5	PEG	G	505	7/7	0.69	0.30	113,117,134,152	0
5	PEG	E	505	7/7	0.70	0.22	65,85,91,95	0
4	PG4	A	508	13/13	0.75	0.35	84,91,102,103	0
3	SO4	H	502	5/5	0.76	0.27	114,118,126,189	0
6	EDO	E	506	4/4	0.79	0.30	94,99,110,110	0
3	SO4	B	503	5/5	0.79	0.17	123,130,155,161	0
6	EDO	A	512	4/4	0.79	0.20	70,75,78,82	0
4	PG4	C	505	13/13	0.80	0.23	82,96,108,109	0
3	SO4	B	504	5/5	0.82	0.23	78,87,106,136	0
5	PEG	A	509	7/7	0.83	0.19	68,75,82,87	0
6	EDO	B	510	4/4	0.84	0.43	75,77,89,91	0
2	3NG	F	501	25/25	0.84	0.23	85,95,107,108	0
4	PG4	D	505	13/13	0.84	0.19	67,82,99,100	0
3	SO4	G	502	5/5	0.84	0.27	106,112,122,144	0
3	SO4	A	506	5/5	0.85	0.26	118,122,149,152	0
6	EDO	C	506	4/4	0.85	0.45	65,70,76,78	0
6	EDO	C	508	4/4	0.85	0.21	67,73,79,86	0
3	SO4	B	506	5/5	0.86	0.63	111,124,132,247	0
6	EDO	A	511	4/4	0.86	0.18	70,76,80,86	0

Continued on next page...




*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
4	PG4	E	504	13/13	0.86	0.15	59,72,80,82	0
7	PGE	H	504	10/10	0.87	0.21	59,68,76,79	0
7	PGE	B	512	10/10	0.88	0.21	72,77,87,88	0
3	SO4	B	502	5/5	0.88	0.19	88,95,110,124	0
6	EDO	G	506	4/4	0.89	0.28	67,72,75,86	0
6	EDO	C	507	4/4	0.89	0.40	71,71,78,85	0
4	PG4	H	503	13/13	0.90	0.19	51,65,76,78	0
3	SO4	D	502	5/5	0.92	0.29	89,101,109,112	0
3	SO4	E	503	5/5	0.92	0.15	97,100,124,127	0
6	EDO	B	509	4/4	0.92	0.47	64,66,77,87	0
2	3NG	D	501	25/25	0.92	0.21	63,78,91,96	0
6	EDO	B	511	4/4	0.92	0.12	81,87,89,90	0
3	SO4	C	504	5/5	0.92	0.19	77,84,98,109	0
6	EDO	A	510	4/4	0.92	0.31	64,69,69,69	0
3	SO4	D	503	5/5	0.93	0.18	97,107,125,127	0
3	SO4	G	503	5/5	0.93	0.14	115,125,129,145	0
3	SO4	A	502	5/5	0.93	0.15	76,78,100,113	0
5	PEG	G	504	7/7	0.93	0.21	73,86,95,96	0
4	PG4	A	507	13/13	0.93	0.22	47,57,65,67	0
3	SO4	D	504	5/5	0.94	0.15	86,93,98,117	0
3	SO4	A	505	5/5	0.94	0.18	80,83,95,126	0
3	SO4	B	505	5/5	0.94	0.29	104,108,124,124	0
4	PG4	B	507	13/13	0.95	0.18	46,53,59,66	0
2	3NG	G	501	25/25	0.95	0.18	66,72,87,91	0
2	3NG	H	501	25/25	0.95	0.20	62,73,82,88	0
2	3NG	E	501	25/25	0.95	0.21	50,58,73,75	0
3	SO4	A	503	5/5	0.95	0.16	77,90,105,107	0
3	SO4	F	502	5/5	0.95	0.10	101,111,113,113	0
3	SO4	E	502	5/5	0.96	0.16	83,86,103,106	0
4	PG4	B	508	13/13	0.96	0.18	44,55,68,77	0
2	3NG	A	501	25/25	0.96	0.19	45,59,70,71	0
2	3NG	B	501	25/25	0.96	0.18	50,56,65,71	0
2	3NG	C	501	25/25	0.96	0.18	54,60,67,73	0
3	SO4	C	502	5/5	0.97	0.16	73,75,85,87	0
3	SO4	C	503	5/5	0.98	0.12	79,80,87,92	0
3	SO4	A	504	5/5	0.99	0.15	73,85,93,98	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




**Electron density around 3NG F 501:**


$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)




**Electron density around 3NG D 501:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)















**Electron density around 3NG E 501:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around 3NG A 501:**


$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)



**Electron density around 3NG B 501:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)





## 6.5 Other polymers [i](#)

There are no such residues in this entry.