



# Full wwPDB X-ray Structure Validation Report ⓘ

Oct 22, 2023 – 07:51 AM EDT

PDB ID : 2Z8I  
Title : Crystal Structure of Escherichia coli Gamma-Glutamyltranspeptidase in Complex with Azaserine  
Authors : Wada, K.; Irie, M.; Fukuyama, K.  
Deposited on : 2007-09-05  
Resolution : 1.65 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
Xtriage (Phenix) : 1.13  
EDS : 2.36  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.36


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 1.65 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	1827 (1.66-1.66)
Clashscore	141614	1931 (1.66-1.66)
Ramachandran outliers	138981	1891 (1.66-1.66)
Sidechain outliers	138945	1891 (1.66-1.66)
RSRZ outliers	127900	1791 (1.66-1.66)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	366	 3% 79% 15% . .
1	C	366	 2% 81% 13% . 5%
2	B	190	 3% 83% 16% .
2	D	190	 3% 83% 16% .

## 2 Entry composition [i](#)

There are 4 unique types of molecules in this entry. The entry contains 8602 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Gamma-glutamyltranspeptidase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	350	Total	C	N	O	S	0	0	0
			2652	1675	447	519	11			
1	C	349	Total	C	N	O	S	0	0	0
			2643	1670	446	516	11			

- Molecule 2 is a protein called Gamma-glutamyltranspeptidase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
2	B	190	Total	C	N	O	S	0	0	0
			1407	882	238	282	5			
2	D	190	Total	C	N	O	S	0	0	0
			1407	882	238	282	5			

- Molecule 3 is O-DIAZOACETYL-L-SERINE (three-letter code: AZS) (formula: C<sub>5</sub>H<sub>7</sub>N<sub>3</sub>O<sub>4</sub>).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	B	1	Total	C	N	O	0	0
			10	5	1	4		
3	D	1	Total	C	N	O	0	0
			10	5	1	4		


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	136	Total	O	0	0
			136	136		
4	B	90	Total	O	0	0
			90	90		
4	C	148	Total	O	0	0
			148	148		
4	D	99	Total	O	0	0
			99	99		


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Gamma-glutamyltranspeptidase




- Molecule 1: Gamma-glutamyltranspeptidase




- Molecule 2: Gamma-glutamyltranspeptidase



## ● Molecule 2: Gamma-glutamyltranspeptidase

Chain D:  3% 83% 16%



## 4 Data and refinement statistics i

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	77.51Å 126.20Å 129.20Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	29.41 – 1.65 29.40 – 1.65	Depositor EDS
% Data completeness (in resolution range)	91.0 (29.41-1.65) 91.1 (29.40-1.65)	Depositor EDS
$R_{merge}$	0.06	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	3.22 (at 1.65Å)	Xtrriage
Refinement program	CNS 1.1	Depositor
R, $R_{free}$	0.220 , 0.236 0.202 , 0.221	Depositor DCC
$R_{free}$ test set	7453 reflections (5.05%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	12.7	Xtrriage
Anisotropy	0.787	Xtrriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.40 , 42.8	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.49$ , $\langle L^2 \rangle = 0.32$	Xtrriage
Estimated twinning fraction	0.009 for -h,l,k	Xtrriage
$F_o, F_c$ correlation	0.94	EDS
Total number of atoms	8602	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	15.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.16% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: AZS

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.31	0/2705	0.59	0/3660
1	C	0.31	0/2696	0.59	0/3648
2	B	0.34	0/1434	0.70	0/1952
2	D	0.33	0/1434	0.69	0/1952
All	All	0.32	0/8269	0.63	0/11212

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	C	0	1

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	C	270	TYR	Sidechain

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.



Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2652	0	2620	64	0
1	C	2643	0	2614	48	0
2	B	1407	0	1391	25	0
2	D	1407	0	1391	30	0
3	B	10	0	5	2	0
3	D	10	0	5	2	0
4	A	136	0	0	4	0
4	B	90	0	0	2	0
4	C	148	0	0	9	0
4	D	99	0	0	5	0
All	All	8602	0	8026	153	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 9.

All (153) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:373:LYS:HD2	1:A:378:ILE:HD11	1.43	1.00
1:C:89:GLN:HE21	1:C:89:GLN:H	1.02	1.00
2:D:550:MET:HE2	4:D:775:HOH:O	1.63	0.98
1:C:369:ILE:HD12	1:C:369:ILE:H	1.34	0.93
1:A:234:ILE:HD13	1:A:241:GLU:HB3	1.54	0.88
1:A:50:MET:SD	2:B:556:ILE:HD12	2.18	0.83
1:C:171:GLN:HG3	1:C:175:LYS:HE2	1.61	0.82
2:D:524:ARG:HG2	4:D:775:HOH:O	1.80	0.82
2:D:493:GLN:HE22	2:D:514:PHE:H	1.27	0.81
1:C:249:GLU:OE1	1:C:264:LYS:HD2	1.82	0.79
1:C:61:VAL:O	1:C:65:ILE:HD13	1.87	0.74
2:D:411:ASN:O	3:D:390:AZS:CI	2.37	0.72
2:D:411:ASN:HB3	2:D:429:ASN:OD1	1.91	0.71
1:A:373:LYS:CD	1:A:378:ILE:HD11	2.21	0.69
2:D:504:ASN:ND2	2:D:507:GLU:H	1.90	0.69
1:A:136:LYS:HD3	1:A:137:LYS:N	2.08	0.69
1:C:325:ILE:HD11	1:C:369:ILE:HG13	1.74	0.68
1:A:311:ASP:OD2	1:A:314:LYS:HE3	1.92	0.68
1:C:363:ILE:HD11	4:C:475:HOH:O	1.93	0.67
2:B:533:THR:O	2:B:537:LEU:HD23	1.96	0.66
1:C:89:GLN:H	1:C:89:GLN:NE2	1.86	0.66
1:C:306:ILE:HD12	1:C:363:ILE:HB	1.79	0.65
2:B:411:ASN:O	3:B:390:AZS:CI	2.45	0.65
1:A:306:ILE:HD12	1:A:363:ILE:HB	1.76	0.65

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:332:TYR:CE1	1:A:378:ILE:HD12	2.31	0.65
2:D:518:TRP:CD2	2:D:519:LEU:HD13	2.33	0.64
2:B:555:SER:O	2:B:556:ILE:HD13	1.97	0.64
1:A:320:ALA:HA	2:B:537:LEU:HD21	1.80	0.64
2:D:504:ASN:HD22	2:D:504:ASN:C	2.00	0.64
1:A:64:ASP:O	1:A:68:GLU:HG3	1.97	0.63
1:A:290:MET:HE3	1:A:291:PRO:HD2	1.79	0.63
1:C:298:ILE:HD12	4:C:511:HOH:O	1.98	0.62
2:D:452:ASN:HD21	2:D:461:LEU:H	1.49	0.61
1:C:311:ASP:OD2	1:C:314:LYS:HG3	2.01	0.61
2:D:393:HIS:HD2	2:D:407:THR:OG1	1.84	0.61
1:C:303:ILE:HD11	1:C:333:ALA:HB2	1.84	0.60
1:A:182:ILE:HD12	1:A:182:ILE:N	2.17	0.60
1:A:182:ILE:HD12	1:A:182:ILE:H	1.67	0.59
1:A:306:ILE:CD1	1:A:363:ILE:HB	2.31	0.59
1:A:136:LYS:HD3	1:A:136:LYS:C	2.24	0.58
1:C:306:ILE:CD1	1:C:363:ILE:HB	2.34	0.57
2:B:393:HIS:HD2	2:B:407:THR:OG1	1.85	0.57
2:B:411:ASN:HB3	2:B:429:ASN:OD1	2.04	0.57
2:B:452:ASN:HD21	2:B:461:LEU:H	1.52	0.57
1:A:204:ASN:HD22	1:A:205:SER:H	1.53	0.57
2:B:489:THR:OG1	2:B:515:HIS:HD2	1.88	0.56
1:C:369:ILE:HD12	1:C:369:ILE:N	2.14	0.56
1:A:278:ILE:HG12	1:A:291:PRO:HB3	1.86	0.56
1:A:171:GLN:HG3	1:A:175:LYS:HZ3	1.72	0.55
2:D:521:ASP:O	2:D:543:LYS:HE2	2.07	0.55
1:A:101:ILE:N	1:A:101:ILE:HD12	2.21	0.55
1:A:168:LYS:HB2	1:A:168:LYS:NZ	2.22	0.55
1:A:38:GLU:HA	2:D:548:GLU:HA	1.89	0.54
2:B:399:LYS:HB3	4:B:770:HOH:O	2.06	0.54
1:C:369:ILE:H	1:C:369:ILE:CD1	2.11	0.54
1:C:210:TRP:CH2	1:C:215:PRO:HB3	2.42	0.54
2:D:501:TYR:HE2	4:D:776:HOH:O	1.91	0.54
1:A:306:ILE:HD13	1:A:360:ALA:O	2.08	0.53
1:A:298:ILE:HD11	1:A:351:TRP:HB2	1.90	0.53
1:C:89:GLN:HE21	1:C:89:GLN:N	1.86	0.53
1:C:292:PRO:HA	1:C:294:SER:N	2.23	0.53
1:C:255:MET:HG3	1:C:262:ILE:HB	1.90	0.52
1:C:99:MET:HG3	2:D:406:VAL:HG22	1.90	0.52
1:C:156:LEU:C	1:C:156:LEU:HD23	2.30	0.52
1:C:171:GLN:HB3	1:C:172:PRO:HD3	1.92	0.52

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:391:THR:N	3:B:390:AZS:CI	2.73	0.51
1:A:99:MET:HG3	2:B:406:VAL:HG22	1.93	0.51
1:A:120:LYS:HZ3	1:A:120:LYS:HB2	1.75	0.51
1:C:292:PRO:HG3	4:C:511:HOH:O	2.10	0.51
2:D:391:THR:N	3:D:390:AZS:CI	2.74	0.50
2:D:550:MET:CE	4:D:775:HOH:O	2.38	0.50
1:A:317:PHE:CZ	2:B:511:ALA:HB1	2.47	0.50
1:A:87:HIS:HD2	4:A:474:HOH:O	1.95	0.49
1:A:204:ASN:HD22	1:A:204:ASN:N	2.10	0.49
1:A:303:ILE:HD11	1:A:333:ALA:HB2	1.95	0.49
2:B:517:GLN:O	2:B:518:TRP:HB3	2.11	0.49
2:D:517:GLN:O	2:D:518:TRP:HB3	2.11	0.49
1:A:255:MET:HG3	1:A:262:ILE:HB	1.94	0.49
1:A:289:SER:HB3	1:A:297:GLY:HA2	1.94	0.49
2:D:518:TRP:O	2:D:519:LEU:HD12	2.13	0.49
1:A:156:LEU:C	1:A:156:LEU:HD23	2.33	0.48
1:A:242:PHE:HA	1:A:247:ILE:HB	1.95	0.48
1:A:265:GLU:HG3	4:A:522:HOH:O	2.12	0.48
1:A:278:ILE:HD12	1:A:298:ILE:HD11	1.94	0.48
1:C:303:ILE:HD11	1:C:333:ALA:CB	2.42	0.48
1:A:185:ASP:HB3	1:C:45:ARG:NH1	2.29	0.48
2:B:560:PRO:HG2	2:B:561:ASP:OD1	2.14	0.48
2:D:504:ASN:HD22	2:D:506:ALA:H	1.60	0.48
1:C:124:ASP:HB3	1:C:127:LEU:HD12	1.96	0.48
1:C:232:GLU:HG2	1:C:233:MET:CE	2.44	0.47
1:C:289:SER:HB3	1:C:297:GLY:HA2	1.96	0.47
1:A:185:ASP:HB3	1:C:45:ARG:HH11	1.79	0.47
1:A:204:ASN:HD22	1:A:205:SER:N	2.12	0.47
4:C:510:HOH:O	2:D:451:ALA:HB3	2.15	0.46
2:D:504:ASN:HD22	2:D:506:ALA:N	2.13	0.46
1:C:87:HIS:HD2	4:C:542:HOH:O	1.98	0.46
1:C:102:ARG:HD3	2:D:475:THR:OG1	2.16	0.46
2:D:504:ASN:ND2	2:D:504:ASN:C	2.69	0.46
2:D:504:ASN:ND2	2:D:506:ALA:H	2.14	0.46
2:D:504:ASN:HD21	2:D:506:ALA:HB3	1.79	0.46
1:C:171:GLN:HG3	1:C:175:LYS:CE	2.39	0.46
1:C:242:PHE:HA	1:C:247:ILE:HB	1.97	0.45
1:C:317:PHE:CZ	2:D:511:ALA:HB1	2.52	0.45
1:A:171:GLN:HB3	1:A:172:PRO:HD3	1.99	0.45
1:C:363:ILE:CD1	4:C:475:HOH:O	2.59	0.45
1:A:114:ARG:CZ	2:B:462:SER:HB2	2.47	0.45

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:341:LEU:HD11	4:C:511:HOH:O	2.16	0.45
1:A:306:ILE:CD1	1:A:360:ALA:HA	2.46	0.45
2:B:413:THR:O	2:B:414:PHE:HB2	2.16	0.45
1:A:89:GLN:HB3	2:B:413:THR:HG23	1.99	0.45
1:A:120:LYS:HB2	1:A:120:LYS:NZ	2.33	0.44
1:C:247:ILE:CD1	4:C:427:HOH:O	2.65	0.44
2:B:489:THR:OG1	2:B:515:HIS:CD2	2.71	0.44
1:C:356:ASN:OD1	1:C:358:ALA:HB3	2.18	0.44
1:A:43:PRO:HB3	2:B:505:VAL:HG12	2.00	0.44
1:A:56:ALA:O	1:A:60:GLN:HG3	2.18	0.44
1:A:134:ASP:OD2	1:A:136:LYS:HB3	2.19	0.43
1:A:166:LEU:HD21	4:A:508:HOH:O	2.18	0.43
1:C:311:ASP:CG	1:C:314:LYS:HG3	2.39	0.43
2:D:452:ASN:ND2	2:D:461:LEU:H	2.17	0.43
1:A:204:ASN:N	1:A:204:ASN:ND2	2.67	0.43
1:A:210:TRP:CH2	1:A:215:PRO:HB3	2.54	0.42
1:C:87:HIS:HA	1:C:89:GLN:HE22	1.84	0.42
1:A:120:LYS:HZ3	1:A:120:LYS:CB	2.32	0.42
1:A:156:LEU:HD23	1:A:156:LEU:O	2.19	0.42
1:A:321:ASP:HB3	1:A:369:ILE:HD11	2.00	0.42
1:C:56:ALA:O	1:C:60:GLN:HG3	2.19	0.42
1:C:172:PRO:HA	1:C:175:LYS:HE3	2.02	0.42
1:A:171:GLN:HG3	1:A:175:LYS:NZ	2.34	0.42
2:B:393:HIS:HE1	2:B:395:SER:OG	2.02	0.42
2:B:566:GLY:HA3	2:B:577:THR:HG21	2.02	0.42
1:A:247:ILE:CD1	4:A:463:HOH:O	2.68	0.41
1:A:303:ILE:HD11	1:A:333:ALA:CB	2.49	0.41
1:A:171:GLN:HA	1:A:171:GLN:HE21	1.85	0.41
1:A:306:ILE:HD11	1:A:360:ALA:HA	2.03	0.41
1:C:246:THR:O	1:C:250:GLN:HG3	2.21	0.41
1:A:171:GLN:HA	1:A:171:GLN:NE2	2.35	0.41
1:C:202:HIS:HE1	4:C:548:HOH:O	2.02	0.41
1:C:230:SER:OG	1:C:247:ILE:HD11	2.20	0.41
1:C:156:LEU:HD23	1:C:156:LEU:O	2.21	0.41
2:D:493:GLN:HE22	2:D:514:PHE:N	2.06	0.41
1:A:290:MET:HB3	1:A:290:MET:HE2	1.94	0.41
1:A:306:ILE:HD11	1:A:363:ILE:HD12	2.02	0.41
2:B:497:ASN:HB3	2:B:503:LEU:HD12	2.03	0.41
2:B:530:SER:HA	2:B:531:PRO:HD3	1.96	0.41
1:C:384:ALA:N	1:C:385:PRO:HD2	2.36	0.41
2:D:442:ASN:ND2	4:D:773:HOH:O	2.53	0.41

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:292:PRO:HA	1:A:294:SER:N	2.35	0.41
1:A:202:HIS:HE1	4:B:786:HOH:O	2.04	0.40
1:A:306:ILE:HD13	1:A:360:ALA:CA	2.50	0.40
1:C:99:MET:SD	1:C:101:ILE:HD11	2.62	0.40
1:A:334:TYR:CD2	2:B:517:GLN:HA	2.56	0.40
2:D:509:THR:HG23	2:D:553:THR:OG1	2.21	0.40

There are no symmetry-related clashes.

### 5.3 Torsion angles [i](#)

#### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	348/366 (95%)	339 (97%)	9 (3%)	0	100	100
1	C	347/366 (95%)	341 (98%)	6 (2%)	0	100	100
2	B	188/190 (99%)	182 (97%)	5 (3%)	1 (0%)	29	11
2	D	188/190 (99%)	182 (97%)	5 (3%)	1 (0%)	29	11
All	All	1071/1112 (96%)	1044 (98%)	25 (2%)	2 (0%)	47	28

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	B	411	ASN
2	D	411	ASN

#### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	275/287 (96%)	271 (98%)	4 (2%)	65	44
1	C	274/287 (96%)	270 (98%)	4 (2%)	65	44
2	B	154/154 (100%)	151 (98%)	3 (2%)	57	34
2	D	154/154 (100%)	149 (97%)	5 (3%)	39	13
All	All	857/882 (97%)	841 (98%)	16 (2%)	57	34

All (16) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	120	LYS
1	A	168	LYS
1	A	204	ASN
1	A	210	TRP
2	B	408	TYR
2	B	486	ARG
2	B	555	SER
1	C	65	ILE
1	C	89	GLN
1	C	210	TRP
1	C	379	ARG
2	D	408	TYR
2	D	430	GLN
2	D	486	ARG
2	D	504	ASN
2	D	555	SER

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (25) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	87	HIS
1	A	107	ASN
1	A	202	HIS
1	A	204	ASN
1	A	250	GLN
1	A	253	GLN
1	A	370	ASN
2	B	393	HIS
2	B	452	ASN

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
2	B	515	HIS
1	C	42	HIS
1	C	87	HIS
1	C	89	GLN
1	C	107	ASN
1	C	142	HIS
1	C	171	GLN
1	C	201	ASN
1	C	202	HIS
1	C	237	ASN
1	C	366	GLN
2	D	393	HIS
2	D	452	ASN
2	D	493	GLN
2	D	497	ASN
2	D	504	ASN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

### 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

### 5.6 Ligand geometry [i](#)

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
3	AZS	B	390	2	8,9,11	2.44	2 (25%)	9,11,13	1.92	3 (33%)
3	AZS	D	390	2	8,9,11	2.45	2 (25%)	9,11,13	1.65	2 (22%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	AZS	B	390	2	-	1/9/9/12	-
3	AZS	D	390	2	-	1/9/9/12	-

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	D	390	AZS	OH-CH	6.20	1.43	1.20
3	B	390	AZS	OH-CH	6.19	1.43	1.20
3	D	390	AZS	OG-CH	2.08	1.43	1.33
3	B	390	AZS	OG-CH	2.06	1.43	1.33

All (5) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	B	390	AZS	OH-CH-CI	-4.21	109.49	124.81
3	D	390	AZS	OH-CH-CI	-3.49	112.08	124.81
3	D	390	AZS	OG-CH-OH	-2.69	107.67	121.55
3	B	390	AZS	OG-CH-OH	-2.38	109.30	121.55
3	B	390	AZS	CB-OG-CH	-2.29	111.34	117.10

There are no chirality outliers.

All (2) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	B	390	AZS	OH-CH-OG-CB
3	D	390	AZS	OH-CH-OG-CB

There are no ring outliers.

2 monomers are involved in 4 short contacts:



Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	B	390	AZS	2	0
3	D	390	AZS	2	0

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data

### 6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	350/366 (95%)	0.33	10 (2%) 51 52	9, 14, 24, 38	0
1	C	349/366 (95%)	0.37	9 (2%) 56 56	9, 15, 27, 44	0
2	B	190/190 (100%)	0.26	5 (2%) 56 56	8, 12, 21, 38	0
2	D	190/190 (100%)	0.25	5 (2%) 56 56	8, 13, 25, 39	0
All	All	1079/1112 (97%)	0.32	29 (2%) 54 55	8, 14, 25, 44	0

All (29) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	B	560	PRO	6.3
2	D	561	ASP	5.4
2	B	561	ASP	4.9
2	D	560	PRO	4.2
1	C	105	ASN	4.2
1	C	384	ALA	3.8
1	A	38	GLU	3.3
1	C	387	GLU	3.2
2	B	562	GLY	3.2
1	A	236	GLU	3.1
1	A	387	GLU	2.8
2	B	548	GLU	2.7
1	C	314	LYS	2.5
1	C	348	LYS	2.5
1	A	136	LYS	2.5
1	A	249	GLU	2.4
1	C	369	ILE	2.4
2	B	563	GLU	2.3
1	A	348	LYS	2.3
2	D	562	GLY	2.3
1	A	256	GLN	2.2

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	A	384	ALA	2.2
1	A	93	LEU	2.2
2	D	563	GLU	2.2
1	C	104	LYS	2.1
1	C	382	LYS	2.1
1	A	150	THR	2.0
1	C	194	TYR	2.0
2	D	472	ASP	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
3	AZS	B	390	10/12	0.82	0.17	10,12,14,15	0
3	AZS	D	390	10/12	0.87	0.15	10,11,14,15	0

## 6.5 Other polymers [i](#)

There are no such residues in this entry.