



## Full wwPDB EM Validation Report ⓘ

Oct 10, 2022 – 12:43 pm BST

PDB ID : 7Z8M  
EMDB ID : EMD-14559  
Title : The pointed end complex of dynactin bound to BICDR1  
Authors : Chaaban, S.; Carter, A.P.  
Deposited on : 2022-03-17  
Resolution : 3.37 Å (reported)

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev43  
Mogul : 1.8.4, CSD as541be (2020)  
MolProbity : 4.02b-467  
buster-report : 1.1.7 (2018)  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
MapQ : 1.9.9  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.31.2


# 1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:

*ELECTRON MICROSCOPY*

The reported resolution of this entry is 3.37 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.




Metric	Whole archive (#Entries)	EM structures (#Entries)
Clashscore	158937	4297
Ramachandran outliers	154571	4023
Sidechain outliers	154315	3826

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion  $< 40\%$ ). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	M	405	
2	X	577	
3	U	190	
4	Y	467	
5	J	417	
6	G	376	
6	I	376	
7	H	375	

Continued on next page...

*Continued from previous page...*

Mol	Chain	Length	Quality of chain
8	V	182	 <p>A horizontal bar chart representing the quality of chain. The bar is divided into three segments: a red segment on the left labeled '24%', a green segment in the middle labeled '89%', and a yellow segment on the right labeled '11%'. The segments are stacked horizontally to total 100%.</p>

## 2 Entry composition [i](#)

There are 12 unique types of molecules in this entry. The entry contains 17694 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Dynactin subunit 2.

Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
1	M	24	188	118	29	41	0	0

- Molecule 2 is a protein called BICD family-like cargo adapter 1.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
2	X	15	113	67	16	29	1	0	0

- Molecule 3 is a protein called Dynactin 6.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
3	U	178	1316	829	232	244	11	0	0

- Molecule 4 is a protein called Dynactin subunit 4.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
4	Y	383	2829	1789	516	504	20	0	0

- Molecule 5 is a protein called Arp11.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
5	J	379	2932	1888	496	532	16	0	0

- Molecule 6 is a protein called ARP1 actin related protein 1 homolog A.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
6	G	369	2948	1886	508	544	10	0	0

*Continued on next page...*

Continued from previous page...

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
6	I	370	2941	1885	509	537	10	0	0

- Molecule 7 is a protein called Actin, cytoplasmic 1.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
7	H	372	2901	1837	488	554	22	0	0


- Molecule 8 is a protein called Dynactin subunit 5.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
8	V	182	1407	897	241	256	13	0	0

- Molecule 9 is ZINC ION (three-letter code: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		AltConf
			Total	Zn	
9	Y	3	3	3	0

- Molecule 10 is ADENOSINE-5'-TRIPHOSPHATE (three-letter code: ATP) (formula:  $C_{10}H_{16}N_5O_{13}P_3$ ).




Mol	Chain	Residues	Atoms					AltConf
			Total	C	N	O	P	
10	J	1	31	10	5	13	3	0

- Molecule 11 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		AltConf
			Total	Mg	
11	J	1	1	1	0
11	G	1	1	1	0
11	H	1	1	1	0
11	I	1	1	1	0

- Molecule 12 is ADENOSINE-5'-DIPHOSPHATE (three-letter code: ADP) (formula:  $C_{10}H_{15}N_5O_{10}P_2$ ).




Mol	Chain	Residues	Atoms					AltConf
			Total	C	N	O	P	
12	G	1	27	10	5	10	2	0
12	H	1	27	10	5	10	2	0
12	I	1	27	10	5	10	2	0


### 3 Residue-property plots


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Dynactin subunit 2





- Molecule 2: BICD family-like cargo adapter 1







• Molecule 3: Dynactin 6





• Molecule 4: Dynactin subunit 4







PRD



• Molecule 5: Arp11




• Molecule 6: ARP1 actin related protein 1 homolog A




• Molecule 6: ARP1 actin related protein 1 homolog A





• Molecule 7: Actin, cytoplasmic 1





- Molecule 8: Dynactin subunit 5



## 4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	165019	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ( $e^-/\text{\AA}^2$ )	53	Depositor
Minimum defocus (nm)	1200	Depositor
Maximum defocus (nm)	4000	Depositor
Magnification	81000	Depositor
Image detector	GATAN K3 BIOQUANTUM (6k x 4k)	Depositor
Maximum map value	0.136	Depositor
Minimum map value	-0.064	Depositor
Average map value	0.000	Depositor
Map value standard deviation	0.001	Depositor
Recommended contour level	0.0339	Depositor
Map size (Å)	955.776, 955.776, 955.776	wwPDB
Map dimensions	768, 768, 768	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	1.2445, 1.2445, 1.2445	Depositor

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: ADP, ZN, ATP, MG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	M	0.35	0/193	0.58	0/265
2	X	0.25	0/112	0.43	0/149
3	U	0.28	0/1335	0.59	0/1813
4	Y	0.27	0/2887	0.57	0/3929
5	J	0.27	0/2994	0.54	0/4066
6	G	0.27	0/3017	0.55	0/4074
6	I	0.27	0/3010	0.57	0/4066
7	H	0.27	0/2964	0.53	0/4013
8	V	0.29	0/1434	0.57	0/1941
All	All	0.27	0/17946	0.55	0/24316

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	M	188	0	172	2	0
2	X	113	0	105	1	0
3	U	1316	0	1319	11	0
4	Y	2829	0	2647	20	0

*Continued on next page...*

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
5	J	2932	0	3003	19	0
6	G	2948	0	2939	15	0
6	I	2941	0	2936	12	0
7	H	2901	0	2871	17	0
8	V	1407	0	1440	12	0
9	Y	3	0	0	0	0
10	J	31	0	12	1	0
11	G	1	0	0	0	0
11	H	1	0	0	0	0
11	I	1	0	0	0	0
11	J	1	0	0	0	0
12	G	27	0	12	0	0
12	H	27	0	12	0	0
12	I	27	0	12	0	0
All	All	17694	0	17480	101	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

All (101) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:U:58:GLU:OE2	8:V:49:ARG:NH1	2.25	0.70
7:H:210:ARG:NH1	7:H:214:GLU:OE2	2.25	0.69
5:J:301:GLU:OE1	5:J:342:ARG:NH2	2.25	0.69
6:G:270:GLU:OE1	6:G:271:GLU:N	2.25	0.69
7:H:111:ASN:OD1	7:H:177:ARG:NH1	2.26	0.69
6:I:260:GLU:OE2	6:I:313:ARG:NH2	2.29	0.66
6:I:20:VAL:O	6:I:22:LYS:NZ	2.29	0.65
5:J:85:ARG:NH1	5:J:114:GLU:OE1	2.30	0.63
7:H:216:LEU:HD11	7:H:240:TYR:HB2	1.83	0.60
5:J:44:LYS:NZ	5:J:49:PRO:O	2.35	0.59
6:G:142:GLN:N	6:G:142:GLN:OE1	2.34	0.59
6:G:16:ASN:ND2	6:G:75:MET:SD	2.75	0.58
6:G:305:THR:O	6:G:336:ARG:NH1	2.36	0.58
7:H:12:ASN:ND2	7:H:82:MET:SD	2.77	0.58
5:J:22:GLU:N	5:J:22:GLU:OE2	2.37	0.57
7:H:71:ILE:HG12	7:H:76:VAL:HG22	1.86	0.57
6:I:78:GLY:O	6:I:116:ASN:ND2	2.38	0.56
4:Y:316:VAL:HG11	4:Y:458:VAL:HG11	1.87	0.56
6:G:12:VAL:HG21	6:G:99:LEU:HD21	1.88	0.56

Continued on next page...

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
6:G:283:ILE:O	6:G:286:SER:OG	2.23	0.55
5:J:212:VAL:HG23	10:J:800:ATP:C2	2.43	0.54
3:U:58:GLU:HB2	3:U:92:VAL:HG13	1.89	0.54
7:H:54:VAL:HG13	7:H:85:ILE:HD13	1.91	0.53
8:V:122:LEU:HD21	8:V:128:ILE:HD11	1.91	0.53
4:Y:148:ILE:HD11	5:J:363:ALA:HB3	1.91	0.52
8:V:60:HIS:O	8:V:169:THR:OG1	2.27	0.52
5:J:153:GLU:N	5:J:153:GLU:OE1	2.42	0.52
5:J:386:ASP:N	5:J:386:ASP:OD1	2.40	0.52
4:Y:333:LEU:HD13	4:Y:406:LYS:HD2	1.92	0.52
4:Y:5:LEU:HD12	4:Y:5:LEU:O	2.10	0.52
6:G:21:ILE:HG23	6:G:37:ASN:HB2	1.90	0.52
4:Y:13:LEU:HD11	4:Y:19:LYS:HG2	1.91	0.52
6:G:21:ILE:HD11	6:G:35:PHE:CZ	2.45	0.52
4:Y:10:VAL:HG11	4:Y:316:VAL:HG13	1.92	0.51
3:U:92:VAL:HG11	8:V:68:VAL:HG11	1.92	0.51
7:H:107:GLU:OE2	7:H:115:ASN:ND2	2.43	0.51
6:G:276:HIS:O	6:G:280:VAL:HG23	2.10	0.51
6:I:368:ALA:O	6:I:371:ILE:HG22	2.11	0.51
4:Y:82:THR:HG22	4:Y:274:LYS:HD3	1.93	0.50
6:I:306:LEU:HD11	6:I:337:LEU:HB2	1.94	0.50
8:V:95:GLU:OE2	8:V:95:GLU:N	2.40	0.49
4:Y:280:ARG:NH2	8:V:156:GLU:OE2	2.44	0.49
5:J:88:ARG:NH1	5:J:117:SER:OG	2.45	0.49
7:H:151:ILE:HD11	7:H:162:THR:CG2	2.43	0.49
4:Y:13:LEU:HD13	4:Y:21:ARG:HD3	1.95	0.49
7:H:92:ASN:O	7:H:95:ARG:NH2	2.46	0.49
1:M:15:ASN:O	1:M:15:ASN:ND2	2.41	0.48
4:Y:53:SER:HB2	4:Y:82:THR:HG21	1.96	0.48
5:J:323:ILE:O	5:J:327:VAL:HG23	2.13	0.48
6:I:21:ILE:HD11	6:I:35:PHE:CZ	2.48	0.48
7:H:180:LEU:HD23	7:H:180:LEU:O	2.12	0.48
8:V:40:THR:HG23	8:V:61:CYS:SG	2.55	0.47
4:Y:387:ALA:O	4:Y:391:ASP:N	2.47	0.47
6:G:78:GLY:O	6:G:116:ASN:ND2	2.46	0.47
6:I:232:GLU:OE2	6:I:257:ARG:NH1	2.47	0.47
5:J:378:TYR:O	5:J:382:GLY:N	2.48	0.47
7:H:234:SER:O	7:H:234:SER:OG	2.22	0.47
7:H:211:ASP:OD2	7:H:240:TYR:OH	2.28	0.46
5:J:220:LEU:HD22	5:J:321:ALA:HB1	1.98	0.46
5:J:253:GLU:OE1	5:J:253:GLU:N	2.43	0.46

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
7:H:332:PRO:O	7:H:335:ARG:NH1	2.48	0.46
4:Y:12:TYR:OH	4:Y:316:VAL:HG12	2.16	0.46
5:J:219:ASP:OD1	5:J:220:LEU:N	2.49	0.46
4:Y:8:GLU:OE1	4:Y:8:GLU:N	2.46	0.45
6:G:12:VAL:CG2	6:G:99:LEU:HD21	2.45	0.45
3:U:29:ILE:HD13	3:U:35:ILE:HD11	1.98	0.45
3:U:126:GLY:N	3:U:143:ILE:O	2.48	0.45
5:J:145:GLU:OE1	6:I:199:ARG:NH2	2.46	0.45
3:U:88:ASN:OD1	3:U:105:ASN:N	2.46	0.45
3:U:120:THR:OG1	3:U:137:ILE:O	2.34	0.45
1:M:15:ASN:HD22	1:M:15:ASN:C	2.18	0.45
8:V:66:ARG:NE	8:V:96:ASP:OD2	2.50	0.45
5:J:366:ASP:OD2	5:J:367:ILE:HG23	2.16	0.45
6:G:245:ASP:OD1	6:G:246:GLY:N	2.50	0.45
8:V:27:VAL:N	8:V:46:CYS:O	2.47	0.44
6:I:110:LEU:HD21	6:I:128:PHE:CE2	2.52	0.44
2:X:347:LEU:HD21	8:V:28:LEU:HD13	1.98	0.44
4:Y:430:HIS:NE2	4:Y:456:GLN:OE1	2.49	0.44
5:J:172:HIS:ND1	5:J:204:GLU:OE2	2.51	0.44
4:Y:395:ASP:O	4:Y:399:VAL:N	2.48	0.44
8:V:179:LEU:O	8:V:181:GLN:NE2	2.51	0.43
5:J:245:ASN:OD1	5:J:260:GLY:N	2.48	0.43
5:J:339:LYS:NZ	7:H:244:ASP:OD1	2.43	0.43
3:U:135:GLU:N	3:U:135:GLU:OE1	2.51	0.43
4:Y:143:ARG:NE	4:Y:223:ILE:HD11	2.34	0.43
7:H:6:ALA:O	7:H:101:HIS:ND1	2.48	0.43
6:I:58:ILE:HG21	6:I:89:ILE:HD13	2.01	0.43
6:G:335:GLU:OE1	6:G:335:GLU:N	2.46	0.43
6:I:298:ILE:O	6:I:331:SER:N	2.51	0.43
4:Y:80:MET:SD	4:Y:80:MET:N	2.92	0.42
3:U:42:ILE:HB	3:U:63:ILE:HG22	2.02	0.42
6:G:312:ASP:OD1	6:G:312:ASP:N	2.54	0.41
3:U:129:CYS:SG	3:U:130:ASN:N	2.93	0.41
3:U:20:GLU:OE1	3:U:20:GLU:N	2.50	0.41
4:Y:22:ALA:HB3	4:Y:27:LEU:HD21	2.03	0.41
8:V:141:PRO:O	8:V:144:THR:OG1	2.38	0.41
4:Y:286:GLN:OE1	4:Y:286:GLN:N	2.54	0.40
7:H:260:ALA:HB1	7:H:267:LEU:HD13	2.01	0.40
6:G:66:ARG:NH2	6:I:289:ASP:OD2	2.52	0.40
4:Y:83:LEU:HD13	4:Y:109:LEU:HD23	2.03	0.40
7:H:151:ILE:HD13	7:H:282:ILE:HG13	2.03	0.40

There are no symmetry-related clashes.

### 5.3 Torsion angles [i](#)

#### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	M	22/405 (5%)	21 (96%)	1 (4%)	0	100	100
2	X	13/577 (2%)	13 (100%)	0	0	100	100
3	U	176/190 (93%)	161 (92%)	15 (8%)	0	100	100
4	Y	373/467 (80%)	352 (94%)	21 (6%)	0	100	100
5	J	377/417 (90%)	364 (97%)	13 (3%)	0	100	100
6	G	367/376 (98%)	353 (96%)	14 (4%)	0	100	100
6	I	368/376 (98%)	354 (96%)	14 (4%)	0	100	100
7	H	370/375 (99%)	363 (98%)	7 (2%)	0	100	100
8	V	180/182 (99%)	177 (98%)	3 (2%)	0	100	100
All	All	2246/3365 (67%)	2158 (96%)	88 (4%)	0	100	100

There are no Ramachandran outliers to report.

#### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	M	21/346 (6%)	19 (90%)	2 (10%)	8	30
2	X	14/503 (3%)	13 (93%)	1 (7%)	14	44
3	U	139/163 (85%)	134 (96%)	5 (4%)	35	64

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
4	Y	275/416 (66%)	267 (97%)	8 (3%)	42	70
5	J	323/363 (89%)	318 (98%)	5 (2%)	65	82
6	G	317/324 (98%)	312 (98%)	5 (2%)	62	81
6	I	314/324 (97%)	311 (99%)	3 (1%)	76	87
7	H	315/318 (99%)	310 (98%)	5 (2%)	62	81
8	V	163/163 (100%)	162 (99%)	1 (1%)	86	93
All	All	1881/2920 (64%)	1846 (98%)	35 (2%)	59	78

All (35) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	M	15	ASN
1	M	19	VAL
2	X	358	GLU
3	U	52	GLU
3	U	112	TYR
3	U	129	CYS
3	U	134	PHE
3	U	156	ARG
4	Y	31	ARG
4	Y	70	CYS
4	Y	76	CYS
4	Y	258	GLN
4	Y	261	PHE
4	Y	296	PHE
4	Y	303	PHE
4	Y	406	LYS
5	J	140	ASP
5	J	279	SER
5	J	322	GLU
5	J	370	SER
5	J	386	ASP
6	G	159	ASP
6	G	197	TYR
6	G	204	ASP
6	G	227	ASN
6	G	313	ARG
7	H	104	LEU
7	H	141	SER
7	H	143	TYR

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
7	H	196	ARG
7	H	234	SER
8	V	177	LEU
6	I	65	HIS
6	I	240	GLN
6	I	288	MET

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (1) such sidechains are listed below:

Mol	Chain	Res	Type
8	V	54	ASN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 5.6 Ligand geometry [i](#)

Of 11 ligands modelled in this entry, 7 are monoatomic - leaving 4 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
12	ADP	H	800	11	24,29,29	0.92	1 (4%)	29,45,45	1.56	5 (17%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
12	ADP	I	800	11	24,29,29	0.93	1 (4%)	29,45,45	1.46	4 (13%)
12	ADP	G	800	11	24,29,29	0.91	1 (4%)	29,45,45	1.50	4 (13%)
10	ATP	J	800	11	26,33,33	0.63	0	31,52,52	1.06	1 (3%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
12	ADP	H	800	11	-	3/12/32/32	0/3/3/3
12	ADP	I	800	11	-	6/12/32/32	0/3/3/3
12	ADP	G	800	11	-	3/12/32/32	0/3/3/3
10	ATP	J	800	11	-	0/18/38/38	0/3/3/3

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
12	I	800	ADP	C5-C4	2.30	1.47	1.40
12	H	800	ADP	C5-C4	2.27	1.46	1.40
12	G	800	ADP	C5-C4	2.23	1.46	1.40

All (14) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
12	H	800	ADP	PA-O3A-PB	-3.78	119.86	132.83
12	G	800	ADP	N3-C2-N1	-3.59	123.06	128.68
12	H	800	ADP	C3'-C2'-C1'	3.58	106.38	100.98
12	I	800	ADP	N3-C2-N1	-3.57	123.09	128.68
12	H	800	ADP	N3-C2-N1	-3.57	123.10	128.68
12	G	800	ADP	PA-O3A-PB	-3.48	120.87	132.83
12	I	800	ADP	C3'-C2'-C1'	3.24	105.86	100.98
12	G	800	ADP	C3'-C2'-C1'	3.03	105.54	100.98
12	I	800	ADP	PA-O3A-PB	-2.91	122.84	132.83
12	I	800	ADP	C4-C5-N7	-2.78	106.50	109.40
12	G	800	ADP	C4-C5-N7	-2.76	106.53	109.40
12	H	800	ADP	C4-C5-N7	-2.61	106.68	109.40
10	J	800	ATP	C5-C6-N6	2.25	123.78	120.35
12	H	800	ADP	C2-N1-C6	2.01	122.20	118.75

There are no chirality outliers.

All (12) torsion outliers are listed below:



Mol	Chain	Res	Type	Atoms
12	G	800	ADP	C5'-O5'-PA-O1A
12	G	800	ADP	C5'-O5'-PA-O2A
12	H	800	ADP	C5'-O5'-PA-O1A
12	H	800	ADP	C5'-O5'-PA-O2A
12	I	800	ADP	PA-O3A-PB-O2B
12	I	800	ADP	C5'-O5'-PA-O2A
12	I	800	ADP	C5'-O5'-PA-O3A
12	I	800	ADP	C3'-C4'-C5'-O5'
12	I	800	ADP	O4'-C4'-C5'-O5'
12	I	800	ADP	PA-O3A-PB-O1B
12	G	800	ADP	C5'-O5'-PA-O3A
12	H	800	ADP	C5'-O5'-PA-O3A



There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
10	J	800	ATP	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


## 6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-14559. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

### 6.1 Orthogonal projections [i](#)

#### 6.1.1 Primary map



#### 6.1.2 Raw map




The images above show the map projected in three orthogonal directions.




## 6.2 Central slices [i](#)


### 6.2.1 Primary map



X Index: 384




Y Index: 384




Z Index: 384


### 6.2.2 Raw map



X Index: 384



Y Index: 384



Z Index: 384


The images above show central slices of the map in three orthogonal directions.

## 6.3 Largest variance slices [i](#)

### 6.3.1 Primary map



X Index: 576



Y Index: 429



Z Index: 283

### 6.3.2 Raw map



X Index: 576



Y Index: 429




Z Index: 282

The images above show the largest variance slices of the map in three orthogonal directions.


## 6.4 Orthogonal surface views [i](#)

### 6.4.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.0339. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

### 6.4.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


## 6.5 Mask visualisation [i](#)

This section shows the 3D surface view of the primary map at 50% transparency overlaid with the specified mask at 0% transparency


A mask typically either:

- Encompasses the whole structure
- Separates out a domain, a functional unit, a monomer or an area of interest from a larger structure


### 6.5.1 emd\_14559\_msk\_1.map [i](#)



X



Y




Z

## 7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

### 7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


## 7.2 Volume estimate [\(i\)](#)



The volume at the recommended contour level is 72 nm<sup>3</sup>; this corresponds to an approximate mass of 65 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

### 7.3 Rotationally averaged power spectrum [i](#)




\*Reported resolution corresponds to spatial frequency of 0.297 Å<sup>-1</sup>

## 8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

### 8.1 FSC [i](#)



\*Reported resolution corresponds to spatial frequency of 0.297 Å<sup>-1</sup>



## 8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	3.37	-	-
Author-provided FSC curve	3.36	3.88	3.40
Unmasked-calculated*	3.36	3.89	3.39

\*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps.

## 9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-14559 and PDB model 7Z8M. Per-residue inclusion information can be found in section 3 on page 7.

### 9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.0339 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

## 9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

## 9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.0339).





















## 9.4 Atom inclusion [i](#)



At the recommended contour level, 69% of all backbone atoms, 56% of all non-hydrogen atoms, are inside the map.

## 9.5 Map-model fit summary

The table lists the average atom inclusion at the recommended contour level (0.0339) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.5644	 0.5110
G	 0.5526	 0.5230
H	 0.6576	 0.5430
I	 0.6074	 0.5170
J	 0.6159	 0.5240
M	 0.4130	 0.4960
U	 0.3906	 0.4600
V	 0.5462	 0.5110
X	 0.3274	 0.4580
Y	 0.4913	 0.4730

