



## Full wwPDB EM Validation Report ⓘ

Sep 27, 2022 – 12:01 am BST

PDB ID : 7ZDH  
EMDB ID : EMD-14648  
Title : Complex I from *Ovis aries* at pH7.4, Closed state  
Authors : Sazanov, L.; Petrova, O.  
Deposited on : 2022-03-29  
Resolution : 3.46 Å (reported)  
Based on initial model : 6ZKC

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


EMDB validation analysis : 0.0.1.dev43  
Mogul : 1.8.4, CSD as541be (2020)  
MolProbity : 4.02b-467  
buster-report : 1.1.7 (2018)  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
MapQ : 1.9.9  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.31.2

# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:  
*ELECTRON MICROSCOPY*

The reported resolution of this entry is 3.46 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)
Ramachandran outliers	154571	4023
Sidechain outliers	154315	3826

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion  $< 40\%$ ). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	115	10% 98% .
2	H	318	98% .
3	J	175	95% 5%
4	K	98	97% .
5	L	606	98% .
6	M	459	99% .
7	N	347	99% .
8	V	140	98% .
9	W	139	100%




*Continued on next page...*

Continued from previous page...

Mol	Chain	Length	Quality of chain
10	X	157	5% 52% 45%
10	j	157	22% 51% 48%
11	Y	171	6% 97%
12	Z	171	5% 99%
13	k	320	7% 99%
14	l	105	6% 97%
15	m	80	8% 98%
16	n	79	16% 99%
17	o	120	6% 96%
18	p	128	15% 98%
19	q	139	9% 98%
20	r	128	7% 77% 23%
21	s	122	16% 98%
22	t	177	14% 99%
23	u	65	12% 100%
24	v	155	8% 99%
25	w	101	7% 97%
26	x	49	6% 98%
27	y	50	18% 96%
28	z	70	6% 97%
29	1	430	6% 97%
30	2	213	11% 99%
31	3	688	5% 98%
32	4	430	7% 98%
33	5	208	100%

Continued on next page...

*Continued from previous page...*

Mol	Chain	Length	Quality of chain
34	6	156	 98%
35	9	217	 81% 19%
36	a	44	 98%
37	b	95	 100%
38	c	126	 98%
39	d	340	 97%
40	e	86	 97%
41	f	113	 98%
42	g	114	 98%
43	h	114	 82% 16%
44	i	145	 98%

## 2 Entry composition [i](#)

There are 56 unique types of molecules in this entry. The entry contains 67219 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called NADH-ubiquinone oxidoreductase chain 3.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
1	A	115	922	621	133	161	7	0	0

- Molecule 2 is a protein called NADH-ubiquinone oxidoreductase chain 1.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
2	H	318	2528	1704	384	421	19	0	0

- Molecule 3 is a protein called NADH-ubiquinone oxidoreductase chain 6.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
3	J	175	1344	904	192	235	13	0	0

- Molecule 4 is a protein called NADH-ubiquinone oxidoreductase chain 4L.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
4	K	98	749	490	112	132	15	0	0

- Molecule 5 is a protein called NADH-ubiquinone oxidoreductase chain 5.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
5	L	606	4807	3188	746	829	44	0	0

- Molecule 6 is a protein called NADH-ubiquinone oxidoreductase chain 4.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
6	M	459	3647	2429	571	607	40	0	0

- Molecule 7 is a protein called NADH-ubiquinone oxidoreductase chain 2.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
7	N	347	2723	1808	416	459	40	0	0

- Molecule 8 is a protein called NADH dehydrogenase [ubiquinone] 1 alpha subcomplex subunit 11.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
8	V	140	1028	656	175	191	6	0	0

- Molecule 9 is a protein called NADH dehydrogenase [ubiquinone] 1 beta subcomplex subunit 5, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
9	W	139	1155	761	194	198	2	0	0

- Molecule 10 is a protein called Acyl carrier protein.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
10	X	87	701	451	103	142	5	0	0
10	j	82	660	425	98	132	5	0	0

- Molecule 11 is a protein called NADH dehydrogenase [ubiquinone] 1 alpha subcomplex subunit 8.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
11	Y	171	1403	889	253	251	10	0	0

- Molecule 12 is a protein called NADH dehydrogenase [ubiquinone] 1 beta subcomplex subunit 10.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
12	Z	171	1441	905	266	262	8	0	0

- Molecule 13 is a protein called NADH dehydrogenase [ubiquinone] 1 alpha subcomplex subunit 10, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	N	O	P			S
13	k	320	2596	1659	432	494	1	10	0	0

- Molecule 14 is a protein called NADH dehydrogenase [ubiquinone] iron-sulfur protein 5.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
14	l	105	874	551	164	153	6	0	0

- Molecule 15 is a protein called NADH dehydrogenase [ubiquinone] 1 alpha subcomplex subunit 3.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
15	m	80	626	411	103	110	2	0	0

- Molecule 16 is a protein called NADH dehydrogenase [ubiquinone] 1 beta subcomplex subunit 3.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
16	n	79	634	415	106	111	2	0	0

- Molecule 17 is a protein called NADH dehydrogenase [ubiquinone] 1 subunit C2.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
17	o	120	1004	652	175	172	5	0	0

- Molecule 18 is a protein called NADH:ubiquinone oxidoreductase subunit B4.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
18	p	128	1059	675	189	194	1	0	0

- Molecule 19 is a protein called NADH dehydrogenase [ubiquinone] 1 alpha subcomplex subunit 13.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
19	q	139	1142	733	200	200	9	0	0

- Molecule 20 is a protein called Mitochondrial complex I, B17 subunit.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
20	r	99	846	554	149	142	1	0	0

- Molecule 21 is a protein called NADH dehydrogenase [ubiquinone] 1 beta subcomplex subunit 7.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
21	s	122	1047	653	199	186	9	0	0

- Molecule 22 is a protein called NADH dehydrogenase [ubiquinone] 1 beta subcomplex subunit 9.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
22	t	177	1520	973	279	262	6	0	0

- Molecule 23 is a protein called NADH dehydrogenase [ubiquinone] 1 beta subcomplex subunit 2, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
23	u	65	563	372	93	97	1	0	0

- Molecule 24 is a protein called NADH dehydrogenase [ubiquinone] 1 beta subcomplex subunit 8, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
24	v	155	1307	846	213	239	9	0	0

- Molecule 25 is a protein called NADH dehydrogenase [ubiquinone] 1 beta subcomplex subunit 11, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
25	w	101	846	542	140	160	4	0	0

- Molecule 26 is a protein called NADH dehydrogenase [ubiquinone] 1 subunit C1, mitochondrial.



Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
26	x	49	412	271	70	71	0	0

- Molecule 27 is a protein called NADH dehydrogenase [ubiquinone] 1 beta subcomplex subunit 1.

Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
27	y	50	436	287	77	72	0	0

- Molecule 28 is a protein called Complex I-MWFE.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
28	z	70	576	369	106	96	5	0	0

- Molecule 29 is a protein called NADH dehydrogenase [ubiquinone] flavoprotein 1, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
29	1	430	3312	2086	593	613	20	0	0

- Molecule 30 is a protein called NADH dehydrogenase [ubiquinone] flavoprotein 2, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
30	2	213	1655	1058	278	309	10	0	0

- Molecule 31 is a protein called NADH-ubiquinone oxidoreductase 75 kDa subunit, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
31	3	688	5275	3301	922	1011	41	0	0

- Molecule 32 is a protein called NADH dehydrogenase [ubiquinone] iron-sulfur protein 2, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
32	4	430	3457	2207	594	631	25	0	0

- Molecule 33 is a protein called NADH dehydrogenase [ubiquinone] iron-sulfur protein 3, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
33	5	208	Total	C	N	O	S	0	0
			1726	1112	296	315	3		

- Molecule 34 is a protein called NADH dehydrogenase [ubiquinone] iron-sulfur protein 7, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
34	6	156	Total	C	N	O	S	0	0
			1247	795	225	213	14		

- Molecule 35 is a protein called Complex I-23kD.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
35	9	176	Total	C	N	O	S	0	0
			1414	889	243	270	12		

- Molecule 36 is a protein called NADH dehydrogenase [ubiquinone] flavoprotein 3, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
36	a	44	Total	C	N	O	S	0	0
			371	233	66	71	1		

- Molecule 37 is a protein called NADH dehydrogenase [ubiquinone] iron-sulfur protein 6, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
37	b	95	Total	C	N	O	S	0	0
			737	451	139	144	3		

- Molecule 38 is a protein called NADH dehydrogenase [ubiquinone] iron-sulfur protein 4, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
38	c	126	Total	C	N	O	S	0	0
			1024	646	182	193	3		

- Molecule 39 is a protein called NADH:ubiquinone oxidoreductase subunit A9.

Mol	Chain	Residues	Atoms					AltConf	Trace
39	d	340	Total	C	N	O	S	0	0
			2748	1775	489	478	6		

- Molecule 40 is a protein called NADH dehydrogenase [ubiquinone] 1 alpha subcomplex subunit 2.

Mol	Chain	Residues	Atoms					AltConf	Trace
40	e	86	Total	C	N	O	S	0	0
			691	434	129	126	2		

- Molecule 41 is a protein called Mitochondrial complex I, B13 subunit.

Mol	Chain	Residues	Atoms					AltConf	Trace
41	f	113	Total	C	N	O	S	0	0
			917	595	153	167	2		

- Molecule 42 is a protein called NADH:ubiquinone oxidoreductase subunit A6.

Mol	Chain	Residues	Atoms					AltConf	Trace
42	g	114	Total	C	N	O	S	0	0
			969	619	180	166	4		


- Molecule 43 is a protein called Mitochondrial complex I, B14.5a subunit.

Mol	Chain	Residues	Atoms					AltConf	Trace
43	h	96	Total	C	N	O	S	0	0
			769	480	146	140	3		

- Molecule 44 is a protein called NADH dehydrogenase [ubiquinone] 1 alpha subcomplex subunit 12.

Mol	Chain	Residues	Atoms					AltConf	Trace
44	i	145	Total	C	N	O	S	0	0
			1209	778	216	210	5		


- Molecule 45 is 1,2-Distearoyl-sn-glycerophosphoethanolamine (three-letter code: 3PE) (formula: C<sub>41</sub>H<sub>82</sub>NO<sub>8</sub>P).



Mol	Chain	Residues	Atoms					AltConf
			Total	C	N	O	P	
45	A	1	Total	C	N	O	P	0
			51	41	1	8	1	
45	J	1	Total	C	N	O	P	0
			91	71	2	16	2	
45	J	1	Total	C	N	O	P	0
			91	71	2	16	2	
45	L	1	Total	C	N	O	P	0
			82	62	2	16	2	
45	L	1	Total	C	N	O	P	0
			82	62	2	16	2	
45	M	1	Total	C	N	O	P	0
			44	34	1	8	1	
45	N	1	Total	C	N	O	P	0
			91	71	2	16	2	
45	N	1	Total	C	N	O	P	0
			91	71	2	16	2	
45	V	1	Total	C	N	O	P	0
			37	27	1	8	1	
45	o	1	Total	C	N	O	P	0
			31	21	1	8	1	
45	p	1	Total	C	O	P	0	
			27	18	8	1		
45	6	1	Total	C	N	O	P	0
			51	41	1	8	1	
45	i	1	Total	C	N	O	P	0
			51	41	1	8	1	


- Molecule 46 is 1,2-DIACYL-SN-GLYCERO-3-PHOSPHOCHOLINE (three-letter code:

PC1) (formula:  $C_{44}H_{88}NO_8P$ ).




Mol	Chain	Residues	Atoms					AltConf
			Total	C	N	O	P	
46	H	1	54	44	1	8	1	0
46	L	1	108	88	2	16	2	0
46	L	1	108	88	2	16	2	0
46	M	1	54	44	1	8	1	0
46	6	1	46	36	1	8	1	0

- Molecule 47 is S-[2-({N-[(2S)-2-hydroxy-3,3-dimethyl-4-(phosphonoxy)butanoyl]-beta-alanyl}amino)ethyl] tetradecanethioate (three-letter code: ZMP) (formula:  $C_{25}H_{49}N_2O_8PS$ ).




Mol	Chain	Residues	Atoms					AltConf	
			Total	C	N	O	P		S
47	X	1	31	20	2	7	1	1	0
47	j	1	34	23	2	7	1	1	0

- Molecule 48 is ADENOSINE MONOPHOSPHATE (three-letter code: AMP) (formula:  $C_{10}H_{14}N_5O_7P$ ).




Mol	Chain	Residues	Atoms					AltConf
			Total	C	N	O	P	
48	k	1	23	10	5	7	1	0

- Molecule 49 is MYRISTIC ACID (three-letter code: MYR) (formula:  $C_{14}H_{28}O_2$ ).



Mol	Chain	Residues	Atoms			AltConf
49	s	1	Total	C	O	0
			15	14	1	

- Molecule 50 is IRON/SULFUR CLUSTER (three-letter code: SF4) (formula: Fe<sub>4</sub>S<sub>4</sub>).




Mol	Chain	Residues	Atoms			AltConf
50	1	1	Total	Fe	S	0
			8	4	4	
50	3	1	Total	Fe	S	0
			16	8	8	
50	3	1	Total	Fe	S	0
			16	8	8	

*Continued on next page...*

Continued from previous page...

Mol	Chain	Residues	Atoms			AltConf
			Total	Fe	S	
50	6	1	8	4	4	0
50	9	1	16	8	8	0
50	9	1	16	8	8	0


- Molecule 51 is FLAVIN MONONUCLEOTIDE (three-letter code: FMN) (formula: C<sub>17</sub>H<sub>21</sub>N<sub>4</sub>O<sub>9</sub>P).



Mol	Chain	Residues	Atoms				AltConf	
			Total	C	N	O		P
51	1	1	31	17	4	9	1	0


- Molecule 52 is 1,4-DIHYDRONICOTINAMIDE ADENINE DINUCLEOTIDE (three-letter code: NAI) (formula: C<sub>21</sub>H<sub>29</sub>N<sub>7</sub>O<sub>14</sub>P<sub>2</sub>).





Mol	Chain	Residues	Atoms				AltConf	
52	1	1	Total	C	N	O	P	0
			44	21	7	14	2	

- Molecule 53 is FE2/S2 (INORGANIC) CLUSTER (three-letter code: FES) (formula: Fe<sub>2</sub>S<sub>2</sub>).



Mol	Chain	Residues	Atoms			AltConf
53	2	1	Total	Fe	S	0
			4	2	2	
53	3	1	Total	Fe	S	0
			4	2	2	


- Molecule 54 is POTASSIUM ION (three-letter code: K) (formula: K).

Mol	Chain	Residues	Atoms	AltConf
54	3	1	Total K 1 1	0

- Molecule 55 is ZINC ION (three-letter code: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms	AltConf
55	b	1	Total Zn 1 1	0

- Molecule 56 is NADPH DIHYDRO-NICOTINAMIDE-ADENINE-DINUCLEOTIDE PHOSPHATE (three-letter code: NDP) (formula: C<sub>21</sub>H<sub>30</sub>N<sub>7</sub>O<sub>17</sub>P<sub>3</sub>).




Mol	Chain	Residues	Atoms				AltConf	
56	d	1	Total	C	N	O	P	0
			48	21	7	17	3	


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: NADH-ubiquinone oxidoreductase chain 3




- Molecule 2: NADH-ubiquinone oxidoreductase chain 1




- Molecule 3: NADH-ubiquinone oxidoreductase chain 6



- Molecule 4: NADH-ubiquinone oxidoreductase chain 4L



- Molecule 5: NADH-ubiquinone oxidoreductase chain 5



- Molecule 6: NADH-ubiquinone oxidoreductase chain 4

Chain M:  99%




- Molecule 7: NADH-ubiquinone oxidoreductase chain 2

Chain N:  99%




- Molecule 8: NADH dehydrogenase [ubiquinone] 1 alpha subcomplex subunit 11

Chain V:  98%




- Molecule 9: NADH dehydrogenase [ubiquinone] 1 beta subcomplex subunit 5, mitochondrial

Chain W:  100%





- Molecule 10: Acyl carrier protein


Chain X:  5% 52% 45%



- Molecule 10: Acyl carrier protein

Chain j:  22% 51% 48%







- Molecule 11: NADH dehydrogenase [ubiquinone] 1 alpha subcomplex subunit 8




- Molecule 12: NADH dehydrogenase [ubiquinone] 1 beta subcomplex subunit 10




- Molecule 13: NADH dehydrogenase [ubiquinone] 1 alpha subcomplex subunit 10, mitochondrial




- Molecule 14: NADH dehydrogenase [ubiquinone] iron-sulfur protein 5




- Molecule 15: NADH dehydrogenase [ubiquinone] 1 alpha subcomplex subunit 3




- Molecule 16: NADH dehydrogenase [ubiquinone] 1 beta subcomplex subunit 3




- Molecule 17: NADH dehydrogenase [ubiquinone] 1 subunit C2




- Molecule 18: NADH:ubiquinone oxidoreductase subunit B4




- Molecule 19: NADH dehydrogenase [ubiquinone] 1 alpha subcomplex subunit 13




- Molecule 20: Mitochondrial complex I, B17 subunit



- Molecule 21: NADH dehydrogenase [ubiquinone] 1 beta subcomplex subunit 7




- Molecule 22: NADH dehydrogenase [ubiquinone] 1 beta subcomplex subunit 9




- Molecule 23: NADH dehydrogenase [ubiquinone] 1 beta subcomplex subunit 2, mitochondrial






- Molecule 24: NADH dehydrogenase [ubiquinone] 1 beta subcomplex subunit 8, mitochondrial




- Molecule 25: NADH dehydrogenase [ubiquinone] 1 beta subcomplex subunit 11, mitochondrial




- Molecule 26: NADH dehydrogenase [ubiquinone] 1 subunit C1, mitochondrial




- Molecule 27: NADH dehydrogenase [ubiquinone] 1 beta subcomplex subunit 1




- Molecule 28: Complex I-MWFE




- Molecule 29: NADH dehydrogenase [ubiquinone] flavoprotein 1, mitochondrial







- Molecule 30: NADH dehydrogenase [ubiquinone] flavoprotein 2, mitochondrial



- Molecule 31: NADH-ubiquinone oxidoreductase 75 kDa subunit, mitochondrial




- Molecule 32: NADH dehydrogenase [ubiquinone] iron-sulfur protein 2, mitochondrial




- Molecule 33: NADH dehydrogenase [ubiquinone] iron-sulfur protein 3, mitochondrial





- Molecule 34: NADH dehydrogenase [ubiquinone] iron-sulfur protein 7, mitochondrial




- Molecule 35: Complex I-23kD









- Molecule 36: NADH dehydrogenase [ubiquinone] flavoprotein 3, mitochondrial




- Molecule 37: NADH dehydrogenase [ubiquinone] iron-sulfur protein 6, mitochondrial




- Molecule 38: NADH dehydrogenase [ubiquinone] iron-sulfur protein 4, mitochondrial



- Molecule 39: NADH:ubiquinone oxidoreductase subunit A9




- Molecule 40: NADH dehydrogenase [ubiquinone] 1 alpha subcomplex subunit 2




- Molecule 41: Mitochondrial complex I, B13 subunit







- Molecule 42: NADH:ubiquinone oxidoreductase subunit A6



- Molecule 43: Mitochondrial complex I, B14.5a subunit



- Molecule 44: NADH dehydrogenase [ubiquinone] 1 alpha subcomplex subunit 12



## 4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	50789	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	TFS GLACIOS	Depositor
Voltage (kV)	200	Depositor
Electron dose ( $e^-/\text{\AA}^2$ )	90	Depositor
Minimum defocus (nm)	1000	Depositor
Maximum defocus (nm)	2000	Depositor
Magnification	120000	Depositor
Image detector	FEI FALCON III (4k x 4k)	Depositor
Maximum map value	0.532	Depositor
Minimum map value	-0.034	Depositor
Average map value	0.012	Depositor
Map value standard deviation	0.034	Depositor
Recommended contour level	0.1	Depositor
Map size (Å)	172.02, 196.42, 286.7	wwPDB
Map dimensions	235, 161, 141	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	1.22, 1.22, 1.22	Depositor

## 5 Model quality i

### 5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: FES, NDP, K, FME, FMN, PC1, 2MR, SF4, SEP, ZMP, AYA, AMP, 3PE, ZN, NAI, MYR

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.27	0/947	0.52	1/1296 (0.1%)
2	H	0.28	0/2603	0.51	1/3561 (0.0%)
3	J	0.29	0/1378	0.50	0/1868
4	K	0.28	0/749	0.55	0/1014
5	L	0.28	0/4925	0.48	1/6700 (0.0%)
6	M	0.27	0/3731	0.50	0/5085
7	N	0.28	0/2787	0.51	0/3795
8	V	0.28	0/1041	0.50	0/1412
9	W	0.27	0/1188	0.46	0/1607
10	X	0.29	0/713	0.48	0/963
10	j	0.30	0/670	0.52	0/902
11	Y	0.26	0/1440	0.53	0/1942
12	Z	0.26	0/1475	0.51	1/1989 (0.1%)
13	k	0.26	0/2646	0.45	0/3579
14	l	0.28	0/896	0.56	1/1200 (0.1%)
15	m	0.31	0/647	0.51	0/890
16	n	0.28	0/653	0.59	0/882
17	o	0.30	0/1035	0.52	1/1398 (0.1%)
18	p	0.30	0/1085	0.59	1/1467 (0.1%)
19	q	0.28	0/1171	0.54	0/1579
20	r	0.28	0/874	0.53	0/1188
21	s	0.27	0/1072	0.53	0/1436
22	t	0.27	0/1573	0.50	0/2130
23	u	0.27	0/590	0.47	0/810
24	v	0.27	0/1361	0.50	1/1861 (0.1%)
25	w	0.28	0/872	0.52	0/1185
26	x	0.30	0/425	0.46	0/576
27	y	0.29	0/449	0.52	0/605
28	z	0.30	0/591	0.55	0/795
29	1	0.27	0/3386	0.53	0/4575
30	2	0.27	0/1695	0.49	0/2306
31	3	0.27	0/5362	0.53	1/7266 (0.0%)

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
32	4	0.28	0/3535	0.50	0/4791
33	5	0.27	0/1776	0.51	0/2417
34	6	0.29	0/1278	0.52	0/1728
35	9	0.28	0/1445	0.54	0/1956
36	a	0.25	0/383	0.51	0/518
37	b	0.26	0/749	0.51	0/1009
38	c	0.27	0/1047	0.54	0/1415
39	d	0.26	0/2824	0.52	1/3830 (0.0%)
40	e	0.29	0/702	0.63	1/945 (0.1%)
41	f	0.25	0/937	0.41	0/1271
42	g	0.28	0/993	0.59	1/1336 (0.1%)
43	h	0.27	0/779	0.58	0/1053
44	i	0.27	0/1250	0.52	0/1698
All	All	0.27	0/67728	0.51	12/91829 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
3	J	0	1
31	3	0	1
32	4	0	1
All	All	0	3

There are no bond length outliers.

All (12) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
31	3	63	PRO	CA-N-CD	-9.62	98.03	111.50
42	g	60	ASP	CB-CG-OD2	8.99	126.39	118.30
40	e	84	ASP	CB-CG-OD2	7.12	124.70	118.30
14	l	4	ASP	CB-CG-OD2	6.29	123.97	118.30
18	p	121	ASP	CB-CG-OD1	5.89	123.60	118.30
24	v	81	LEU	CA-CB-CG	5.44	127.81	115.30
5	L	131	LEU	CA-CB-CG	5.35	127.61	115.30
2	H	85	MET	CA-CB-CG	5.34	122.38	113.30
1	A	16	LEU	CA-CB-CG	5.14	127.13	115.30
17	o	105	ASP	CB-CG-OD2	5.08	122.87	118.30
39	d	254	LEU	CA-CB-CG	5.02	126.85	115.30
12	Z	72	ASP	CB-CG-OD2	5.01	122.81	118.30

There are no chirality outliers.

All (3) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
31	3	259	ASN	Peptide
32	4	275	TYR	Peptide
3	J	115	ILE	Peptide

## 5.2 Too-close contacts [i](#)

Due to software issues we are unable to calculate clashes - this section is therefore empty.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	113/115 (98%)	107 (95%)	6 (5%)	0	100	100
2	H	316/318 (99%)	305 (96%)	11 (4%)	0	100	100
3	J	173/175 (99%)	167 (96%)	5 (3%)	1 (1%)	25	62
4	K	96/98 (98%)	94 (98%)	2 (2%)	0	100	100
5	L	604/606 (100%)	584 (97%)	20 (3%)	0	100	100
6	M	457/459 (100%)	449 (98%)	8 (2%)	0	100	100
7	N	345/347 (99%)	335 (97%)	10 (3%)	0	100	100
8	V	138/140 (99%)	137 (99%)	1 (1%)	0	100	100
9	W	137/139 (99%)	136 (99%)	1 (1%)	0	100	100
10	X	85/157 (54%)	80 (94%)	5 (6%)	0	100	100
10	j	80/157 (51%)	80 (100%)	0	0	100	100
11	Y	169/171 (99%)	163 (96%)	6 (4%)	0	100	100
12	Z	169/171 (99%)	167 (99%)	2 (1%)	0	100	100
13	k	317/320 (99%)	307 (97%)	10 (3%)	0	100	100

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
14	l	103/105 (98%)	100 (97%)	3 (3%)	0	100	100
15	m	78/80 (98%)	72 (92%)	6 (8%)	0	100	100
16	n	77/79 (98%)	75 (97%)	2 (3%)	0	100	100
17	o	118/120 (98%)	115 (98%)	3 (2%)	0	100	100
18	p	126/128 (98%)	125 (99%)	1 (1%)	0	100	100
19	q	137/139 (99%)	135 (98%)	2 (2%)	0	100	100
20	r	95/128 (74%)	93 (98%)	2 (2%)	0	100	100
21	s	120/122 (98%)	116 (97%)	4 (3%)	0	100	100
22	t	175/177 (99%)	172 (98%)	3 (2%)	0	100	100
23	u	63/65 (97%)	60 (95%)	3 (5%)	0	100	100
24	v	153/155 (99%)	149 (97%)	4 (3%)	0	100	100
25	w	99/101 (98%)	92 (93%)	7 (7%)	0	100	100
26	x	47/49 (96%)	47 (100%)	0	0	100	100
27	y	48/50 (96%)	46 (96%)	2 (4%)	0	100	100
28	z	68/70 (97%)	64 (94%)	4 (6%)	0	100	100
29	1	428/430 (100%)	415 (97%)	13 (3%)	0	100	100
30	2	211/213 (99%)	198 (94%)	13 (6%)	0	100	100
31	3	686/688 (100%)	663 (97%)	23 (3%)	0	100	100
32	4	427/430 (99%)	410 (96%)	17 (4%)	0	100	100
33	5	206/208 (99%)	197 (96%)	9 (4%)	0	100	100
34	6	154/156 (99%)	148 (96%)	6 (4%)	0	100	100
35	9	174/217 (80%)	167 (96%)	7 (4%)	0	100	100
36	a	42/44 (96%)	42 (100%)	0	0	100	100
37	b	93/95 (98%)	91 (98%)	2 (2%)	0	100	100
38	c	124/126 (98%)	120 (97%)	4 (3%)	0	100	100
39	d	338/340 (99%)	327 (97%)	11 (3%)	0	100	100
40	e	84/86 (98%)	80 (95%)	4 (5%)	0	100	100
41	f	111/113 (98%)	107 (96%)	4 (4%)	0	100	100
42	g	112/114 (98%)	108 (96%)	4 (4%)	0	100	100
43	h	92/114 (81%)	89 (97%)	3 (3%)	0	100	100
44	i	143/145 (99%)	140 (98%)	3 (2%)	0	100	100

*Continued on next page...*

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
All	All	8131/8460 (96%)	7874 (97%)	256 (3%)	1 (0%)	100 100

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
3	J	116	VAL

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	103/103 (100%)	102 (99%)	1 (1%)	76 89
2	H	278/278 (100%)	272 (98%)	6 (2%)	52 77
3	J	144/144 (100%)	137 (95%)	7 (5%)	25 57
4	K	86/86 (100%)	83 (96%)	3 (4%)	36 67
5	L	538/538 (100%)	529 (98%)	9 (2%)	60 82
6	M	411/411 (100%)	407 (99%)	4 (1%)	76 89
7	N	315/315 (100%)	313 (99%)	2 (1%)	86 95
8	V	101/101 (100%)	99 (98%)	2 (2%)	55 79
9	W	122/122 (100%)	122 (100%)	0	100 100
10	X	80/141 (57%)	75 (94%)	5 (6%)	18 50
10	j	76/141 (54%)	74 (97%)	2 (3%)	46 74
11	Y	154/154 (100%)	149 (97%)	5 (3%)	39 69
12	Z	155/155 (100%)	155 (100%)	0	100 100
13	k	283/283 (100%)	280 (99%)	3 (1%)	73 88
14	l	94/94 (100%)	92 (98%)	2 (2%)	53 78
15	m	69/69 (100%)	67 (97%)	2 (3%)	42 71
16	n	61/61 (100%)	60 (98%)	1 (2%)	62 83
17	o	107/107 (100%)	103 (96%)	4 (4%)	34 64

Continued on next page...



Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
18	p	114/114 (100%)	112 (98%)	2 (2%)	59	81
19	q	119/119 (100%)	116 (98%)	3 (2%)	47	75
20	r	95/122 (78%)	95 (100%)	0	100	100
21	s	110/110 (100%)	107 (97%)	3 (3%)	44	73
22	t	159/159 (100%)	157 (99%)	2 (1%)	69	86
23	u	59/59 (100%)	59 (100%)	0	100	100
24	v	140/140 (100%)	140 (100%)	0	100	100
25	w	92/92 (100%)	89 (97%)	3 (3%)	38	68
26	x	44/44 (100%)	43 (98%)	1 (2%)	50	76
27	y	46/46 (100%)	44 (96%)	2 (4%)	29	61
28	z	59/59 (100%)	57 (97%)	2 (3%)	37	67
29	1	344/344 (100%)	332 (96%)	12 (4%)	36	67
30	2	183/183 (100%)	180 (98%)	3 (2%)	62	83
31	3	578/578 (100%)	567 (98%)	11 (2%)	57	80
32	4	370/370 (100%)	363 (98%)	7 (2%)	57	80
33	5	189/189 (100%)	188 (100%)	1 (0%)	88	95
34	6	132/132 (100%)	129 (98%)	3 (2%)	50	76
35	9	151/179 (84%)	151 (100%)	0	100	100
36	a	43/43 (100%)	42 (98%)	1 (2%)	50	76
37	b	79/79 (100%)	79 (100%)	0	100	100
38	c	113/113 (100%)	111 (98%)	2 (2%)	59	81
39	d	294/294 (100%)	286 (97%)	8 (3%)	44	73
40	e	76/76 (100%)	74 (97%)	2 (3%)	46	74
41	f	101/101 (100%)	99 (98%)	2 (2%)	55	79
42	g	107/107 (100%)	105 (98%)	2 (2%)	57	80
43	h	84/96 (88%)	82 (98%)	2 (2%)	49	76
44	i	131/131 (100%)	128 (98%)	3 (2%)	50	76
All	All	7189/7382 (97%)	7054 (98%)	135 (2%)	59	80

All (135) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	13	LEU

Continued on next page...

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
2	H	30	TYR
2	H	54	LYS
2	H	202	GLU
2	H	224	PHE
2	H	259	PHE
2	H	274	ARG
3	J	41	CYS
3	J	55	MET
3	J	83	TRP
3	J	132	ASP
3	J	135	PHE
3	J	136	PHE
3	J	139	GLU
4	K	10	MET
4	K	53	PHE
4	K	76	SER
5	L	29	PHE
5	L	48	MET
5	L	74	LEU
5	L	111	ASP
5	L	186	MET
5	L	341	MET
5	L	498	PHE
5	L	559	GLU
5	L	598	SER
6	M	22	MET
6	M	57	PHE
6	M	269	MET
6	M	378	GLU
7	N	152	ASP
7	N	235	ASN
8	V	84	ASP
8	V	114	CYS
10	X	17	TYR
10	X	30	LEU
10	X	33	ASN
10	X	38	LYS
10	X	72	CYS
11	Y	15	GLN
11	Y	37	LYS
11	Y	107	ASP
11	Y	120	ASP

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
11	Y	133	ASP
13	k	81	LYS
13	k	206	TYR
13	k	305	ARG
14	l	27	ARG
14	l	101	GLU
15	m	58	ASP
15	m	61	ASN
16	n	18	TYR
17	o	16	ASP
17	o	28	ASP
17	o	86	ARG
17	o	100	ASP
18	p	102	TYR
18	p	113	LYS
19	q	19	ASP
19	q	71	MET
19	q	99	ASP
21	s	20	ARG
21	s	90	GLU
21	s	105	ARG
22	t	29	ARG
22	t	129	ARG
25	w	26	TRP
25	w	114	ASP
25	w	116	SER
26	x	31	LEU
27	y	24	TYR
27	y	28	ARG
28	z	34	ARG
28	z	66	LEU
29	1	61	LYS
29	1	81	PHE
29	1	167	CYS
29	1	269	GLU
29	1	292	ASP
29	1	306	LEU
29	1	309	LYS
29	1	355	LYS
29	1	359	CYS
29	1	365	CYS
29	1	405	CYS

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
29	1	425	GLU
30	2	11	ASP
30	2	28	TYR
30	2	118	GLU
31	3	39	ARG
31	3	52	CYS
31	3	77	TRP
31	3	115	ASP
31	3	156	CYS
31	3	192	MET
31	3	343	LEU
31	3	427	LYS
31	3	598	LYS
31	3	605	GLU
31	3	613	TYR
32	4	51	PHE
32	4	93	TYR
32	4	149	ASN
32	4	171	PHE
32	4	297	TYR
32	4	326	ASP
32	4	430	ARG
33	5	8	ARG
34	6	105	ASP
34	6	125	TYR
34	6	179	ARG
36	a	45	ASP
38	c	107	GLU
38	c	123	SER
39	d	50	ARG
39	d	138	ASP
39	d	222	ASP
39	d	263	TYR
39	d	265	TRP
39	d	275	PHE
39	d	290	THR
39	d	310	LEU
40	e	63	LYS
40	e	88	ARG
41	f	6	LYS
41	f	32	ASP
42	g	60	ASP

*Continued on next page...*

Continued from previous page...

Mol	Chain	Res	Type
42	g	94	ASN
43	h	60	ARG
43	h	108	ASP
44	i	1	MET
44	i	32	ASP
44	i	34	ARG
10	j	38	LYS
10	j	43	ASP

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (4) such sidechains are listed below:

Mol	Chain	Res	Type
5	L	170	GLN
7	N	91	ASN
21	s	46	ASN
30	2	57	GLN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

7 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
5	FME	L	1	5	8,9,10	0.92	0	7,9,11	0.94	0
6	FME	M	1	6	8,9,10	0.96	0	7,9,11	0.89	0
32	2MR	4	85	32	10,12,13	2.43	2 (20%)	5,13,15	1.06	1 (20%)
8	AYA	V	1	8	6,7,8	1.24	1 (16%)	5,8,10	1.83	1 (20%)
4	FME	K	1	4	8,9,10	0.91	0	7,9,11	1.02	0
13	SEP	k	36	13	8,9,10	1.54	1 (12%)	8,12,14	1.67	2 (25%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
43	AYA	h	1	43	6,7,8	1.29	1 (16%)	5,8,10	1.29	1 (20%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	FME	L	1	5	-	3/7/9/11	-
6	FME	M	1	6	-	3/7/9/11	-
32	2MR	4	85	32	-	2/10/13/15	-
8	AYA	V	1	8	-	2/4/6/8	-
4	FME	K	1	4	-	3/7/9/11	-
13	SEP	k	36	13	-	1/5/8/10	-
43	AYA	h	1	43	-	0/4/6/8	-

All (5) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
32	4	85	2MR	CZ-NE	5.21	1.45	1.34
32	4	85	2MR	CZ-NH2	4.99	1.44	1.33
13	k	36	SEP	P-O1P	3.38	1.61	1.50
43	h	1	AYA	CA-N	-2.51	1.43	1.46
8	V	1	AYA	CA-N	-2.30	1.44	1.46

All (5) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
8	V	1	AYA	CB-CA-N	3.25	113.22	109.61
13	k	36	SEP	P-OG-CB	-3.22	109.44	118.30
13	k	36	SEP	OG-CB-CA	2.88	110.94	108.14
43	h	1	AYA	CB-CA-N	2.67	112.58	109.61
32	4	85	2MR	CD-NE-CZ	2.09	127.32	123.41

There are no chirality outliers.

All (14) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	K	1	FME	N-CA-CB-CG
4	K	1	FME	C-CA-CB-CG

*Continued on next page...*

Continued from previous page...

Mol	Chain	Res	Type	Atoms
4	K	1	FME	O-C-CA-CB
5	L	1	FME	CA-CB-CG-SD
6	M	1	FME	C-CA-CB-CG
6	M	1	FME	O-C-CA-CB
32	4	85	2MR	C-CA-CB-CG
8	V	1	AYA	OT-CT-N-CA
8	V	1	AYA	CM-CT-N-CA
5	L	1	FME	CB-CG-SD-CE
13	k	36	SEP	N-CA-CB-OG
32	4	85	2MR	CA-CB-CG-CD
5	L	1	FME	CB-CA-N-CN
6	M	1	FME	N-CA-CB-CG

There are no ring outliers.

No monomer is involved in short contacts.

## 5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 5.6 Ligand geometry [i](#)

Of 35 ligands modelled in this entry, 2 are monoatomic - leaving 33 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
45	3PE	p	201	-	26,26,50	0.48	0	30,31,55	0.51	1 (3%)
49	MYR	s	201	21	14,14,15	0.20	0	13,13,15	0.18	0
50	SF4	3	802	31	0,12,12	-	-	-	-	-
50	SF4	3	801	31	0,12,12	-	-	-	-	-
45	3PE	6	203	-	50,50,50	0.30	0	53,55,55	0.28	0
56	NDP	d	401	-	45,52,52	0.53	0	53,80,80	0.55	1 (1%)
50	SF4	6	201	34	0,12,12	-	-	-	-	-

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
45	3PE	J	202	-	39,39,50	0.34	0	42,44,55	0.30	0
45	3PE	M	501	-	43,43,50	0.33	0	46,48,55	0.34	0
45	3PE	J	201	-	50,50,50	0.31	0	53,55,55	0.30	0
45	3PE	L	1002	-	30,30,50	0.41	0	33,35,55	0.74	2 (6%)
46	PC1	H	401	-	53,53,53	0.30	0	59,61,61	0.43	0
45	3PE	i	201	-	50,50,50	0.30	0	53,55,55	0.28	0
45	3PE	N	402	-	50,50,50	0.33	0	53,55,55	0.49	0
45	3PE	V	400	-	36,36,50	0.34	0	39,41,55	0.32	0
46	PC1	L	1003	-	53,53,53	0.31	0	59,61,61	0.54	2 (3%)
45	3PE	A	201	-	50,50,50	0.30	0	53,55,55	0.29	0
45	3PE	N	401	-	39,39,50	0.33	0	42,44,55	0.31	0
50	SF4	1	501	29	0,12,12	-	-	-	-	-
46	PC1	6	202	-	45,45,53	0.32	0	51,53,61	0.30	0
50	SF4	9	202	35	0,12,12	-	-	-	-	-
51	FMN	1	502	-	33,33,33	1.06	2 (6%)	48,50,50	1.24	7 (14%)
53	FES	2	300	30	0,4,4	-	-	-	-	-
47	ZMP	j	101	10	27,33,36	0.67	1 (3%)	32,40,45	1.04	1 (3%)
46	PC1	M	502	-	53,53,53	0.30	0	59,61,61	0.32	0
50	SF4	9	201	35	0,12,12	-	-	-	-	-
47	ZMP	X	101	10	24,30,36	0.76	1 (4%)	29,37,45	0.94	1 (3%)
45	3PE	L	1001	-	50,50,50	0.30	0	53,55,55	0.29	0
53	FES	3	803	31	0,4,4	-	-	-	-	-
48	AMP	k	501	-	22,25,25	0.88	1 (4%)	25,38,38	1.22	2 (8%)
52	NAI	1	503	-	42,48,48	0.59	1 (2%)	47,73,73	1.92	4 (8%)
46	PC1	L	1004	-	53,53,53	0.29	0	59,61,61	0.30	0
45	3PE	o	501	-	30,30,50	0.38	0	33,35,55	0.35	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
45	3PE	p	201	-	-	7/27/27/54	-
49	MYR	s	201	21	-	0/11/12/13	-
50	SF4	3	802	31	-	-	0/6/5/5
50	SF4	3	801	31	-	-	0/6/5/5
45	3PE	6	203	-	-	8/54/54/54	-
56	NDP	d	401	-	-	10/30/77/77	0/5/5/5
50	SF4	6	201	34	-	-	0/6/5/5

Continued on next page...



Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
45	3PE	J	202	-	-	10/43/43/54	-
45	3PE	M	501	-	-	10/47/47/54	-
45	3PE	J	201	-	-	12/54/54/54	-
45	3PE	L	1002	-	-	8/34/34/54	-
46	PC1	H	401	-	-	12/57/57/57	-
45	3PE	i	201	-	-	9/54/54/54	-
45	3PE	N	402	-	-	14/54/54/54	-
45	3PE	V	400	-	-	12/40/40/54	-
46	PC1	L	1003	-	-	19/57/57/57	-
45	3PE	A	201	-	-	17/54/54/54	-
45	3PE	N	401	-	-	10/43/43/54	-
50	SF4	1	501	29	-	-	0/6/5/5
46	PC1	6	202	-	-	6/49/49/57	-
50	SF4	9	202	35	-	-	0/6/5/5
51	FMN	1	502	-	-	9/18/18/18	0/3/3/3
53	FES	2	300	30	-	-	0/1/1/1
47	ZMP	j	101	10	-	9/38/40/43	-
46	PC1	M	502	-	-	16/57/57/57	-
50	SF4	9	201	35	-	-	0/6/5/5
47	ZMP	X	101	10	-	7/35/37/43	-
45	3PE	L	1001	-	-	11/54/54/54	-
53	FES	3	803	31	-	-	0/1/1/1
48	AMP	k	501	-	-	2/6/26/26	0/3/3/3
52	NAI	1	503	-	-	6/25/72/72	0/5/5/5
46	PC1	L	1004	-	-	10/57/57/57	-
45	3PE	o	501	-	-	5/34/34/54	-

All (6) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
51	1	502	FMN	C4A-N5	3.61	1.37	1.30
47	X	101	ZMP	C9-C10	2.47	1.53	1.50
48	k	501	AMP	C5-C4	2.38	1.47	1.40
51	1	502	FMN	C10-N1	2.24	1.37	1.33
47	j	101	ZMP	C9-C10	2.23	1.53	1.50
52	1	503	NAI	PA-O5B	2.07	1.67	1.59

All (21) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
52	1	503	NAI	O5B-PA-O1A	-9.74	70.99	109.07
52	1	503	NAI	O2A-PA-O1A	-7.78	73.79	112.24
51	1	502	FMN	C4-N3-C2	-3.26	119.62	125.64
48	k	501	AMP	N3-C2-N1	-3.26	123.59	128.68
47	j	101	ZMP	O1-C10-C9	-2.97	120.48	123.99
51	1	502	FMN	C4A-C10-N10	2.77	120.54	116.48
51	1	502	FMN	C4A-C4-N3	2.71	120.08	113.19
48	k	501	AMP	C4-C5-N7	-2.69	106.60	109.40
51	1	502	FMN	O4-C4-C4A	-2.55	119.82	126.60
47	X	101	ZMP	O1-C10-C9	-2.55	120.98	123.99
52	1	503	NAI	O2A-PA-O5B	2.40	118.88	107.75
52	1	503	NAI	C5A-C6A-N6A	2.33	123.89	120.35
56	d	401	NDP	C5A-C6A-N6A	2.30	123.85	120.35
51	1	502	FMN	C4A-C10-N1	-2.26	119.49	124.73
51	1	502	FMN	C10-C4A-N5	-2.24	120.10	124.86
46	L	1003	PC1	C2-O21-C21	2.21	123.23	117.79
45	p	201	3PE	O12-P-O14	2.15	119.10	110.68
45	L	1002	3PE	C2-O21-C21	2.13	123.03	117.79
45	L	1002	3PE	O21-C2-C1	2.08	115.93	108.40
46	L	1003	PC1	O21-C2-C1	2.01	115.69	108.40
51	1	502	FMN	C9A-C5A-N5	-2.00	120.25	122.43

There are no chirality outliers.

All (239) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
45	A	201	3PE	C1-O11-P-O12
45	A	201	3PE	C1-O11-P-O14
45	A	201	3PE	C11-O13-P-O11
45	A	201	3PE	C11-O13-P-O14
45	A	201	3PE	O13-C11-C12-N
45	J	201	3PE	C1-O11-P-O12
45	J	201	3PE	C1-O11-P-O13
45	J	202	3PE	C1-O11-P-O13
45	J	202	3PE	C1-O11-P-O14
45	J	202	3PE	O13-C11-C12-N
45	L	1001	3PE	C1-O11-P-O14
45	L	1001	3PE	C11-O13-P-O11
45	L	1001	3PE	C11-O13-P-O14
45	L	1001	3PE	O13-C11-C12-N
45	L	1002	3PE	C11-O13-P-O12

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms
45	L	1002	3PE	O13-C11-C12-N
45	M	501	3PE	C1-O11-P-O14
45	M	501	3PE	C11-O13-P-O14
45	M	501	3PE	O13-C11-C12-N
45	N	401	3PE	C1-O11-P-O12
45	N	401	3PE	C11-O13-P-O11
45	N	401	3PE	C11-O13-P-O12
45	N	401	3PE	C11-O13-P-O14
45	N	401	3PE	O13-C11-C12-N
45	N	402	3PE	C11-O13-P-O11
45	N	402	3PE	C11-O13-P-O12
45	N	402	3PE	C11-O13-P-O14
45	V	400	3PE	O13-C11-C12-N
45	o	501	3PE	C11-O13-P-O11
45	o	501	3PE	C11-O13-P-O14
45	p	201	3PE	C1-O11-P-O12
45	p	201	3PE	C1-O11-P-O13
45	p	201	3PE	C1-O11-P-O14
45	6	203	3PE	C1-O11-P-O12
45	6	203	3PE	C1-O11-P-O14
45	6	203	3PE	C11-O13-P-O14
45	6	203	3PE	O13-C11-C12-N
45	i	201	3PE	C1-O11-P-O12
45	i	201	3PE	C1-O11-P-O13
45	i	201	3PE	C1-O11-P-O14
46	H	401	PC1	C1-O11-P-O14
46	L	1003	PC1	C11-O13-P-O14
46	L	1003	PC1	C1-O11-P-O12
46	L	1003	PC1	C1-O11-P-O14
46	L	1004	PC1	C11-O13-P-O12
46	L	1004	PC1	C11-O13-P-O14
46	M	502	PC1	C11-O13-P-O12
46	M	502	PC1	C11-O13-P-O14
46	M	502	PC1	C1-O11-P-O12
47	X	101	ZMP	C16-C17-C18-C21
47	X	101	ZMP	O3-C16-C17-O4
47	X	101	ZMP	C17-C16-N2-C15
47	X	101	ZMP	C7-C8-C9-C10
47	j	101	ZMP	C13-C14-C15-N2
47	j	101	ZMP	S1-C11-C12-N1
47	j	101	ZMP	O1-C10-S1-C11
47	j	101	ZMP	C9-C10-S1-C11

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms
51	1	502	FMN	N10-C1'-C2'-O2'
51	1	502	FMN	N10-C1'-C2'-C3'
51	1	502	FMN	C1'-C2'-C3'-C4'
51	1	502	FMN	C5'-O5'-P-O2P
51	1	502	FMN	C5'-O5'-P-O3P
52	1	503	NAI	C5B-O5B-PA-O1A
56	d	401	NDP	C5D-O5D-PN-O1N
56	d	401	NDP	C2N-C3N-C7N-N7N
47	X	101	ZMP	O3-C16-N2-C15
52	1	503	NAI	C2D-C1D-N1N-C6N
48	k	501	AMP	C3'-C4'-C5'-O5'
52	1	503	NAI	C2D-C1D-N1N-C2N
46	L	1003	PC1	C31-C32-C33-C34
46	M	502	PC1	C11-C12-N-C14
46	6	202	PC1	C11-C12-N-C14
45	A	201	3PE	C1-O11-P-O13
45	J	201	3PE	C11-O13-P-O11
45	L	1002	3PE	C11-O13-P-O11
45	M	501	3PE	C1-O11-P-O13
45	M	501	3PE	C11-O13-P-O11
45	N	402	3PE	C1-O11-P-O13
45	V	400	3PE	C1-O11-P-O13
45	V	400	3PE	C11-O13-P-O11
45	6	203	3PE	C1-O11-P-O13
46	H	401	PC1	C1-O11-P-O13
46	L	1003	PC1	C11-O13-P-O11
46	L	1003	PC1	C1-O11-P-O13
46	L	1004	PC1	C11-O13-P-O11
46	M	502	PC1	C11-O13-P-O11
46	6	202	PC1	C1-O11-P-O13
46	M	502	PC1	C11-C12-N-C15
51	1	502	FMN	O2'-C2'-C3'-O3'
45	J	202	3PE	C26-C27-C28-C29
45	N	402	3PE	C37-C38-C39-C3A
45	i	201	3PE	C29-C2A-C2B-C2C
51	1	502	FMN	O2'-C2'-C3'-C4'
45	J	202	3PE	C31-C32-C33-C34
45	N	402	3PE	C29-C2A-C2B-C2C
45	J	202	3PE	C21-C22-C23-C24
45	A	201	3PE	C2D-C2E-C2F-C2G
46	L	1003	PC1	C38-C39-C3A-C3B
45	6	203	3PE	C3C-C3D-C3E-C3F

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms
46	L	1004	PC1	C11-C12-N-C14
46	6	202	PC1	C11-C12-N-C13
45	N	402	3PE	C2C-C2D-C2E-C2F
46	L	1004	PC1	C11-C12-N-C15
46	M	502	PC1	C11-C12-N-C13
46	6	202	PC1	C11-C12-N-C15
46	M	502	PC1	C3A-C3B-C3C-C3D
46	L	1003	PC1	O11-C1-C2-C3
45	J	202	3PE	C25-C26-C27-C28
47	j	101	ZMP	C3-C4-C5-C6
51	1	502	FMN	C5'-O5'-P-O1P
46	L	1003	PC1	O11-C1-C2-O21
46	L	1004	PC1	C11-C12-N-C13
45	J	201	3PE	O11-C1-C2-C3
45	V	400	3PE	C2-C1-O11-P
45	J	202	3PE	C1-C2-C3-O31
45	p	201	3PE	C22-C23-C24-C25
45	N	401	3PE	C1-O11-P-O13
47	X	101	ZMP	C6-C7-C8-C9
48	k	501	AMP	O4'-C4'-C5'-O5'
45	J	202	3PE	O21-C2-C3-O31
46	L	1003	PC1	C2-C1-O11-P
45	L	1001	3PE	C35-C36-C37-C38
46	M	502	PC1	C2-C1-O11-P
45	A	201	3PE	O21-C2-C3-O31
56	d	401	NDP	C2B-O2B-P2B-O2X
56	d	401	NDP	C5D-O5D-PN-O3
46	H	401	PC1	C2C-C2D-C2E-C2F
46	H	401	PC1	C3C-C3D-C3E-C3F
45	6	203	3PE	C11-O13-P-O11
52	1	503	NAI	O4D-C1D-N1N-C6N
45	M	501	3PE	C2-C1-O11-P
45	J	201	3PE	C1-O11-P-O14
45	J	201	3PE	C11-O13-P-O14
45	L	1002	3PE	C11-O13-P-O14
45	M	501	3PE	C1-O11-P-O12
45	N	401	3PE	C1-O11-P-O14
45	N	402	3PE	C1-O11-P-O12
45	N	402	3PE	C1-O11-P-O14
45	V	400	3PE	C1-O11-P-O12
45	V	400	3PE	C1-O11-P-O14
45	V	400	3PE	C11-O13-P-O14

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms
46	H	401	PC1	C1-O11-P-O12
46	L	1003	PC1	C11-O13-P-O12
46	M	502	PC1	C1-O11-P-O14
46	6	202	PC1	C1-O11-P-O12
56	d	401	NDP	C5D-O5D-PN-O2N
45	M	501	3PE	C12-C11-O13-P
51	1	502	FMN	C1'-C2'-C3'-O3'
46	M	502	PC1	C25-C26-C27-C28
45	J	201	3PE	O11-C1-C2-O21
46	L	1003	PC1	C23-C24-C25-C26
45	A	201	3PE	C1-C2-C3-O31
46	H	401	PC1	O13-C11-C12-N
46	L	1003	PC1	O13-C11-C12-N
56	d	401	NDP	C2N-C3N-C7N-O7N
45	M	501	3PE	C31-C32-C33-C34
47	j	101	ZMP	O3-C16-C17-O4
46	M	502	PC1	O31-C31-C32-C33
46	H	401	PC1	C3-C2-O21-C21
46	H	401	PC1	C22-C23-C24-C25
45	i	201	3PE	C11-O13-P-O11
56	d	401	NDP	O4D-C1D-N1N-C6N
45	A	201	3PE	C2-C1-O11-P
46	L	1003	PC1	C29-C2A-C2B-C2C
45	V	400	3PE	O11-C1-C2-O21
46	H	401	PC1	C2B-C2C-C2D-C2E
45	N	402	3PE	C23-C24-C25-C26
47	j	101	ZMP	C2-C3-C4-C5
56	d	401	NDP	C2D-C1D-N1N-C6N
46	M	502	PC1	C39-C3A-C3B-C3C
47	j	101	ZMP	C19-C18-C21-O5
45	L	1002	3PE	C1-C2-O21-C21
46	L	1003	PC1	C1-C2-O21-C21
45	N	401	3PE	C21-C22-C23-C24
46	M	502	PC1	C1-O11-P-O13
45	V	400	3PE	O11-C1-C2-C3
46	H	401	PC1	O11-C1-C2-C3
52	1	503	NAI	O4D-C1D-N1N-C2N
45	6	203	3PE	C33-C34-C35-C36
46	H	401	PC1	O22-C21-O21-C2
46	M	502	PC1	C36-C37-C38-C39
45	N	402	3PE	C24-C25-C26-C27
45	L	1001	3PE	O21-C21-C22-C23

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms
56	d	401	NDP	C2B-O2B-P2B-O1X
45	i	201	3PE	O31-C31-C32-C33
45	L	1001	3PE	C1-O11-P-O13
45	V	400	3PE	O31-C31-C32-C33
45	J	201	3PE	C27-C28-C29-C2A
46	L	1003	PC1	C34-C35-C36-C37
46	6	202	PC1	C3B-C3C-C3D-C3E
45	L	1002	3PE	O21-C21-C22-C23
45	i	201	3PE	O21-C21-C22-C23
45	J	201	3PE	O21-C21-C22-C23
45	J	201	3PE	C33-C34-C35-C36
45	A	201	3PE	O31-C31-C32-C33
46	L	1003	PC1	O31-C31-C32-C33
46	L	1004	PC1	O31-C31-C32-C33
45	o	501	3PE	O31-C31-C32-C33
46	H	401	PC1	C22-C21-O21-C2
45	A	201	3PE	C38-C39-C3A-C3B
56	d	401	NDP	O4B-C4B-C5B-O5B
45	N	402	3PE	O21-C21-C22-C23
45	A	201	3PE	O21-C21-C22-C23
45	p	201	3PE	O21-C21-C22-C23
46	L	1004	PC1	C26-C27-C28-C29
45	J	201	3PE	O22-C21-C22-C23
45	L	1001	3PE	O22-C21-C22-C23
45	i	201	3PE	O32-C31-C32-C33
45	L	1001	3PE	C34-C35-C36-C37
45	A	201	3PE	O32-C31-C32-C33
45	V	400	3PE	O32-C31-C32-C33
45	i	201	3PE	O22-C21-C22-C23
45	A	201	3PE	O22-C21-C22-C23
45	o	501	3PE	C25-C26-C27-C28
45	p	201	3PE	C21-C22-C23-C24
45	J	202	3PE	C2-C1-O11-P
45	L	1002	3PE	C2-C1-O11-P
45	L	1002	3PE	O22-C21-C22-C23
52	1	503	NAI	C2N-C3N-C7N-N7N
45	N	402	3PE	O22-C21-C22-C23
46	L	1003	PC1	O21-C21-C22-C23
45	J	201	3PE	C3A-C3B-C3C-C3D
46	L	1004	PC1	O32-C31-C32-C33
45	L	1001	3PE	C23-C24-C25-C26
45	A	201	3PE	C12-C11-O13-P

*Continued on next page...*

*Continued from previous page...*


Mol	Chain	Res	Type	Atoms
45	L	1001	3PE	C12-C11-O13-P
45	N	402	3PE	C3-C2-O21-C21
45	o	501	3PE	O32-C31-C32-C33
45	M	501	3PE	O21-C21-C22-C23
45	A	201	3PE	C2A-C2B-C2C-C2D
47	X	101	ZMP	S1-C11-C12-N1
46	L	1003	PC1	O22-C21-C22-C23
45	N	401	3PE	C32-C33-C34-C35
46	M	502	PC1	C3B-C3C-C3D-C3E
47	j	101	ZMP	C22-C1-C2-C3
45	p	201	3PE	O22-C21-C22-C23
46	L	1004	PC1	C37-C38-C39-C3A
45	N	401	3PE	O21-C21-C22-C23
45	V	400	3PE	O21-C21-C22-C23


There are no ring outliers.


No monomer is involved in short contacts.



The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





































## 5.7 Other polymers [\(i\)](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [\(i\)](#)

There are no chain breaks in this entry.


## 6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-14648. These allow visual inspection of the internal detail of the map and identification of artifacts.


No raw map or half-maps were deposited for this entry and therefore no images, graphs, etc. pertaining to the raw map can be shown.

### 6.1 Orthogonal projections [i](#)


#### 6.1.1 Primary map



X



Y




Z


The images above show the map projected in three orthogonal directions.

### 6.2 Central slices [i](#)


#### 6.2.1 Primary map



X Index: 70



Y Index: 80




Z Index: 117


The images above show central slices of the map in three orthogonal directions.

## 6.3 Largest variance slices [i](#)


### 6.3.1 Primary map



X Index: 62



Y Index: 105



Z Index: 171


The images above show the largest variance slices of the map in three orthogonal directions.

## 6.4 Orthogonal surface views [i](#)

### 6.4.1 Primary map



X



Y



Z

The images above show the 3D surface view of the map at the recommended contour level 0.1. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.


## 6.5 Mask visualisation

This section was not generated. No masks/segmentation were deposited.

## 7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

### 7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.

## 7.2 Volume estimate [i](#)



The volume at the recommended contour level is 370 nm<sup>3</sup>; this corresponds to an approximate mass of 334 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.


## 7.3 Rotationally averaged power spectrum [i](#)

This section was not generated. The rotationally averaged power spectrum is only generated for cubic maps.

## 8 Fourier-Shell correlation [\(i\)](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

### 8.1 FSC [\(i\)](#)



\*Reported resolution corresponds to spatial frequency of 0.289 Å<sup>-1</sup>



## 8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	3.46	-	-
Author-provided FSC curve	3.48	3.97	3.51
Unmasked-calculated*	-	-	-

\*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps.

## 9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-14648 and PDB model 7ZDH. Per-residue inclusion information can be found in section 3 on page 19.

### 9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.1 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

## 9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

## 9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.1).







































































## 9.4 Atom inclusion [i](#)



At the recommended contour level, 82% of all backbone atoms, 74% of all non-hydrogen atoms, are inside the map.

## 9.5 Map-model fit summary























The table lists the average atom inclusion at the recommended contour level (0.1) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.7406	 0.5130
1	 0.7158	 0.5130
2	 0.6922	 0.5130
3	 0.7621	 0.5270
4	 0.7754	 0.5120
5	 0.7814	 0.5430
6	 0.8181	 0.5390
9	 0.7741	 0.5030
A	 0.6798	 0.4880
H	 0.7696	 0.5090
J	 0.7466	 0.5030
K	 0.7672	 0.5070
L	 0.7744	 0.5060
M	 0.8013	 0.5240
N	 0.7846	 0.5190
V	 0.6734	 0.4880
W	 0.8002	 0.5280
X	 0.6419	 0.4810
Y	 0.7476	 0.5200
Z	 0.7430	 0.5100
a	 0.6878	 0.5130
b	 0.7159	 0.5390
c	 0.7662	 0.5380
d	 0.7261	 0.5200
e	 0.6548	 0.4960
f	 0.6692	 0.5020
g	 0.7032	 0.5230
h	 0.6985	 0.5330
i	 0.7394	 0.5300
j	 0.4688	 0.4610
k	 0.7105	 0.5140
l	 0.7339	 0.5120
m	 0.7215	 0.5050
n	 0.6764	 0.4870
o	 0.7735	 0.5250



*Continued on next page...*

*Continued from previous page...*

Chain	Atom inclusion	Q-score
p	 0.6746	 0.4960
q	 0.7450	 0.5020
r	 0.7162	 0.5030
s	 0.6686	 0.4740
t	 0.7035	 0.5020
u	 0.7646	 0.4950
v	 0.7380	 0.5140
w	 0.7148	 0.5070
x	 0.7072	 0.4940
y	 0.6690	 0.5150
z	 0.7722	 0.5000