



# Full wwPDB X-ray Structure Validation Report ⓘ

Jul 31, 2024 – 02:16 PM JST

PDB ID : 8ZFS  
Title : Crystal Structure of Human PPARgamma Ligand Binding Domain in Complex with T0070907 and MRL24  
Authors : Shang, J.; Kojetin, D.J.  
Deposited on : 2024-05-08  
Resolution : 2.56 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
Xtrriage (Phenix) : 1.13  
EDS : 2.37.1  
buster-report : 1.1.7 (2018)  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.37.1


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.56 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	1279 (2.58-2.54)
Clashscore	141614	1327 (2.58-2.54)
Ramachandran outliers	138981	1312 (2.58-2.54)
Sidechain outliers	138945	1312 (2.58-2.54)
RSRZ outliers	127900	1269 (2.58-2.54)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	275	 8% (Poor fit), 62% (0 outliers), 30% (1 outlier), 6% (2 outliers)
1	B	275	 6% (Poor fit), 63% (0 outliers), 26% (1 outlier), 10% (2 outliers)

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	EEY	A	501	-	-	-	X
2	EEY	B	501	-	-	X	X

## 2 Entry composition i


There are 4 unique types of molecules in this entry. The entry contains 4199 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Peroxisome proliferator-activated receptor gamma.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	259	Total 2075	C 1340	N 338	O 387	S 10	0	0	0
1	B	248	Total 1991	C 1291	N 327	O 364	S 9	0	0	0

- Molecule 2 is 2-chloro-5-nitro-N-(pyridin-4-yl)benzamide (three-letter code: EEY) (formula:  $C_{12}H_8ClN_3O_3$ ) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
			Total	C	N	O		
2	A	1	Total 18	C 12	N 3	O 3	0	0
2	B	1	Total 18	C 12	N 3	O 3	0	0


- Molecule 3 is (2S)-2-(3-{[1-(4-METHOXYBENZOYL)-2-METHYL-5-(TRIFLUOROMETHOXY)-1H-INDOL-3-YL]METHYL}PHENOXY)PROPANOIC ACID (three-letter code: 241) (formula:  $C_{28}H_{24}F_3NO_6$ ) (labeled as "Ligand of Interest" by depositor).




### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Peroxisome proliferator-activated receptor gamma



- Molecule 1: Peroxisome proliferator-activated receptor gamma



## 4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	92.42Å 61.63Å 119.55Å 90.00° 102.19° 90.00°	Depositor
Resolution (Å)	58.43 – 2.56 58.43 – 2.56	Depositor EDS
% Data completeness (in resolution range)	99.5 (58.43-2.56) 99.5 (58.43-2.56)	Depositor EDS
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	1.72 (at 2.55Å)	Xtrriage
Refinement program	PHENIX 1.11.1_2575	Depositor
R, $R_{free}$	0.222 , 0.271 0.237 , 0.279	Depositor DCC
$R_{free}$ test set	1004 reflections (4.71%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	55.1	Xtrriage
Anisotropy	0.439	Xtrriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.35 , 53.5	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.50$ , $\langle L^2 \rangle = 0.34$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
$F_o, F_c$ correlation	0.94	EDS
Total number of atoms	4199	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	64.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 6.06% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality

### 5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: EEY, 241

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.48	0/2109	0.63	0/2839
1	B	0.51	0/2024	0.65	0/2722
All	All	0.50	0/4133	0.64	0/5561

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2075	0	2137	111	0
1	B	1991	0	2052	76	0
2	A	18	0	0	4	0
2	B	18	0	0	8	0
3	A	38	0	23	16	0
3	B	38	0	23	9	0
4	A	9	0	0	0	0
4	B	12	0	0	0	0
All	All	4199	0	4235	193	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 23.



All (193) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:285:CYS:SG	2:A:501:EEY:C03	2.07	1.43
1:B:285:CYS:SG	2:B:501:EEY:C03	2.27	1.22
1:A:329:MET:CB	3:A:502:241:HAA3	1.72	1.19
1:A:329:MET:CB	3:A:502:241:CAA	2.23	1.16
1:A:329:MET:HG3	3:A:502:241:CAA	1.76	1.15
1:A:329:MET:HG3	3:A:502:241:HAA1	1.34	1.08
1:A:319:LYS:HZ1	1:A:474:LYS:HB3	1.15	1.06
1:A:329:MET:HB2	3:A:502:241:CAA	1.83	1.06
1:A:329:MET:CG	3:A:502:241:CAA	2.34	1.06
1:A:319:LYS:NZ	1:A:474:LYS:CB	2.20	1.03
1:A:329:MET:HB2	3:A:502:241:HAA2	1.33	1.03
1:A:393:LEU:CD2	1:A:409:ILE:CG2	2.38	1.02
1:A:393:LEU:HD21	1:A:409:ILE:CG2	1.92	0.99
1:A:393:LEU:HD21	1:A:409:ILE:HG21	1.46	0.95
1:A:393:LEU:CD2	1:A:409:ILE:HB	1.96	0.94
1:A:329:MET:HB3	3:A:502:241:HAA3	1.46	0.94
1:A:393:LEU:HD13	1:A:413:LEU:CD1	1.97	0.94
1:A:369:GLU:O	1:A:373:LYS:HD2	1.68	0.93
1:A:393:LEU:HD22	1:A:409:ILE:HG22	1.50	0.92
1:A:319:LYS:NZ	1:A:474:LYS:HB3	1.83	0.92
1:A:319:LYS:NZ	1:A:474:LYS:HB2	1.86	0.89
1:A:393:LEU:HD13	1:A:413:LEU:HD11	1.58	0.85
1:A:393:LEU:CD2	1:A:409:ILE:CB	2.55	0.84
1:A:325:ILE:HG23	1:A:388:ILE:HD12	1.61	0.83
1:A:393:LEU:HD22	1:A:409:ILE:CG2	2.06	0.83
1:A:325:ILE:HD13	1:A:388:ILE:HG23	1.59	0.82
1:A:285:CYS:SG	2:A:501:EEY:C02	2.68	0.81
1:A:319:LYS:HZ3	1:A:474:LYS:CB	1.94	0.79
1:B:288:ARG:CZ	3:B:502:241:HAP	2.13	0.78
1:B:363:PHE:CE2	1:B:452:LEU:HB3	2.18	0.78
1:A:329:MET:CB	3:A:502:241:HAA2	2.05	0.77
1:A:319:LYS:CE	1:A:474:LYS:HB2	2.15	0.77
1:A:282:PHE:HB2	2:A:501:EEY:O09	1.85	0.76
1:A:393:LEU:HD23	1:A:409:ILE:HB	1.68	0.74
1:A:329:MET:CG	3:A:502:241:HAA3	2.09	0.74
1:A:319:LYS:HZ1	1:A:474:LYS:CB	1.83	0.74
1:B:286:GLN:HG2	2:B:501:EEY:C14	2.20	0.71
1:B:377:LEU:HD11	1:B:438:LYS:HE2	1.71	0.71
1:A:393:LEU:CD2	1:A:409:ILE:HG22	2.13	0.70
1:A:259:GLU:N	1:A:259:GLU:OE2	2.25	0.70

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:357:ARG:HG2	1:A:359:PRO:HD2	1.75	0.69
1:B:449:HIS:CE1	1:B:453:LEU:HD11	2.27	0.69
1:B:290:VAL:HG21	1:B:473:TYR:CD2	2.28	0.68
1:A:280:ARG:HA	1:A:283:GLN:HG3	1.73	0.68
1:B:354:LYS:NZ	1:B:362:ASP:OD1	2.27	0.68
1:A:360:PHE:CE1	1:A:456:ILE:HG13	2.29	0.67
1:B:450:VAL:HA	1:B:453:LEU:HD12	1.78	0.66
1:A:453:LEU:CD1	1:A:473:TYR:CZ	2.79	0.66
1:B:469:LEU:HD23	1:B:472:ILE:HD12	1.77	0.66
1:A:279:ILE:HD11	1:A:357:ARG:HH22	1.62	0.63
1:B:363:PHE:CE1	2:B:501:EEY:O11	2.52	0.63
1:A:369:GLU:O	1:A:373:LYS:CD	2.44	0.63
1:B:250:TYR:HA	1:B:349:THR:HG22	1.81	0.63
1:A:321:GLY:HA2	1:A:397:ARG:HH21	1.65	0.61
1:B:359:PRO:HG2	1:B:456:ILE:HD11	1.81	0.61
1:A:288:ARG:HE	3:A:502:241:HAP	1.66	0.61
1:B:285:CYS:SG	2:B:501:EEY:C02	2.89	0.61
1:B:290:VAL:HG21	1:B:473:TYR:HD2	1.64	0.61
1:B:349:THR:HG23	1:B:352:PHE:H	1.65	0.60
1:A:207:GLU:HG3	1:A:209:ALA:H	1.66	0.60
1:A:293:VAL:HG22	1:A:322:VAL:HG11	1.84	0.60
1:B:436:LEU:HA	1:B:439:MET:HE2	1.82	0.60
1:A:394:SER:O	1:A:397:ARG:HG2	2.02	0.59
1:A:453:LEU:HD11	1:A:473:TYR:OH	2.01	0.59
1:B:277:VAL:HG22	1:B:280:ARG:HH12	1.67	0.59
1:A:393:LEU:HD21	1:A:409:ILE:CB	2.30	0.59
1:B:264:PHE:CE2	1:B:342:SER:HB2	2.38	0.59
1:B:458:LYS:O	1:B:458:LYS:HG2	2.02	0.59
1:A:251:ASP:OD2	1:A:253:ASN:ND2	2.26	0.59
1:A:319:LYS:HZ3	1:A:474:LYS:HB2	1.59	0.58
1:B:250:TYR:HA	1:B:349:THR:CG2	2.33	0.58
1:A:257:MET:HE2	1:A:261:LYS:HE3	1.85	0.58
1:A:285:CYS:SG	2:A:501:EEY:C04	2.87	0.57
1:A:321:GLY:HA2	1:A:397:ARG:NH2	2.19	0.57
1:A:342:SER:O	1:A:345:GLN:HG2	2.04	0.57
1:A:443:ARG:O	1:A:446:VAL:HG22	2.04	0.57
1:A:262:ILE:HB	1:A:345:GLN:HG3	1.88	0.56
1:B:363:PHE:CD2	1:B:452:LEU:HD13	2.41	0.56
1:A:449:HIS:CD2	1:A:473:TYR:OH	2.59	0.55
1:B:264:PHE:HE2	1:B:342:SER:HB2	1.71	0.55
1:B:453:LEU:HB2	1:B:454:GLN:OE1	2.07	0.55

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:285:CYS:HG	2:B:501:EEY:C03	2.16	0.55
1:B:285:CYS:SG	3:B:502:241:HAT	2.47	0.55
1:B:384:LEU:O	1:B:388:ILE:HG23	2.06	0.54
1:B:229:THR:HG23	1:B:232:LYS:HE3	1.89	0.54
1:B:359:PRO:CG	1:B:456:ILE:HD11	2.38	0.54
1:A:360:PHE:HE1	1:A:456:ILE:HG13	1.72	0.53
1:A:433:ALA:O	1:A:437:GLN:HG3	2.08	0.53
3:A:502:241:CAL	3:A:502:241:CAC	2.85	0.53
1:A:427:GLU:OE1	1:A:427:GLU:N	2.35	0.53
1:B:426:PRO:HD2	1:B:427:GLU:OE1	2.08	0.53
1:B:450:VAL:O	1:B:454:GLN:OE1	2.25	0.53
1:A:323:HIS:CE1	1:A:472:ILE:HG21	2.44	0.53
1:A:291:GLU:O	1:A:295:GLU:HG3	2.08	0.53
1:A:453:LEU:HD11	1:A:473:TYR:CZ	2.42	0.53
1:A:322:VAL:O	1:A:326:ILE:HG12	2.09	0.52
1:A:320:TYR:CZ	1:A:398:PRO:HG2	2.45	0.52
1:A:360:PHE:N	1:A:360:PHE:CD1	2.77	0.52
1:B:348:MET:SD	1:B:353:LEU:HD21	2.50	0.52
3:B:502:241:CAO	3:B:502:241:CAR	2.89	0.51
1:A:325:ILE:HD11	1:A:392:ILE:HG13	1.92	0.51
1:A:360:PHE:HE1	1:A:456:ILE:CD1	2.24	0.51
1:B:454:GLN:OE1	1:B:454:GLN:N	2.44	0.51
1:A:323:HIS:HE1	1:A:472:ILE:HG21	1.75	0.51
1:B:368:PHE:O	1:B:372:VAL:HG23	2.11	0.50
1:B:447:THR:O	1:B:450:VAL:HG22	2.11	0.50
1:A:360:PHE:CE1	1:A:456:ILE:CG1	2.94	0.50
1:A:237:LEU:HD21	1:A:340:LEU:HG	1.93	0.50
1:B:320:TYR:CZ	1:B:398:PRO:HG2	2.46	0.50
1:B:363:PHE:HE1	2:B:501:EEY:O11	1.94	0.50
1:A:321:GLY:CA	1:A:397:ARG:HH21	2.25	0.49
1:A:393:LEU:HD13	1:A:413:LEU:HD12	1.87	0.49
1:A:257:MET:O	1:A:261:LYS:HG2	2.12	0.49
1:A:262:ILE:HG13	1:A:264:PHE:HE1	1.76	0.49
1:A:319:LYS:HE2	1:A:474:LYS:HB2	1.94	0.49
1:A:414:LEU:HD22	1:B:433:ALA:HB1	1.94	0.48
3:A:502:241:CAC	3:A:502:241:HAL	2.43	0.48
1:A:402:ASN:O	1:A:405:PRO:HD2	2.13	0.48
1:A:319:LYS:HZ3	1:A:474:LYS:CA	2.27	0.48
1:B:353:LEU:O	1:B:361:GLY:HA2	2.13	0.47
1:B:288:ARG:NH2	3:B:502:241:HAP	2.29	0.47
1:A:360:PHE:CE1	1:A:456:ILE:HD11	2.50	0.47

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:360:PHE:N	1:A:360:PHE:HD1	2.11	0.47
1:B:336:LYS:O	1:B:350:ARG:HD2	2.14	0.47
1:A:329:MET:CG	3:A:502:241:HAA2	2.33	0.47
1:A:228:LEU:HD12	1:A:232:LYS:HD3	1.97	0.47
1:A:336:LYS:HG2	1:A:336:LYS:O	2.15	0.47
1:A:357:ARG:HG2	1:A:358:LYS:N	2.30	0.47
1:B:436:LEU:CD2	1:B:439:MET:HE1	2.45	0.47
1:A:393:LEU:HD22	1:A:409:ILE:CB	2.37	0.47
1:A:465:LEU:HD12	1:A:466:HIS:H	1.80	0.47
1:B:229:THR:OG1	1:B:232:LYS:HG3	2.15	0.46
1:B:234:ARG:NH2	1:B:334:MET:O	2.22	0.46
1:B:262:ILE:HG23	1:B:345:GLN:OE1	2.15	0.46
1:B:363:PHE:HE2	1:B:452:LEU:HB3	1.71	0.46
1:B:436:LEU:HD22	1:B:439:MET:HE1	1.98	0.46
3:A:502:241:CAL	3:A:502:241:HAC2	2.45	0.46
1:B:359:PRO:HD2	1:B:360:PHE:CD2	2.51	0.46
1:B:363:PHE:CD1	2:B:501:EEY:O11	2.69	0.46
1:A:317:LEU:HD21	1:A:406:ILE:HD13	1.98	0.45
1:B:468:LEU:O	1:B:472:ILE:HG13	2.16	0.45
1:A:360:PHE:HE1	1:A:456:ILE:CG1	2.30	0.45
3:A:502:241:HAL	3:A:502:241:HAC3	1.99	0.45
1:A:453:LEU:HD13	1:A:473:TYR:CE2	2.52	0.44
3:B:502:241:CBF	3:B:502:241:HAR	2.47	0.44
1:A:290:VAL:O	1:A:294:GLN:HG3	2.18	0.44
1:A:321:GLY:O	1:A:325:ILE:HG13	2.18	0.44
1:A:255:LEU:HD23	1:A:256:MET:HE2	2.00	0.44
1:A:303:ILE:HG21	1:A:393:LEU:HD11	1.99	0.44
1:B:285:CYS:CB	2:B:501:EEY:C03	2.95	0.44
1:B:354:LYS:HA	1:B:361:GLY:O	2.17	0.43
1:A:466:HIS:CG	1:A:467:PRO:HD2	2.53	0.43
1:B:289:SER:O	1:B:293:VAL:HG23	2.18	0.43
1:A:212:ARG:HA	1:A:212:ARG:HD2	1.82	0.43
1:A:430:GLN:HE21	1:B:415:GLN:HG3	1.83	0.43
1:B:354:LYS:HD3	1:B:361:GLY:O	2.18	0.43
1:A:293:VAL:HG22	1:A:322:VAL:CG1	2.48	0.43
1:A:441:ASP:O	1:A:445:ILE:HG12	2.19	0.43
1:A:465:LEU:HD12	1:A:466:HIS:N	2.33	0.43
1:B:330:LEU:HD21	1:B:364:MET:HE1	2.01	0.43
1:B:436:LEU:HA	1:B:439:MET:CE	2.46	0.43
1:B:341:ILE:HB	3:B:502:241:HAC2	2.01	0.43
1:A:288:ARG:HA	1:A:288:ARG:HD2	1.82	0.42

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:336:LYS:NZ	1:B:336:LYS:HB3	2.34	0.42
1:B:404:LYS:N	1:B:405:PRO:HD2	2.34	0.42
1:A:360:PHE:HE1	1:A:456:ILE:HD11	1.84	0.42
1:B:265:LYS:HE2	1:B:287:PHE:CZ	2.55	0.42
1:B:222:TYR:CE2	1:B:381:ASP:HB3	2.55	0.42
3:B:502:241:CAO	3:B:502:241:HAR	2.50	0.42
1:A:453:LEU:CD1	1:A:473:TYR:CE2	3.03	0.41
1:A:257:MET:HE2	1:A:261:LYS:CE	2.50	0.41
1:A:356:LEU:HD23	1:A:356:LEU:HA	1.85	0.41
1:A:436:LEU:HD12	1:B:436:LEU:HD12	2.02	0.41
1:B:260:ASP:OD1	1:B:260:ASP:N	2.53	0.41
1:B:342:SER:O	1:B:345:GLN:HG3	2.20	0.41
1:A:279:ILE:HD13	1:A:360:PHE:CE2	2.56	0.41
1:A:327:TYR:HE2	1:A:446:VAL:HG12	1.84	0.41
1:B:237:LEU:HD21	1:B:340:LEU:HG	2.01	0.41
1:B:334:MET:HG2	1:B:339:VAL:HB	2.03	0.41
1:B:342:SER:O	1:B:342:SER:OG	2.28	0.41
1:B:469:LEU:HD23	1:B:469:LEU:HA	1.47	0.41
1:B:339:VAL:HG22	1:B:340:LEU:O	2.21	0.41
1:A:228:LEU:HD23	1:A:333:LEU:HD22	2.02	0.41
1:B:320:TYR:HB2	1:B:397:ARG:HD2	2.03	0.41
3:B:502:241:CAO	3:B:502:241:CBI	2.99	0.41
1:A:446:VAL:O	1:A:450:VAL:HG23	2.21	0.40
1:B:230:LYS:HG3	1:B:332:SER:HB3	2.03	0.40
1:B:255:LEU:O	1:B:258:GLY:N	2.50	0.40
1:B:404:LYS:HB3	1:B:405:PRO:HD3	2.03	0.40
1:A:359:PRO:HG2	1:A:360:PHE:CD1	2.57	0.40
1:B:279:ILE:HG13	1:B:360:PHE:CZ	2.56	0.40
1:B:290:VAL:HG21	1:B:473:TYR:CE2	2.57	0.40
3:B:502:241:CAR	3:B:502:241:CBF	2.99	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	255/275 (93%)	246 (96%)	8 (3%)	1 (0%)	34	45
1	B	240/275 (87%)	232 (97%)	8 (3%)	0	100	100
All	All	495/550 (90%)	478 (97%)	16 (3%)	1 (0%)	47	58

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	359	PRO

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	232/248 (94%)	220 (95%)	12 (5%)	23	31
1	B	221/248 (89%)	217 (98%)	4 (2%)	59	73
All	All	453/496 (91%)	437 (96%)	16 (4%)	36	48

All (16) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	252	MET
1	A	260	ASP
1	A	285	CYS
1	A	287	PHE
1	A	289	SER
1	A	362	ASP
1	A	363	PHE
1	A	373	LYS
1	A	393	LEU
1	A	428	SER
1	A	474	LYS
1	A	475	ASP

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	B	245	SER
1	B	260	ASP
1	B	363	PHE
1	B	452	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (5) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	323	HIS
1	A	410	GLN
1	A	449	HIS
1	B	308	ASN
1	B	449	HIS

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 5.6 Ligand geometry [i](#)

4 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
3	241	A	502	-	38,41,41	2.24	13 (34%)	50,60,60	2.18	9 (18%)
2	EEY	B	501	-	18,19,20	2.99	4 (22%)	23,25,27	1.71	6 (26%)
3	241	B	502	-	38,41,41	1.28	3 (7%)	50,60,60	0.98	1 (2%)
2	EEY	A	501	-	18,19,20	2.78	3 (16%)	23,25,27	1.08	1 (4%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	241	A	502	-	-	9/23/27/27	0/4/4/4
2	EEY	B	501	-	-	7/10/12/12	0/2/2/2
3	241	B	502	-	-	12/23/27/27	0/4/4/4
2	EEY	A	501	-	-	8/10/12/12	0/2/2/2

All (23) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	501	EEY	O09-N07	10.73	1.41	1.22
2	A	501	EEY	O09-N07	10.63	1.40	1.22
3	A	502	241	CBI-NBK	-7.40	1.28	1.39
3	B	502	241	CBB-CBG	5.10	1.49	1.39
2	B	501	EEY	C10-N12	4.62	1.48	1.35
3	A	502	241	OAE-CAZ	-4.01	1.17	1.22
2	A	501	EEY	C10-N12	3.76	1.45	1.35
3	B	502	241	CBI-NBK	-3.66	1.34	1.39
3	A	502	241	CBB-CBG	3.49	1.46	1.39
2	B	501	EEY	C13-N12	3.28	1.48	1.41
3	A	502	241	CAT-CBH	-3.19	1.35	1.42
3	A	502	241	CAR-CBI	-3.15	1.34	1.41
3	A	502	241	OAW-CBD	-3.14	1.31	1.38
3	A	502	241	OAW-CBJ	-2.93	1.38	1.43
3	A	502	241	CBB-NBK	-2.79	1.31	1.36
3	A	502	241	OAX-CBE	-2.77	1.32	1.41
3	A	502	241	CAP-CBF	-2.77	1.34	1.39
3	A	502	241	OAD-CAY	-2.65	1.21	1.30
2	B	501	EEY	C04-C10	2.30	1.55	1.50
3	A	502	241	CAL-CBD	-2.20	1.34	1.38
2	A	501	EEY	O11-C10	-2.12	1.19	1.23

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	B	502	241	OAX-CBL	2.03	1.43	1.31
3	A	502	241	CBJ-CAY	-2.03	1.49	1.52

All (17) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	502	241	CBF-CAZ-NBK	7.97	127.26	117.95
3	A	502	241	CBD-OAW-CBJ	7.92	131.98	118.29
3	A	502	241	CAC-CBJ-CAY	4.10	116.04	109.28
3	B	502	241	CAB-CBB-NBK	3.69	127.02	122.37
2	B	501	EEY	C04-C10-N12	3.42	123.44	115.92
3	A	502	241	CAU-CBG-CBB	3.33	129.34	126.41
2	B	501	EEY	C18-C13-C14	-3.28	114.54	119.03
2	B	501	EEY	C05-C06-N07	3.25	121.61	118.75
3	A	502	241	OAE-CAZ-CBF	-3.01	114.36	120.23
3	A	502	241	CAB-CBB-NBK	2.78	125.87	122.37
2	A	501	EEY	C13-N12-C10	-2.57	119.90	126.58
3	A	502	241	CBE-CAT-CBH	-2.48	116.75	120.05
3	A	502	241	OAD-CAY-OAF	-2.19	119.12	124.09
2	B	501	EEY	C15-C14-C13	2.13	121.84	118.93
2	B	501	EEY	O09-N07-C06	2.12	121.80	118.80
3	A	502	241	CAO-CBF-CAZ	2.03	124.65	120.26
2	B	501	EEY	O11-C10-N12	-2.01	119.11	123.71

There are no chirality outliers.

All (36) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	501	EEY	C01-C06-N07-O09
2	A	501	EEY	C05-C06-N07-O09
3	A	502	241	CAC-CBJ-OAW-CBD
3	A	502	241	OAD-CAY-CBJ-CAC
3	A	502	241	OAF-CAY-CBJ-CAC
3	B	502	241	CAC-CBJ-OAW-CBD
3	B	502	241	OAD-CAY-CBJ-OAW
3	B	502	241	OAF-CAY-CBJ-OAW
2	A	501	EEY	C05-C04-C10-N12
2	A	501	EEY	C05-C04-C10-O11
2	A	501	EEY	C03-C04-C10-O11
2	A	501	EEY	C03-C04-C10-N12
2	B	501	EEY	C05-C04-C10-O11
2	B	501	EEY	C03-C04-C10-O11

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms
2	B	501	EEY	C03-C04-C10-N12
3	A	502	241	CAN-CBC-OAV-CAA
2	B	501	EEY	C05-C04-C10-N12
3	A	502	241	CAM-CBC-OAV-CAA
3	B	502	241	CAL-CBD-OAW-CBJ
2	A	501	EEY	C18-C13-N12-C10
2	A	501	EEY	C14-C13-N12-C10
3	B	502	241	CAS-CBD-OAW-CBJ
3	B	502	241	FAH-CBL-OAX-CBE
2	B	501	EEY	C14-C13-N12-C10
2	B	501	EEY	C18-C13-N12-C10
3	B	502	241	FAG-CBL-OAX-CBE
3	B	502	241	FAI-CBL-OAX-CBE
3	A	502	241	CAL-CBD-OAW-CBJ
3	A	502	241	CAS-CBD-OAW-CBJ
3	A	502	241	NBK-CAZ-CBF-CAO
3	B	502	241	NBK-CAZ-CBF-CAO
3	B	502	241	NBK-CAZ-CBF-CAP
3	A	502	241	NBK-CAZ-CBF-CAP
2	B	501	EEY	C01-C06-N07-O09
3	B	502	241	CBG-CAU-CBA-CAS
3	B	502	241	CBG-CAU-CBA-CAK


There are no ring outliers.


4 monomers are involved in 37 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	502	241	16	0
2	B	501	EEY	8	0
3	B	502	241	9	0
2	A	501	EEY	4	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier.

The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





## 5.7 Other polymers [\(i\)](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues

There are no chain breaks in this entry.

## 6 Fit of model and data

### 6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	259/275 (94%)	0.65	23 (8%) <b>9</b> <b>13</b>	38, 61, 95, 115	0
1	B	248/275 (90%)	0.67	17 (6%) <b>16</b> <b>22</b>	38, 59, 98, 107	0
All	All	507/550 (92%)	0.66	40 (7%) <b>12</b> <b>17</b>	38, 60, 97, 115	0

All (40) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	264	PHE	5.9
1	B	363	PHE	5.4
1	A	241	THR	5.3
1	B	473	TYR	4.9
1	B	265	LYS	4.6
1	A	363	PHE	4.6
1	A	262	ILE	4.3
1	B	456	ILE	4.2
1	A	261	LYS	3.8
1	A	263	LYS	3.8
1	A	465	LEU	3.8
1	B	356	LEU	3.3
1	B	474	LYS	3.2
1	A	473	TYR	3.0
1	A	336	LYS	3.0
1	B	458	LYS	3.0
1	B	360	PHE	2.9
1	B	452	LEU	2.9
1	A	275	LYS	2.9
1	A	358	LYS	2.8
1	B	262	ILE	2.8
1	A	360	PHE	2.7
1	B	287	PHE	2.7
1	A	264	PHE	2.6

*Continued on next page...*

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	459	THR	2.6
1	A	453	LEU	2.6
1	A	400	LEU	2.6
1	A	282	PHE	2.6
1	A	362	ASP	2.5
1	A	393	LEU	2.3
1	B	327	TYR	2.3
1	B	472	ILE	2.2
1	A	252	MET	2.2
1	A	243	ASP	2.2
1	B	282	PHE	2.2
1	A	357	ARG	2.2
1	A	242	THR	2.1
1	A	468	LEU	2.1
1	A	327	TYR	2.1
1	B	255	LEU	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.


## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
2	EEY	B	501	18/19	0.72	0.63	85,89,96,100	0
2	EEY	A	501	18/19	0.76	0.52	83,91,98,98	0
3	241	A	502	38/38	0.87	0.26	30,30,30,30	0
3	241	B	502	38/38	0.87	0.38	30,30,30,30	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers




as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.






**Electron density around 241 A 502:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)





## 6.5 Other polymers [\(i\)](#)

There are no such residues in this entry.