



wwPDB EM Validation Summary Report ⓘ

Apr 17, 2024 – 05:28 am BST

PDB ID : 7ZHG
EMDB ID : EMD-14731
Title : High-resolution cryo-EM structure of *Pyrococcus abyssi* 30S ribosomal subunit bound to mRNA and initiator tRNA anticodon stem-loop
Authors : Kazan, R.; Bourgeois, G.; Mechulam, Y.; Coureux, P.D.; Schmitt, E.
Deposited on : 2022-04-06
Resolution : 2.25 Å(reported)

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


EMDB validation analysis : 0.0.1.dev92
Mogul : 1.8.4, CSD as541be (2020)
MolProbity : 4.02b-467
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.36

1 Overall quality at a glance

The following experimental techniques were used to determine the structure:
ELECTRON MICROSCOPY

The reported resolution of this entry is 2.25 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)
Clashscore	158937	4297
Ramachandran outliers	154571	4023
Sidechain outliers	154315	3826
RNA backbone	4643	859

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	2	1497	 77% 20%
2	A	199	 91% 6%
3	B	202	 92% 5%
4	C	63	 87% 10%
5	D	180	 92%
6	E	243	 90% 10%
7	F	236	 87% 10%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
8	G	125	8% 82% 17%
9	H	215	93% 6%
10	I	130	92% 7%
11	J	127	90% 8%
12	K	135	98%
13	L	102	10% 86% 12%
14	M	137	88% 7%
15	N	147	96%
16	O	148	89% 5% 5%
17	P	56	9% 86% 12%
18	Q	158	92%
19	R	113	87% 8% 5%
20	S	67	96%
21	T	132	81% 13% 6%
22	U	150	97%
23	V	99	95%
24	W	65	91% 6%
25	X	71	87% 8%
26	Y	51	96% 55% 41%
27	Z	210	90% 7%
28	0	36	100%
29	3	123	98% 67% 31%
30	5	17	76% 24%
31	4	77	18% 5% 75%

2 Entry composition

There are 34 unique types of molecules in this entry. The entry contains 64278 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a RNA chain called rRNA 16S.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	P		
1	2	1497	32312	14418	5959	10438	1497	0	0

There are 29 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
2	17	4AC	C	modified residue	GB 5457433
2	53	4AC	C	modified residue	GB 5457433
2	286	4AC	C	modified residue	GB 5457433
2	303	4AC	C	modified residue	GB 5457433
2	319	4AC	C	modified residue	GB 5457433
2	379	4AC	C	modified residue	GB 5457433
2	394	4AC	C	modified residue	GB 5457433
2	479	4AC	C	modified residue	GB 5457433
2	511	4AC	C	modified residue	GB 5457433
2	546	4AC	C	modified residue	GB 5457433
2	590	4AC	C	modified residue	GB 5457433
2	626	4AC	C	modified residue	GB 5457433
2	636	4AC	C	modified residue	GB 5457433
2	703	4AC	C	modified residue	GB 5457433
2	718	4AC	C	modified residue	GB 5457433
2	731	4AC	C	modified residue	GB 5457433
2	751	4AC	C	modified residue	GB 5457433
2	828	4AC	C	modified residue	GB 5457433
2	839	4AC	C	modified residue	GB 5457433
2	848	4AC	C	modified residue	GB 5457433
2	851	4AC	C	modified residue	GB 5457433
2	868	4AC	C	modified residue	GB 5457433
2	957	4AC	C	modified residue	GB 5457433
2	1028	4AC	C	modified residue	GB 5457433
2	1147	4AC	C	modified residue	GB 5457433
2	1184	4AC	C	modified residue	GB 5457433
2	1233	4AC	C	modified residue	GB 5457433
2	1239	4AC	C	modified residue	GB 5457433

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
2	1479	4AC	C	modified residue	GB 5457433

- Molecule 2 is a protein called 30S ribosomal protein S3Ae.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
2	A	188	1531	993	268	266	4	0	0

- Molecule 3 is a protein called 30S ribosomal protein S2.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
3	B	196	1571	1017	269	281	4	0	0

- Molecule 4 is a protein called Zn-ribbon RNA-binding protein involved in translation.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
4	C	57	449	285	80	76	8	0	0

- Molecule 5 is a protein called 30S ribosomal protein S4.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
5	D	173	1452	913	280	255	4	0	0

- Molecule 6 is a protein called 30S ribosomal protein S4e.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
6	E	242	1983	1281	358	339	5	0	0

- Molecule 7 is a protein called 30S ribosomal protein S5.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
7	F	229	1808	1147	334	320	7	0	0

- Molecule 8 is a protein called 30S ribosomal protein S6e.

Mol	Chain	Residues	Atoms					AltConf	Trace
8	G	124	Total	C	N	O	S	0	0
			977	621	178	176	2		

- Molecule 9 is a protein called 30S ribosomal protein S7.

Mol	Chain	Residues	Atoms					AltConf	Trace
9	H	214	Total	C	N	O	S	0	0
			1725	1095	323	300	7		

- Molecule 10 is a protein called 30S ribosomal protein S8.

Mol	Chain	Residues	Atoms					AltConf	Trace
10	I	129	Total	C	N	O	S	0	0
			1034	668	184	180	2		

- Molecule 11 is a protein called 30S ribosomal protein S8e.

Mol	Chain	Residues	Atoms				AltConf	Trace
11	J	125	Total	C	N	O	0	0
			986	612	205	169		

- Molecule 12 is a protein called 30S ribosomal protein S9.

Mol	Chain	Residues	Atoms					AltConf	Trace
12	K	135	Total	C	N	O	S	0	0
			1073	673	207	189	4		

- Molecule 13 is a protein called 30S ribosomal protein S10.

Mol	Chain	Residues	Atoms					AltConf	Trace
13	L	100	Total	C	N	O	S	0	0
			809	502	157	147	3		

- Molecule 14 is a protein called 30S ribosomal protein S11.

Mol	Chain	Residues	Atoms					AltConf	Trace
14	M	127	Total	C	N	O	S	0	0
			955	591	190	172	2		

- Molecule 15 is a protein called 30S ribosomal protein S12.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
15	N	146	1148	727	224	194	3	0	0

- Molecule 16 is a protein called 30S ribosomal protein S13.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
16	O	141	1134	712	224	193	5	0	0

- Molecule 17 is a protein called 30S ribosomal protein S14 type Z.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
17	P	55	455	288	95	67	5	0	0

- Molecule 18 is a protein called 30S ribosomal protein S15.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
18	Q	151	1257	801	239	213	4	0	0

- Molecule 19 is a protein called 30S ribosomal protein S17.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
19	R	107	884	562	172	147	3	0	0

- Molecule 20 is a protein called 30S ribosomal protein S17e.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
20	S	64	541	343	104	93	1	0	0

- Molecule 21 is a protein called 30S ribosomal protein S19.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
21	T	124	1007	641	191	168	7	0	0

- Molecule 22 is a protein called 30S ribosomal protein S19e.

Mol	Chain	Residues	Atoms				AltConf	Trace
22	U	149	Total	C	N	O	0	0
			1223	790	221	212		

- Molecule 23 is a protein called 30S ribosomal protein S24e.

Mol	Chain	Residues	Atoms					AltConf	Trace
23	V	96	Total	C	N	O	S	0	0
			808	528	129	148	3		

- Molecule 24 is a protein called 30S ribosomal protein S27e.

Mol	Chain	Residues	Atoms					AltConf	Trace
24	W	61	Total	C	N	O	S	0	0
			470	294	91	80	5		

- Molecule 25 is a protein called 30S ribosomal protein S28e.

Mol	Chain	Residues	Atoms				AltConf	Trace
25	X	65	Total	C	N	O	0	0
			516	316	103	97		

- Molecule 26 is a protein called 30S ribosomal protein S27ae.

Mol	Chain	Residues	Atoms					AltConf	Trace
26	Y	49	Total	C	N	O	S	0	0
			400	257	76	62	5		

- Molecule 27 is a protein called 30S ribosomal protein S3.

Mol	Chain	Residues	Atoms					AltConf	Trace
27	Z	196	Total	C	N	O	S	0	0
			1541	983	284	270	4		

- Molecule 28 is a protein called 50S ribosomal protein L41e.

Mol	Chain	Residues	Atoms					AltConf	Trace
28	0	36	Total	C	N	O	S	0	0
			343	218	84	39	2		

- Molecule 29 is a protein called 50S ribosomal protein L7Ae.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
29	3	122	933	594	156	180	3	0	0

- Molecule 30 is a RNA chain called mRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	P		
30	5	17	368	164	67	120	17	0	0

- Molecule 31 is a RNA chain called Met-tRNAiMet.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	P		
31	4	19	406	182	74	131	19	0	0

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
4	0	A	-	engineered mutation	GB 1334604293
4	72	U	A	engineered mutation	GB 1334604293

- Molecule 32 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		AltConf
32	2	85	Total	Mg	0
			85	85	
32	F	1	Total	Mg	0
			1	1	
32	K	1	Total	Mg	0
			1	1	
32	M	1	Total	Mg	0
			1	1	
32	5	1	Total	Mg	0
			1	1	
32	4	1	Total	Mg	0
			1	1	

- Molecule 33 is ZINC ION (three-letter code: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		AltConf
33	C	2	Total	Zn	0
			2	2	

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms		AltConf
33	F	1	Total 1	Zn 1	0
33	P	1	Total 1	Zn 1	0
33	R	1	Total 1	Zn 1	0
33	W	1	Total 1	Zn 1	0

- Molecule 34 is water.

Mol	Chain	Residues	Atoms		AltConf
34	2	1713	Total 1713	O 1713	0
34	A	1	Total 1	O 1	0
34	B	10	Total 10	O 10	0
34	C	1	Total 1	O 1	0
34	D	35	Total 35	O 35	0
34	E	23	Total 23	O 23	0
34	F	45	Total 45	O 45	0
34	H	20	Total 20	O 20	0
34	I	16	Total 16	O 16	0
34	J	16	Total 16	O 16	0
34	K	26	Total 26	O 26	0
34	L	13	Total 13	O 13	0
34	M	18	Total 18	O 18	0
34	N	33	Total 33	O 33	0
34	O	11	Total 11	O 11	0

Continued on next page...


Continued from previous page...


Mol	Chain	Residues	Atoms		AltConf
34	P	8	Total 8	O 8	0
34	Q	21	Total 21	O 21	0
34	R	7	Total 7	O 7	0
34	S	1	Total 1	O 1	0
34	T	5	Total 5	O 5	0
34	U	16	Total 16	O 16	0
34	V	2	Total 2	O 2	0
34	W	4	Total 4	O 4	0
34	X	1	Total 1	O 1	0
34	Z	2	Total 2	O 2	0
34	0	15	Total 15	O 15	0
34	5	8	Total 8	O 8	0
34	4	12	Total 12	O 12	0

3 Residue-property plots [i](#)



These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: rRNA 16S







- Molecule 2: 30S ribosomal protein S3Ae



- Molecule 3: 30S ribosomal protein S2




- Molecule 4: Zn-ribbon RNA-binding protein involved in translation




- Molecule 5: 30S ribosomal protein S4




- Molecule 6: 30S ribosomal protein S4e




- Molecule 7: 30S ribosomal protein S5




- Molecule 8: 30S ribosomal protein S6e




- Molecule 9: 30S ribosomal protein S7




- Molecule 10: 30S ribosomal protein S8




- Molecule 11: 30S ribosomal protein S8e




- Molecule 12: 30S ribosomal protein S9



- Molecule 13: 30S ribosomal protein S10



- Molecule 14: 30S ribosomal protein S11




- Molecule 15: 30S ribosomal protein S12

Chain N:  96%





- Molecule 16: 30S ribosomal protein S13

Chain O:  89% 5% 5%





- Molecule 17: 30S ribosomal protein S14 type Z

Chain P:  9% 86% 12%




- Molecule 18: 30S ribosomal protein S15

Chain Q:  92%




- Molecule 19: 30S ribosomal protein S17

Chain R:  87% 8% 5%




- Molecule 20: 30S ribosomal protein S17e

Chain S:  96%



- Molecule 21: 30S ribosomal protein S19

Chain T:  81% 13% 6%




- Molecule 22: 30S ribosomal protein S19e

Chain U:  97%




- Molecule 23: 30S ribosomal protein S24e

Chain V:  95%





- Molecule 24: 30S ribosomal protein S27e

Chain W:  91% 6%




- Molecule 25: 30S ribosomal protein S28e

Chain X:  87% 8%




- Molecule 26: 30S ribosomal protein S27ae

Chain Y:  96% 55% 41%



- Molecule 27: 30S ribosomal protein S3

Chain Z:  90% 7%



- Molecule 28: 50S ribosomal protein L41e

Chain 0:  100%

There are no outlier residues recorded for this chain.

4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	1000000	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	TFS KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	39	Depositor
Minimum defocus (nm)	800	Depositor
Maximum defocus (nm)	2500	Depositor
Magnification	Not provided	
Image detector	GATAN K3 BIOQUANTUM (6k x 4k)	Depositor
Maximum map value	0.336	Depositor
Minimum map value	-0.144	Depositor
Average map value	0.000	Depositor
Map value standard deviation	0.009	Depositor
Recommended contour level	0.0249	Depositor
Map size (\AA)	371.52002, 371.52002, 371.52002	wwPDB
Map dimensions	432, 432, 432	wwPDB
Map angles ($^\circ$)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (\AA)	0.8600001, 0.8600001, 0.8600001	Depositor

5 Model quality i

5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: ZN, MA6, 5MC, LHH, 6MZ, 4AC, OMU, UR3, OMG, B8H, OMC, A2M, MG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	2	0.42	0/34435	0.88	6/53681 (0.0%)
2	A	0.27	0/1557	0.55	0/2087
3	B	0.28	0/1602	0.53	0/2165
4	C	0.32	0/463	0.57	0/628
5	D	0.26	0/1476	0.57	0/1980
6	E	0.26	0/2032	0.59	0/2742
7	F	0.27	0/1838	0.64	1/2478 (0.0%)
8	G	0.26	0/993	0.55	0/1329
9	H	0.26	0/1762	0.54	0/2366
10	I	0.27	0/1055	0.59	0/1415
11	J	0.26	0/995	0.61	0/1327
12	K	0.26	0/1089	0.59	0/1459
13	L	0.24	0/817	0.55	0/1097
14	M	0.26	0/973	0.58	0/1311
15	N	0.26	0/1165	0.59	0/1547
16	O	0.25	0/1153	0.57	0/1551
17	P	0.28	0/465	0.83	2/613 (0.3%)
18	Q	0.27	0/1285	0.56	0/1727
19	R	0.28	0/907	0.59	0/1225
20	S	0.26	0/548	0.52	0/725
21	T	0.25	0/1026	0.53	0/1371
22	U	0.27	0/1253	0.54	0/1689
23	V	0.27	0/826	0.50	0/1108
24	W	0.25	0/476	0.56	0/641
25	X	0.24	0/518	0.66	0/694
26	Y	0.26	0/412	0.53	0/549
27	Z	0.26	0/1563	0.55	0/2099
28	0	0.31	0/349	0.66	0/451
29	3	0.26	0/945	0.50	0/1274
30	5	0.35	0/412	0.81	0/641
31	4	0.36	0/430	0.82	0/668
All	All	0.35	0/64820	0.77	9/94638 (0.0%)

There are no bond length outliers.

The worst 5 of 9 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
17	P	6	TYR	CB-CA-C	-9.98	90.44	110.40
1	2	843	A	O4'-C1'-N9	6.36	113.28	108.20
1	2	1424	G	C2'-C3'-O3'	6.10	123.45	113.70
7	F	119	LEU	O-C-N	-5.90	113.26	122.70
1	2	1332	U	O4'-C1'-N1	5.83	112.86	108.20

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	2	32312	0	16354	123	0
2	A	1531	0	1623	4	0
3	B	1571	0	1630	8	0
4	C	449	0	435	1	0
5	D	1452	0	1521	5	0
6	E	1983	0	2060	15	0
7	F	1808	0	1879	13	0
8	G	977	0	1037	14	0
9	H	1725	0	1780	7	0
10	I	1034	0	1069	7	0
11	J	986	0	1070	8	0
12	K	1073	0	1133	2	0
13	L	809	0	859	9	0
14	M	955	0	981	5	0
15	N	1148	0	1248	4	0
16	O	1134	0	1173	5	0
17	P	455	0	476	4	0
18	Q	1257	0	1326	3	0
19	R	884	0	906	6	0
20	S	541	0	573	0	0
21	T	1007	0	1073	10	0
22	U	1223	0	1263	1	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
23	V	808	0	832	1	0
24	W	470	0	496	1	0
25	X	516	0	544	3	0
26	Y	400	0	401	22	0
27	Z	1541	0	1624	4	0
28	0	343	0	407	0	0
29	3	933	0	982	35	0
30	5	368	0	182	1	0
31	4	406	0	209	4	0
32	2	85	0	0	0	0
32	4	1	0	0	0	0
32	5	1	0	0	0	0
32	F	1	0	0	0	0
32	K	1	0	0	0	0
32	M	1	0	0	0	0
33	C	2	0	0	0	0
33	F	1	0	0	0	0
33	P	1	0	0	0	0
33	R	1	0	0	0	0
33	W	1	0	0	0	0
34	0	15	0	0	0	0
34	2	1713	0	0	12	0
34	4	12	0	0	0	0
34	5	8	0	0	0	0
34	A	1	0	0	0	0
34	B	10	0	0	0	0
34	C	1	0	0	0	0
34	D	35	0	0	1	0
34	E	23	0	0	1	0
34	F	45	0	0	2	0
34	H	20	0	0	0	0
34	I	16	0	0	0	0
34	J	16	0	0	1	0
34	K	26	0	0	0	0
34	L	13	0	0	1	0
34	M	18	0	0	0	0
34	N	33	0	0	2	0
34	O	11	0	0	0	0
34	P	8	0	0	0	0
34	Q	21	0	0	1	0
34	R	7	0	0	0	0
34	S	1	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
34	T	5	0	0	0	0
34	U	16	0	0	1	0
34	V	2	0	0	0	0
34	W	4	0	0	0	0
34	X	1	0	0	0	0
34	Z	2	0	0	0	0
All	All	64278	0	47146	306	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

The worst 5 of 306 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
26:Y:15:VAL:HG12	26:Y:17:ARG:NH1	1.41	1.35
26:Y:15:VAL:CG1	26:Y:17:ARG:NH1	2.00	1.24
26:Y:15:VAL:CG1	26:Y:17:ARG:HH12	1.52	1.23
29:3:19:ALA:HB2	29:3:78:ILE:HG21	1.28	1.15
1:2:1393:G:H2'	1:2:1394:C:H5'	1.32	1.10

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
2	A	186/199 (94%)	180 (97%)	6 (3%)	0	100	100
3	B	194/202 (96%)	190 (98%)	4 (2%)	0	100	100
4	C	55/63 (87%)	55 (100%)	0	0	100	100
5	D	171/180 (95%)	168 (98%)	3 (2%)	0	100	100
6	E	240/243 (99%)	234 (98%)	6 (2%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
7	F	227/236 (96%)	218 (96%)	9 (4%)	0	100	100
8	G	122/125 (98%)	118 (97%)	4 (3%)	0	100	100
9	H	212/215 (99%)	202 (95%)	10 (5%)	0	100	100
10	I	127/130 (98%)	123 (97%)	4 (3%)	0	100	100
11	J	123/127 (97%)	122 (99%)	1 (1%)	0	100	100
12	K	133/135 (98%)	129 (97%)	4 (3%)	0	100	100
13	L	98/102 (96%)	93 (95%)	5 (5%)	0	100	100
14	M	125/137 (91%)	122 (98%)	3 (2%)	0	100	100
15	N	144/147 (98%)	141 (98%)	3 (2%)	0	100	100
16	O	139/148 (94%)	137 (99%)	2 (1%)	0	100	100
17	P	53/56 (95%)	48 (91%)	5 (9%)	0	100	100
18	Q	149/158 (94%)	146 (98%)	3 (2%)	0	100	100
19	R	105/113 (93%)	103 (98%)	2 (2%)	0	100	100
20	S	62/67 (92%)	59 (95%)	3 (5%)	0	100	100
21	T	122/132 (92%)	119 (98%)	3 (2%)	0	100	100
22	U	147/150 (98%)	146 (99%)	1 (1%)	0	100	100
23	V	94/99 (95%)	91 (97%)	3 (3%)	0	100	100
24	W	59/65 (91%)	58 (98%)	1 (2%)	0	100	100
25	X	63/71 (89%)	63 (100%)	0	0	100	100
26	Y	47/51 (92%)	42 (89%)	5 (11%)	0	100	100
27	Z	194/210 (92%)	185 (95%)	9 (5%)	0	100	100
28	0	34/36 (94%)	34 (100%)	0	0	100	100
29	3	120/123 (98%)	101 (84%)	19 (16%)	0	100	100
All	All	3545/3720 (95%)	3427 (97%)	118 (3%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
2	A	160/167 (96%)	160 (100%)	0	100	100
3	B	168/173 (97%)	167 (99%)	1 (1%)	86	91
4	C	50/55 (91%)	50 (100%)	0	100	100
5	D	156/160 (98%)	156 (100%)	0	100	100
6	E	213/214 (100%)	210 (99%)	3 (1%)	67	76
7	F	192/198 (97%)	190 (99%)	2 (1%)	76	84
8	G	107/108 (99%)	105 (98%)	2 (2%)	57	66
9	H	183/184 (100%)	177 (97%)	6 (3%)	38	46
10	I	106/107 (99%)	105 (99%)	1 (1%)	78	86
11	J	101/103 (98%)	99 (98%)	2 (2%)	55	64
12	K	111/111 (100%)	111 (100%)	0	100	100
13	L	89/91 (98%)	89 (100%)	0	100	100
14	M	94/104 (90%)	94 (100%)	0	100	100
15	N	120/121 (99%)	120 (100%)	0	100	100
16	O	117/123 (95%)	115 (98%)	2 (2%)	60	71
17	P	45/46 (98%)	45 (100%)	0	100	100
18	Q	137/143 (96%)	136 (99%)	1 (1%)	84	90
19	R	96/102 (94%)	96 (100%)	0	100	100
20	S	58/61 (95%)	58 (100%)	0	100	100
21	T	108/114 (95%)	107 (99%)	1 (1%)	78	86
22	U	126/127 (99%)	124 (98%)	2 (2%)	62	73
23	V	88/90 (98%)	88 (100%)	0	100	100
24	W	53/56 (95%)	53 (100%)	0	100	100
25	X	55/60 (92%)	54 (98%)	1 (2%)	59	68
26	Y	40/42 (95%)	39 (98%)	1 (2%)	47	56
27	Z	155/168 (92%)	154 (99%)	1 (1%)	86	91
28	0	34/34 (100%)	34 (100%)	0	100	100
29	3	98/99 (99%)	95 (97%)	3 (3%)	40	49
All	All	3060/3161 (97%)	3031 (99%)	29 (1%)	79	86

5 of 29 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
10	I	85	ASP
29	3	29	THR
16	O	140	THR
26	Y	34	HIS
11	J	82	GLU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

5.3.3 RNA [i](#)

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
1	2	1461/1497 (97%)	146 (9%)	1 (0%)
30	5	16/17 (94%)	2 (12%)	0
31	4	18/77 (23%)	0	0
All	All	1495/1591 (93%)	148 (9%)	1 (0%)

5 of 148 RNA backbone outliers are listed below:

Mol	Chain	Res	Type
1	2	45	U
1	2	57	U
1	2	59	A
1	2	76	G
1	2	85	U

All (1) RNA pucker outliers are listed below:

Mol	Chain	Res	Type
1	2	1424	G

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

69 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
1	OMG	2	519	1	18,26,27	0.90	1 (5%)	19,38,41	1.14	2 (10%)
1	OMU	2	830	1	19,22,23	1.27	4 (21%)	26,31,34	1.83	4 (15%)
1	4AC	2	379	1	21,24,25	1.06	2 (9%)	29,34,37	1.25	3 (10%)
1	4AC	2	718	1	21,24,25	1.06	2 (9%)	29,34,37	1.22	5 (17%)
1	UR3	2	1467	1	19,22,23	0.95	1 (5%)	26,32,35	1.39	2 (7%)
1	OMG	2	657	1	18,26,27	0.93	1 (5%)	19,38,41	1.04	2 (10%)
1	4AC	2	703	1	21,24,25	1.09	3 (14%)	29,34,37	1.58	4 (13%)
1	4AC	2	1239	1	21,24,25	1.05	2 (9%)	29,34,37	1.30	4 (13%)
1	4AC	2	303	1	21,24,25	1.10	2 (9%)	29,34,37	1.26	3 (10%)
1	OMC	2	846	1	19,22,23	0.76	0	26,31,34	0.88	1 (3%)
1	A2M	2	373	1	18,25,26	0.98	1 (5%)	18,36,39	1.35	2 (11%)
1	OMC	2	129	1	19,22,23	0.77	0	26,31,34	0.79	0
1	OMG	2	680	1	18,26,27	0.94	1 (5%)	19,38,41	1.05	2 (10%)
1	OMG	2	934	1	18,26,27	0.95	1 (5%)	19,38,41	1.18	2 (10%)
1	6MZ	2	1469	1,32	18,25,26	0.83	1 (5%)	16,36,39	2.33	3 (18%)
1	MA6	2	1488	1	18,26,27	0.88	1 (5%)	19,38,41	1.32	2 (10%)
1	5MC	2	1202	1	18,22,23	0.95	2 (11%)	26,32,35	1.08	3 (11%)
1	4AC	2	17	1	21,24,25	1.07	2 (9%)	29,34,37	1.23	4 (13%)
1	OMU	2	64	1	19,22,23	1.18	3 (15%)	26,31,34	1.74	4 (15%)
1	4AC	2	319	1	21,24,25	1.07	2 (9%)	29,34,37	1.33	4 (13%)
1	4AC	2	394	1	21,24,25	1.09	2 (9%)	29,34,37	1.27	4 (13%)
1	OMC	2	773	1	19,22,23	0.82	0	26,31,34	0.97	1 (3%)
1	OMG	2	873	1	18,26,27	0.92	1 (5%)	19,38,41	1.08	2 (10%)
1	4AC	2	479	1	21,24,25	1.05	2 (9%)	29,34,37	1.36	4 (13%)
1	4AC	2	626	1	21,24,25	1.04	2 (9%)	29,34,37	1.30	4 (13%)
31	OMC	4	32	31	19,22,23	0.84	0	26,31,34	0.99	2 (7%)
1	OMU	2	1380	1	19,22,23	1.21	2 (10%)	26,31,34	1.75	5 (19%)
1	4AC	2	511	1	21,24,25	1.09	2 (9%)	29,34,37	1.33	4 (13%)
1	4AC	2	868	1	21,24,25	1.10	2 (9%)	29,34,37	1.26	3 (10%)
1	OMC	2	1376	1	19,22,23	0.78	0	26,31,34	0.82	0
1	MA6	2	1487	1	18,26,27	0.89	1 (5%)	19,38,41	1.39	3 (15%)
1	5MC	2	1496	1	18,22,23	0.94	2 (11%)	26,32,35	1.17	3 (11%)
1	OMU	2	787	1	19,22,23	1.20	2 (10%)	26,31,34	1.90	5 (19%)
1	OMG	2	913	1	18,26,27	0.88	1 (5%)	19,38,41	1.20	2 (10%)
1	4AC	2	1479	1	21,24,25	1.11	2 (9%)	29,34,37	1.23	3 (10%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
1	4AC	2	828	1	21,24,25	1.06	2 (9%)	29,34,37	1.30	4 (13%)
1	LHH	2	250	1	22,25,26	2.50	8 (36%)	29,35,38	1.24	4 (13%)
1	5MC	2	1374	1	18,22,23	0.95	2 (11%)	26,32,35	1.11	3 (11%)
1	4AC	2	839	1	21,24,25	1.01	2 (9%)	29,34,37	1.34	4 (13%)
1	OMC	2	1036	1	19,22,23	0.79	0	26,31,34	0.87	1 (3%)
1	5MC	2	1498	1	18,22,23	0.94	2 (11%)	26,32,35	1.34	5 (19%)
1	4AC	2	636	1	21,24,25	1.07	2 (9%)	29,34,37	1.65	4 (13%)
1	OMU	2	774	1	19,22,23	1.22	2 (10%)	26,31,34	1.73	4 (15%)
1	B8H	2	938	1	19,22,23	0.76	0	22,32,35	1.40	3 (13%)
1	5MC	2	535	1	18,22,23	0.90	2 (11%)	26,32,35	1.20	4 (15%)
1	4AC	2	1028	1	21,24,25	1.05	2 (9%)	29,34,37	1.30	4 (13%)
1	4AC	2	848	1	21,24,25	1.06	2 (9%)	29,34,37	1.42	4 (13%)
1	5MC	2	1505	1,30	18,22,23	0.94	2 (11%)	26,32,35	1.16	3 (11%)
1	OMG	2	467	1	18,26,27	0.92	1 (5%)	19,38,41	1.11	2 (10%)
1	OMC	2	1040	1	19,22,23	0.77	0	26,31,34	0.78	0
1	OMG	2	1069	1	18,26,27	0.88	1 (5%)	19,38,41	1.09	2 (10%)
1	4AC	2	286	1	21,24,25	1.06	2 (9%)	29,34,37	1.33	4 (13%)
1	4AC	2	751	1	21,24,25	1.05	2 (9%)	29,34,37	1.19	4 (13%)
1	4AC	2	546	1	21,24,25	1.05	2 (9%)	29,34,37	1.23	3 (10%)
1	5MC	2	693	1	18,22,23	0.94	2 (11%)	26,32,35	1.10	3 (11%)
1	4AC	2	53	1	21,24,25	1.08	2 (9%)	29,34,37	1.25	4 (13%)
1	4AC	2	590	1	21,24,25	1.07	2 (9%)	29,34,37	1.30	4 (13%)
1	4AC	2	1147	1	21,24,25	1.03	2 (9%)	29,34,37	1.33	4 (13%)
1	OMU	2	1177	1	19,22,23	1.23	2 (10%)	26,31,34	1.67	4 (15%)
1	4AC	2	851	1	21,24,25	1.13	2 (9%)	29,34,37	1.25	3 (10%)
1	4AC	2	957	1	21,24,25	1.06	2 (9%)	29,34,37	1.28	4 (13%)
1	4AC	2	1184	1	21,24,25	0.99	2 (9%)	29,34,37	1.31	4 (13%)
1	4AC	2	1233	1	21,24,25	1.07	2 (9%)	29,34,37	1.34	4 (13%)
1	5MC	2	1025	1	18,22,23	0.94	2 (11%)	26,32,35	1.15	3 (11%)
1	OMG	2	471	1	18,26,27	0.92	1 (5%)	19,38,41	1.06	2 (10%)
1	4AC	2	731	1	21,24,25	1.06	2 (9%)	29,34,37	1.18	3 (10%)
1	5MC	2	875	1	18,22,23	0.92	2 (11%)	26,32,35	1.12	3 (11%)
1	OMU	2	20	1	19,22,23	1.22	3 (15%)	26,31,34	1.74	5 (19%)
1	LHH	2	1041	1	22,25,26	2.50	8 (36%)	29,35,38	1.24	4 (13%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	OMG	2	519	1	-	0/5/27/28	0/3/3/3
1	OMU	2	830	1	-	0/9/27/28	0/2/2/2
1	4AC	2	379	1	-	0/11/29/30	0/2/2/2
1	4AC	2	718	1	-	0/11/29/30	0/2/2/2
1	UR3	2	1467	1	-	0/7/25/26	0/2/2/2
1	OMG	2	657	1	-	0/5/27/28	0/3/3/3
1	4AC	2	703	1	-	0/11/29/30	0/2/2/2
1	4AC	2	1239	1	-	0/11/29/30	0/2/2/2
1	4AC	2	303	1	-	0/11/29/30	0/2/2/2
1	OMC	2	846	1	-	0/9/27/28	0/2/2/2
1	A2M	2	373	1	-	0/5/27/28	0/3/3/3
1	OMC	2	129	1	-	0/9/27/28	0/2/2/2
1	OMG	2	680	1	-	0/5/27/28	0/3/3/3
1	OMG	2	934	1	-	0/5/27/28	0/3/3/3
1	6MZ	2	1469	1,32	-	0/5/27/28	0/3/3/3
1	MA6	2	1488	1	-	1/7/29/30	0/3/3/3
1	5MC	2	1202	1	-	2/7/25/26	0/2/2/2
1	4AC	2	17	1	-	0/11/29/30	0/2/2/2
1	OMU	2	64	1	-	0/9/27/28	0/2/2/2
1	4AC	2	319	1	-	0/11/29/30	0/2/2/2
1	4AC	2	394	1	-	0/11/29/30	0/2/2/2
1	OMC	2	773	1	-	0/9/27/28	0/2/2/2
1	OMG	2	873	1	-	0/5/27/28	0/3/3/3
1	4AC	2	479	1	-	0/11/29/30	0/2/2/2
1	4AC	2	626	1	-	0/11/29/30	0/2/2/2
31	OMC	4	32	31	-	2/9/27/28	0/2/2/2
1	OMU	2	1380	1	-	0/9/27/28	0/2/2/2
1	4AC	2	511	1	-	0/11/29/30	0/2/2/2
1	4AC	2	868	1	-	0/11/29/30	0/2/2/2
1	OMC	2	1376	1	-	0/9/27/28	0/2/2/2
1	MA6	2	1487	1	-	0/7/29/30	0/3/3/3
1	5MC	2	1496	1	-	0/7/25/26	0/2/2/2
1	OMU	2	787	1	-	4/9/27/28	0/2/2/2
1	OMG	2	913	1	-	0/5/27/28	0/3/3/3
1	4AC	2	1479	1	-	0/11/29/30	0/2/2/2
1	4AC	2	828	1	-	0/11/29/30	0/2/2/2
1	LHH	2	250	1	-	0/13/31/32	0/2/2/2
1	5MC	2	1374	1	-	0/7/25/26	0/2/2/2

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	4AC	2	839	1	-	0/11/29/30	0/2/2/2
1	OMC	2	1036	1	-	0/9/27/28	0/2/2/2
1	5MC	2	1498	1	-	4/7/25/26	0/2/2/2
1	4AC	2	636	1	-	0/11/29/30	0/2/2/2
1	OMU	2	774	1	-	0/9/27/28	0/2/2/2
1	B8H	2	938	1	-	0/7/25/26	0/2/2/2
1	5MC	2	535	1	-	0/7/25/26	0/2/2/2
1	4AC	2	1028	1	-	0/11/29/30	0/2/2/2
1	4AC	2	848	1	-	0/11/29/30	0/2/2/2
1	5MC	2	1505	1,30	-	0/7/25/26	0/2/2/2
1	OMG	2	467	1	-	0/5/27/28	0/3/3/3
1	OMC	2	1040	1	-	0/9/27/28	0/2/2/2
1	OMG	2	1069	1	-	0/5/27/28	0/3/3/3
1	4AC	2	286	1	-	0/11/29/30	0/2/2/2
1	4AC	2	751	1	-	0/11/29/30	0/2/2/2
1	4AC	2	546	1	-	0/11/29/30	0/2/2/2
1	5MC	2	693	1	-	0/7/25/26	0/2/2/2
1	4AC	2	53	1	-	0/11/29/30	0/2/2/2
1	4AC	2	590	1	-	0/11/29/30	0/2/2/2
1	4AC	2	1147	1	-	0/11/29/30	0/2/2/2
1	OMU	2	1177	1	-	0/9/27/28	0/2/2/2
1	4AC	2	851	1	-	0/11/29/30	0/2/2/2
1	4AC	2	957	1	-	0/11/29/30	0/2/2/2
1	4AC	2	1184	1	-	0/11/29/30	0/2/2/2
1	4AC	2	1233	1	-	0/11/29/30	0/2/2/2
1	5MC	2	1025	1	-	0/7/25/26	0/2/2/2
1	OMG	2	471	1	-	0/5/27/28	0/3/3/3
1	4AC	2	731	1	-	0/11/29/30	0/2/2/2
1	5MC	2	875	1	-	0/7/25/26	0/2/2/2
1	OMU	2	20	1	-	4/9/27/28	0/2/2/2
1	LHH	2	1041	1	-	0/13/31/32	0/2/2/2

The worst 5 of 125 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	2	250	LHH	C4-N4	6.92	1.49	1.39
1	2	1041	LHH	C4-N4	6.81	1.49	1.39
1	2	1041	LHH	C7-N4	6.38	1.49	1.37
1	2	250	LHH	C7-N4	6.27	1.48	1.37
1	2	1041	LHH	O2-C2	-4.28	1.15	1.23

The worst 5 of 217 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	2	1469	6MZ	C2-N1-C6	7.21	122.78	116.59
1	2	703	4AC	O7-C7-N4	5.37	130.50	121.82
1	2	1467	UR3	C4-N3-C2	-5.36	119.51	124.56
1	2	636	4AC	O7-C7-N4	5.31	130.41	121.82
1	2	787	OMU	N3-C2-N1	5.01	121.54	114.89

There are no chirality outliers.

5 of 17 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
1	2	1202	5MC	O4'-C4'-C5'-O5'
1	2	20	OMU	C2'-C1'-N1-C6
31	4	32	OMC	C3'-C2'-O2'-CM2
1	2	20	OMU	O4'-C1'-N1-C6
1	2	1202	5MC	C3'-C4'-C5'-O5'

There are no ring outliers.

13 monomers are involved in 14 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
1	2	703	4AC	3	0
1	2	373	A2M	1	0
1	2	1488	MA6	1	0
1	2	1202	5MC	1	0
1	2	64	OMU	1	0
31	4	32	OMC	1	0
1	2	1380	OMU	1	0
1	2	1487	MA6	1	0
1	2	636	4AC	3	0
1	2	774	OMU	1	0
1	2	1147	4AC	1	0
1	2	1177	OMU	1	0
1	2	731	4AC	1	0

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 96 ligands modelled in this entry, 96 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-14731. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X




Y




Z


6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 216




Y Index: 216




Z Index: 216


6.2.2 Raw map



X Index: 216



Y Index: 216




Z Index: 216


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 221




Y Index: 207




Z Index: 222


6.3.2 Raw map



X Index: 225



Y Index: 229




Z Index: 218


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X




Y




Z


6.4.2 Raw map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.


6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.0249. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

6.5.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 521 nm³; this corresponds to an approximate mass of 470 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum [i](#)




*Reported resolution corresponds to spatial frequency of 0.444 Å⁻¹

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.444 Å⁻¹

8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	2.25	-	-
Author-provided FSC curve	2.24	2.48	2.27
Unmasked-calculated*	2.57	2.95	2.62

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 2.57 differs from the reported value 2.25 by more than 10 %

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-14731 and PDB model 7ZHG. Per-residue inclusion information can be found in section 3 on page 12.

9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.0249 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.0249).

































































9.4 Atom inclusion [i](#)



At the recommended contour level, 91% of all backbone atoms, 92% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary

The table lists the average atom inclusion at the recommended contour level (0.0249) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.9230	 0.6960
0	 0.9500	 0.7380
2	 0.9610	 0.7070
3	 0.0620	 0.2640
4	 0.9610	 0.7030
5	 0.9290	 0.6750
A	 0.9180	 0.7000
B	 0.9270	 0.7030
C	 0.9480	 0.7190
D	 0.9660	 0.7310
E	 0.9550	 0.7120
F	 0.9500	 0.7380
G	 0.7710	 0.6030
H	 0.9500	 0.7220
I	 0.9660	 0.7460
J	 0.9310	 0.7030
K	 0.9540	 0.7230
L	 0.8140	 0.6540
M	 0.9520	 0.7250
N	 0.9460	 0.7210
O	 0.9110	 0.6910
P	 0.8670	 0.6980
Q	 0.9390	 0.7100
R	 0.9680	 0.7290
S	 0.8530	 0.6430
T	 0.8780	 0.6730
U	 0.9480	 0.7180
V	 0.9170	 0.6920
W	 0.9120	 0.6890
X	 0.8920	 0.6850
Y	 0.0650	 0.2560
Z	 0.8490	 0.6540

