



Full wwPDB X-ray Structure Validation Report ⓘ

Dec 8, 2022 – 06:20 pm GMT

PDB ID : 7ZHU
Title : Leishmania donovani Glucose 6-Phosphate Dehydrogenase complexed with NADP(H)
Authors : Fritz-Wolf, K.; Berneburg, I.
Deposited on : 2022-04-07
Resolution : 1.70 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.4, CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.31.3
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0267
CCP4 : 7.1.010 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.31.3


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.70 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	4298 (1.70-1.70)
Clashscore	141614	4695 (1.70-1.70)
Ramachandran outliers	138981	4610 (1.70-1.70)
Sidechain outliers	138945	4610 (1.70-1.70)
RSRZ outliers	127900	4222 (1.70-1.70)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	562	
1	B	562	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	EDO	A	602	-	-	-	X
3	EDO	A	609	-	-	-	X

2 Entry composition [i](#)


There are 7 unique types of molecules in this entry. The entry contains 9764 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Glucose-6-phosphate 1-dehydrogenase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	534	Total	C	N	O	S	0	3	0
			4248	2699	730	800	19			
1	B	543	Total	C	N	O	S	0	6	0
			4343	2756	749	819	19			

- Molecule 2 is NADPH DIHYDRO-NICOTINAMIDE-ADENINE-DINUCLEOTIDE PHOSPHATE (three-letter code: NDP) (formula: $C_{21}H_{30}N_7O_{17}P_3$) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
			Total	C	N	O	P		
2	A	1	Total	C	N	O	P	0	0
			48	21	7	17	3		
2	B	1	Total	C	N	O	P	0	0
			48	21	7	17	3		

- Molecule 3 is 1,2-ETHANEDIOL (three-letter code: EDO) (formula: $C_2H_6O_2$).




Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	1	Total C O 4 2 2	0	0
3	A	1	Total C O 4 2 2	0	0
3	A	1	Total C O 4 2 2	0	0
3	A	1	Total C O 4 2 2	0	0
3	A	1	Total C O 4 2 2	0	0
3	A	1	Total C O 4 2 2	0	0
3	A	1	Total C O 4 2 2	0	0
3	A	1	Total C O 4 2 2	0	0
3	A	1	Total C O 4 2 2	0	0
3	A	1	Total C O 4 2 2	0	0
3	A	1	Total C O 4 2 2	0	0
3	B	1	Total C O 4 2 2	0	0
3	B	1	Total C O 4 2 2	0	0

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	B	1	Total C O 4 2 2	0	0
3	B	1	Total C O 4 2 2	0	0
3	B	1	Total C O 4 2 2	0	0
3	B	1	Total C O 4 2 2	0	0
3	B	1	Total C O 4 2 2	0	0
3	B	1	Total C O 4 2 2	0	0
3	B	1	Total C O 4 2 2	0	0
3	B	1	Total C O 4 2 2	0	0
3	B	1	Total C O 4 2 2	0	0
3	B	1	Total C O 4 2 2	0	0
3	B	1	Total C O 4 2 2	0	0
3	B	1	Total C O 4 2 2	0	0
3	B	1	Total C O 4 2 2	0	0

- Molecule 4 is SULFATE ION (three-letter code: SO4) (formula: O₄S).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	1	Total O S 5 4 1	0	0
4	A	1	Total O S 5 4 1	0	0
4	A	1	Total O S 5 4 1	0	0
4	A	1	Total O S 5 4 1	0	0
4	B	1	Total O S 5 4 1	0	0
4	B	1	Total O S 5 4 1	0	0
4	B	1	Total O S 5 4 1	0	0

- Molecule 5 is DI(HYDROXYETHYL)ETHER (three-letter code: PEG) (formula: C₄H₁₀O₃).




Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	1	Total C O 7 4 3	0	0
5	A	1	Total C O 7 4 3	0	0
5	A	1	Total C O 7 4 3	0	0
5	B	1	Total C O 7 4 3	0	0
5	B	1	Total C O 7 4 3	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	B	1	Total	C	O	0	0
			7	4	3		

- Molecule 6 is TRIETHYLENE GLYCOL (three-letter code: PGE) (formula: C₆H₁₄O₄).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	A	1	Total	C	O	0	0
			10	6	4		


- Molecule 7 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	A	441	Total	O	0	0
			441	441		
7	B	449	Total	O	0	0
			449	449		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Glucose-6-phosphate 1-dehydrogenase



- Molecule 1: Glucose-6-phosphate 1-dehydrogenase



4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	223.23Å 65.65Å 119.25Å 90.00° 120.53° 90.00°	Depositor
Resolution (Å)	48.07 – 1.70 48.07 – 1.70	Depositor EDS
% Data completeness (in resolution range)	97.8 (48.07-1.70) 98.0 (48.07-1.70)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.00 (at 1.70Å)	Xtrriage
Refinement program	PHENIX 1.19.2_4158, PHENIX 1.19.2_4158	Depositor
R, R_{free}	0.197 , 0.227 0.195 , 0.225	Depositor DCC
R_{free} test set	12794 reflections (8.00%)	wwPDB-VP
Wilson B-factor (Å ²)	33.5	Xtrriage
Anisotropy	0.341	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	(Not available) , (Not available)	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtrriage
Estimated twinning fraction	0.014 for -h-2*1,-k,l	Xtrriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	9764	wwPDB-VP
Average B, all atoms (Å ²)	49.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.33% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: NDP, PGE, EDO, PEG, SO4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.36	0/4337	0.59	1/5863 (0.0%)
1	B	0.36	0/4438	0.58	0/6003
All	All	0.36	0/8775	0.58	1/11866 (0.0%)

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	320	LEU	CA-CB-CG	5.83	128.70	115.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4248	0	4222	55	0
1	B	4343	0	4310	36	0
2	A	48	0	26	2	0
2	B	48	0	26	0	0
3	A	48	0	72	10	0
3	B	52	0	78	2	0
4	A	20	0	0	0	0
4	B	15	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
5	A	21	0	29	6	0
5	B	21	0	30	6	0
6	A	10	0	14	2	0
7	A	441	0	0	14	2
7	B	449	0	0	4	2
All	All	9764	0	8807	92	2

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (92) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:168:ARG:HH12	3:A:612:EDO:H12	1.40	0.86
1:B:159:ASP:OD2	7:B:701:HOH:O	2.04	0.76
1:B:349:LYS:HE3	5:B:606:PEG:H22	1.68	0.76
1:A:465:GLN:NE2	7:A:704:HOH:O	2.21	0.72
1:A:152:GLY:HA2	5:A:611:PEG:H32	1.73	0.69
1:B:168:ARG:HH12	3:B:617:EDO:H11	1.57	0.69
5:A:611:PEG:O4	7:A:701:HOH:O	2.09	0.68
1:B:420[A]:ARG:NH1	7:B:706:HOH:O	2.28	0.66
1:B:213:TRP:HE1	5:B:612:PEG:H31	1.61	0.65
5:A:605:PEG:H32	1:B:460:LEU:HD22	1.77	0.65
1:A:416:ARG:NH1	7:A:709:HOH:O	2.28	0.65
1:A:283:GLN:HG3	1:A:401:ILE:HB	1.80	0.64
1:B:349:LYS:HE2	5:B:606:PEG:H31	1.80	0.64
1:A:315:GLN:HG2	3:A:610:EDO:O1	2.01	0.61
1:A:271:SER:HB3	3:A:621:EDO:H22	1.85	0.58
1:A:502:LYS:NZ	7:A:706:HOH:O	2.25	0.57
1:A:132:ASN:C	1:A:134:SER:H	2.08	0.57
1:A:221:PRO:HD3	3:A:616:EDO:H12	1.86	0.57
1:A:220:LYS:NZ	7:A:716:HOH:O	2.34	0.56
1:A:481:PRO:HG2	1:B:456:LEU:CD2	2.36	0.55
1:B:60:ASN:O	1:B:62:LYS:HG3	2.06	0.55
1:A:69:SER:O	1:A:178:GLU:HB2	2.08	0.54
1:A:77:PHE:HB3	1:A:189:LEU:HD11	1.89	0.54
5:A:607:PEG:O1	7:A:702:HOH:O	2.18	0.53
1:B:69:SER:OG	1:B:178:GLU:OE2	2.16	0.53
1:A:87:LYS:NZ	2:A:601:NDP:H71N	2.07	0.53
1:B:271:SER:HB3	3:B:615:EDO:H11	1.90	0.52
1:B:135:GLU:N	1:B:135:GLU:OE1	2.43	0.52

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:453:VAL:HG22	1:B:462:GLN:O	2.10	0.52
1:A:117:ASP:OD2	1:A:120:LYS:HG2	2.10	0.52
1:B:349:LYS:CE	5:B:606:PEG:H31	2.40	0.52
1:A:268:ARG:HH12	3:A:620:EDO:H11	1.74	0.51
1:A:441:PRO:HB2	1:A:475:ARG:HG3	1.92	0.51
1:A:117:ASP:CG	1:A:120:LYS:HG2	2.31	0.51
1:A:315:GLN:HG3	7:A:746:HOH:O	2.10	0.51
1:B:482:ASP:HA	7:B:1000:HOH:O	2.11	0.50
1:A:456:LEU:HD23	1:B:481:PRO:HG2	1.94	0.49
1:B:49:LYS:HA	1:B:49:LYS:HE2	1.94	0.49
1:B:458:GLY:HA2	1:B:462:GLN:OE1	2.13	0.49
1:A:456:LEU:HD11	1:B:486:SER:CB	2.43	0.49
1:A:16:ASP:O	1:A:20:ILE:HG13	2.14	0.48
1:A:176:GLY:N	7:A:725:HOH:O	2.45	0.48
1:B:479:ARG:O	1:B:481:PRO:HD3	2.14	0.48
1:B:70:ARG:NH2	1:B:178:GLU:OE1	2.46	0.48
1:A:81:GLY:HA3	2:A:601:NDP:H52A	1.95	0.48
1:B:134:SER:HB2	1:B:135:GLU:OE1	2.15	0.47
1:A:9:ASP:N	1:A:9:ASP:OD1	2.46	0.47
1:B:21:LEU:HD23	1:B:24:LEU:HD12	1.97	0.47
1:B:285:THR:HG22	1:B:287:LYS:HG3	1.96	0.47
1:B:502:LYS:NZ	7:B:703:HOH:O	2.23	0.47
1:A:127:MET:HE2	1:A:144:LEU:HD11	1.98	0.46
1:B:480:LEU:HD12	1:B:480:LEU:O	2.16	0.46
3:A:606:EDO:H11	3:A:615:EDO:H12	1.98	0.45
1:A:422:GLU:OE1	6:A:614:PGE:H6	2.17	0.45
1:B:213:TRP:HE1	5:B:612:PEG:H22	1.81	0.45
3:A:615:EDO:H21	7:A:1027:HOH:O	2.17	0.44
1:A:276:ALA:HB3	3:A:613:EDO:H21	2.00	0.44
1:B:68:LYS:HE3	1:B:68:LYS:HB2	1.54	0.44
1:A:268:ARG:HH22	3:A:620:EDO:H22	1.82	0.44
1:A:258:GLN:NE2	7:A:730:HOH:O	2.51	0.44
1:A:67:GLN:NE2	7:A:718:HOH:O	2.36	0.44
1:A:123:HIS:HD2	1:A:127:MET:HE1	1.81	0.44
1:B:286:PHE:HB2	1:B:313:LEU:HD21	1.99	0.44
1:A:254:LYS:HE2	1:A:254:LYS:HB2	1.90	0.44
3:A:606:EDO:O1	7:A:703:HOH:O	2.21	0.43
1:A:320:LEU:HD11	1:A:415:ILE:CG2	2.48	0.43
1:A:142:ASP:OD1	7:A:705:HOH:O	2.22	0.43
1:A:322:MET:HB2	1:A:336:GLU:HB3	2.00	0.43
1:A:154:TYR:CZ	1:A:189:LEU:HD21	2.54	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:237:GLU:N	1:B:238:PRO:HD2	2.34	0.42
1:B:448:LYS:HG2	1:B:467:GLU:HG2	2.01	0.42
1:B:465:GLN:OE1	1:B:551:GLN:NE2	2.46	0.42
1:A:96:TYR:HB2	1:A:101:LEU:HD12	2.01	0.42
1:A:420:ARG:HH21	6:A:614:PGE:H3	1.84	0.42
1:A:420:ARG:HD2	7:A:996:HOH:O	2.20	0.42
1:A:495:ASN:HD21	5:A:605:PEG:H42	1.85	0.41
1:A:286:PHE:HB2	1:A:313:LEU:HD21	2.01	0.41
1:A:102:PRO:HA	1:A:103:PRO:HD3	1.92	0.41
1:A:320:LEU:HD11	1:A:415:ILE:HG21	2.02	0.41
1:A:456:LEU:HA	1:A:456:LEU:HD13	1.90	0.41
1:B:106:ASN:OD1	1:B:170:LYS:HB3	2.21	0.41
1:A:293:GLU:C	1:A:295:ARG:H	2.22	0.41
1:B:357:TYR:HB3	1:B:529:TYR:CZ	2.55	0.41
1:A:61:CYS:SG	1:A:63:VAL:HG22	2.61	0.41
1:A:114:LYS:HZ2	5:A:607:PEG:H12	1.84	0.41
1:A:254:LYS:O	1:A:258:GLN:HG3	2.21	0.41
1:A:456:LEU:HD11	1:B:486:SER:HB2	2.02	0.41
1:A:447:VAL:HG22	1:A:468:LEU:HB2	2.03	0.41
1:A:56:CYS:SG	1:A:57:ASP:N	2.93	0.40
1:A:62:LYS:HD3	1:A:98:GLY:O	2.20	0.40
1:A:132:ASN:C	1:A:134:SER:N	2.74	0.40
1:B:550:HIS:NE2	5:B:609:PEG:O2	2.45	0.40

All (2) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
7:A:1004:HOH:O	7:B:738:HOH:O[4_556]	2.09	0.11
7:A:836:HOH:O	7:B:1024:HOH:O[4_546]	2.11	0.09

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was

analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	531/562 (94%)	513 (97%)	17 (3%)	1 (0%)	47	30
1	B	545/562 (97%)	535 (98%)	10 (2%)	0	100	100
All	All	1076/1124 (96%)	1048 (97%)	27 (2%)	1 (0%)	51	33

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	133	LEU

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	461/482 (96%)	457 (99%)	4 (1%)	78	70
1	B	472/482 (98%)	468 (99%)	4 (1%)	81	74
All	All	933/964 (97%)	925 (99%)	8 (1%)	78	70

All (8) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	127	MET
1	A	131	SER
1	A	315	GLN
1	A	452	LYS
1	B	41	SER
1	B	46	SER
1	B	459	ASP
1	B	464	HIS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

41 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	SO4	A	617	-	4,4,4	0.15	0	6,6,6	0.05	0
3	EDO	B	611	-	3,3,3	0.47	0	2,2,2	0.29	0
4	SO4	B	603	-	4,4,4	0.17	0	6,6,6	0.29	0
3	EDO	B	616	-	3,3,3	0.46	0	2,2,2	0.47	0
4	SO4	B	607	-	4,4,4	0.16	0	6,6,6	0.19	0
3	EDO	A	616	-	3,3,3	0.49	0	2,2,2	0.32	0
3	EDO	A	609	-	3,3,3	0.48	0	2,2,2	0.22	0
3	EDO	A	610	-	3,3,3	0.66	0	2,2,2	0.22	0
3	EDO	B	602	-	3,3,3	0.46	0	2,2,2	0.32	0
3	EDO	B	604	-	3,3,3	0.49	0	2,2,2	0.26	0
3	EDO	A	602	-	3,3,3	0.47	0	2,2,2	0.29	0
2	NDP	B	601	-	45,52,52	3.78	18 (40%)	53,80,80	2.01	5 (9%)
5	PEG	B	612	-	6,6,6	0.73	0	5,5,5	0.34	0
3	EDO	B	610	-	3,3,3	0.45	0	2,2,2	0.35	0
3	EDO	B	613	-	3,3,3	0.44	0	2,2,2	0.37	0
3	EDO	B	620	-	3,3,3	0.62	0	2,2,2	0.10	0
3	EDO	A	606	-	3,3,3	0.46	0	2,2,2	0.30	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	EDO	A	621	-	3,3,3	0.66	0	2,2,2	0.14	0
3	EDO	B	615	-	3,3,3	0.48	0	2,2,2	0.29	0
2	NDP	A	601	-	45,52,52	3.87	18 (40%)	53,80,80	2.11	6 (11%)
3	EDO	A	615	-	3,3,3	0.47	0	2,2,2	0.17	0
4	SO4	A	619	-	4,4,4	0.12	0	6,6,6	0.09	0
3	EDO	A	604	-	3,3,3	0.50	0	2,2,2	0.51	0
5	PEG	A	607	-	6,6,6	0.71	0	5,5,5	0.27	0
3	EDO	B	614	-	3,3,3	0.37	0	2,2,2	0.63	0
3	EDO	A	613	-	3,3,3	0.53	0	2,2,2	0.49	0
4	SO4	A	618	-	4,4,4	0.15	0	6,6,6	0.05	0
5	PEG	A	611	-	6,6,6	0.78	0	5,5,5	0.28	0
4	SO4	A	603	-	4,4,4	0.20	0	6,6,6	0.24	0
5	PEG	A	605	1	6,6,6	0.81	0	5,5,5	0.26	0
3	EDO	A	620	-	3,3,3	0.45	0	2,2,2	0.35	0
4	SO4	B	618	-	4,4,4	0.15	0	6,6,6	0.07	0
3	EDO	B	617	-	3,3,3	0.45	0	2,2,2	0.21	0
5	PEG	B	609	-	6,6,6	0.77	0	5,5,5	0.47	0
3	EDO	B	619	-	3,3,3	0.48	0	2,2,2	0.32	0
6	PGE	A	614	-	9,9,9	0.80	0	8,8,8	0.30	0
3	EDO	A	608	-	3,3,3	0.47	0	2,2,2	0.43	0
5	PEG	B	606	-	6,6,6	0.74	0	5,5,5	0.55	0
3	EDO	B	608	-	3,3,3	0.47	0	2,2,2	0.39	0
3	EDO	B	605	-	3,3,3	0.60	0	2,2,2	0.04	0
3	EDO	A	612	-	3,3,3	0.46	0	2,2,2	0.21	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	EDO	B	611	-	-	0/1/1/1	-
3	EDO	B	616	-	-	0/1/1/1	-
3	EDO	A	616	-	-	1/1/1/1	-
3	EDO	A	609	-	-	1/1/1/1	-
3	EDO	A	610	-	-	0/1/1/1	-
3	EDO	B	602	-	-	0/1/1/1	-
3	EDO	B	604	-	-	0/1/1/1	-
3	EDO	A	602	-	-	0/1/1/1	-
2	NDP	B	601	-	-	5/30/77/77	0/5/5/5
5	PEG	B	612	-	-	0/4/4/4	-
3	EDO	B	610	-	-	1/1/1/1	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	EDO	B	613	-	-	0/1/1/1	-
3	EDO	B	620	-	-	0/1/1/1	-
3	EDO	A	606	-	-	0/1/1/1	-
3	EDO	A	621	-	-	1/1/1/1	-
3	EDO	B	615	-	-	0/1/1/1	-
2	NDP	A	601	-	-	4/30/77/77	0/5/5/5
3	EDO	A	615	-	-	0/1/1/1	-
3	EDO	A	604	-	-	0/1/1/1	-
5	PEG	A	607	-	-	2/4/4/4	-
3	EDO	B	614	-	-	0/1/1/1	-
3	EDO	A	613	-	-	0/1/1/1	-
5	PEG	A	611	-	-	2/4/4/4	-
5	PEG	A	605	1	-	0/4/4/4	-
3	EDO	A	620	-	-	0/1/1/1	-
3	EDO	B	617	-	-	0/1/1/1	-
5	PEG	B	609	-	-	2/4/4/4	-
3	EDO	B	619	-	-	0/1/1/1	-
6	PGE	A	614	-	-	4/7/7/7	-
3	EDO	A	608	-	-	0/1/1/1	-
5	PEG	B	606	-	-	2/4/4/4	-
3	EDO	B	608	-	-	0/1/1/1	-
3	EDO	B	605	-	-	1/1/1/1	-
3	EDO	A	612	-	-	0/1/1/1	-

All (36) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	601	NDP	O4B-C1B	13.02	1.59	1.41
2	A	601	NDP	O4B-C1B	12.90	1.59	1.41
2	A	601	NDP	C6N-C5N	11.99	1.54	1.33
2	B	601	NDP	C6N-C5N	11.87	1.54	1.33
2	A	601	NDP	O4D-C1D	7.33	1.59	1.42
2	B	601	NDP	O4D-C1D	7.20	1.59	1.42
2	A	601	NDP	C2D-C1D	-7.09	1.30	1.53
2	B	601	NDP	C2D-C1D	-6.96	1.31	1.53
2	A	601	NDP	O4D-C4D	-6.79	1.29	1.45
2	A	601	NDP	O4B-C4B	-6.36	1.30	1.45
2	B	601	NDP	O4B-C4B	-6.02	1.31	1.45
2	B	601	NDP	O4D-C4D	-5.85	1.31	1.45
2	A	601	NDP	C2N-C3N	5.23	1.49	1.34
2	B	601	NDP	C2N-C3N	4.99	1.48	1.34

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	601	NDP	C4N-C3N	4.58	1.58	1.49
2	A	601	NDP	O2D-C2D	4.22	1.52	1.43
2	B	601	NDP	O2D-C2D	4.20	1.52	1.43
2	B	601	NDP	C4N-C3N	4.20	1.58	1.49
2	A	601	NDP	C6N-N1N	3.61	1.46	1.37
2	B	601	NDP	C7N-N7N	3.46	1.42	1.33
2	A	601	NDP	P2B-O2B	3.45	1.65	1.59
2	A	601	NDP	C7N-N7N	3.36	1.42	1.33
2	A	601	NDP	C6A-N6A	3.29	1.46	1.34
2	B	601	NDP	C6A-N6A	3.28	1.46	1.34
2	B	601	NDP	P2B-O2B	3.23	1.65	1.59
2	A	601	NDP	C4N-C5N	3.21	1.57	1.48
2	B	601	NDP	C4N-C5N	3.11	1.57	1.48
2	B	601	NDP	C6N-N1N	3.03	1.44	1.37
2	B	601	NDP	C2A-N3A	2.92	1.36	1.32
2	A	601	NDP	C2A-N3A	2.65	1.36	1.32
2	B	601	NDP	C5D-C4D	2.46	1.59	1.51
2	A	601	NDP	C5D-C4D	2.41	1.59	1.51
2	A	601	NDP	C5A-C4A	-2.38	1.34	1.40
2	B	601	NDP	C5A-C4A	-2.31	1.34	1.40
2	A	601	NDP	PA-O5B	2.04	1.67	1.59
2	B	601	NDP	PA-O5B	2.04	1.67	1.59

All (11) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	601	NDP	C5A-C6A-N6A	8.59	133.40	120.35
2	B	601	NDP	C5A-C6A-N6A	8.27	132.91	120.35
2	A	601	NDP	C1B-N9A-C4A	-7.76	113.01	126.64
2	B	601	NDP	C1B-N9A-C4A	-7.19	114.01	126.64
2	A	601	NDP	N6A-C6A-N1A	-5.89	106.35	118.57
2	B	601	NDP	N6A-C6A-N1A	-5.67	106.81	118.57
2	B	601	NDP	N3A-C2A-N1A	-5.25	120.47	128.68
2	A	601	NDP	N3A-C2A-N1A	-5.13	120.66	128.68
2	A	601	NDP	C5B-C4B-C3B	-2.09	107.35	115.18
2	B	601	NDP	PN-O3-PA	-2.08	125.68	132.83
2	A	601	NDP	O4D-C1D-N1N	-2.03	104.08	108.06

There are no chirality outliers.

All (26) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	601	NDP	C2B-O2B-P2B-O1X
2	B	601	NDP	C2B-O2B-P2B-O1X
5	B	609	PEG	C1-C2-O2-C3
5	B	606	PEG	O2-C3-C4-O4
5	B	606	PEG	O1-C1-C2-O2
6	A	614	PGE	O1-C1-C2-O2
6	A	614	PGE	O3-C5-C6-O4
5	A	611	PEG	C1-C2-O2-C3
5	B	609	PEG	O2-C3-C4-O4
3	A	616	EDO	O1-C1-C2-O2
3	B	610	EDO	O1-C1-C2-O2
5	A	607	PEG	O2-C3-C4-O4
3	B	605	EDO	O1-C1-C2-O2
2	A	601	NDP	PN-O3-PA-O1A
6	A	614	PGE	O2-C3-C4-O3
6	A	614	PGE	C4-C3-O2-C2
5	A	607	PEG	O1-C1-C2-O2
2	B	601	NDP	O4D-C1D-N1N-C6N
2	A	601	NDP	O4D-C1D-N1N-C6N
2	B	601	NDP	PN-O3-PA-O2A
2	A	601	NDP	C2D-C1D-N1N-C6N
2	B	601	NDP	C2D-C1D-N1N-C6N
3	A	621	EDO	O1-C1-C2-O2
2	B	601	NDP	PN-O3-PA-O1A
5	A	611	PEG	C4-C3-O2-C2
3	A	609	EDO	O1-C1-C2-O2

There are no ring outliers.

18 monomers are involved in 28 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	616	EDO	1	0
3	A	610	EDO	1	0
5	B	612	PEG	2	0
3	A	606	EDO	2	0
3	A	621	EDO	1	0
3	B	615	EDO	1	0
2	A	601	NDP	2	0
3	A	615	EDO	2	0
5	A	607	PEG	2	0
3	A	613	EDO	1	0
5	A	611	PEG	2	0
5	A	605	PEG	2	0


Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	620	EDO	2	0
3	B	617	EDO	1	0
5	B	609	PEG	1	0
6	A	614	PGE	2	0
5	B	606	PEG	3	0
3	A	612	EDO	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [\(i\)](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [\(i\)](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	534/562 (95%)	1.37	107 (20%) 1 0	28, 42, 84, 107	0
1	B	543/562 (96%)	1.41	110 (20%) 1 0	28, 42, 91, 120	0
All	All	1077/1124 (95%)	1.39	217 (20%) 1 0	28, 42, 88, 120	0

All (217) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	456	LEU	15.7
1	B	55	SER	14.8
1	A	56	CYS	14.7
1	B	36	ILE	13.7
1	B	39	PHE	13.0
1	B	5	GLN	12.9
1	A	12	ALA	11.6
1	B	6	SER	11.1
1	B	56	CYS	10.9
1	B	59	ILE	10.7
1	A	47	LEU	10.3
1	B	58	ARG	10.1
1	A	19	GLY	10.0
1	B	40	ILE	10.0
1	A	63	VAL	9.7
1	A	298	TYR	9.7
1	A	9	ASP	9.6
1	B	45	LEU	9.5
1	B	61	CYS	9.4
1	B	37	PHE	9.4
1	B	481	PRO	9.2
1	B	551	GLN	9.2
1	B	8	ALA	9.0
1	A	57	ASP	9.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	65	ASP	8.9
1	A	17	VAL	8.8
1	A	15	ALA	8.5
1	A	138	CYS	8.4
1	A	14	VAL	8.4
1	A	58	ARG	8.3
1	A	134	SER	8.3
1	B	456	LEU	8.3
1	B	66	GLU	8.1
1	B	7	HIS	8.1
1	A	550	HIS	7.9
1	A	10	GLN	7.8
1	B	49	LYS	7.7
1	B	64	LYS	7.7
1	A	474	THR	7.4
1	B	34	ASP	7.1
1	B	177	PRO	7.0
1	A	13	TYR	7.0
1	B	47	LEU	7.0
1	B	35	ASP	6.8
1	A	135	GLU	6.7
1	B	28	VAL	6.6
1	B	67	GLN	6.5
1	B	57	ASP	6.5
1	B	478	VAL	6.5
1	B	550	HIS	6.5
1	A	11	ASP	6.5
1	B	479	ARG	6.5
1	A	133	LEU	6.5
1	A	59	ILE	6.4
1	A	16	ASP	6.4
1	A	60	ASN	6.4
1	B	32	LYS	6.3
1	B	480	LEU	6.1
1	B	43	SER	6.0
1	B	9	ASP	5.9
1	A	20	ILE	5.9
1	A	137	GLY	5.8
1	B	60	ASN	5.8
1	A	23	VAL	5.8
1	A	294	GLY	5.8
1	A	45	LEU	5.7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	31	ARG	5.5
1	A	136	ARG	5.4
1	A	552	LYS	5.4
1	B	41	SER	5.3
1	A	132	ASN	5.3
1	B	138	CYS	5.2
1	B	44	ALA	5.1
1	A	44	ALA	5.0
1	B	38	GLN	4.9
1	B	457	SER	4.9
1	A	475	ARG	4.9
1	A	61	CYS	4.9
1	B	175	LYS	4.8
1	A	457	SER	4.8
1	B	134	SER	4.8
1	A	43	SER	4.8
1	A	48	GLN	4.7
1	B	298	TYR	4.7
1	B	26	ALA	4.6
1	B	42	LYS	4.6
1	B	30	GLU	4.5
1	B	176	GLY	4.5
1	B	33	PRO	4.4
1	A	372	VAL	4.3
1	B	48	GLN	4.3
1	B	174	PHE	4.3
1	A	18	ASP	4.2
1	A	49	LYS	4.2
1	B	135	GLU	4.1
1	A	366	PRO	4.1
1	B	63	VAL	4.1
1	A	295	ARG	4.1
1	A	42	LYS	4.1
1	A	551	GLN	4.0
1	B	372	VAL	4.0
1	A	139	HIS	3.9
1	A	364	SER	3.9
1	A	376	GLU	3.9
1	A	66	GLU	3.8
1	B	10	GLN	3.8
1	B	476	TYR	3.7
1	A	39	PHE	3.7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	500[A]	VAL	3.7
1	A	46	SER	3.6
1	A	131	SER	3.6
1	A	26	ALA	3.6
1	B	363	GLY	3.6
1	B	133	LEU	3.6
1	B	12	ALA	3.5
1	A	96	TYR	3.5
1	A	313	LEU	3.5
1	A	413	VAL	3.5
1	B	24	LEU	3.5
1	B	374	VAL	3.5
1	B	29	LEU	3.4
1	B	25	ARG	3.4
1	A	21	LEU	3.3
1	A	145	LYS	3.3
1	A	40	ILE	3.3
1	A	455	GLY	3.3
1	A	140	ALA	3.2
1	B	46	SER	3.2
1	A	370	GLU	3.2
1	B	248	ILE	3.1
1	A	499	PHE	3.1
1	A	365	ILE	3.1
1	B	50	ASP	3.0
1	B	13	TYR	3.0
1	B	548	PHE	3.0
1	A	22	ASP	2.9
1	B	376	GLU	2.9
1	B	173	ALA	2.9
1	A	144	LEU	2.9
1	B	107	ILE	2.9
1	A	126	LEU	2.8
1	A	128	LYS	2.8
1	A	142	ASP	2.8
1	B	524	ILE	2.8
1	B	62	LYS	2.8
1	A	296	GLY	2.8
1	A	374	VAL	2.7
1	B	252	LEU	2.7
1	A	347	ILE	2.7
1	A	121	TRP	2.7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	483	ALA	2.7
1	A	480	LEU	2.7
1	B	477	ASP	2.7
1	B	239	PHE	2.7
1	B	375	PRO	2.7
1	B	11	ASP	2.6
1	B	217	ILE	2.6
1	A	64	LYS	2.6
1	B	313	LEU	2.6
1	B	508	ALA	2.6
1	A	169	GLU	2.6
1	A	65	ASP	2.6
1	A	371	ASP	2.6
1	A	83	LEU	2.6
1	B	69	SER	2.6
1	A	252	LEU	2.5
1	B	505	LEU	2.5
1	B	68	LYS	2.5
1	B	132	ASN	2.5
1	B	17	VAL	2.5
1	A	38	GLN	2.5
1	A	257	VAL	2.4
1	B	14	VAL	2.4
1	B	347	ILE	2.4
1	A	439	ALA	2.4
1	B	179	LYS	2.4
1	A	487	LEU	2.4
1	A	548	PHE	2.4
1	A	129	TYR	2.4
1	B	511	ILE	2.4
1	A	500	VAL	2.3
1	A	97	CYS	2.3
1	A	437	ILE	2.3
1	A	176	GLY	2.3
1	A	284	ILE	2.3
1	B	365	ILE	2.3
1	B	455	GLY	2.3
1	A	375	PRO	2.3
1	A	462	GLN	2.3
1	B	364[A]	SER	2.3
1	B	362	ASP	2.2
1	B	101	LEU	2.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	108	ILE	2.2
1	A	124	GLU	2.2
1	B	137	GLY	2.2
1	A	359	ALA	2.2
1	B	453	VAL	2.2
1	B	320	LEU	2.2
1	A	248	ILE	2.2
1	B	204	GLY	2.2
1	B	458	GLY	2.2
1	A	512	PHE	2.1
1	A	481	PRO	2.1
1	A	282	VAL	2.1
1	A	423	VAL	2.1
1	B	284	ILE	2.1
1	A	436	VAL	2.1
1	A	24	LEU	2.1
1	A	305	ILE	2.1
1	B	211	GLY	2.1
1	A	246	TYR	2.1
1	B	186	TYR	2.1
1	B	295	ARG	2.1
1	A	415	ILE	2.1
1	A	123	HIS	2.0
1	B	402	LEU	2.0
1	B	377	GLY	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.


6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
3	EDO	B	619	4/4	0.05	0.31	76,81,84,85	0
3	EDO	A	609	4/4	0.12	0.42	70,72,77,79	0
3	EDO	A	602	4/4	0.57	0.52	70,74,78,78	0
5	PEG	B	609	7/7	0.60	0.38	61,64,72,77	0
3	EDO	B	610	4/4	0.63	0.20	71,72,80,84	0
5	PEG	B	606	7/7	0.67	0.23	46,53,61,61	0
6	PGE	A	614	10/10	0.67	0.24	39,66,72,72	0
5	PEG	A	611	7/7	0.69	0.20	41,49,57,59	0
3	EDO	B	617	4/4	0.69	0.12	63,65,66,69	0
5	PEG	A	607	7/7	0.70	0.21	49,55,71,72	0
5	PEG	A	605	7/7	0.71	0.19	40,48,50,60	0
3	EDO	B	605	4/4	0.75	0.13	47,49,50,53	0
5	PEG	B	612	7/7	0.76	0.27	45,56,74,81	0
3	EDO	B	604	4/4	0.78	0.13	47,53,54,55	0
3	EDO	A	606	4/4	0.82	0.12	48,51,53,53	0
3	EDO	A	613	4/4	0.82	0.18	38,46,58,60	0
3	EDO	A	612	4/4	0.83	0.14	42,51,53,60	0
3	EDO	A	616	4/4	0.83	0.12	54,57,64,73	0
3	EDO	A	620	4/4	0.83	0.08	56,59,65,79	0
3	EDO	B	616	4/4	0.85	0.19	47,47,49,51	0
4	SO4	B	618	5/5	0.85	0.37	86,89,95,107	0
3	EDO	A	621	4/4	0.85	0.20	31,38,42,46	0
3	EDO	B	613	4/4	0.86	0.13	45,45,54,62	0
3	EDO	B	608	4/4	0.86	0.11	41,45,45,47	0
3	EDO	A	615	4/4	0.88	0.10	46,47,56,67	0
2	NDP	A	601	48/48	0.89	0.10	38,44,55,59	0
3	EDO	A	610	4/4	0.89	0.12	33,34,35,38	0
2	NDP	B	601	48/48	0.90	0.11	34,43,49,67	0
3	EDO	A	608	4/4	0.90	0.15	43,44,49,54	0
3	EDO	B	615	4/4	0.91	0.22	28,38,43,48	0
3	EDO	A	604	4/4	0.91	0.10	41,42,43,44	0
4	SO4	A	619	5/5	0.92	0.14	53,74,83,83	0
3	EDO	B	614	4/4	0.93	0.17	51,51,74,83	0
3	EDO	B	611	4/4	0.93	0.08	38,42,42,42	0
3	EDO	B	602	4/4	0.94	0.16	36,39,39,41	0
4	SO4	A	618	5/5	0.95	0.10	60,61,63,66	0
3	EDO	B	620	4/4	0.96	0.16	35,35,36,36	0
4	SO4	A	617	5/5	0.97	0.10	56,60,64,66	0
4	SO4	B	607	5/5	0.98	0.10	50,52,55,55	0
4	SO4	A	603	5/5	0.98	0.13	40,47,49,56	0
4	SO4	B	603	5/5	0.98	0.09	40,45,49,52	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers

as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.



6.5 Other polymers [i](#)

There are no such residues in this entry.