



# Full wwPDB X-ray Structure Validation Report ⓘ

Mar 8, 2018 – 07:15 pm GMT

PDB ID : 3ZJT  
Title : Ternary complex of E.coli leucyl-tRNA synthetase, tRNA(Leu)574 and the benzoxaborole AN3017 in the editing conformation  
Authors : Cusack, S.; Palencia, A.; Crepin, T.; Hernandez, V.; Akama, T.; Baker, S.J.; Bu, W.; Feng, L.; Freund, Y.R.; Liu, L.; Meewan, M.; Mohan, M.; Mao, W.; Rock, F.L.; Sexton, H.; Sheoran, A.; Zhang, Y.; Zhang, Y.; Zhou, Y.; Nieman, J.A.; Anugula, M.R.; Keramane, E.M.; Savariraj, K.; Reddy, D.S.; Sharma, R.; Subedi, R.; Singh, R.; OLeary, A.; Simon, N.L.; DeMarsh, P.L.; Mushtaq, S.; Warner, M.; Livermore, D.M.; Alley, M.R.K.; Plattner, J.J.  
Deposited on : 2013-01-18  
Resolution : 2.20 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Xtriage (Phenix) : 1.13  
EDS : trunk30967  
Percentile statistics : 20171227.v01 (using entries in the PDB archive December 27th 2017)  
Refmac : 5.8.0158  
CCP4 : 7.0 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : trunk30967


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.20 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	111664	4343 (2.20-2.20)
Clashscore	122126	5027 (2.20-2.20)
Ramachandran outliers	120053	4952 (2.20-2.20)
Sidechain outliers	120020	4953 (2.20-2.20)
RSRZ outliers	108989	4245 (2.20-2.20)
RNA backbone	2636	1080 (2.70-1.70)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	880	
2	B	88	

## 2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 8570 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called LEUCYL-TRNA SYNTHETASE.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	820	6526	4153	1103	1231	39	0	2	0

There are 20 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-19	MET	-	expression tag	UNP P07813
A	-18	GLY	-	expression tag	UNP P07813
A	-17	SER	-	expression tag	UNP P07813
A	-16	SER	-	expression tag	UNP P07813
A	-15	HIS	-	expression tag	UNP P07813
A	-14	HIS	-	expression tag	UNP P07813
A	-13	HIS	-	expression tag	UNP P07813
A	-12	HIS	-	expression tag	UNP P07813
A	-11	HIS	-	expression tag	UNP P07813
A	-10	HIS	-	expression tag	UNP P07813
A	-9	SER	-	expression tag	UNP P07813
A	-8	SER	-	expression tag	UNP P07813
A	-7	GLY	-	expression tag	UNP P07813
A	-6	LEU	-	expression tag	UNP P07813
A	-5	VAL	-	expression tag	UNP P07813
A	-4	PRO	-	expression tag	UNP P07813
A	-3	ARG	-	expression tag	UNP P07813
A	-2	GLY	-	expression tag	UNP P07813
A	-1	SER	-	expression tag	UNP P07813
A	0	HIS	-	expression tag	UNP P07813

- Molecule 2 is a RNA chain called TRNALEU5 UAA ISOACCEPTOR.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace	
			Total	B	C	N	O				P
2	B	83	1767	1	789	318	577	82	0	0	1

- Molecule 3 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	3	Total 3	Mg 3	0	0


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	263	Total 263	O 263	0	0
4	B	11	Total 11	O 11	0	0


### 3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: LEUCYL-TRNA SYNTHETASE



- Molecule 2: TRNALEU5 UAA ISOACCEPTOR



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	76.90Å 118.80Å 140.40Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	90.54 – 2.20 28.82 – 2.20	Depositor EDS
% Data completeness (in resolution range)	99.7 (90.54-2.20) 99.8 (28.82-2.20)	Depositor EDS
$R_{merge}$	0.07	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	2.59 (at 2.20Å)	Xtrriage
Refinement program	REFMAC 5.6.0085	Depositor
R, $R_{free}$	0.207 , 0.251 0.206 , 0.249	Depositor DCC
$R_{free}$ test set	3333 reflections (5.07%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	36.2	Xtrriage
Anisotropy	0.164	Xtrriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.34 , 41.6	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.48$ , $\langle L^2 \rangle = 0.31$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
$F_o, F_c$ correlation	0.94	EDS
Total number of atoms	8570	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	44.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.87% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality i

### 5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: MG, 574

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.71	0/6686	0.61	0/9074
2	B	0.92	0/1936	1.37	13/3017 (0.4%)
All	All	0.76	0/8622	0.86	13/12091 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1

There are no bond length outliers.

All (13) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed( $^{\circ}$ )	Ideal( $^{\circ}$ )
2	B	20	U	O4'-C1'-N1	6.80	113.64	108.20
2	B	47(C)	U	O4'-C1'-N1	6.76	113.61	108.20
2	B	58	A	C5'-C4'-O4'	-6.23	101.63	109.10
2	B	47(H)	C	O4'-C1'-N1	5.83	112.86	108.20
2	B	9	G	O4'-C1'-N9	5.76	112.81	108.20
2	B	17	C	O4'-C1'-N1	5.74	112.80	108.20
2	B	62	C	O4'-C1'-N1	5.28	112.42	108.20
2	B	47(F)	C	O4'-C1'-N1	5.26	112.41	108.20
2	B	10	G	C4'-C3'-C2'	-5.25	97.35	102.60
2	B	47(A)	G	O4'-C1'-N9	5.20	112.36	108.20
2	B	66	U	O4'-C1'-N1	5.19	112.36	108.20
2	B	43	U	O4'-C1'-N1	5.11	112.28	108.20
2	B	64	G	O4'-C1'-N9	5.03	112.23	108.20

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	490	PHE	Peptide

## 5.2 Too-close contacts [\(i\)](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	6526	0	6390	131	1
2	B	1767	0	896	43	0
3	A	3	0	0	0	0
4	A	263	0	0	5	0
4	B	11	0	0	1	0
All	All	8570	0	7286	168	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 11.

All (168) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:314:THR:HB	1:A:316:GLU:OE1	1.32	1.29
1:A:305:THR:HG22	1:A:307:PHE:H	1.24	1.00
2:B:2:C:H2'	2:B:3:C:H6	1.26	0.99
1:A:49:HIS:H	1:A:52:HIS:HD2	1.10	0.98
1:A:570:LEU:C	1:A:617:MET:HE1	1.92	0.89
1:A:314:THR:CB	1:A:316:GLU:OE1	2.20	0.89
1:A:695:THR:HG22	1:A:697:ASN:H	1.35	0.88
1:A:706:HIS:HD2	1:A:791:ASP:H	1.24	0.85
1:A:509:LYS:O	1:A:510:GLU:HB2	1.76	0.85
1:A:509:LYS:HG2	1:A:510:GLU:H	1.38	0.85
1:A:509:LYS:CG	1:A:510:GLU:H	1.92	0.82
2:B:17:C:H2'	2:B:17:C:O2	1.79	0.81
2:B:2:C:H2'	2:B:3:C:C6	2.14	0.81
2:B:53:G:O2'	2:B:54:U:H5'	1.84	0.78
1:A:706:HIS:CD2	1:A:791:ASP:H	2.01	0.78

*Continued on next page...*



*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:48:LEU:H	1:A:111:GLN:HE22	1.30	0.77
1:A:575:TYR:CZ	1:A:613:VAL:HG11	2.20	0.76
1:A:49:HIS:H	1:A:52:HIS:CD2	1.99	0.76
1:A:305:THR:HB	1:A:320:VAL:O	1.85	0.75
1:A:690:ASN:H	1:A:745:GLN:HE22	1.33	0.73
1:A:25:GLU:OE1	4:A:2017:HOH:O	2.06	0.71
2:B:5:G:H5''	2:B:5:G:C8	2.25	0.71
1:A:215:THR:O	1:A:219:MET:HE3	1.91	0.71
1:A:305:THR:HG22	1:A:307:PHE:N	2.03	0.71
1:A:570:LEU:CB	1:A:617:MET:CE	2.69	0.70
2:B:4:C:H2'	2:B:5:G:O4'	1.91	0.70
1:A:261:VAL:HG21	1:A:265:HIS:CG	2.27	0.70
1:A:305:THR:CG2	1:A:307:PHE:H	2.03	0.69
1:A:566:GLN:HE21	1:A:566:GLN:H	1.39	0.69
1:A:509:LYS:HG2	1:A:510:GLU:N	2.08	0.69
1:A:261:VAL:HG23	1:A:334:ALA:HB2	1.76	0.67
1:A:695:THR:HG22	1:A:697:ASN:N	2.07	0.67
1:A:570:LEU:CB	1:A:617:MET:HE1	2.25	0.67
2:B:68:C:H2'	2:B:69:G:C8	2.29	0.67
1:A:509:LYS:CG	1:A:510:GLU:N	2.57	0.66
2:B:73:A:O2'	2:B:75:C:OP2	2.13	0.66
1:A:570:LEU:HB3	1:A:617:MET:CE	2.26	0.66
1:A:49:HIS:N	1:A:52:HIS:HD2	1.91	0.65
1:A:47:ARG:NH2	1:A:107:TYR:OH	2.31	0.64
1:A:571:ALA:N	1:A:617:MET:HE1	2.12	0.63
1:A:239:TYR:O	4:A:2105:HOH:O	2.15	0.62
1:A:261:VAL:CG2	1:A:265:HIS:CD2	2.81	0.62
1:A:261:VAL:CG2	1:A:265:HIS:CG	2.82	0.62
2:B:13:G:H2'	2:B:14:A:H5''	1.80	0.62
1:A:216:VAL:HA	1:A:219:MET:HE3	1.82	0.62
2:B:2:C:O2'	2:B:3:C:H5'	2.00	0.62
2:B:44:C:H6	2:B:44:C:OP2	1.84	0.61
2:B:18:G:H21	2:B:58:A:H5''	1.65	0.61
2:B:18:G:H21	2:B:58:A:C5'	2.15	0.60
1:A:84:LEU:HD21	1:A:426:ARG:NH2	2.17	0.60
1:A:468:LYS:HZ3	1:A:487:THR:CG2	2.15	0.60
1:A:438:GLU:OE2	1:A:482:PRO:HD2	2.02	0.60
1:A:816:VAL:HG22	1:A:817:PRO:HD2	1.82	0.60
2:B:5:G:H5''	2:B:5:G:H8	1.65	0.60
1:A:570:LEU:HB2	1:A:617:MET:CE	2.31	0.60
1:A:468:LYS:NZ	1:A:487:THR:CG2	2.65	0.59

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:53:G:C2'	2:B:54:U:H5'	2.33	0.59
2:B:65:C:C6	2:B:65:C:H5''	2.38	0.58
1:A:48:LEU:H	1:A:111:GLN:NE2	2.01	0.57
1:A:711:LYS:HD3	4:A:2224:HOH:O	2.04	0.56
1:A:842:VAL:HG22	1:A:860:GLY:O	2.05	0.56
1:A:570:LEU:HB2	1:A:617:MET:HE1	1.86	0.56
1:A:368:PRO:HB3	1:A:375:LEU:HD22	1.86	0.56
1:A:570:LEU:CB	1:A:617:MET:HE2	2.35	0.56
1:A:305:THR:CG2	1:A:307:PHE:HB2	2.36	0.55
1:A:853:LYS:HE2	2:B:19:G:O2'	2.06	0.55
1:A:84:LEU:HD21	1:A:426:ARG:CZ	2.37	0.54
1:A:575:TYR:CE1	1:A:613:VAL:HG11	2.43	0.54
1:A:633:MET:CE	1:A:637:TYR:HE2	2.21	0.54
1:A:633:MET:HE1	1:A:637:TYR:HE2	1.72	0.54
1:A:423:SER:O	1:A:424:ARG:HD3	2.08	0.53
1:A:48:LEU:N	1:A:111:GLN:HE22	2.05	0.53
2:B:4:C:H42	2:B:69:G:H1	1.56	0.53
1:A:843:THR:O	1:A:860:GLY:HA3	2.09	0.52
1:A:843:THR:O	1:A:860:GLY:CA	2.57	0.52
1:A:261:VAL:HG21	1:A:265:HIS:CD2	2.43	0.52
2:B:68:C:H2'	2:B:69:G:H8	1.71	0.52
1:A:50:MET:HE1	1:A:646:MET:SD	2.49	0.52
1:A:594:GLU:HB3	1:A:603:LYS:NZ	2.24	0.52
1:A:571:ALA:N	1:A:617:MET:CE	2.74	0.51
2:B:26:A:C2'	2:B:27:A:H5'	2.40	0.51
1:A:52:HIS:HE1	4:A:2044:HOH:O	1.93	0.51
1:A:570:LEU:HB3	1:A:617:MET:HE2	1.90	0.51
2:B:74:C:H5'	2:B:75:C:H5	1.76	0.51
1:A:305:THR:HG21	1:A:307:PHE:HB2	1.93	0.51
1:A:848:ILE:HG13	2:B:56:C:C2	2.45	0.51
1:A:468:LYS:HZ3	1:A:487:THR:HG22	1.75	0.51
1:A:594:GLU:HB3	1:A:603:LYS:HZ3	1.76	0.51
1:A:694:LEU:HB2	1:A:699:LYS:HG3	1.93	0.51
1:A:690:ASN:H	1:A:745:GLN:NE2	2.07	0.50
1:A:595:ARG:HG2	1:A:599:GLY:O	2.12	0.50
2:B:40:C:H2'	2:B:41:C:H6	1.76	0.50
2:B:71:G:H3'	2:B:72:U:H6	1.77	0.50
1:A:154:SER:O	1:A:187:GLU:HA	2.11	0.50
2:B:1:G:H2'	2:B:1:G:N3	2.26	0.50
1:A:42:PRO:HD2	1:A:78:GLY:O	2.12	0.49
1:A:498:TRP:CD2	1:A:512:MET:CE	2.95	0.49

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:575:TYR:CZ	1:A:613:VAL:CG1	2.92	0.49
1:A:575:TYR:O	1:A:613:VAL:HG12	2.13	0.49
1:A:847:VAL:HG11	1:A:855:LEU:HD11	1.95	0.49
2:B:26:A:H2'	2:B:27:A:H5'	1.95	0.49
1:A:465:SER:HB3	1:A:468:LYS:HD2	1.94	0.49
1:A:498:TRP:CD2	1:A:512:MET:HE2	2.48	0.48
1:A:701:LEU:HD11	1:A:736:LEU:HD23	1.95	0.48
1:A:314:THR:HG22	1:A:314:THR:O	2.13	0.48
1:A:571:ALA:C	1:A:617:MET:HE3	2.35	0.47
2:B:39:U:H6	2:B:39:U:O5'	1.96	0.47
1:A:529:GLY:O	1:A:565:CYS:HA	2.15	0.47
1:A:426:ARG:HA	1:A:426:ARG:HD2	1.42	0.47
1:A:17:HIS:NE2	1:A:781:ASP:OD2	2.43	0.47
2:B:40:C:H2'	2:B:41:C:C6	2.50	0.47
1:A:468:LYS:HG2	1:A:487:THR:HG21	1.96	0.47
1:A:509:LYS:O	1:A:510:GLU:CB	2.52	0.47
2:B:8:U:H2'	2:B:21:G:N2	2.29	0.47
1:A:468:LYS:HG2	1:A:487:THR:CG2	2.44	0.47
1:A:805:GLN:HE22	2:B:19:G:H21	1.62	0.47
1:A:50:MET:CE	1:A:646:MET:SD	3.03	0.47
1:A:468:LYS:CG	1:A:487:THR:HG23	2.45	0.46
1:A:231:GLU:O	1:A:409:GLY:HA2	2.15	0.46
1:A:633:MET:HE2	1:A:658:TRP:HZ2	1.80	0.46
1:A:598:LYS:HB2	1:A:600:ARG:HH21	1.81	0.46
1:A:215:THR:C	1:A:219:MET:HE3	2.37	0.45
1:A:267:LEU:HD21	1:A:305:THR:HG21	1.98	0.45
1:A:443:MET:HB2	1:A:444:PRO:HD2	1.98	0.45
2:B:42:C:O2	2:B:42:C:H2'	2.16	0.45
2:B:27:A:H61	2:B:43:U:H3	1.64	0.45
1:A:216:VAL:HA	1:A:219:MET:CE	2.47	0.45
1:A:422:VAL:HG11	1:A:494:MET:HE1	1.99	0.45
1:A:325:PHE:HA	2:B:74:C:C5	2.52	0.45
2:B:31:G:H1	2:B:39:U:H3	1.64	0.45
1:A:98:ALA:HB3	1:A:99:PRO:CD	2.47	0.44
1:A:299:GLU:O	1:A:299:GLU:HG3	2.17	0.44
1:A:468:LYS:HZ3	1:A:487:THR:HG23	1.83	0.44
1:A:260:ALA:HB3	1:A:335:VAL:CG2	2.47	0.44
1:A:236:VAL:HB	1:A:239:TYR:HB3	1.99	0.44
1:A:519:ASN:HD21	1:A:555:ASN:H	1.66	0.44
1:A:621:SER:HG	1:A:623:SER:HG	1.62	0.44
1:A:690:ASN:C	1:A:690:ASN:OD1	2.56	0.44

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:18:G:N2	2:B:58:A:C5'	2.80	0.43
1:A:468:LYS:NZ	1:A:487:THR:HG23	2.32	0.43
1:A:248:THR:HG23	2:B:76:574:H5'A	2.00	0.43
1:A:344:ARG:HH21	2:B:76:574:H1'	1.84	0.43
1:A:849:TYR:CZ	1:A:851:PRO:HA	2.53	0.43
1:A:470:ASP:OD1	1:A:472:GLU:HB2	2.19	0.43
1:A:391:ASP:OD1	1:A:392:HIS:N	2.50	0.42
1:A:468:LYS:NZ	1:A:487:THR:HG22	2.33	0.42
2:B:18:G:N2	2:B:58:A:H5'	2.34	0.42
1:A:136:GLU:OE2	1:A:495:GLU:OE2	2.37	0.42
1:A:849:TYR:CE2	1:A:851:PRO:HA	2.54	0.42
1:A:633:MET:CE	1:A:637:TYR:CE2	3.02	0.42
1:A:67:ARG:HH11	1:A:784:ASN:HD21	1.68	0.42
1:A:480:GLY:O	1:A:481:MET:HG3	2.20	0.41
2:B:65:C:H6	2:B:65:C:H5''	1.84	0.41
1:A:570:LEU:HB2	1:A:617:MET:HE2	1.99	0.41
2:B:5:G:C5'	2:B:5:G:C8	2.99	0.41
1:A:850:VAL:O	1:A:851:PRO:C	2.58	0.41
1:A:534:ALA:HA	1:A:538:LEU:HD12	2.01	0.41
1:A:575:TYR:CE1	1:A:613:VAL:CG1	3.02	0.41
2:B:53:G:C2	2:B:62:C:C2	3.09	0.41
2:B:39:U:H2'	2:B:40:C:C6	2.56	0.41
2:B:40:C:H3'	4:B:2008:HOH:O	2.21	0.41
1:A:223:TRP:CE3	1:A:535:ILE:HD12	2.57	0.40
1:A:391:ASP:CG	1:A:392:HIS:H	2.24	0.40
1:A:847:VAL:CG1	1:A:855:LEU:HD11	2.51	0.40
1:A:25:GLU:HG2	1:A:120:ASP:OD1	2.21	0.40
1:A:533:HIS:HE1	4:A:2165:HOH:O	2.03	0.40
1:A:360:ILE:HD13	1:A:381:LEU:HD22	2.04	0.40
1:A:617:MET:HE3	1:A:617:MET:HA	2.04	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:507:GLN:NE2	1:A:579:GLU:OE2[4_455]	2.16	0.04

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	816/880 (93%)	790 (97%)	25 (3%)	1 (0%)	53 62

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	287	ASN

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	690/741 (93%)	661 (96%)	29 (4%)	32 41

All (29) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	34	LYS
1	A	36	TYR
1	A	94	ASN
1	A	143	LEU
1	A	154	SER
1	A	227	SER
1	A	238	ASP
1	A	240	ASP
1	A	244	THR
1	A	284	GLU

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	A	286	ARG
1	A	300	LYS
1	A	305	THR
1	A	336	MET
1	A	418	ARG
1	A	426	ARG
1	A	477	THR
1	A	481	MET
1	A	487	THR
1	A	516	GLU
1	A	541	PHE
1	A	566	GLN
1	A	592	ILE
1	A	600	ARG
1	A	618[A]	SER
1	A	618[B]	SER
1	A	621	SER
1	A	828	ARG
1	A	854	LEU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (15) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	52	HIS
1	A	72	ASN
1	A	75	GLN
1	A	104	ASN
1	A	111	GLN
1	A	373	GLN
1	A	383	ASN
1	A	519	ASN
1	A	555	ASN
1	A	566	GLN
1	A	706	HIS
1	A	745	GLN
1	A	762	ASN
1	A	784	ASN
1	A	805	GLN

### 5.3.3 RNA [i](#)

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
2	B	80/88 (90%)	20 (25%)	5 (6%)

All (20) RNA backbone outliers are listed below:

Mol	Chain	Res	Type
2	B	2	C
2	B	3	C
2	B	4	C
2	B	5	G
2	B	6	G
2	B	9	G
2	B	14	A
2	B	17	C
2	B	41	C
2	B	44	C
2	B	50	C
2	B	54	U
2	B	58	A
2	B	59	G
2	B	63	C
2	B	70	G
2	B	71	G
2	B	73	A
2	B	74	C
2	B	75	C

All (5) RNA pucker outliers are listed below:

Mol	Chain	Res	Type
2	B	1	G
2	B	5	G
2	B	47(C)	U
2	B	58	A
2	B	74	C

## 5.4 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

1 non-standard protein/DNA/RNA residue is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond

length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
2	574	B	76	2	29,37,38	2.65	4 (13%)	31,54,57	3.75	11 (35%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	574	B	76	2	-	0/13/43/44	0/5/5/5

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	76	574	B-C12	-4.26	1.50	1.56
2	B	76	574	C11-C10	-3.87	1.49	1.52
2	B	76	574	B-O2'	8.13	1.50	1.37
2	B	76	574	B-O3'	9.35	1.52	1.37

All (11) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	76	574	O3'-B-O2'	-10.55	102.08	113.56
2	B	76	574	N3-C2-N1	-10.48	119.89	128.86
2	B	76	574	O1-C10-C11	-4.14	102.64	110.91
2	B	76	574	C12-C11-C10	-4.11	112.36	120.92
2	B	76	574	C15-C16-C12	-2.30	118.95	121.60
2	B	76	574	O2'-B-C12	-2.28	116.91	123.19
2	B	76	574	O3'-C3'-C2'	3.26	107.21	104.26
2	B	76	574	C13-C11-C10	4.67	126.88	120.22
2	B	76	574	B-O3'-C3'	4.76	110.66	108.04
2	B	76	574	B-C12-C16	6.43	127.42	117.41
2	B	76	574	B-O2'-C2'	7.45	112.15	108.04

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

1 monomer is involved in 2 short contacts:



Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	B	76	574	2	0

## 5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 5.6 Ligand geometry [i](#)

Of 3 ligands modelled in this entry, 3 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data

### 6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	820/880 (93%)	0.11	40 (4%) 29 28	20, 35, 66, 109	0
2	B	82/88 (93%)	1.32	26 (31%) 0 0	32, 63, 128, 156	0
All	All	902/968 (93%)	0.22	66 (7%) 15 13	20, 36, 78, 156	0

All (66) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	B	73	A	8.5
2	B	0	G	7.5
2	B	31	G	6.7
2	B	37	A	6.0
2	B	1	G	6.0
1	A	287	ASN	5.2
2	B	42	C	5.2
2	B	2	C	4.9
2	B	3	C	4.9
1	A	285	CYS	4.5
2	B	38	A	4.2
2	B	30	G	4.2
1	A	94	ASN	4.1
1	A	156	VAL	4.1
1	A	155	ALA	4.0
2	B	4	C	3.8
1	A	283	ASP	3.8
2	B	41	C	3.7
1	A	238	ASP	3.6
2	B	72	U	3.6
2	B	17	C	3.5
2	B	29	G	3.3
1	A	598	LYS	3.3
1	A	279	ALA	3.3

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>	<b>RSRZ</b>
1	A	597	GLU	3.3
1	A	482	PRO	3.2
1	A	765	THR	3.2
1	A	481	MET	3.2
2	B	74	C	3.2
1	A	274	ASN	3.2
1	A	286	ARG	3.1
1	A	764	PHE	2.9
1	A	841	GLY	2.9
2	B	71	G	2.9
1	A	270	LYS	2.8
2	B	65	C	2.8
2	B	70	G	2.8
1	A	463	ILE	2.8
2	B	5	G	2.6
1	A	761	LEU	2.6
1	A	240	ASP	2.6
1	A	594	GLU	2.6
1	A	187	GLU	2.6
1	A	479	ASN	2.5
1	A	288	THR	2.5
1	A	644	LEU	2.5
2	B	67	C	2.5
1	A	271	ALA	2.4
2	B	64	G	2.4
1	A	61	VAL	2.4
1	A	38	LEU	2.4
2	B	69	G	2.4
2	B	68	C	2.3
1	A	843	THR	2.3
1	A	763	PRO	2.3
1	A	758	VAL	2.2
1	A	860	GLY	2.2
1	A	766	PRO	2.2
1	A	37	CYS	2.2
2	B	44	C	2.2
1	A	769	CYS	2.1
1	A	237	ASN	2.1
2	B	39	U	2.1
1	A	117	PHE	2.1
1	A	269	GLN	2.1
1	A	63	ALA	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
2	574	B	76	33/34	0.95	0.09	19,23,27,28	0

## 6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
3	MG	A	1862	1/1	0.77	0.18	56,56,56,56	0
3	MG	A	1861	1/1	0.89	0.11	54,54,54,54	0
3	MG	A	1863	1/1	0.94	0.18	51,51,51,51	0

## 6.5 Other polymers [i](#)

There are no such residues in this entry.