



# Full wwPDB X-ray Structure Validation Report ⓘ

Aug 22, 2022 – 07:06 pm BST

PDB ID : 7ZKW  
Title : Crystal structure of cystinosin from Arabidopsis thaliana in complex with Cystine and sybody  
Authors : Parker, J.L.; Loebel, M.; Newstead, S.  
Deposited on : 2022-04-13  
Resolution : 3.37 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at <http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.4, CSD as541be (2020)  
Xtriage (Phenix) : 1.13  
EDS : 2.29  
buster-report : 1.1.7 (2018)  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0267  
CCP4 : 7.1.010 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.29


# 1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 3.37 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	1691 (3.46-3.30)
Clashscore	141614	1762 (3.46-3.30)
Ramachandran outliers	138981	1732 (3.46-3.30)
Sidechain outliers	138945	1731 (3.46-3.30)
RSRZ outliers	127900	1635 (3.46-3.30)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	277	<div style="display: flex; align-items: center;"> <div style="width: 9%; height: 10px; background-color: red; margin-right: 5px;"></div> <div style="width: 60%; height: 10px; background-color: green; margin-right: 5px;"></div> <div style="width: 25%; height: 10px; background-color: yellow; margin-right: 5px;"></div> <div style="width: 12%; height: 10px; background-color: grey; margin-right: 5px;"></div> </div> <p style="margin-left: 10px;">9%      60%      25%      •      12%</p>
1	B	277	<div style="display: flex; align-items: center;"> <div style="width: 10%; height: 10px; background-color: red; margin-right: 5px;"></div> <div style="width: 57%; height: 10px; background-color: green; margin-right: 5px;"></div> <div style="width: 24%; height: 10px; background-color: yellow; margin-right: 5px;"></div> <div style="width: 6%; height: 10px; background-color: orange; margin-right: 5px;"></div> <div style="width: 12%; height: 10px; background-color: grey; margin-right: 5px;"></div> </div> <p style="margin-left: 10px;">10%      57%      24%      6%      12%</p>
2	C	121	<div style="display: flex; align-items: center;"> <div style="width: 6%; height: 10px; background-color: red; margin-right: 5px;"></div> <div style="width: 71%; height: 10px; background-color: green; margin-right: 5px;"></div> <div style="width: 23%; height: 10px; background-color: yellow; margin-right: 5px;"></div> <div style="width: 1%; height: 10px; background-color: orange; margin-right: 5px;"></div> <div style="width: 1%; height: 10px; background-color: red; margin-right: 5px;"></div> </div> <p style="margin-left: 10px;">6%      71%      23%      • •</p>
2	D	121	<div style="display: flex; align-items: center;"> <div style="width: 4%; height: 10px; background-color: red; margin-right: 5px;"></div> <div style="width: 69%; height: 10px; background-color: green; margin-right: 5px;"></div> <div style="width: 28%; height: 10px; background-color: yellow; margin-right: 5px;"></div> <div style="width: 1%; height: 10px; background-color: orange; margin-right: 5px;"></div> <div style="width: 1%; height: 10px; background-color: red; margin-right: 5px;"></div> </div> <p style="margin-left: 10px;">4%      69%      28%      • •</p>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard

residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	IYY	B	301	-	-	X	-

## 2 Entry composition i

There are 3 unique types of molecules in this entry. The entry contains 11744 atoms, of which 5818 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Cystinosin homolog.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
			Total	C	H	N	O	S			
1	A	243	3978	1330	1991	310	335	12	116	0	0
1	B	243	3978	1330	1991	310	335	12	116	0	0

There are 14 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	271	GLY	-	expression tag	UNP P57758
A	272	GLU	-	expression tag	UNP P57758
A	273	ASN	-	expression tag	UNP P57758
A	274	LEU	-	expression tag	UNP P57758
A	275	TYR	-	expression tag	UNP P57758
A	276	PHE	-	expression tag	UNP P57758
A	277	GLN	-	expression tag	UNP P57758
B	271	GLY	-	expression tag	UNP P57758
B	272	GLU	-	expression tag	UNP P57758
B	273	ASN	-	expression tag	UNP P57758
B	274	LEU	-	expression tag	UNP P57758
B	275	TYR	-	expression tag	UNP P57758
B	276	PHE	-	expression tag	UNP P57758
B	277	GLN	-	expression tag	UNP P57758

- Molecule 2 is a protein called sybody.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
			Total	C	H	N	O	S			
2	C	121	1868	604	906	170	184	4	71	0	0
2	D	121	1868	604	906	170	184	4	71	0	0

- Molecule 3 is L-cystine (three-letter code: IYY) (formula: C<sub>6</sub>H<sub>12</sub>N<sub>2</sub>O<sub>4</sub>S<sub>2</sub>) (labeled as "Ligand

of Interest" by depositor).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	
			Total	C	H	N	O			S
3	A	1	26	6	12	2	4	2	1	0
3	B	1	26	6	12	2	4	2	1	0


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Cystinosin homolog



- Molecule 1: Cystinosin homolog



- Molecule 2: sybody





- Molecule 2: sybody



## 4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	283.37Å 64.06Å 55.44Å 90.00° 99.95° 90.00°	Depositor
Resolution (Å)	69.78 – 3.37 69.78 – 3.45	Depositor EDS
% Data completeness (in resolution range)	92.8 (69.78-3.37) 92.8 (69.78-3.45)	Depositor EDS
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	1.11 (at 3.49Å)	Xtrriage
Refinement program	REFMAC 5.8.0350	Depositor
R, $R_{free}$	0.249 , 0.280 0.249 , 0.277	Depositor DCC
$R_{free}$ test set	632 reflections (4.84%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	74.6	Xtrriage
Anisotropy	0.246	Xtrriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	(Not available) , (Not available)	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.31$ , $\langle L^2 \rangle = 0.15$	Xtrriage
Estimated twinning fraction	0.307 for -h-2*1,-k,l	Xtrriage
Reported twinning fraction	0.676 for H, K, L 0.324 for -H-4/2L, -K, L	Depositor
Outliers	3 of 13058 reflections (0.023%)	Xtrriage
$F_o, F_c$ correlation	0.82	EDS
Total number of atoms	11744	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	69.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 6.35% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: IYY

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.65	0/2049	0.94	3/2789 (0.1%)
1	B	0.67	0/2049	0.95	5/2789 (0.2%)
2	C	0.71	0/987	1.41	11/1340 (0.8%)
2	D	0.69	0/987	1.44	9/1340 (0.7%)
All	All	0.67	0/6072	1.12	28/8258 (0.3%)

There are no bond length outliers.

All (28) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	C	72	ARG	NE-CZ-NH1	21.94	131.27	120.30
2	D	72	ARG	NE-CZ-NH1	21.06	130.83	120.30
2	D	72	ARG	NE-CZ-NH2	-20.66	109.97	120.30
2	C	72	ARG	NE-CZ-NH2	-18.27	111.17	120.30
2	D	45	ARG	NE-CZ-NH1	-12.18	114.21	120.30
2	D	72	ARG	CD-NE-CZ	9.79	137.30	123.60
2	C	72	ARG	CD-NE-CZ	9.21	136.50	123.60
2	C	31	ARG	NE-CZ-NH1	8.74	124.67	120.30
2	D	45	ARG	NE-CZ-NH2	8.70	124.65	120.30
1	A	115	ARG	CA-C-N	-7.22	101.75	116.20
2	D	109	ASP	CB-CG-OD2	-7.22	111.80	118.30
2	C	104	TYR	CB-CA-C	6.77	123.94	110.40
2	C	74	ASN	CA-CB-CG	-6.35	99.44	113.40
2	C	45	ARG	NE-CZ-NH1	-6.26	117.17	120.30
2	C	31	ARG	CB-CG-CD	6.22	127.77	111.60
1	B	175	PHE	CB-CG-CD2	-5.86	116.70	120.80
2	C	31	ARG	CD-NE-CZ	5.82	131.75	123.60
2	D	104	TYR	CB-CA-C	5.77	121.94	110.40
1	B	56	HIS	CA-CB-CG	-5.72	103.87	113.60
1	B	38	ARG	CG-CD-NE	-5.71	99.82	111.80

*Continued on next page...*

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	38	ARG	CB-CA-C	-5.69	99.03	110.40
2	D	89	GLU	CB-CG-CD	5.60	129.33	114.20
2	D	19	ARG	NE-CZ-NH1	-5.58	117.51	120.30
2	C	45	ARG	NE-CZ-NH2	5.52	123.06	120.30
1	A	240	TYR	CB-CG-CD1	-5.46	117.72	121.00
2	C	104	TYR	CA-C-O	-5.16	109.26	120.10
1	B	209	GLN	CB-CA-C	-5.13	100.14	110.40
1	A	240	TYR	CB-CG-CD2	5.01	124.00	121.00

There are no chirality outliers.

There are no planarity outliers.

## 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1987	1991	1986	70	2
1	B	1987	1991	1986	88	0
2	C	962	906	904	22	4
2	D	962	906	904	24	4
3	A	14	12	0	4	0
3	B	14	12	0	8	0
All	All	5926	5818	5780	189	6

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 16.

All (189) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:182:GLY:O	2:D:105:TRP:CE3	2.07	1.07
1:A:233:ILE:HA	1:A:236:MET:SD	2.08	0.94
1:B:47:ASP:OD2	1:B:120:VAL:HB	1.72	0.88
1:B:233:ILE:HA	1:B:236:MET:SD	2.14	0.88
1:B:241:VAL:O	1:B:242:LEU:C	2.14	0.84
1:B:47:ASP:CG	1:B:120:VAL:HB	1.99	0.82

Continued on next page...

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:224:LEU:HD11	3:B:301:IYY:OXT	1.82	0.80
2:C:99:LYS:NZ	2:C:109:ASP:OD1	2.14	0.79
1:B:32:LEU:HD21	1:B:106:THR:HG23	1.67	0.76
1:B:182:GLY:O	2:D:105:TRP:CD2	2.38	0.76
1:B:180:THR:CG2	1:B:239:HIS:ND1	2.50	0.75
1:B:241:VAL:O	1:B:242:LEU:O	2.06	0.74
1:A:183:TRP:HE1	1:A:185:ILE:HG13	1.52	0.74
1:B:44:LEU:HD21	1:B:110:ILE:HD11	1.68	0.74
2:D:36:TRP:HD1	2:D:70:ILE:HD12	1.53	0.74
1:A:119:LYS:O	1:A:120:VAL:O	2.06	0.72
2:D:97:ASN:OD1	2:D:98:VAL:N	2.23	0.72
2:C:36:TRP:HD1	2:C:70:ILE:HD12	1.53	0.72
3:B:301:IYY:S1	3:B:301:IYY:O2	2.48	0.71
1:A:117:PRO:HB3	2:C:59:HIS:ND1	2.05	0.71
1:B:192:PHE:HE1	1:B:229:ILE:HG23	1.55	0.71
2:D:23:ALA:HA	2:D:78:THR:HG22	1.73	0.70
2:C:23:ALA:HA	2:C:78:THR:HG22	1.71	0.70
1:B:180:THR:HG21	1:B:239:HIS:ND1	2.06	0.70
1:B:179:SER:OG	1:B:181:VAL:HG23	1.91	0.69
1:A:117:PRO:CB	2:C:59:HIS:ND1	2.55	0.69
1:A:234:LEU:O	1:A:238:GLN:HG3	1.92	0.69
1:A:43:GLY:O	2:C:107:THR:HG21	1.93	0.69
1:B:237:PHE:O	1:B:238:GLN:C	2.31	0.69
1:B:47:ASP:OD1	1:B:120:VAL:HB	1.93	0.68
1:A:47:ASP:OD1	1:A:120:VAL:HG23	1.95	0.67
1:B:183:TRP:HE1	1:B:185:ILE:HG13	1.59	0.67
1:B:32:LEU:HD21	1:B:106:THR:CG2	2.25	0.66
1:B:55:LYS:NZ	3:B:301:IYY:O	2.28	0.66
1:B:42:VAL:HG22	1:B:116:GLY:HA2	1.77	0.66
1:B:119:LYS:C	1:B:121:SER:H	1.97	0.65
2:C:72:ARG:HG2	2:C:74:ASN:OD1	1.95	0.65
1:B:208:ASP:OD1	1:B:209:GLN:NE2	2.30	0.64
2:C:88:PRO:HA	2:C:119:VAL:HB	1.79	0.64
1:A:28:PHE:O	1:A:32:LEU:HD13	1.97	0.64
1:B:23:SER:O	1:B:26:ILE:HG22	1.97	0.64
1:B:242:LEU:H	1:B:242:LEU:HD23	1.63	0.63
2:C:97:ASN:OD1	2:C:99:LYS:NZ	2.31	0.62
1:B:58:SER:HB3	1:B:155:PHE:O	1.99	0.62
2:C:102:GLY:H	2:C:107:THR:HG22	1.64	0.62
1:A:44:LEU:HD11	1:A:49:VAL:CG2	2.30	0.62
1:A:107:LEU:HA	1:A:110:ILE:HG12	1.81	0.62

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:192:PHE:CE1	1:B:229:ILE:HG23	2.34	0.62
1:B:38:ARG:O	1:B:39:ARG:C	2.38	0.61
2:D:102:GLY:H	2:D:107:THR:HG22	1.65	0.61
1:A:183:TRP:NE1	1:A:185:ILE:HG13	2.15	0.61
1:A:108:PHE:O	1:A:112:ILE:HG22	2.00	0.61
1:B:34:LEU:HD11	1:B:38:ARG:NH2	2.15	0.61
1:B:112:ILE:N	1:B:112:ILE:HD13	2.15	0.60
1:B:114:GLU:C	1:B:116:GLY:H	2.03	0.60
1:A:24:TRP:CD2	3:A:301:IYY:N	2.70	0.60
1:B:209:GLN:O	1:B:211:SER:N	2.34	0.60
1:A:110:ILE:O	1:A:114:GLU:HB2	2.01	0.60
2:C:20:LEU:HD23	2:C:83:MET:SD	2.42	0.59
1:B:38:ARG:O	1:B:40:SER:N	2.35	0.59
2:C:36:TRP:HD1	2:C:70:ILE:CD1	2.15	0.59
1:B:41:VAL:HG21	1:B:110:ILE:HA	1.84	0.59
1:A:46:PHE:HB2	1:A:120:VAL:HG22	1.82	0.59
2:C:74:ASN:OD1	2:C:74:ASN:N	2.30	0.58
1:A:58:SER:HB3	1:A:155:PHE:O	2.02	0.58
1:A:208:ASP:OD2	1:A:209:GLN:NE2	2.37	0.58
2:D:36:TRP:HD1	2:D:70:ILE:CD1	2.16	0.58
2:D:88:PRO:HA	2:D:119:VAL:HB	1.85	0.57
1:A:180:THR:HG21	1:A:239:HIS:HB2	1.86	0.57
1:A:108:PHE:CZ	1:A:112:ILE:HD12	2.39	0.57
1:B:168:ILE:HB	1:B:169:PRO:HD3	1.85	0.57
2:D:20:LEU:HD23	2:D:83:MET:SD	2.44	0.57
1:A:41:VAL:HG21	1:A:110:ILE:HA	1.86	0.57
1:A:180:THR:HG23	1:A:183:TRP:HB2	1.88	0.56
1:A:180:THR:CG2	1:A:239:HIS:ND1	2.69	0.56
1:B:179:SER:OG	1:B:181:VAL:CG2	2.53	0.56
1:A:159:GLN:HE22	1:A:224:LEU:HB2	1.71	0.56
1:B:183:TRP:NE1	1:B:185:ILE:HG13	2.20	0.56
1:B:114:GLU:C	1:B:116:GLY:N	2.59	0.55
1:B:159:GLN:HE22	1:B:224:LEU:HB2	1.72	0.55
1:B:237:PHE:CZ	1:B:242:LEU:HD21	2.41	0.55
1:B:46:PHE:HB2	1:B:120:VAL:HG23	1.90	0.54
2:D:20:LEU:HD11	2:D:115:THR:HG23	1.90	0.54
1:B:43:GLY:O	2:D:107:THR:HG21	2.07	0.54
1:B:224:LEU:HD11	3:B:301:IYY:CB	2.38	0.54
1:A:35:ASN:ND2	1:A:41:VAL:HG12	2.22	0.54
1:B:13:TYR:CD1	1:B:201:GLN:HG2	2.42	0.54
1:A:234:LEU:HG	1:A:238:GLN:HE21	1.73	0.54

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:60:MET:HG3	1:A:96:SER:HB3	1.90	0.54
1:B:61:ILE:O	1:B:65:CYS:SG	2.66	0.54
1:B:181:VAL:HG11	2:D:100:ASP:HB3	1.89	0.53
1:A:166:LYS:HE2	3:A:301:IYY:O	2.09	0.53
1:A:166:LYS:O	2:C:103:TRP:CD1	2.62	0.53
1:B:170:GLN:OE1	2:D:104:TYR:N	2.31	0.53
2:D:109:ASP:OD2	2:D:111:TRP:CZ2	2.62	0.52
1:B:192:PHE:CE2	1:B:196:LEU:HD11	2.45	0.52
1:A:170:GLN:CD	2:C:105:TRP:CD1	2.82	0.52
1:A:168:ILE:HB	1:A:169:PRO:HD3	1.92	0.52
1:A:180:THR:HG21	1:A:239:HIS:CB	2.39	0.52
1:B:119:LYS:O	1:B:121:SER:N	2.43	0.52
1:A:121:SER:O	1:A:125:ILE:HB	2.10	0.52
2:D:97:ASN:ND2	2:D:111:TRP:CZ3	2.75	0.52
1:B:183:TRP:HA	2:D:105:TRP:CZ3	2.45	0.51
1:B:209:GLN:O	1:B:210:ASN:C	2.47	0.51
1:B:24:TRP:NE1	1:B:194:GLY:HA3	2.26	0.51
1:A:175:PHE:HA	1:A:243:TYR:OH	2.11	0.51
1:A:22:ALA:O	1:A:26:ILE:HG22	2.11	0.51
1:A:114:GLU:HG2	1:A:115:ARG:H	1.76	0.51
1:A:124:ALA:O	1:A:125:ILE:C	2.48	0.50
1:A:244:PRO:O	1:A:245:GLU:HG3	2.10	0.50
1:B:41:VAL:CG2	1:B:114:GLU:HA	2.42	0.50
1:A:166:LYS:CE	3:A:301:IYY:O	2.59	0.50
1:A:180:THR:HG21	1:A:239:HIS:CG	2.46	0.50
2:D:40:ALA:HB3	2:D:43:LYS:HD2	1.93	0.50
1:B:237:PHE:CE2	1:B:242:LEU:HD21	2.47	0.50
1:B:32:LEU:CD2	1:B:106:THR:HG22	2.42	0.50
1:A:46:PHE:HB2	1:A:120:VAL:CG2	2.43	0.49
1:A:156:ASN:O	1:A:159:GLN:HG3	2.12	0.49
1:B:32:LEU:CD2	1:B:106:THR:CG2	2.91	0.49
1:B:55:LYS:HG3	1:B:162:MET:HB2	1.94	0.49
1:B:119:LYS:C	1:B:121:SER:N	2.65	0.49
1:B:47:ASP:OD2	1:B:120:VAL:CB	2.54	0.48
1:B:156:ASN:O	1:B:159:GLN:HG3	2.12	0.48
1:A:114:GLU:HG2	1:A:115:ARG:N	2.28	0.48
1:A:192:PHE:O	1:A:196:LEU:HD13	2.14	0.48
1:B:44:LEU:CD2	1:B:110:ILE:HD11	2.40	0.48
1:A:109:GLN:HA	1:A:112:ILE:CG2	2.44	0.47
1:A:109:GLN:HA	1:A:112:ILE:HG22	1.96	0.47
1:A:117:PRO:HG3	2:C:33:ARG:HD3	1.96	0.47

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:122:ARG:O	1:B:124:ALA:N	2.47	0.47
1:A:32:LEU:HD11	1:A:106:THR:CG2	2.44	0.47
1:B:208:ASP:O	1:B:210:ASN:N	2.47	0.47
1:A:36:PHE:O	1:A:37:ARG:C	2.53	0.47
1:B:24:TRP:CD2	3:B:301:IYY:N	2.83	0.47
1:B:224:LEU:CD1	3:B:301:IYY:OXT	2.60	0.47
1:B:41:VAL:HG22	1:B:114:GLU:HA	1.97	0.47
1:B:56:HIS:HE1	3:B:301:IYY:SG	2.38	0.46
1:A:48:PHE:CZ	2:C:104:TYR:HB2	2.50	0.46
1:A:234:LEU:O	1:A:238:GLN:N	2.38	0.46
2:D:104:TYR:O	2:D:105:TRP:O	2.32	0.46
1:A:180:THR:HG21	1:A:239:HIS:ND1	2.31	0.46
1:A:55:LYS:HG3	1:A:162:MET:HB2	1.97	0.46
1:B:237:PHE:O	1:B:238:GLN:O	2.32	0.46
2:D:29:VAL:HG23	2:D:72:ARG:HD2	1.98	0.46
1:A:47:ASP:OD2	1:A:120:VAL:HB	2.16	0.46
1:A:119:LYS:O	1:A:120:VAL:C	2.55	0.45
1:A:192:PHE:O	1:A:196:LEU:CD1	2.64	0.45
1:B:181:VAL:HG11	2:D:100:ASP:CB	2.46	0.45
1:A:170:GLN:CD	2:C:105:TRP:NE1	2.69	0.45
1:B:60:MET:HG3	1:B:96:SER:HB3	1.98	0.45
1:A:47:ASP:OD1	1:A:120:VAL:CG2	2.62	0.45
1:B:24:TRP:CD1	1:B:194:GLY:HA3	2.52	0.45
1:A:122:ARG:O	1:A:123:LEU:C	2.55	0.45
2:D:6:GLU:HB3	2:D:115:THR:HG22	1.98	0.45
1:B:128:VAL:HG13	1:B:132:TRP:CD1	2.52	0.44
1:B:170:GLN:CD	2:D:105:TRP:CD1	2.91	0.44
1:A:65:CYS:HB3	1:A:72:ILE:CD1	2.48	0.43
1:B:167:TYR:HB3	1:B:231:PHE:CG	2.53	0.43
1:B:112:ILE:N	1:B:112:ILE:CD1	2.82	0.43
1:B:238:GLN:HA	1:B:242:LEU:HG	2.01	0.43
1:B:46:PHE:CE2	1:B:118:GLN:HB2	2.53	0.43
1:B:50:MET:HE2	1:B:50:MET:HB2	1.80	0.42
1:B:65:CYS:HB3	1:B:72:ILE:CD1	2.49	0.42
2:C:73:ASP:HB2	2:C:80:TYR:HE2	1.83	0.42
1:A:183:TRP:CE2	1:A:239:HIS:CD2	3.06	0.42
1:A:112:ILE:HD13	1:A:112:ILE:HG21	1.79	0.42
1:A:178:LYS:O	1:A:179:SER:O	2.38	0.42
1:B:185:ILE:HD12	1:B:185:ILE:H	1.85	0.42
2:D:24:ALA:HB3	2:D:77:ASN:OD1	2.20	0.42
1:A:124:ALA:O	1:A:127:ILE:N	2.53	0.42

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:140:PHE:O	1:B:144:PRO:HD3	2.20	0.42
1:A:239:HIS:CD2	1:A:240:TYR:CE1	3.09	0.41
1:A:117:PRO:CA	2:C:59:HIS:ND1	2.83	0.41
1:B:183:TRP:CE2	1:B:239:HIS:CD2	3.08	0.41
2:D:6:GLU:HB3	2:D:115:THR:CG2	2.50	0.41
1:B:114:GLU:O	1:B:116:GLY:N	2.54	0.41
1:A:125:ILE:HG22	1:A:126:GLY:N	2.34	0.41
1:A:167:TYR:HB3	1:A:231:PHE:CG	2.56	0.41
1:B:178:LYS:O	1:B:179:SER:O	2.38	0.41
2:C:52:GLU:OE1	2:C:57:GLU:HB3	2.20	0.41
1:A:243:TYR:C	1:A:244:PRO:O	2.59	0.41
3:A:301:IYY:O2	3:A:301:IYY:S1	2.79	0.41
2:C:67:ARG:HD3	2:C:87:LYS:NZ	2.35	0.41
1:A:120:VAL:O	1:A:121:SER:HB3	2.21	0.41
1:B:21:PHE:O	1:B:22:ALA:C	2.59	0.41
1:B:41:VAL:HG22	1:B:114:GLU:CA	2.50	0.41
1:B:92:ASP:OD2	1:B:221:LYS:HD2	2.21	0.41
1:B:123:LEU:C	1:B:123:LEU:HD23	2.41	0.40
1:B:24:TRP:CE3	3:B:301:IYY:N	2.89	0.40

All (6) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:C:11:LEU:HB2	2:D:30:TYR:HE2[4_546]	1.11	0.49
2:C:11:LEU:N	2:D:30:TYR:OH[4_546]	1.98	0.22
1:A:5:ASN:O	1:A:7:ILE:H[2_555]	1.46	0.14
2:C:30:TYR:CE2	2:D:11:LEU:HD21[4_547]	1.50	0.10
2:C:30:TYR:CD2	2:D:11:LEU:CD2[4_547]	2.17	0.03
1:A:5:ASN:O	1:A:7:ILE:N[2_555]	2.19	0.01

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was

analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	241/277 (87%)	215 (89%)	21 (9%)	5 (2%)	7	32
1	B	241/277 (87%)	212 (88%)	18 (8%)	11 (5%)	2	17
2	C	119/121 (98%)	110 (92%)	7 (6%)	2 (2%)	9	36
2	D	119/121 (98%)	112 (94%)	5 (4%)	2 (2%)	9	36
All	All	720/796 (90%)	649 (90%)	51 (7%)	20 (3%)	5	27

All (20) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	120	VAL
1	A	121	SER
1	B	39	ARG
1	B	120	VAL
1	B	179	SER
1	B	242	LEU
1	B	244	PRO
2	C	53	SER
2	D	53	SER
2	D	105	TRP
1	A	179	SER
1	B	115	ARG
1	B	123	LEU
1	B	210	ASN
1	A	244	PRO
1	B	208	ASP
1	B	22	ALA
1	B	114	GLU
2	C	105	TRP
1	A	241	VAL

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.



Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	218/249 (88%)	209 (96%)	9 (4%)	30	61
1	B	218/249 (88%)	207 (95%)	11 (5%)	24	56
2	C	98/98 (100%)	89 (91%)	9 (9%)	9	32
2	D	98/98 (100%)	89 (91%)	9 (9%)	9	32
All	All	632/694 (91%)	594 (94%)	38 (6%)	19	50

All (38) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	3	SER
1	A	50	MET
1	A	125	ILE
1	A	175	PHE
1	A	181	VAL
1	A	205	GLN
1	A	237	PHE
1	A	242	LEU
1	A	243	TYR
1	B	3	SER
1	B	25	SER
1	B	50	MET
1	B	60	MET
1	B	96	SER
1	B	120	VAL
1	B	175	PHE
1	B	178	LYS
1	B	189	LEU
1	B	190	LEU
1	B	241	VAL
2	C	2	VAL
2	C	52	GLU
2	C	57	GLU
2	C	96	CYS
2	C	99	LYS
2	C	104	TYR
2	C	105	TRP
2	C	113	GLN
2	C	115	THR
2	D	1	GLN
2	D	2	VAL
2	D	3	GLN
2	D	52	GLU

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
2	D	96	CYS
2	D	99	LYS
2	D	105	TRP
2	D	109	ASP
2	D	113	GLN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 5.6 Ligand geometry [i](#)

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
3	IYY	A	301	-	11,13,13	0.43	0	12,16,16	0.96	1 (8%)
3	IYY	B	301	-	11,13,13	0.64	0	12,16,16	0.86	1 (8%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the

Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	IYY	A	301	-	-	10/15/15/15	-
3	IYY	B	301	-	-	8/15/15/15	-

There are no bond length outliers.

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	301	IYY	C1-SG-S1	-2.54	97.25	103.82
3	B	301	IYY	C1-SG-S1	-2.10	98.38	103.82

There are no chirality outliers.

All (18) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
3	A	301	IYY	N-CA-CB-O
3	A	301	IYY	N1-C4-C5-O2
3	B	301	IYY	C1-CA-CB-O
3	B	301	IYY	C1-CA-CB-OXT
3	B	301	IYY	C3-C4-C5-O2
3	A	301	IYY	N-CA-CB-OXT
3	A	301	IYY	N1-C4-C5-O3
3	A	301	IYY	C1-CA-CB-O
3	A	301	IYY	C1-CA-CB-OXT
3	A	301	IYY	C3-C4-C5-O3
3	A	301	IYY	C3-C4-C5-O2
3	B	301	IYY	C3-C4-C5-O3
3	B	301	IYY	N1-C4-C5-O2
3	B	301	IYY	C4-C3-S1-SG
3	A	301	IYY	C4-C3-S1-SG
3	B	301	IYY	N1-C4-C5-O3
3	A	301	IYY	C3-S1-SG-C1
3	B	301	IYY	CA-C1-SG-S1

There are no ring outliers.

2 monomers are involved in 12 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	301	IYY	4	0
3	B	301	IYY	8	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data

### 6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	243/277 (87%)	0.37	25 (10%) 6 8	67, 73, 78, 81	1 (0%)
1	B	243/277 (87%)	0.37	27 (11%) 5 7	65, 71, 77, 80	2 (0%)
2	C	121/121 (100%)	0.17	7 (5%) 23 27	61, 66, 70, 75	0
2	D	121/121 (100%)	-0.00	5 (4%) 37 41	59, 66, 70, 74	0
All	All	728/796 (91%)	0.27	64 (8%) 10 12	59, 70, 77, 81	3 (0%)

All (64) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	78	ASP	6.3
1	A	74	LYS	5.7
1	A	210	ASN	4.9
1	A	76	TYR	4.3
1	B	41	VAL	3.9
1	A	4	TRP	3.9
1	B	74	LYS	3.7
1	A	69	SER	3.5
1	A	41	VAL	3.5
1	B	212	TRP	3.4
1	A	70	PRO	3.4
1	A	212	TRP	3.4
1	B	77	PHE	3.3
1	A	45	ASN	3.3
1	B	71	VAL	3.3
2	D	100	ASP	3.2
1	A	208	ASP	3.2
1	B	35	ASN	3.2
1	A	209	GLN	3.0
1	A	71	VAL	3.0
1	B	70	PRO	3.0

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>	<b>RSRZ</b>
2	C	4	LEU	2.9
1	A	211	SER	2.9
2	C	101	GLU	2.9
1	B	207	ILE	2.9
1	B	113	TYR	2.9
1	A	176	THR	2.8
1	A	3	SER	2.8
1	B	115	ARG	2.8
1	B	44	LEU	2.8
1	B	78	ASP	2.8
1	B	69	SER	2.7
1	B	209	GLN	2.7
1	B	4	TRP	2.7
1	B	5	ASN	2.7
1	A	75	GLN	2.7
1	B	40	SER	2.6
1	B	3	SER	2.6
1	B	83	LYS	2.6
1	A	85	MET	2.6
1	B	85	MET	2.5
1	B	245	GLU	2.5
2	D	101	GLU	2.5
2	C	108	TYR	2.5
2	C	100	ASP	2.5
1	A	44	LEU	2.5
1	A	207	ILE	2.5
1	B	210	ASN	2.4
2	C	110	TYR	2.4
1	A	77	PHE	2.4
1	A	42	VAL	2.4
1	B	7	ILE	2.4
1	B	39	ARG	2.3
1	A	79	THR	2.3
2	D	25	SER	2.3
1	B	84	GLU	2.3
1	A	11	ILE	2.3
2	C	109	ASP	2.2
2	D	109	ASP	2.1
2	D	110	TYR	2.1
1	A	5	ASN	2.1
1	B	215	PHE	2.1
2	C	103	TRP	2.0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	B	211	SER	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
3	IYY	B	301	14/14	0.96	0.15	32,61,62,62	1
3	IYY	A	301	14/14	0.97	0.14	32,58,61,62	1

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.






**Electron density around IYY B 301:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)

**Electron density around IYY A 301:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)



## 6.5 Other polymers [i](#)

There are no such residues in this entry.