



Full wwPDB X-ray Structure Validation Report ⓘ

May 14, 2020 – 11:09 pm BST

PDB ID : 5ZLT
Title : Crystal structure of UDP-GlcNAc 2-epimerase NeuC complexed with UDP
Authors : Ko, T.P.; Hsieh, T.J.; Yang, C.S.; Chen, Y.
Deposited on : 2018-03-29
Resolution : 2.50 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.11
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.11


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	4661 (2.50-2.50)
Clashscore	141614	5346 (2.50-2.50)
Ramachandran outliers	138981	5231 (2.50-2.50)
Sidechain outliers	138945	5233 (2.50-2.50)
RSRZ outliers	127900	4559 (2.50-2.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	380	
1	B	380	
1	C	380	
1	D	380	

2 Entry composition i

There are 4 unique types of molecules in this entry. The entry contains 12117 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called GDP/UDP-N,N'-diacetylbacillosamine 2-epimerase (Hydrolyzing).

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	370	Total	C	N	O	S	0	0	0
			2905	1860	484	550	11			
1	B	366	Total	C	N	O	S	0	0	0
			2878	1842	479	546	11			
1	C	370	Total	C	N	O	S	0	0	0
			2905	1860	484	550	11			
1	D	366	Total	C	N	O	S	0	0	0
			2879	1842	480	546	11			

There are 8 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	379	LEU	-	expression tag	UNP A0A154EJU5
A	380	GLU	-	expression tag	UNP A0A154EJU5
B	379	LEU	-	expression tag	UNP A0A154EJU5
B	380	GLU	-	expression tag	UNP A0A154EJU5
C	379	LEU	-	expression tag	UNP A0A154EJU5
C	380	GLU	-	expression tag	UNP A0A154EJU5
D	379	LEU	-	expression tag	UNP A0A154EJU5
D	380	GLU	-	expression tag	UNP A0A154EJU5

- Molecule 2 is SULFATE ION (three-letter code: SO4) (formula: O₄S).

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
			Total	C	N	O	P		
3	D	1	25	9	2	12	2	0	0


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	127	Total 127	O 127	0	0
4	B	103	Total 103	O 103	0	0
4	C	131	Total 131	O 131	0	0
4	D	133	Total 133	O 133	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: GDP/UDP-N,N'-diacetylbaucillosamine 2-epimerase (Hydrolyzing)




- Molecule 1: GDP/UDP-N,N'-diacetylbaucillosamine 2-epimerase (Hydrolyzing)





- Molecule 1: GDP/UDP-N,N'-diacetylbaucillosamine 2-epimerase (Hydrolyzing)





- Molecule 1: GDP/UDP-N,N'-diacetylglucosamine 2-epimerase (Hydrolyzing)



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	85.59Å 126.14Å 146.00Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	29.59 – 2.50 29.64 – 2.50	Depositor EDS
% Data completeness (in resolution range)	96.5 (29.59-2.50) 96.5 (29.64-2.50)	Depositor EDS
R_{merge}	0.08	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.61 (at 2.51Å)	Xtrriage
Refinement program	PHENIX 1.10.1_2155	Depositor
R, R_{free}	0.204 , 0.257 0.204 , 0.257	Depositor DCC
R_{free} test set	2720 reflections (5.06%)	wwPDB-VP
Wilson B-factor (Å ²)	36.1	Xtrriage
Anisotropy	0.028	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.31 , 51.6	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	12117	wwPDB-VP
Average B, all atoms (Å ²)	50.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 41.11 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 2.4760e-04. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: UDP, SO4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.27	0/2959	0.48	0/4005
1	B	0.25	0/2930	0.43	0/3964
1	C	0.29	0/2959	0.52	0/4005
1	D	0.25	0/2931	0.44	0/3966
All	All	0.27	0/11779	0.47	0/15940

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2905	0	2936	43	0
1	B	2878	0	2905	28	0
1	C	2905	0	2936	60	0
1	D	2879	0	2907	37	0
2	A	5	0	0	0	0
2	C	5	0	0	0	0
3	B	21	0	10	4	0
3	D	25	0	11	4	0
4	A	127	0	0	1	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
4	B	103	0	0	1	0
4	C	131	0	0	1	0
4	D	133	0	0	0	0
All	All	12117	0	11705	165	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

All (165) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:322:VAL:HG23	1:A:328:GLU:HG2	1.45	0.97
1:B:272:ILE:HA	1:B:275:TYR:HB3	1.61	0.82
1:A:268:LYS:HD3	1:A:268:LYS:H	1.54	0.71
1:C:323:ARG:NH1	1:C:325:ASP:O	2.22	0.71
1:B:11:ARG:NH2	1:B:270:PHE:H	1.90	0.70
1:C:331:GLU:O	1:C:335:LYS:HB2	1.91	0.69
1:C:325:ASP:OD1	1:C:326:GLU:N	2.25	0.69
1:C:211:PRO:HG2	1:C:243:ASP:HB2	1.76	0.68
1:C:204:TYR:OH	1:C:278:VAL:O	2.03	0.67
1:C:323:ARG:CZ	1:C:328:GLU:HB3	2.25	0.66
1:D:229:GLN:NE2	1:D:326:GLU:OE2	2.29	0.66
1:B:61:GLU:OE2	1:B:92:ARG:NH1	2.29	0.65
1:C:234:ASN:HA	1:C:263:ARG:HG2	1.78	0.65
1:C:304:VAL:HG12	1:C:320:LEU:HB2	1.78	0.65
1:C:224:PHE:HB2	1:C:256:LEU:HD13	1.79	0.64
1:D:302:PRO:HB3	1:D:339:PHE:HZ	1.62	0.64
1:D:310:GLN:O	1:D:315:ARG:NH2	2.31	0.63
1:B:103:ASP:OD2	1:B:139:ARG:NH2	2.32	0.62
1:D:210:HIS:NE2	3:D:400:UDP:O2A	2.33	0.62
1:D:11:ARG:HG3	1:D:272:ILE:HD11	1.82	0.62
1:B:103:ASP:HB3	1:B:139:ARG:HB2	1.83	0.60
1:D:302:PRO:HB3	1:D:339:PHE:CZ	2.36	0.60
1:C:207:ILE:HG13	1:C:286:VAL:HG12	1.84	0.59
1:C:228:LYS:HE2	1:C:256:LEU:HD12	1.85	0.59
1:A:327:ASN:O	1:A:330:VAL:N	2.36	0.58
1:D:272:ILE:HA	1:D:275:TYR:HB3	1.84	0.58
1:B:11:ARG:HH21	1:B:269:SER:HA	1.69	0.57
1:D:11:ARG:HH11	1:D:271:GLY:HA2	1.68	0.57
1:B:323:ARG:NH2	1:B:328:GLU:OE1	2.38	0.57
1:C:247:THR:HA	1:C:250:VAL:HG12	1.86	0.57

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:293:LEU:HG	1:C:319:ILE:HD12	1.87	0.56
1:C:323:ARG:CZ	1:C:325:ASP:HB3	2.36	0.56
1:A:207:ILE:HG13	1:A:286:VAL:HG22	1.87	0.56
1:A:315:ARG:HD2	1:A:319:ILE:HG21	1.87	0.56
1:B:84:LEU:HD13	1:D:84:LEU:HD13	1.87	0.55
1:D:362:GLU:O	1:D:366:THR:HG23	2.07	0.55
1:C:286:VAL:HG23	1:C:304:VAL:HG23	1.88	0.55
1:C:221:ALA:HA	1:C:224:PHE:CZ	2.42	0.55
1:D:379:LEU:HD12	1:D:379:LEU:H	1.72	0.55
1:C:378:LEU:HD12	1:D:378:LEU:HD12	1.88	0.54
1:D:15:GLY:HA3	1:D:272:ILE:HD13	1.89	0.54
1:A:247:THR:O	1:A:250:VAL:HG12	2.08	0.53
1:A:322:VAL:HG22	1:A:323:ARG:O	2.09	0.53
1:C:157:LYS:O	1:C:161:ILE:HG12	2.08	0.52
1:C:207:ILE:HB	1:C:237:PHE:CD1	2.43	0.52
1:C:304:VAL:CG1	1:C:332:ALA:HB1	2.40	0.52
1:D:223:LEU:O	1:D:226:ALA:HB3	2.09	0.52
1:A:189:ILE:HG23	1:A:200:PHE:HB2	1.92	0.52
1:C:304:VAL:HG12	1:C:332:ALA:HB1	1.91	0.52
1:D:11:ARG:NH1	1:D:271:GLY:HA2	2.25	0.52
1:C:303:THR:HG21	1:C:319:ILE:HD13	1.92	0.51
1:D:326:GLU:O	1:D:330:VAL:HG23	2.10	0.51
1:C:323:ARG:NH1	1:C:328:GLU:HB3	2.26	0.51
1:D:228:LYS:NZ	1:D:259:GLN:OE1	2.38	0.51
1:A:223:LEU:O	1:A:227:LEU:HD12	2.11	0.51
1:A:84:LEU:HD13	1:C:84:LEU:HD13	1.91	0.51
1:A:208:THR:HG22	1:A:238:SER:OG	2.11	0.51
1:C:330:VAL:HA	1:C:333:LEU:HD13	1.93	0.51
1:A:325:ASP:O	1:A:329:ILE:HG13	2.11	0.51
1:C:288:ASN:HB2	1:C:309:ARG:HB3	1.93	0.51
1:C:303:THR:CG2	1:C:319:ILE:HD13	2.41	0.50
1:D:108:LEU:HB2	1:D:138:ILE:HG23	1.92	0.50
1:B:271:GLY:O	1:B:273:GLN:N	2.41	0.50
1:C:315:ARG:HD2	1:C:319:ILE:HG21	1.94	0.50
1:A:224:PHE:HB3	1:A:256:LEU:HD13	1.93	0.50
1:C:323:ARG:NE	1:C:325:ASP:HB3	2.27	0.50
1:A:236:ILE:HD13	1:A:278:VAL:HG11	1.93	0.49
1:C:238:SER:HA	1:C:267:VAL:O	2.13	0.49
1:C:331:GLU:N	1:C:331:GLU:OE1	2.42	0.49
1:B:355:ASN:OD1	1:B:355:ASN:N	2.45	0.49
1:D:9:GLY:N	1:D:13:GLU:OE1	2.39	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:11:ARG:HD3	1:D:48:THR:HB	1.94	0.49
1:B:210:HIS:NE2	3:B:400:UDP:O1A	2.44	0.48
1:C:232:ASP:H	1:C:263:ARG:NH2	2.12	0.48
1:D:103:ASP:HB3	1:D:139:ARG:HB2	1.94	0.48
1:B:15:GLY:HA3	1:B:272:ILE:HD12	1.95	0.48
1:A:257:LYS:HD3	1:A:264:VAL:HB	1.95	0.48
1:B:292:GLY:O	1:B:303:THR:HG21	2.14	0.48
1:C:235:PHE:O	1:C:264:VAL:HA	2.14	0.48
1:C:228:LYS:NZ	1:C:259:GLN:HE22	2.12	0.48
1:B:11:ARG:HD3	3:B:400:UDP:H1'	1.96	0.48
1:C:210:HIS:HD2	1:C:241:ASN:H	1.62	0.48
1:C:205:PHE:CE1	1:C:333:LEU:HD23	2.49	0.48
1:C:225:ASP:O	1:C:229:GLN:NE2	2.47	0.47
1:B:88:ASP:HB3	1:B:92:ARG:HH21	1.80	0.47
1:C:155:GLU:CD	1:C:314:LEU:HD21	2.35	0.47
1:A:212:GLU:HG2	1:A:309:ARG:HB2	1.97	0.47
1:A:327:ASN:O	1:A:331:GLU:OE1	2.33	0.47
1:C:335:LYS:HA	1:C:338:ASN:OD1	2.15	0.47
1:A:325:ASP:HB3	1:A:328:GLU:HB3	1.97	0.47
1:B:203:PRO:HB3	1:B:283:LEU:HD11	1.97	0.47
1:B:333:LEU:O	1:B:337:ILE:HG13	2.15	0.46
1:D:206:LEU:HD23	1:D:279:LEU:HD13	1.97	0.46
1:A:155:GLU:CD	1:A:314:LEU:HD21	2.36	0.46
1:C:224:PHE:CE2	1:C:252:ALA:HB1	2.50	0.46
1:C:353:LEU:HD23	1:C:353:LEU:H	1.80	0.46
1:D:291:SER:HB3	3:D:400:UDP:H5'1	1.98	0.46
1:A:211:PRO:HG3	1:A:246:ASN:HB3	1.98	0.46
1:A:325:ASP:OD1	1:A:326:GLU:N	2.49	0.46
1:C:303:THR:HG23	1:C:319:ILE:HA	1.97	0.46
1:D:11:ARG:HH21	1:D:48:THR:HG22	1.81	0.46
1:C:247:THR:O	1:C:250:VAL:HG12	2.15	0.46
1:A:203:PRO:HB3	1:A:283:LEU:HD21	1.97	0.45
1:C:44:GLU:OE2	4:C:501:HOH:O	2.21	0.45
1:A:11:ARG:HB2	1:A:48:THR:HG21	1.98	0.45
1:A:268:LYS:HG2	1:A:269:SER:N	2.32	0.45
1:B:208:THR:OG1	1:B:238:SER:OG	2.31	0.45
1:B:88:ASP:HB3	1:B:92:ARG:NH2	2.31	0.45
1:A:206:LEU:HD23	1:A:279:LEU:HD13	1.97	0.45
1:B:147:ASN:OD1	4:B:501:HOH:O	2.21	0.45
1:D:12:ALA:HA	3:D:400:UDP:H1'	1.99	0.45
1:C:322:VAL:HB	1:C:328:GLU:HG2	1.99	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:271:GLY:O	1:D:273:GLN:N	2.48	0.44
1:B:130:THR:HB	1:B:309:ARG:O	2.18	0.44
1:C:292:GLY:O	1:C:303:THR:HG21	2.17	0.44
1:A:157:LYS:O	1:A:161:ILE:HG13	2.18	0.44
1:A:238:SER:HA	1:A:267:VAL:O	2.18	0.44
1:C:225:ASP:OD1	1:C:228:LYS:HE3	2.17	0.44
1:C:334:GLN:O	1:C:337:ILE:N	2.51	0.44
1:C:221:ALA:HA	1:C:224:PHE:CE2	2.52	0.44
1:A:355:ASN:ND2	4:A:505:HOH:O	2.51	0.43
1:D:15:GLY:CA	1:D:272:ILE:HD13	2.48	0.43
1:C:131:GLU:OE2	1:C:309:ARG:HA	2.18	0.43
1:A:326:GLU:O	1:A:330:VAL:HG23	2.19	0.43
1:D:199:ASP:HB3	1:D:202:LYS:HE2	2.00	0.43
1:A:220:VAL:HG11	1:A:249:ILE:HG12	2.00	0.43
1:B:275:TYR:CE2	3:B:400:UDP:H3'	2.53	0.43
1:C:235:PHE:HD2	1:C:264:VAL:HG22	1.83	0.43
1:B:215:LEU:HA	1:B:215:LEU:HD12	1.91	0.43
1:D:103:ASP:OD2	1:D:139:ARG:NH2	2.46	0.42
1:D:5:ALA:HA	1:D:33:GLN:HB2	2.01	0.42
1:B:2:LYS:HB2	1:B:2:LYS:HE3	1.76	0.42
1:D:238:SER:HB2	3:D:400:UDP:O4	2.19	0.42
1:A:306:ILE:HA	1:A:322:VAL:O	2.19	0.42
1:A:204:TYR:OH	1:A:278:VAL:O	2.22	0.42
1:C:210:HIS:CD2	1:C:240:PRO:HA	2.55	0.42
1:D:165:GLU:CD	1:D:372:LYS:HZ1	2.22	0.42
1:B:239:TYR:O	3:B:400:UDP:H5	2.03	0.42
1:C:155:GLU:OE2	1:C:314:LEU:HD21	2.19	0.41
1:A:131:GLU:HG3	1:A:311:LYS:HB3	2.02	0.41
1:A:353:LEU:H	1:A:353:LEU:HD23	1.85	0.41
1:C:323:ARG:HH22	1:C:327:ASN:N	2.17	0.41
1:A:286:VAL:HB	1:A:304:VAL:HB	2.03	0.41
1:A:322:VAL:HG21	1:A:329:ILE:HA	2.01	0.41
1:C:212:GLU:OE1	1:C:215:LEU:HD23	2.20	0.41
1:C:11:ARG:HB2	1:C:48:THR:HG21	2.01	0.41
1:A:279:LEU:HD11	1:A:285:MET:HB2	2.02	0.41
1:D:166:GLN:HG3	1:D:373:ALA:HB1	2.01	0.41
1:B:22:ARG:NH2	1:B:23:ASP:OD1	2.47	0.41
1:D:43:PRO:HA	1:D:47:GLU:HG3	2.02	0.41
1:D:202:LYS:HB2	1:D:202:LYS:HE3	1.86	0.41
1:A:187:LYS:NZ	1:A:274:ASN:OD1	2.47	0.41
1:B:108:LEU:HB2	1:B:138:ILE:HG23	2.02	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:283:LEU:HA	1:C:283:LEU:HD23	1.81	0.41
1:C:283:LEU:HD13	1:C:337:ILE:HG13	2.03	0.41
1:A:215:LEU:HA	1:A:215:LEU:HD12	1.81	0.40
1:A:268:LYS:HG2	1:A:269:SER:H	1.86	0.40
1:A:333:LEU:O	1:A:337:ILE:HG13	2.21	0.40
1:B:239:TYR:CD1	1:B:268:LYS:HA	2.56	0.40
1:C:231:ASN:HB3	1:C:263:ARG:HH22	1.86	0.40
1:A:181:ILE:HD13	1:A:276:LEU:HD13	2.04	0.40
1:D:149:HIS:NE2	1:D:165:GLU:OE1	2.54	0.40
1:D:215:LEU:HA	1:D:215:LEU:HD12	1.94	0.40
1:A:259:GLN:HB2	1:A:260:LEU:HD12	2.02	0.40
1:C:227:LEU:HD23	1:C:333:LEU:HD21	2.04	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	366/380 (96%)	347 (95%)	18 (5%)	1 (0%)	41	61
1	B	362/380 (95%)	348 (96%)	13 (4%)	1 (0%)	41	61
1	C	366/380 (96%)	342 (93%)	23 (6%)	1 (0%)	41	61
1	D	362/380 (95%)	346 (96%)	16 (4%)	0	100	100
All	All	1456/1520 (96%)	1383 (95%)	70 (5%)	3 (0%)	47	68

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	338	ASN
1	C	327	ASN
1	B	272	ILE

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	318/328 (97%)	309 (97%)	9 (3%)	43	70
1	B	315/328 (96%)	311 (99%)	4 (1%)	69	87
1	C	318/328 (97%)	309 (97%)	9 (3%)	43	70
1	D	315/328 (96%)	309 (98%)	6 (2%)	57	80
All	All	1266/1312 (96%)	1238 (98%)	28 (2%)	52	77

All (28) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	11	ARG
1	A	67	LEU
1	A	190	SER
1	A	268	LYS
1	A	286	VAL
1	A	313	ARG
1	A	339	PHE
1	A	350	PRO
1	A	353	LEU
1	B	11	ARG
1	B	13	GLU
1	B	134	TYR
1	B	339	PHE
1	C	35	LEU
1	C	158	LYS
1	C	190	SER
1	C	303	THR
1	C	304	VAL
1	C	323	ARG
1	C	338	ASN
1	C	339	PHE
1	C	353	LEU
1	D	13	GLU
1	D	22	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	D	92	ARG
1	D	134	TYR
1	D	195	LEU
1	D	339	PHE

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (8) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	172	ASN
1	A	355	ASN
1	B	140	HIS
1	B	274	ASN
1	C	210	HIS
1	C	229	GLN
1	C	259	GLN
1	C	305	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

4 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	UDP	B	400	-	18,21,26	1.90	3 (16%)	25,31,40	1.09	2 (8%)
3	UDP	D	400	-	20,26,26	1.12	1 (5%)	25,40,40	1.06	2 (8%)
2	SO4	C	400	-	4,4,4	0.14	0	6,6,6	0.11	0
2	SO4	A	400	-	4,4,4	0.15	0	6,6,6	0.11	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	UDP	B	400	-	-	6/13/30/32	0/1/1/2
3	UDP	D	400	-	-	7/14/32/32	0/2/2/2

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	B	400	UDP	C6-C5	4.81	1.39	1.32
3	B	400	UDP	C1'-N1	4.18	1.48	1.43
3	D	400	UDP	C4-N3	3.08	1.38	1.33
3	B	400	UDP	C4-C5	-2.44	1.39	1.49

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	D	400	UDP	PA-O3A-PB	-3.09	122.22	132.83
3	B	400	UDP	PA-O3A-PB	-2.88	122.95	132.83
3	B	400	UDP	C5-C6-N1	-2.27	117.03	123.80
3	D	400	UDP	C3'-C2'-C1'	2.25	104.37	100.98

There are no chirality outliers.

All (13) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	B	400	UDP	C5'-O5'-PA-O1A
3	D	400	UDP	O4'-C4'-C5'-O5'
3	D	400	UDP	C5'-O5'-PA-O1A
3	D	400	UDP	C5'-O5'-PA-O3A
3	D	400	UDP	C3'-C4'-C5'-O5'
3	B	400	UDP	C4'-C5'-O5'-PA

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
3	B	400	UDP	PB-O3A-PA-O1A
3	D	400	UDP	C4'-C5'-O5'-PA
3	D	400	UDP	PB-O3A-PA-O2A
3	B	400	UDP	PA-O3A-PB-O2B
3	B	400	UDP	C5'-O5'-PA-O3A
3	D	400	UDP	PB-O3A-PA-O1A
3	B	400	UDP	C3'-C4'-C5'-O5'

There are no ring outliers.

2 monomers are involved in 8 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	B	400	UDP	4	0
3	D	400	UDP	4	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	370/380 (97%)	0.31	34 (9%) 9 9	20, 43, 128, 176	0
1	B	366/380 (96%)	-0.17	7 (1%) 66 69	17, 39, 70, 104	0
1	C	370/380 (97%)	0.58	67 (18%) 1 1	18, 43, 157, 200	0
1	D	366/380 (96%)	-0.28	5 (1%) 75 77	22, 38, 65, 95	0
All	All	1472/1520 (96%)	0.11	113 (7%) 13 13	17, 39, 125, 200	0

All (113) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	214	ASN	8.9
1	A	244	ASN	8.9
1	C	214	ASN	7.5
1	C	213	THR	7.4
1	C	216	LEU	6.9
1	C	217	GLU	6.6
1	C	253	MET	6.5
1	C	243	ASP	6.4
1	A	215	LEU	6.0
1	C	264	VAL	5.9
1	A	216	LEU	5.7
1	A	239	TYR	5.7
1	C	325	ASP	5.6
1	C	215	LEU	5.5
1	C	332	ALA	5.5
1	A	213	THR	5.4
1	A	243	ASP	5.1
1	C	219	ASN	5.0
1	C	244	ASN	4.8
1	C	212	GLU	4.8
1	A	264	VAL	4.8

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	217	GLU	4.5
1	C	328	GLU	4.4
1	C	249	ILE	4.4
1	C	208	THR	4.3
1	A	242	ALA	4.3
1	B	353	LEU	4.2
1	C	250	VAL	4.2
1	C	327	ASN	4.1
1	C	242	ALA	4.1
1	C	336	ALA	4.0
1	C	225	ASP	3.9
1	C	224	PHE	3.8
1	C	251	LYS	3.8
1	C	258	ALA	3.7
1	C	379	LEU	3.7
1	B	354	GLY	3.6
1	C	232	ASP	3.6
1	A	230	ILE	3.6
1	A	212	GLU	3.6
1	C	239	TYR	3.5
1	C	323	ARG	3.4
1	C	247	THR	3.4
1	C	252	ALA	3.4
1	D	339	PHE	3.4
1	C	207	ILE	3.3
1	C	241	ASN	3.3
1	C	338	ASN	3.3
1	C	265	LEU	3.3
1	C	317	GLU	3.2
1	A	379	LEU	3.2
1	A	225	ASP	3.2
1	C	229	GLN	3.2
1	D	338	ASN	3.1
1	C	233	VAL	3.1
1	C	133	ALA	3.1
1	A	245	GLY	3.1
1	A	334	GLN	3.1
1	A	218	GLU	3.1
1	C	131	GLU	3.0
1	A	317	GLU	3.0
1	C	226	ALA	3.0
1	A	338	ASN	3.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	238	SER	2.9
1	A	133	ALA	2.9
1	C	227	LEU	2.9
1	A	249	ILE	2.9
1	B	339	PHE	2.9
1	A	251	LYS	2.9
1	B	272	ILE	2.9
1	C	1	MET	2.8
1	A	286	VAL	2.8
1	C	286	VAL	2.8
1	A	255	ASP	2.8
1	C	211	PRO	2.8
1	C	255	ASP	2.7
1	C	268	LYS	2.7
1	D	195	LEU	2.6
1	A	220	VAL	2.6
1	B	379	LEU	2.6
1	C	194	GLU	2.6
1	C	236	ILE	2.5
1	A	219	ASN	2.5
1	A	257	LYS	2.5
1	C	378	LEU	2.5
1	C	237	PHE	2.5
1	C	324	LEU	2.4
1	C	196	TYR	2.4
1	C	329	ILE	2.4
1	C	240	PRO	2.4
1	A	194	GLU	2.4
1	C	259	GLN	2.4
1	C	320	LEU	2.3
1	C	195	LEU	2.3
1	D	353	LEU	2.3
1	A	241	ASN	2.3
1	C	221	ALA	2.3
1	C	230	ILE	2.3
1	C	283	LEU	2.2
1	A	253	MET	2.2
1	C	228	LYS	2.2
1	A	339	PHE	2.2
1	B	300	GLN	2.1
1	A	232	ASP	2.1
1	C	266	LEU	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	256	LEU	2.1
1	A	268	LYS	2.1
1	C	257	LYS	2.1
1	B	194	GLU	2.0
1	C	319	ILE	2.0
1	D	194	GLU	2.0
1	C	333	LEU	2.0
1	C	326	GLU	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)


There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
3	UDP	B	400	21/25	0.87	0.28	46,96,100,103	0
3	UDP	D	400	25/25	0.87	0.34	44,121,122,124	0
2	SO4	C	400	5/5	0.94	0.14	71,74,74,79	0
2	SO4	A	400	5/5	0.94	0.16	72,72,73,74	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.



6.5 Other polymers

There are no such residues in this entry.