



Full wwPDB X-ray Structure Validation Report

Jun 14, 2022 – 04:08 pm BST


PDB ID : 7ZMN
Title : Crystal structure of human RECQL5 helicase APO form in complex with engineered nanobody (Gluebody) G3-048
Authors : Ye, M.; Makola, M.; Newman, J.A.; Fairhead, M.; MacLean, E.; Krojer, T.; Aitkenhead, H.; Bountra, C.; Gileadi, O.; von Delft, F.
Deposited on : 2022-04-19
Resolution : 3.20 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the  symbol.

The following versions of software and data (see [references](#) ) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.4, CSD as541be (2020)
Xtrriage (Phenix) : 1.13
EDS : **FAILED**
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.28.1


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 3.20 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	141614	1253 (3.20-3.20)
Ramachandran outliers	138981	1234 (3.20-3.20)
Sidechain outliers	138945	1233 (3.20-3.20)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$.

Note EDS failed to run properly.

Mol	Chain	Length	Quality of chain
1	A	445	79% (green), 20% (yellow), 1% (grey)
1	B	445	78% (green), 20% (yellow), 2% (grey)
2	C	127	76% (green), 21% (yellow), 3% (grey)
2	K	127	73% (green), 24% (yellow), 3% (grey)

2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 8800 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called ATP-dependent DNA helicase Q5.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	440	Total	C	N	O	S	0	4	0
			3405	2153	605	624	23			
1	B	440	Total	C	N	O	S	0	4	0
			3447	2177	620	627	23			

There are 4 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	9	SER	-	expression tag	UNP O94762
A	10	MET	-	expression tag	UNP O94762
B	9	SER	-	expression tag	UNP O94762
B	10	MET	-	expression tag	UNP O94762

- Molecule 2 is a protein called Gluebody G3-048.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
2	K	124	Total	C	N	O	S	0	2	0
			954	592	164	193	5			
2	C	124	Total	C	N	O	S	0	2	0
			950	590	163	192	5			

- Molecule 3 is ZINC ION (three-letter code: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	1	Total	Zn	0	0
			1	1		
3	B	1	Total	Zn	0	0
			1	1		

- Molecule 4 is SULFATE ION (three-letter code: SO4) (formula: O₄S).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	O	S	0	0
			5	4	1		
4	A	1	Total	O	S	0	0
			5	4	1		
4	B	1	Total	O	S	0	0
			5	4	1		

- Molecule 5 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	7	Total	O	0	0
			7	7		
5	B	9	Total	O	0	0
			9	9		
5	K	6	Total	O	0	0
			6	6		
5	C	5	Total	O	0	0
			5	5		

3 Residue-property plots


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

Note EDS failed to run properly.


- Molecule 1: ATP-dependent DNA helicase Q5



- Molecule 1: ATP-dependent DNA helicase Q5



- Molecule 2: Gluebody G3-048



- Molecule 2: Gluebody G3-048





4 Data and refinement statistics

EDS failed to run properly - this section is therefore incomplete.

Property	Value	Source
Space group	P 2 2 21	Depositor
Cell constants a, b, c, α , β , γ	79.50Å 89.57Å 259.06Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	129.53 – 3.20	Depositor
% Data completeness (in resolution range)	99.5 (129.53-3.20)	Depositor
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.78 (at 3.19Å)	Xtrriage
Refinement program	REFMAC 5.8.0267	Depositor
R, R_{free}	0.242 , 0.275	Depositor
Wilson B-factor (Å ²)	61.8	Xtrriage
Anisotropy	0.119	Xtrriage
L-test for twinning ²	$\langle L \rangle = 0.46$, $\langle L^2 \rangle = 0.28$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
Total number of atoms	8800	wwPDB-VP
Average B, all atoms (Å ²)	74.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 7.14% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: SO4, ZN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.70	0/3496	0.85	0/4728
1	B	0.69	0/3520	0.87	0/4756
2	C	0.71	0/979	0.95	0/1328
2	K	0.72	1/979 (0.1%)	0.92	0/1328
All	All	0.70	1/8974 (0.0%)	0.88	0/12140

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	K	70	SER	CA-CB	-5.58	1.44	1.52

There are no bond angle outliers.

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	77	SER	Peptide

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3405	0	3398	57	0
1	B	3447	0	3473	59	0
2	C	950	0	905	20	0
2	K	954	0	909	17	0
3	A	1	0	0	0	0
3	B	1	0	0	0	0
4	A	10	0	0	1	0
4	B	5	0	0	0	0
5	A	7	0	0	3	0
5	B	9	0	0	3	0
5	C	5	0	0	2	0
5	K	6	0	0	1	0
All	All	8800	0	8685	150	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 9.

All (150) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:C:71[B]:ARG:HD2	5:C:205:HOH:O	1.72	0.88
1:A:136:SER:HA	1:A:139:GLN:HG2	1.57	0.86
1:A:183:LEU:O	1:A:183:LEU:HD12	1.73	0.86
1:B:12:PRO:HB2	5:B:607:HOH:O	1.85	0.76
1:B:136:SER:HA	1:B:139:GLN:HG2	1.67	0.75
1:B:243:LYS:HD3	1:B:282:ARG:HB3	1.68	0.74
1:A:243:LYS:HD3	1:A:282:ARG:HB3	1.69	0.72
1:B:198[A]:GLN:HA	1:B:198[A]:GLN:OE1	1.90	0.70
1:B:167[A]:HIS:CD2	1:B:167[A]:HIS:O	2.46	0.68
1:A:349:ARG:NH2	5:A:601:HOH:O	2.23	0.68
1:B:438:THR:HG22	1:B:441[A]:ARG:HH21	1.59	0.67
1:B:438:THR:HG22	1:B:441[A]:ARG:NH2	2.10	0.67
1:A:151:LEU:CD2	1:A:183:LEU:HD22	2.26	0.66
1:B:167[A]:HIS:O	1:B:167[A]:HIS:HD2	1.79	0.66
1:B:154:LEU:HD22	1:B:183:LEU:HD12	1.78	0.66

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:162:VAL:HG22	1:B:173:TYR:HB3	1.78	0.65
1:A:162:VAL:HG12	1:A:173:TYR:HB3	1.80	0.63
2:C:71[B]:ARG:HH11	2:C:71[B]:ARG:HB2	1.63	0.62
1:A:151:LEU:HD23	1:A:183:LEU:HD22	1.80	0.61
1:A:183:LEU:O	1:A:183:LEU:CD1	2.47	0.61
2:K:69:ILE:CG2	2:K:80:LEU:HD13	2.30	0.61
2:C:69:ILE:CG2	2:C:80:LEU:HD13	2.31	0.61
2:C:35:THR:O	2:C:95:CYS:HA	2.02	0.59
2:K:35:THR:O	2:K:95:CYS:HA	2.02	0.59
2:C:71[B]:ARG:CD	5:C:205:HOH:O	2.42	0.58
1:A:321:MET:HB2	1:A:349:ARG:NE	2.19	0.58
1:B:162:VAL:HG11	1:B:206:ALA:HB3	1.86	0.58
1:B:134:ALA:HB1	1:B:175[A]:ARG:HD2	1.85	0.57
1:B:287:LYS:HG2	1:B:310:VAL:HG11	1.85	0.57
1:B:438:THR:CG2	1:B:441[A]:ARG:HH21	2.16	0.57
1:B:134:ALA:CB	1:B:175[A]:ARG:HD2	2.35	0.57
1:B:48:VAL:HG22	1:B:214:ALA:HB3	1.87	0.57
1:B:64:LEU:HB3	1:B:65:PRO:HD3	1.88	0.56
1:B:438:THR:CG2	1:B:441[A]:ARG:NH2	2.68	0.56
2:C:6:GLU:OE2	2:C:94:TYR:HA	2.04	0.56
2:C:90:THR:HG23	2:C:122:THR:HA	1.87	0.56
1:A:326:ALA:HB1	1:A:353:ASP:HB3	1.88	0.56
2:K:90:THR:HG23	2:K:122:THR:HA	1.88	0.56
1:A:64:LEU:HB3	1:A:65:PRO:HD3	1.89	0.55
1:B:247:LEU:HD23	1:B:258:LEU:HD11	1.88	0.55
2:K:2:VAL:CG2	2:K:102:THR:HG21	2.36	0.55
2:K:69:ILE:HG23	2:K:80:LEU:HD13	1.87	0.55
1:B:20:LEU:HD13	1:B:60:LEU:HD21	1.89	0.55
2:K:6:GLU:OE2	2:K:94:TYR:HA	2.06	0.54
2:C:71[B]:ARG:HH11	2:C:71[B]:ARG:CB	2.20	0.54
1:B:14:ARG:HG2	5:B:607:HOH:O	2.07	0.54
1:B:326:ALA:HB1	1:B:353:ASP:HB3	1.89	0.53
2:C:71[B]:ARG:CB	2:C:71[B]:ARG:NH1	2.72	0.53
2:K:74:ALA:HB3	5:K:202:HOH:O	2.09	0.53
1:A:421:GLY:HA2	2:C:29:PHE:CZ	2.43	0.52
1:A:423:ALA:HB2	2:C:103:LEU:O	2.08	0.52
1:A:349:ARG:NH1	5:A:601:HOH:O	2.42	0.52
1:B:262:GLY:HA3	1:B:330:PHE:CE2	2.44	0.52
2:C:100:THR:HB	2:C:114:TYR:CE2	2.45	0.52
1:A:265:TYR:OH	1:A:349:ARG:NH1	2.44	0.51
2:C:69:ILE:HG23	2:C:80:LEU:HD13	1.92	0.51

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:404:THR:O	1:B:408:GLU:HG2	2.11	0.50
1:A:404:THR:O	1:A:408:GLU:HG2	2.12	0.50
1:B:377:LYS:O	1:B:381:LYS:HG2	2.11	0.50
1:B:139:GLN:N	1:B:140:PRO:HD2	2.27	0.49
2:K:104:ALA:HB1	2:K:105:PRO:HD2	1.94	0.49
1:A:139:GLN:N	1:A:140:PRO:HD2	2.27	0.49
1:A:377:LYS:O	1:A:381:LYS:HG2	2.11	0.49
1:B:73:THR:HG23	1:B:153:TYR:HB2	1.94	0.49
1:A:115:ASP:O	1:A:118:ARG:HG2	2.13	0.48
1:B:402:LEU:O	1:B:405:PHE:HB3	2.13	0.48
1:A:61:CYS:O	1:A:65:PRO:HG2	2.13	0.48
1:A:402:LEU:O	1:A:405:PHE:HB3	2.13	0.48
1:B:231:PHE:HA	1:B:363:TYR:O	2.13	0.48
1:A:363:TYR:OH	1:A:368:ARG:HD3	2.14	0.48
2:K:18:LEU:HD12	2:K:85:LEU:CD1	2.43	0.48
2:K:100:THR:HB	2:K:114:TYR:CE2	2.48	0.48
1:B:87:VAL:HG23	1:B:97:VAL:HG22	1.96	0.48
1:A:136:SER:HA	1:A:139:GLN:CG	2.37	0.48
1:B:136:SER:HA	1:B:139:GLN:CG	2.42	0.48
1:A:262:GLY:HA3	1:A:330:PHE:CE2	2.49	0.48
2:C:50:ALA:C	2:C:69:ILE:HD11	2.34	0.48
1:B:363:TYR:OH	1:B:368:ARG:HD3	2.13	0.47
2:K:112:ASP:HB3	2:K:114:TYR:CZ	2.49	0.47
1:A:47:ASP:OD1	1:A:210:LYS:HE2	2.14	0.47
2:K:36:TRP:O	2:K:48:VAL:HB	2.14	0.47
1:B:61:CYS:O	1:B:65:PRO:HG2	2.14	0.47
1:A:436:ASN:OD1	1:A:439:ALA:HB2	2.14	0.47
2:C:18:LEU:HD12	2:C:85:LEU:CD1	2.44	0.47
2:C:4:LEU:HB3	2:C:116:GLY:HA2	1.97	0.47
1:B:91:LEU:O	1:B:94:LYS:N	2.41	0.47
1:B:162:VAL:HG11	1:B:206:ALA:CB	2.45	0.46
1:A:91:LEU:O	1:A:94:LYS:N	2.40	0.46
1:A:83:ILE:HG23	1:A:127:TYR:HB3	1.97	0.46
1:A:51:CYS:HA	1:A:192:THR:O	2.16	0.46
1:A:299:THR:O	1:A:303:ASN:HB2	2.16	0.46
1:B:421:GLY:HA2	2:K:29:PHE:CZ	2.50	0.46
1:B:436:ASN:OD1	1:B:439:ALA:HB2	2.14	0.46
2:C:36:TRP:O	2:C:48:VAL:HB	2.16	0.46
1:A:405:PHE:CE2	1:A:412:ARG:HB3	2.51	0.46
1:B:341:ALA:HA	1:B:420:PHE:HZ	1.80	0.46
1:A:74:ILE:CD1	1:A:151:LEU:HD11	2.46	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:K:50:ALA:C	2:K:69:ILE:HD11	2.36	0.45
1:A:176:LEU:O	1:A:179:LEU:HB3	2.17	0.45
1:A:46:LYS:HA	1:A:210:LYS:HE3	1.99	0.45
1:A:116:LEU:O	1:A:148:ARG:NH2	2.50	0.44
2:C:112:ASP:HB3	2:C:114:TYR:CZ	2.51	0.44
1:A:231:PHE:HA	1:A:363:TYR:O	2.18	0.44
1:B:383:GLN:O	1:B:387:GLY:HA2	2.17	0.44
1:A:329:ARG:HH11	1:A:329:ARG:HA	1.83	0.44
1:A:53:PRO:HD3	1:A:218:THR:HG21	2.00	0.44
1:B:247:LEU:O	1:B:250:LEU:O	2.36	0.44
2:C:96:GLU:HB2	2:C:115:TRP:CZ3	2.53	0.43
1:A:154:LEU:O	1:A:188:CYS:HA	2.17	0.43
1:B:62:TYR:C	1:B:65:PRO:HD2	2.39	0.43
1:B:258:LEU:HD12	1:B:258:LEU:HA	1.87	0.43
1:A:58:LYS:N	4:A:502:SO4:O4	2.51	0.43
1:A:62:TYR:C	1:A:65:PRO:HD2	2.39	0.43
1:A:142:LEU:O	1:A:146:VAL:HG23	2.18	0.43
1:B:299:THR:O	1:B:303:ASN:HB2	2.19	0.43
1:B:142:LEU:O	1:B:146:VAL:HG23	2.18	0.43
1:A:349:ARG:CZ	5:A:601:HOH:O	2.65	0.43
1:B:265:TYR:OH	1:B:349:ARG:NH1	2.44	0.43
1:A:383:GLN:O	1:A:387:GLY:HA2	2.18	0.43
1:B:51:CYS:HA	1:B:192:THR:O	2.18	0.43
1:B:75:VAL:HA	1:B:155:VAL:HB	2.01	0.42
1:A:75:VAL:HG11	1:A:127:TYR:CE1	2.54	0.42
1:A:438:THR:HG22	1:A:441[A]:ARG:HH21	1.84	0.42
1:B:80:ILE:HD12	1:B:101:ASN:HB2	2.01	0.42
1:B:329:ARG:HH11	1:B:329:ARG:HA	1.84	0.42
1:A:151:LEU:HD21	1:A:183:LEU:HD22	1.99	0.42
1:A:165:TRP:HE3	1:A:202:ASP:OD2	2.02	0.42
1:B:165:TRP:HE3	1:B:202:ASP:OD2	2.03	0.42
1:B:197:PRO:O	1:B:201:GLU:HG2	2.20	0.42
1:A:64:LEU:C	1:A:64:LEU:HD23	2.40	0.42
1:B:442:ARG:NH2	5:B:601:HOH:O	2.53	0.42
1:A:120:LYS:N	1:A:121:PRO:HD3	2.35	0.42
2:K:86:LYS:HB3	2:K:88:GLU:OE1	2.20	0.41
1:A:87:VAL:HG23	1:A:97:VAL:HG22	2.02	0.41
1:B:291:ALA:HB2	1:B:319:PHE:CD1	2.56	0.41
2:K:2:VAL:HG21	2:K:102:THR:HG21	2.03	0.41
1:A:48:VAL:HG13	1:A:189:VAL:HG22	2.03	0.41
1:A:364:SER:O	1:A:367:ASP:HB2	2.19	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:189:VAL:HG12	1:A:191:LEU:HD11	2.03	0.41
1:A:35:GLU:O	1:A:39:MET:HG2	2.21	0.41
1:A:68:LEU:HD23	1:A:68:LEU:HA	1.96	0.41
1:B:47:ASP:OD1	1:B:210:LYS:HE2	2.20	0.41
1:B:274:GLN:O	1:B:277:ILE:HB	2.21	0.41
1:B:364:SER:O	1:B:367:ASP:HB2	2.20	0.41
2:C:100:THR:HB	2:C:114:TYR:HE2	1.84	0.41
1:B:64:LEU:C	1:B:64:LEU:HD23	2.41	0.40
1:B:405:PHE:CE2	1:B:412:ARG:HB3	2.56	0.40
1:B:75:VAL:HG11	1:B:127:TYR:CE1	2.57	0.40
2:K:96:GLU:HB2	2:K:115:TRP:CZ3	2.55	0.40
1:A:148:ARG:HE	1:A:150:LEU:HD12	1.87	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	442/445 (99%)	415 (94%)	27 (6%)	0	100	100
1	B	442/445 (99%)	414 (94%)	28 (6%)	0	100	100
2	C	124/127 (98%)	120 (97%)	4 (3%)	0	100	100
2	K	124/127 (98%)	119 (96%)	5 (4%)	0	100	100
All	All	1132/1144 (99%)	1068 (94%)	64 (6%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar

resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	363/373 (97%)	353 (97%)	10 (3%)	43	74
1	B	368/373 (99%)	359 (98%)	9 (2%)	49	77
2	C	100/100 (100%)	96 (96%)	4 (4%)	31	66
2	K	100/100 (100%)	96 (96%)	4 (4%)	31	66
All	All	931/946 (98%)	904 (97%)	27 (3%)	42	74

All (27) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	48	VAL
1	A	54	THR
1	A	80	ILE
1	A	98	SER
1	A	152	SER
1	A	218	THR
1	A	324	ASP
1	A	345	GLN
1	A	409	LEU
1	A	434	CYS
1	B	28	SER
1	B	80	ILE
1	B	98	SER
1	B	119	GLU
1	B	152	SER
1	B	183	LEU
1	B	248	LYS
1	B	255	ASP
1	B	409	LEU
2	K	7	ASN
2	K	22	CYS
2	K	68	THR
2	K	119	THR
2	C	22	CYS
2	C	61	ASP
2	C	68	THR
2	C	119	THR

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (7) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	139	GLN
1	A	302	GLN
1	B	139	GLN
2	K	39	GLN
2	K	81	GLN
2	C	3	GLN
2	C	81	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 5 ligands modelled in this entry, 2 are monoatomic - leaving 3 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
4	SO4	B	502	-	4,4,4	0.32	0	6,6,6	0.15	0
4	SO4	A	503	-	4,4,4	0.48	0	6,6,6	0.25	0
4	SO4	A	502	-	4,4,4	0.41	0	6,6,6	0.11	0

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	A	502	SO4	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

EDS failed to run properly - this section is therefore empty.

6.2 Non-standard residues in protein, DNA, RNA chains

EDS failed to run properly - this section is therefore empty.

6.3 Carbohydrates

EDS failed to run properly - this section is therefore empty.

6.4 Ligands

EDS failed to run properly - this section is therefore empty.

6.5 Other polymers

EDS failed to run properly - this section is therefore empty.