



# Full wwPDB X-ray Structure Validation Report ⓘ

Jun 14, 2022 – 04:08 pm BST

PDB ID : 7ZMR  
Title : Crystal structure of human RECQL5 helicase APO form in complex with engineered nanobody (Gluebody) G2\*-011  
Authors : Ye, M.; Makola, M.; Newman, J.A.; Fairhead, M.; MacLean, E.; Krojer, T.; Aitkenhead, H.; Bountra, C.; Gileadi, O.; von Delft, F.  
Deposited on : 2022-04-19  
Resolution : 3.30 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.4, CSD as541be (2020)  
Xtriage (Phenix) : 1.13  
EDS : 2.28.1  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0267  
CCP4 : 7.1.010 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.28.1


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 3.30 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	1149 (3.34-3.26)
Clashscore	141614	1205 (3.34-3.26)
Ramachandran outliers	138981	1183 (3.34-3.26)
Sidechain outliers	138945	1182 (3.34-3.26)
RSRZ outliers	127900	1115 (3.34-3.26)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	445	 78% 20% ..
1	B	445	 3% 80% 18% .
2	C	127	 75% 21% ..
2	K	127	 79% 19% .

## 2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 8861 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called ATP-dependent DNA helicase Q5.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	440	3437	2172	617	625	23	0	4	0
1	B	440	3425	2164	615	623	23	0	3	0

There are 4 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	9	SER	-	expression tag	UNP O94762
A	10	MET	-	expression tag	UNP O94762
B	9	SER	-	expression tag	UNP O94762
B	10	MET	-	expression tag	UNP O94762

- Molecule 2 is a protein called Gluebody G2\*-011.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
2	K	124	962	599	165	193	5	0	2	0
2	C	124	951	593	161	192	5	0	1	0

- Molecule 3 is ZINC ION (three-letter code: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	1	Total	Zn	0	0
			1	1		
3	B	1	Total	Zn	0	0
			1	1		

- Molecule 4 is SULFATE ION (three-letter code: SO4) (formula: O<sub>4</sub>S).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	1	Total O S 5 4 1	0	0
4	A	1	Total O S 5 4 1	0	0
4	B	1	Total O S 5 4 1	0	0
4	B	1	Total O S 5 4 1	0	0
4	B	1	Total O S 5 4 1	0	0


- Molecule 5 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	24	Total O 24 24	0	0
5	B	21	Total O 21 21	0	0
5	K	6	Total O 6 6	0	0
5	C	8	Total O 8 8	0	0


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: ATP-dependent DNA helicase Q5




- Molecule 1: ATP-dependent DNA helicase Q5



- Molecule 2: Gluebody G2\*-011



- Molecule 2: Gluebody G2\*-011





## 4 Data and refinement statistics i

Property	Value	Source
Space group	C 2 2 21	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	114.89Å 198.95Å 172.93Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	99.49 – 3.30 99.48 – 3.30	Depositor EDS
% Data completeness (in resolution range)	99.9 (99.49-3.30) 99.9 (99.48-3.30)	Depositor EDS
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	1.51 (at 3.33Å)	Xtrriage
Refinement program	REFMAC 5.8.0267	Depositor
R, $R_{free}$	0.243 , 0.292 0.243 , 0.290	Depositor DCC
$R_{free}$ test set	1461 reflections (4.85%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	66.5	Xtrriage
Anisotropy	0.135	Xtrriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	(Not available) , (Not available)	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.47$ , $\langle L^2 \rangle = 0.29$	Xtrriage
Estimated twinning fraction	0.005 for 1/2*h-1/2*k,-3/2*h-1/2*k,-l 0.018 for 1/2*h+1/2*k,3/2*h-1/2*k,-l	Xtrriage
$F_o, F_c$ correlation	0.90	EDS
Total number of atoms	8861	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	81.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.45% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: ZN, SO4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.68	0/3510	0.89	0/4744
1	B	0.69	0/3497	0.89	0/4725
2	C	0.70	0/974	0.94	1/1322 (0.1%)
2	K	0.71	0/985	0.93	1/1336 (0.1%)
All	All	0.69	0/8966	0.90	2/12127 (0.0%)

There are no bond length outliers.

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	C	95	CYS	CB-CA-C	-6.26	97.87	110.40
2	K	95	CYS	CB-CA-C	-5.92	98.56	110.40

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3437	0	3458	56	0
1	B	3425	0	3446	52	0
2	C	951	0	901	18	0
2	K	962	0	913	16	0
3	A	1	0	0	0	0

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	B	1	0	0	0	0
4	A	10	0	0	1	0
4	B	15	0	0	2	0
5	A	24	0	0	3	0
5	B	21	0	0	1	0
5	C	8	0	0	0	0
5	K	6	0	0	0	0
All	All	8861	0	8718	139	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

All (139) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:267:ARG:HD2	5:A:606:HOH:O	1.53	1.05
2:C:34:MET:HG2	2:C:78:VAL:HG21	1.61	0.82
1:B:136:SER:HA	1:B:139:GLN:HG2	1.62	0.81
2:K:34:MET:HG2	2:K:78:VAL:HG21	1.70	0.74
1:B:363:TYR:OH	1:B:368:ARG:HD3	1.95	0.67
1:A:136:SER:HA	1:A:139:GLN:HG2	1.75	0.67
1:B:381:LYS:O	1:B:384:GLU:HG3	1.95	0.67
1:A:370:GLN:HG3	5:A:619:HOH:O	1.95	0.66
1:A:139:GLN:N	1:A:140:PRO:HD2	2.10	0.65
1:A:109:ARG:HB3	1:A:109:ARG:NH2	2.11	0.65
1:A:142:LEU:O	1:A:146:VAL:HG23	1.98	0.64
1:B:139:GLN:N	1:B:140:PRO:HD2	2.13	0.63
1:B:142:LEU:O	1:B:146:VAL:HG23	1.99	0.63
1:B:73:THR:HG23	1:B:153:TYR:HB2	1.80	0.62
1:A:73:THR:HG23	1:A:153:TYR:HB2	1.82	0.61
1:A:180:ARG:HD3	1:A:188:CYS:HB2	1.83	0.61
2:K:6:GLU:OE2	2:K:116:GLY:HA3	2.01	0.61
2:C:6:GLU:OE2	2:C:116:GLY:HA3	2.01	0.60
1:A:363:TYR:OH	1:A:368:ARG:HD3	2.01	0.60
2:C:31:ILE:HG12	2:C:100:THR:HG23	1.85	0.59
1:B:64:LEU:HB3	1:B:65:PRO:HD3	1.85	0.58
2:K:90:THR:HG23	2:K:122:THR:HA	1.84	0.58
1:B:189:VAL:HG12	1:B:191:LEU:HD13	1.86	0.57
1:A:330:PHE:HA	1:A:358:TRP:O	2.04	0.57
1:B:326:ALA:HB1	1:B:353:ASP:HB3	1.86	0.56
1:B:327:ASN:HA	1:B:353:ASP:OD2	2.06	0.56

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:C:90:THR:HG23	2:C:122:THR:HA	1.86	0.56
1:A:64:LEU:HB3	1:A:65:PRO:HD3	1.87	0.55
1:A:441[A]:ARG:HG2	1:A:445:GLU:OE2	2.06	0.55
1:A:51:CYS:HA	1:A:192:THR:O	2.06	0.55
1:A:326:ALA:HB1	1:A:353:ASP:HB3	1.89	0.55
1:B:31:THR:HB	1:B:34:GLN:H	1.72	0.55
1:A:289:TYR:CZ	1:A:298:ARG:HD2	2.41	0.55
1:B:211:LYS:HB3	2:C:112:ASP:HA	1.89	0.55
1:B:51:CYS:HA	1:B:192:THR:O	2.08	0.54
1:B:345:GLN:HA	1:B:345:GLN:NE2	2.21	0.54
1:A:151:LEU:HD12	1:A:183:LEU:HD22	1.88	0.54
1:B:330:PHE:HA	1:B:358:TRP:O	2.08	0.54
1:A:152:SER:O	1:A:187:PRO:HD2	2.08	0.54
1:B:289:TYR:CZ	1:B:298:ARG:HD2	2.43	0.53
1:B:55:GLY:HA2	4:B:502:SO4:O4	2.09	0.53
1:A:327:ASN:HA	1:A:353:ASP:OD2	2.09	0.52
2:C:27:SER:O	2:C:102:THR:HA	2.10	0.52
2:K:27:SER:O	2:K:102:THR:HA	2.10	0.52
2:K:31:ILE:HG12	2:K:100:THR:HG23	1.91	0.51
1:B:409:LEU:HD22	1:B:441[B]:ARG:HG3	1.91	0.51
1:B:336:ILE:HA	1:B:361:LEU:HD11	1.93	0.51
1:A:264:VAL:HB	1:A:314:VAL:HG22	1.92	0.51
1:B:365:ARG:HD2	5:B:618:HOH:O	2.10	0.51
1:B:31:THR:HG22	1:B:33:LEU:H	1.76	0.50
1:A:30:LYS:H	1:A:34:GLN:NE2	2.08	0.50
1:A:297:GLU:O	1:A:301:VAL:HG23	2.11	0.50
1:A:14:ARG:O	1:A:14:ARG:HG2	2.09	0.50
1:A:272:CYS:HA	1:A:314:VAL:HG12	1.93	0.50
1:A:129:THR:OG1	1:A:132:MET:HG2	2.12	0.50
1:B:66:ALA:HB2	1:B:73:THR:HG21	1.93	0.50
1:B:264:VAL:HB	1:B:314:VAL:HG22	1.94	0.50
1:A:293:LEU:O	1:A:298:ARG:NH1	2.45	0.49
1:A:287:LYS:HG2	1:A:310:VAL:HG11	1.94	0.49
2:K:3:GLN:HB2	2:K:25:SER:OG	2.13	0.49
2:C:3:GLN:HB2	2:C:25:SER:OG	2.12	0.49
2:C:6:GLU:HA	2:C:21:SER:O	2.13	0.49
1:B:227:TYR:O	1:B:431:CYS:HA	2.13	0.49
1:B:272:CYS:HA	1:B:314:VAL:HG12	1.94	0.49
1:B:445:GLU:O	1:B:448:GLU:HB3	2.13	0.48
2:K:6:GLU:HA	2:K:21:SER:O	2.13	0.48
1:A:66:ALA:HB2	1:A:73:THR:HG21	1.95	0.48

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:329:ARG:HA	1:A:329:ARG:HD3	1.56	0.48
1:A:227:TYR:O	1:A:431:CYS:HA	2.13	0.48
1:A:266:CYS:HB2	1:A:272:CYS:SG	2.54	0.48
1:B:293:LEU:O	1:B:298:ARG:NH1	2.45	0.48
2:K:33:ARG:HD3	2:K:50:ALA:HB1	1.96	0.47
1:B:152:SER:O	1:B:187:PRO:HD2	2.13	0.47
1:B:441[A]:ARG:HG2	1:B:445:GLU:OE2	2.14	0.47
1:A:151:LEU:O	1:A:185:HIS:CD2	2.68	0.47
1:B:264:VAL:HA	1:B:332:ALA:O	2.14	0.47
1:A:20:LEU:HD13	1:A:60:LEU:HD21	1.97	0.47
1:A:264:VAL:HA	1:A:332:ALA:O	2.15	0.47
1:B:189:VAL:HG12	1:B:191:LEU:CD1	2.45	0.47
1:A:243:LYS:HD2	1:A:282:ARG:O	2.15	0.46
1:B:90:LEU:HD23	1:B:93:LEU:HD12	1.97	0.46
2:C:87:PRO:HA	2:C:123:VAL:HB	1.98	0.46
1:B:180:ARG:HG2	1:B:207:LEU:O	2.16	0.46
1:B:17:ARG:N	1:B:17:ARG:HD3	2.31	0.46
1:B:297:GLU:O	1:B:301:VAL:HG23	2.16	0.46
1:B:30:LYS:H	1:B:34:GLN:NE2	2.14	0.46
1:A:109:ARG:HB3	1:A:109:ARG:HH21	1.78	0.45
1:B:411:CYS:HB2	1:B:434:CYS:SG	2.56	0.45
2:K:22:CYS:HB3	2:K:78:VAL:HG22	1.98	0.45
1:B:216:PHE:CE1	2:C:108:GLU:HG2	2.50	0.45
1:A:286:ALA:HA	1:A:312:VAL:O	2.17	0.45
1:A:389:LYS:HD3	1:A:391:SER:OG	2.17	0.45
1:B:264:VAL:O	1:B:314:VAL:HA	2.16	0.45
1:A:264:VAL:O	1:A:314:VAL:HA	2.17	0.45
1:A:411:CYS:HB2	1:A:434:CYS:SG	2.56	0.45
1:A:282:ARG:HH11	1:A:282:ARG:HG3	1.81	0.45
1:B:216:PHE:HE1	2:C:108:GLU:HG2	1.81	0.45
2:K:87:PRO:HA	2:K:123:VAL:HB	1.97	0.44
1:B:286:ALA:HA	1:B:312:VAL:O	2.18	0.44
2:C:120:GLN:HG2	2:C:122:THR:HG23	2.00	0.44
1:B:331:VAL:HG23	1:B:350:ALA:HB2	2.00	0.44
1:A:336:ILE:HA	1:A:361:LEU:HD11	1.98	0.43
1:A:179:LEU:O	1:A:183:LEU:HG	2.17	0.43
1:A:265:TYR:HA	1:A:315:ALA:O	2.18	0.43
1:A:376:ARG:NE	5:A:604:HOH:O	2.50	0.43
1:A:227:TYR:CD2	1:A:359:CYS:HB2	2.53	0.43
2:C:35:THR:HG23	2:C:50:ALA:HB2	2.01	0.43
1:B:261:CYS:HB2	1:B:311:PRO:O	2.19	0.43

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:K:55:GLY:N	2:K:71[B]:ARG:NH1	2.67	0.43
2:K:17:SER:HA	2:K:82:MET:O	2.19	0.42
1:A:64:LEU:C	1:A:64:LEU:HD23	2.39	0.42
1:A:198[A]:GLN:NE2	1:A:198[A]:GLN:HA	2.34	0.42
1:B:64:LEU:C	1:B:64:LEU:HD23	2.39	0.42
2:C:22:CYS:HB3	2:C:78:VAL:HG22	2.00	0.42
1:A:52:MET:HB3	1:A:56:ALA:HB3	2.00	0.42
1:B:33:LEU:HD23	1:B:52:MET:HE2	2.01	0.42
1:A:231:PHE:HB2	1:A:234:LEU:HG	2.01	0.42
2:C:17:SER:HA	2:C:82:MET:O	2.20	0.41
1:A:269:ARG:NE	4:A:503:SO4:O4	2.46	0.41
1:B:52:MET:HG2	1:B:218:THR:OG1	2.19	0.41
1:B:289:TYR:O	1:B:315:ALA:HA	2.20	0.41
2:C:34:MET:HG2	2:C:78:VAL:CG2	2.43	0.41
1:A:331:VAL:HG23	1:A:350:ALA:HB2	2.01	0.41
1:B:349:ARG:NH2	4:B:504:SO4:O2	2.53	0.41
2:C:66:ARG:HD2	2:C:84:SER:HB2	2.02	0.41
1:A:289:TYR:O	1:A:315:ALA:HA	2.20	0.41
1:B:265:TYR:HA	1:B:315:ALA:O	2.19	0.41
2:K:17:SER:OG	2:K:83[A]:ASN:HA	2.21	0.41
1:A:109:ARG:O	1:A:113:LEU:HG	2.21	0.41
2:C:12:VAL:HG21	2:C:85:LEU:HD13	2.03	0.41
1:B:231:PHE:HB2	1:B:234:LEU:HG	2.03	0.40
2:K:17:SER:OG	2:K:83[B]:ASN:HA	2.21	0.40
1:A:299:THR:O	1:A:303:ASN:HB2	2.22	0.40
1:A:404:THR:O	1:A:408:GLU:HG2	2.21	0.40
1:A:402:LEU:O	1:A:405:PHE:HB3	2.21	0.40
1:B:17:ARG:N	1:B:17:ARG:CD	2.85	0.40
2:K:22:CYS:HB3	2:K:78:VAL:CG2	2.51	0.40
2:K:31:ILE:HB	2:K:71[A]:ARG:NH2	2.37	0.40
1:B:285:ASN:HB3	1:B:311:PRO:HD2	2.04	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles

### 5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	442/445 (99%)	419 (95%)	23 (5%)	0	100	100
1	B	441/445 (99%)	424 (96%)	16 (4%)	1 (0%)	47	77
2	C	123/127 (97%)	117 (95%)	6 (5%)	0	100	100
2	K	124/127 (98%)	118 (95%)	6 (5%)	0	100	100
All	All	1130/1144 (99%)	1078 (95%)	51 (4%)	1 (0%)	51	81

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	238	PRO

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	366/373 (98%)	352 (96%)	14 (4%)	33	62
1	B	364/373 (98%)	351 (96%)	13 (4%)	35	63
2	C	99/100 (99%)	96 (97%)	3 (3%)	41	68
2	K	100/100 (100%)	100 (100%)	0	100	100
All	All	929/946 (98%)	899 (97%)	30 (3%)	39	67

All (30) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	34	GLN
1	A	102	SER
1	A	119	GLU
1	A	137	SER
1	A	162	VAL
1	A	198[A]	GLN
1	A	198[B]	GLN

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	A	267	ARG
1	A	268	THR
1	A	296	SER
1	A	307	GLU
1	A	317	ILE
1	A	365	ARG
1	A	396	ILE
1	B	89	HIS
1	B	96	ARG
1	B	97	VAL
1	B	102	SER
1	B	136	SER
1	B	162	VAL
1	B	202	ASP
1	B	268	THR
1	B	269	ARG
1	B	296	SER
1	B	352	ARG
1	B	365	ARG
1	B	386	ARG
2	C	22	CYS
2	C	68	THR
2	C	120	GLN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (6) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	34	GLN
1	A	139	GLN
1	B	34	GLN
1	B	139	GLN
1	B	285	ASN
2	C	7	ASN

### 5.3.3 RNA

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 5.6 Ligand geometry [i](#)

Of 7 ligands modelled in this entry, 2 are monoatomic - leaving 5 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
4	SO4	B	502	-	4,4,4	0.39	0	6,6,6	0.09	0
4	SO4	B	504	-	4,4,4	0.36	0	6,6,6	0.07	0
4	SO4	B	503	-	4,4,4	0.36	0	6,6,6	0.10	0
4	SO4	A	503	-	4,4,4	0.39	0	6,6,6	0.17	0
4	SO4	A	502	-	4,4,4	0.38	0	6,6,6	0.13	0

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

3 monomers are involved in 3 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	B	502	SO4	1	0
4	B	504	SO4	1	0
4	A	503	SO4	1	0

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.



## 6 Fit of model and data [i](#)

### 6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	440/445 (98%)	0.20	4 (0%) 84 84	39, 70, 123, 158	0
1	B	440/445 (98%)	0.28	12 (2%) 54 52	37, 84, 158, 197	0
2	C	124/127 (97%)	0.18	0 100 100	51, 73, 99, 121	0
2	K	124/127 (97%)	0.27	0 100 100	44, 63, 90, 107	0
All	All	1128/1144 (98%)	0.24	16 (1%) 75 75	37, 73, 140, 197	0

All (16) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	254	ALA	5.8
1	B	255	ASP	4.9
1	A	256	LYS	4.3
1	B	116	LEU	3.5
1	B	100	LEU	3.3
1	A	100	LEU	3.0
1	B	151	LEU	2.8
1	B	123	THR	2.7
1	B	126	LEU	2.5
1	B	133	ALA	2.4
1	A	253	GLU	2.2
1	B	127	TYR	2.2
1	B	252	GLN	2.1
1	A	116	LEU	2.1
1	B	125	ILE	2.1
1	B	90	LEU	2.1

### 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

### 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
4	SO4	B	504	5/5	0.89	0.13	110,118,133,145	0
4	SO4	B	502	5/5	0.92	0.14	92,103,105,106	0
4	SO4	A	503	5/5	0.94	0.15	66,71,73,79	0
4	SO4	B	503	5/5	0.97	0.14	68,72,77,82	0
4	SO4	A	502	5/5	0.97	0.16	60,68,70,73	0
3	ZN	B	501	1/1	1.00	0.18	62,62,62,62	0
3	ZN	A	501	1/1	1.00	0.18	59,59,59,59	0

### 6.5 Other polymers [i](#)

There are no such residues in this entry.