



Full wwPDB X-ray Structure Validation Report ⓘ

May 11, 2021 – 09:30 am BST

PDB ID : 6ZO6
Title : Minocycline binding to the deep binding pocket of AcrB-G619P
Authors : Tam, H.K.; Foong, W.E.; Pos, K.M.
Deposited on : 2020-07-07
Resolution : 2.35 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.18
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.18


1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.35 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	1164 (2.36-2.36)
Clashscore	141614	1232 (2.36-2.36)
Ramachandran outliers	138981	1211 (2.36-2.36)
Sidechain outliers	138945	1212 (2.36-2.36)
RSRZ outliers	127900	1150 (2.36-2.36)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	1057	<div style="display: flex; align-items: center;"> <div style="width: 7%; height: 10px; background-color: red; margin-right: 5px;"></div> <div style="width: 92%; height: 10px; background-color: green; margin-right: 5px;"></div> <div style="width: 6%; height: 10px; background-color: yellow; margin-right: 5px;"></div> <div style="width: 3%; height: 10px; background-color: grey;"></div> </div> <p style="text-align: center;">92% 6% •</p>
1	B	1057	<div style="display: flex; align-items: center;"> <div style="width: 6%; height: 10px; background-color: red; margin-right: 5px;"></div> <div style="width: 93%; height: 10px; background-color: green; margin-right: 5px;"></div> <div style="width: 5%; height: 10px; background-color: yellow; margin-right: 5px;"></div> <div style="width: 6%; height: 10px; background-color: grey;"></div> </div> <p style="text-align: center;">93% 5% •</p>
1	C	1057	<div style="display: flex; align-items: center;"> <div style="width: 3%; height: 10px; background-color: red; margin-right: 5px;"></div> <div style="width: 94%; height: 10px; background-color: green; margin-right: 5px;"></div> <div style="width: 3%; height: 10px; background-color: yellow; margin-right: 5px;"></div> <div style="width: 10%; height: 10px; background-color: grey;"></div> </div> <p style="text-align: center;">94% • •</p>
2	D	169	<div style="display: flex; align-items: center;"> <div style="width: 11%; height: 10px; background-color: red; margin-right: 5px;"></div> <div style="width: 90%; height: 10px; background-color: green; margin-right: 5px;"></div> <div style="width: 8%; height: 10px; background-color: yellow; margin-right: 5px;"></div> <div style="width: 9%; height: 10px; background-color: grey;"></div> </div> <p style="text-align: center;">90% • 8%</p>
2	E	169	<div style="display: flex; align-items: center;"> <div style="width: 21%; height: 10px; background-color: red; margin-right: 5px;"></div> <div style="width: 89%; height: 10px; background-color: green; margin-right: 5px;"></div> <div style="width: 9%; height: 10px; background-color: yellow; margin-right: 5px;"></div> <div style="width: 10%; height: 10px; background-color: grey;"></div> </div> <p style="text-align: center;">89% • 9%</p>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
23	1PE	C	1120	-	-	-	X
6	GOL	B	1113	-	-	-	X
9	EDO	C	1122	-	-	-	X

2 Entry composition [i](#)

There are 24 unique types of molecules in this entry. The entry contains 28139 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Multidrug efflux pump subunit AcrB.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	1042	7961	5119	1319	1479	44	0	4	0
1	B	1033	7883	5074	1301	1463	45	0	5	0
1	C	1034	7881	5071	1301	1465	44	0	3	0

There are 27 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	619	PRO	GLY	engineered mutation	UNP P31224
A	1050	LEU	-	expression tag	UNP P31224
A	1051	GLU	-	expression tag	UNP P31224
A	1052	HIS	-	expression tag	UNP P31224
A	1053	HIS	-	expression tag	UNP P31224
A	1054	HIS	-	expression tag	UNP P31224
A	1055	HIS	-	expression tag	UNP P31224
A	1056	HIS	-	expression tag	UNP P31224
A	1057	HIS	-	expression tag	UNP P31224
B	619	PRO	GLY	engineered mutation	UNP P31224
B	1050	LEU	-	expression tag	UNP P31224
B	1051	GLU	-	expression tag	UNP P31224
B	1052	HIS	-	expression tag	UNP P31224
B	1053	HIS	-	expression tag	UNP P31224
B	1054	HIS	-	expression tag	UNP P31224
B	1055	HIS	-	expression tag	UNP P31224
B	1056	HIS	-	expression tag	UNP P31224
B	1057	HIS	-	expression tag	UNP P31224
C	619	PRO	GLY	engineered mutation	UNP P31224
C	1050	LEU	-	expression tag	UNP P31224
C	1051	GLU	-	expression tag	UNP P31224
C	1052	HIS	-	expression tag	UNP P31224
C	1053	HIS	-	expression tag	UNP P31224

Continued on next page...


Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
C	1054	HIS	-	expression tag	UNP P31224
C	1055	HIS	-	expression tag	UNP P31224
C	1056	HIS	-	expression tag	UNP P31224
C	1057	HIS	-	expression tag	UNP P31224

- Molecule 2 is a protein called DARPIN.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
2	D	156	1177	741	206	229	1	0	0	0
2	E	154	1167	736	204	226	1	0	0	0

- Molecule 3 is DODECYL-BETA-D-MALTOSE (three-letter code: LMT) (formula: $C_{24}H_{46}O_{11}$).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
			Total	C	O		
3	A	1	35	24	11	0	0
3	A	1	35	24	11	0	0
3	A	1	35	24	11	0	0
3	B	1	35	24	11	0	0
3	B	1	35	24	11	0	0

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	C	1	Total	C O	0	0
			35	24 11		

- Molecule 4 is N-OCTANE (three-letter code: OCT) (formula: C₈H₁₈).




Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	1	Total	C	0	0
			8	8		
4	C	1	Total	C	0	0
			8	8		
4	C	1	Total	C	0	0
			8	8		

- Molecule 5 is DECYLAMINE-N,N-DIMETHYL-N-OXIDE (three-letter code: DDQ) (formula: C₁₂H₂₇NO).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
5	A	1	Total	C	N	O	0	0
			14	12	1	1		
5	B	1	Total	C	N	O	0	0
			14	12	1	1		
5	B	1	Total	C	N	O	0	0
			14	12	1	1		
5	C	1	Total	C	N	O	0	0
			14	12	1	1		
5	C	1	Total	C	N	O	0	0
			14	12	1	1		

- Molecule 6 is GLYCEROL (three-letter code: GOL) (formula: C₃H₈O₃).




Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	A	1	Total C O 6 3 3	0	0
6	A	1	Total C O 6 3 3	0	0
6	A	1	Total C O 6 3 3	0	0
6	A	1	Total C O 6 3 3	0	0
6	A	1	Total C O 6 3 3	0	0
6	A	1	Total C O 6 3 3	0	0
6	B	1	Total C O 6 3 3	0	0
6	B	1	Total C O 6 3 3	0	0
6	B	1	Total C O 6 3 3	0	0
6	B	1	Total C O 6 3 3	0	0
6	C	1	Total C O 6 3 3	0	0
6	C	1	Total C O 6 3 3	0	0
6	C	1	Total C O 6 3 3	0	0
6	E	1	Total C O 6 3 3	0	0

- Molecule 7 is DODECANE (three-letter code: D12) (formula: C₁₂H₂₆).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
7	A	1	Total C 12 12	0	0
7	C	1	Total C 12 12	0	0
7	C	1	Total C 12 12	0	0

- Molecule 8 is HEXANE (three-letter code: HEX) (formula: C₆H₁₄).




Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
8	A	1	Total C 6 6	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
8	B	1	Total C 6 6	0	0
8	B	1	Total C 6 6	0	0
8	B	1	Total C 6 6	0	0
8	C	1	Total C 6 6	0	0
8	C	1	Total C 6 6	0	0

- Molecule 9 is 1,2-ETHANEDIOL (three-letter code: EDO) (formula: C₂H₆O₂).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
9	A	1	Total C O 4 2 2	0	0
9	A	1	Total C O 4 2 2	0	0
9	A	1	Total C O 4 2 2	0	0
9	B	1	Total C O 4 2 2	0	0
9	B	1	Total C O 4 2 2	0	0
9	B	1	Total C O 4 2 2	0	0

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
9	B	1	Total	C	O	0	0
			4	2	2		
9	B	1	Total	C	O	0	0
			4	2	2		
9	B	1	Total	C	O	0	0
			4	2	2		
9	B	1	Total	C	O	0	0
			4	2	2		
9	B	1	Total	C	O	0	0
			4	2	2		
9	B	1	Total	C	O	0	0
			4	2	2		
9	C	1	Total	C	O	0	0
			4	2	2		
9	C	1	Total	C	O	0	0
			4	2	2		
9	C	1	Total	C	O	0	0
			4	2	2		
9	C	1	Total	C	O	0	0
			4	2	2		
9	C	1	Total	C	O	0	0
			4	2	2		
9	C	1	Total	C	O	0	0
			4	2	2		
9	C	1	Total	C	O	0	0
			4	2	2		
9	C	1	Total	C	O	0	0
			4	2	2		
9	D	1	Total	C	O	0	0
			4	2	2		
9	D	1	Total	C	O	0	0
			4	2	2		
9	D	1	Total	C	O	0	0
			4	2	2		

- Molecule 10 is TRIETHYLENE GLYCOL (three-letter code: PGE) (formula: C₆H₁₄O₄).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
10	A	1	Total	C	O	0	0
			10	6	4		
10	C	1	Total	C	O	0	0
			10	6	4		

- Molecule 11 is (4S,4AS,5AR,12AS)-4,7-BIS(DIMETHYLAMINO)-3,10,12,12A-TETRAHYDROXY-1,11-DIOXO-1,4,4A,5,5A,6,11,12A-OCTAHYDROTETRACENE-2-CARBOXAMIDE (three-letter code: MIY) (formula: C₂₃H₂₇N₃O₇) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf	
			Total	C	N			O
11	B	1	33	23	3	7	0	0

- Molecule 12 is (2S)-3-hydroxypropane-1,2-diyl didecanoate (three-letter code: DDR) (formula: $C_{23}H_{44}O_5$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
			Total	C	O		
12	B	1	28	23	5	0	0

- Molecule 13 is DECANE (three-letter code: D10) (formula: $C_{10}H_{22}$).




Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
13	B	1	Total C 10 10	0	0
13	B	1	Total C 10 10	0	0
13	B	1	Total C 10 10	0	0
13	C	1	Total C 10 10	0	0
13	C	1	Total C 10 10	0	0

- Molecule 14 is CHLORIDE ION (three-letter code: CL) (formula: Cl).


Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
14	B	1	Total Cl 1 1	0	0
14	C	2	Total Cl 2 2	0	0

- Molecule 15 is PENTADECANE (three-letter code: MYS) (formula: C₁₅H₃₂).




Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
15	B	1	Total C 15 15	0	0
15	B	1	Total C 15 15	0	0

- Molecule 16 is TETRAETHYLENE GLYCOL (three-letter code: PG4) (formula: $C_8H_{18}O_5$).




Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
16	B	1	Total	C O	0	0
			13	8 5		

- Molecule 17 is Octadecane (three-letter code: 8K6) (formula: $C_{18}H_{38}$).




Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
17	B	1	Total	C	0	0
			18	18		

- Molecule 18 is HEXADECANE (three-letter code: R16) (formula: $C_{16}H_{34}$).




Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
18	B	1	Total C 16 16	0	0

- Molecule 19 is SULFATE ION (three-letter code: SO4) (formula: O₄S).




Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
19	B	1	Total O S 5 4 1	0	0

- Molecule 20 is TETRADECANE (three-letter code: C14) (formula: C₁₄H₃₀).




Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
20	C	1	Total C 14 14	0	0

- Molecule 21 is PHOSPHATIDYLETHANOLAMINE (three-letter code: PTY) (formula: $C_{40}H_{80}NO_8P$).




Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
21	C	1	Total C N O P 50 40 1 8 1	0	0

- Molecule 22 is (2S)-3-{[(R)-(2-aminoethoxy)(hydroxy)phosphoryl]oxy}-2-hydroxypropyl hexadecanoate (three-letter code: LPX) (formula: $C_{21}H_{44}NO_7P$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	
22	C	1	Total	C	N	O	P	0	0
			30	21	1	7	1		


- Molecule 23 is PENTAETHYLENE GLYCOL (three-letter code: 1PE) (formula: C₁₀H₂₂O₆).





Mol	Chain	Residues	Atoms		ZeroOcc	AltConf	
23	C	1	Total	C	O	0	0
			16	10	6		

- Molecule 24 is water.



Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
24	A	380	Total 380	O 380	0	0
24	B	348	Total 348	O 348	0	0
24	C	401	Total 401	O 401	0	0
24	D	37	Total 37	O 37	0	0
24	E	22	Total 22	O 22	0	0



- Molecule 2: DARPIN



- Molecule 2: DARPIN



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	146.28Å 161.01Å 245.46Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	49.36 – 2.35 49.36 – 2.35	Depositor EDS
% Data completeness (in resolution range)	100.0 (49.36-2.35) 100.0 (49.36-2.35)	Depositor EDS
R_{merge}	0.16	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.45 (at 2.34Å)	Xtrriage
Refinement program	REFMAC 5.8.0238	Depositor
R, R_{free}	0.231 , 0.257 0.233 , 0.258	Depositor DCC
R_{free} test set	12078 reflections (5.03%)	wwPDB-VP
Wilson B-factor (Å ²)	38.8	Xtrriage
Anisotropy	0.467	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 41.2	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.92	EDS
Total number of atoms	28139	wwPDB-VP
Average B, all atoms (Å ²)	47.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 1.98% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: DDQ, OCT, GOL, SO4, PGE, MIY, DDR, PTY, 1PE, D10, CL, C14, MYS, EDO, D12, PG4, LMT, HEX, R16, LPX, 8K6

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.67	0/8122	0.70	0/11027
1	B	0.67	0/8043	0.70	0/10923
1	C	0.67	0/8035	0.70	0/10912
2	D	0.68	0/1196	0.71	0/1626
2	E	0.68	0/1186	0.71	0/1613
All	All	0.67	0/26582	0.70	0/36101

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	7961	0	8115	30	0
1	B	7883	0	8043	28	0
1	C	7881	0	8032	21	0
2	D	1177	0	1159	2	0
2	E	1167	0	1151	2	0
3	A	105	0	138	0	0
3	B	70	0	92	1	0
3	C	35	0	46	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
4	A	8	0	18	0	0
4	C	16	0	36	0	0
5	A	14	0	27	0	0
5	B	28	0	54	0	0
5	C	28	0	54	0	0
6	A	36	0	48	0	0
6	B	24	0	32	0	0
6	C	18	0	24	0	0
6	E	6	0	8	0	0
7	A	12	0	26	0	0
7	C	24	0	52	0	0
8	A	6	0	14	0	0
8	B	18	0	42	0	0
8	C	12	0	28	0	0
9	A	12	0	18	0	0
9	B	40	0	60	0	0
9	C	32	0	48	0	0
9	D	12	0	18	0	0
10	A	10	0	14	0	0
10	C	10	0	14	0	0
11	B	33	0	24	0	0
12	B	28	0	44	0	0
13	B	30	0	66	0	0
13	C	20	0	44	0	0
14	B	1	0	0	0	0
14	C	2	0	0	0	0
15	B	30	0	64	0	0
16	B	13	0	18	3	0
17	B	18	0	38	0	0
18	B	16	0	34	0	0
19	B	5	0	0	0	0
20	C	14	0	30	1	0
21	C	50	0	79	0	0
22	C	30	0	43	0	0
23	C	16	0	22	0	0
24	A	380	0	0	0	0
24	B	348	0	0	0	0
24	C	401	0	0	0	0
24	D	37	0	0	0	0
24	E	22	0	0	0	0
All	All	28139	0	27917	79	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including

hydrogen atoms). The all-atom clashscore for this structure is 1.

All (79) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:968:VAL:HG11	1:A:1023:PRO:HG3	1.80	0.62
1:A:367:ILE:HB	1:A:368:PRO:HD3	1.82	0.62
1:B:873:ALA:HB3	1:B:874:PRO:HD3	1.82	0.60
1:C:901:VAL:O	1:C:904:VAL:HG12	2.03	0.59
2:E:34:MET:SD	2:E:40:VAL:HG12	2.46	0.56
1:B:580:ALA:HB1	1:B:724:THR:HG22	1.87	0.56
1:A:399:VAL:HG11	1:A:989:LEU:HD11	1.87	0.55
1:B:395[B]:MET:HA	1:B:395[B]:MET:HE2	1.88	0.55
1:A:709:HIS:N	1:A:710:PRO:HD3	2.23	0.54
1:B:303:ALA:HB2	1:B:330:THR:HG21	1.90	0.54
1:B:108:GLN:CG	1:C:112:GLN:HG3	2.40	0.52
1:C:897:ILE:HD11	1:C:950:LYS:HG2	1.91	0.51
1:A:905:VAL:HB	1:A:906:PRO:HD3	1.93	0.50
1:B:968:VAL:HG11	1:B:1023:PRO:HG3	1.93	0.50
1:A:38:ILE:HD11	1:A:671:ILE:HD13	1.95	0.49
1:C:580:ALA:HB1	1:C:724:THR:HA	1.94	0.49
1:C:440:GLY:HA2	20:C:1101:C14:H061	1.95	0.48
1:A:669:PRO:HD2	1:A:672:VAL:HG22	1.96	0.48
1:A:897:ILE:N	1:A:898:PRO:CD	2.77	0.48
1:B:372:VAL:HB	1:B:373:PRO:HD3	1.95	0.48
16:B:1120:PG4:H51	1:C:115:MET:HG3	1.96	0.48
1:A:247:GLY:HA2	1:A:268:ILE:CD1	2.45	0.47
1:C:330:THR:N	1:C:331:PRO:CD	2.78	0.47
1:B:905:VAL:HB	1:B:906:PRO:HD3	1.96	0.46
1:A:909:VAL:HA	1:A:931:LEU:HD11	1.97	0.46
1:C:111:LEU:HD22	1:C:129:VAL:CG2	2.46	0.46
1:B:445:ILE:HD13	1:B:940:LYS:HG3	1.98	0.46
1:C:987:MET:HB3	1:C:988:PRO:HD3	1.97	0.46
1:A:375:VAL:HG11	1:A:405:LEU:HD22	1.98	0.46
1:B:115:MET:HG3	16:B:1120:PG4:H21	1.98	0.46
1:A:987:MET:N	1:A:988:PRO:CD	2.79	0.46
1:B:677:ALA:O	1:B:678:THR:OG1	2.23	0.45
1:B:303:ALA:CB	1:B:330:THR:HG21	2.47	0.45
1:C:1:MET:HB3	1:C:2:PRO:HD3	1.99	0.45
1:B:897:ILE:N	1:B:898:PRO:CD	2.80	0.45
2:D:42:ALA:O	2:D:50:PRO:HD3	2.16	0.45
1:B:1022:VAL:N	1:B:1023:PRO:HD2	2.31	0.45
1:B:987:MET:N	1:B:988:PRO:CD	2.80	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:30:LEU:HD21	1:A:384:ALA:HA	1.99	0.45
1:B:705:GLU:HB3	1:B:847:LEU:HD22	1.99	0.44
1:B:330:THR:N	1:B:331:PRO:CD	2.81	0.44
1:B:367:ILE:HB	1:B:368:PRO:HD3	2.00	0.44
1:A:1022:VAL:N	1:A:1023:PRO:CD	2.81	0.44
1:A:448:VAL:HG22	1:A:887:CYS:HB3	2.00	0.44
1:B:115:MET:N	1:B:116:PRO:CD	2.80	0.44
1:A:873:ALA:HB3	1:A:874:PRO:HD3	1.99	0.44
1:A:719:ASN:HB2	1:A:828:LEU:HG	2.00	0.43
1:C:684:LEU:HD11	1:C:851:LEU:CD1	2.48	0.43
1:B:108:GLN:HG3	1:C:112:GLN:HG3	1.99	0.43
1:C:336:SER:O	1:C:340:VAL:HG23	2.18	0.43
1:B:314:GLU:HB2	1:B:315:PRO:HD3	2.01	0.43
1:C:722[B]:GLU:HA	1:C:722[B]:GLU:OE1	2.18	0.43
1:B:1:MET:HB3	1:B:2:PRO:HD3	2.00	0.43
1:B:395[B]:MET:HA	1:B:395[B]:MET:CE	2.48	0.43
1:C:631:LEU:HD11	1:C:644:VAL:HG22	2.01	0.43
1:A:454:VAL:N	1:A:455:PRO:CD	2.82	0.43
1:B:535:LEU:HD22	1:B:1027:VAL:HG21	2.01	0.42
1:C:905:VAL:HB	1:C:906:PRO:HD3	2.01	0.42
1:A:614:GLY:HA2	1:A:621:GLY:O	2.20	0.42
1:A:901:VAL:O	1:A:904:VAL:HG22	2.19	0.42
3:B:1103:LMT:O5B	3:B:1103:LMT:O3'	2.37	0.42
1:A:763:ILE:HD11	1:B:59:ASP:HB3	2.02	0.42
1:C:454:VAL:HB	1:C:455:PRO:HD3	2.01	0.42
1:A:1:MET:HB2	1:A:2:PRO:HD3	2.02	0.42
1:B:412:VAL:O	1:B:416:VAL:HG23	2.20	0.41
1:C:448:VAL:HG11	1:C:943:ILE:HD11	2.03	0.41
1:A:275:TYR:CD1	1:C:223:PRO:HD3	2.55	0.41
2:D:75:ALA:O	2:D:83:PRO:HD3	2.20	0.41
1:A:739:LEU:HD13	1:A:799:VAL:HG11	2.02	0.41
16:B:1120:PG4:H31	1:C:112:GLN:HG2	2.03	0.41
1:A:434:SER:O	1:A:438:ILE:HG13	2.21	0.41
1:A:535:LEU:HD22	1:A:1027:VAL:HG21	2.03	0.41
1:A:754:TRP:CZ2	1:A:786:ILE:HD13	2.55	0.41
2:E:91:GLY:HA2	2:E:128:ILE:CD1	2.51	0.41
1:A:973:ARG:N	1:A:974:PRO:HD2	2.36	0.40
1:C:372:VAL:HB	1:C:373:PRO:CD	2.51	0.40
1:A:905:VAL:O	1:A:909:VAL:HG23	2.22	0.40
1:B:973:ARG:N	1:B:974:PRO:HD2	2.36	0.40
1:A:225:VAL:HG11	1:B:778:LYS:HA	2.04	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	1044/1057 (99%)	1013 (97%)	28 (3%)	3 (0%)	41	47
1	B	1036/1057 (98%)	1013 (98%)	23 (2%)	0	100	100
1	C	1035/1057 (98%)	1012 (98%)	23 (2%)	0	100	100
2	D	154/169 (91%)	151 (98%)	3 (2%)	0	100	100
2	E	152/169 (90%)	149 (98%)	3 (2%)	0	100	100
All	All	3421/3509 (98%)	3338 (98%)	80 (2%)	3 (0%)	51	63

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	1037	ASN
1	A	677	ALA
1	A	869	SER

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	853/864 (99%)	843 (99%)	10 (1%)	71	82
1	B	845/864 (98%)	837 (99%)	8 (1%)	78	87
1	C	844/864 (98%)	834 (99%)	10 (1%)	71	82

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
2	D	120/132 (91%)	120 (100%)	0	100	100
2	E	119/132 (90%)	119 (100%)	0	100	100
All	All	2781/2856 (97%)	2753 (99%)	28 (1%)	78	85

All (28) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	11	PHE
1	A	49	TYR
1	A	536	ARG
1	A	575	MET
1	A	801	PHE
1	A	815[A]	ARG
1	A	815[B]	ARG
1	A	872	GLN
1	A	969	ARG
1	A	1032	ARG
1	B	11	PHE
1	B	49	TYR
1	B	556	PHE
1	B	610	PHE
1	B	717	ARG
1	B	801	PHE
1	B	1030	ARG
1	B	1032	ARG
1	C	11	PHE
1	C	49	TYR
1	C	362	PHE
1	C	620	ARG
1	C	778	LYS
1	C	801	PHE
1	C	850	LYS
1	C	950	LYS
1	C	1031[A]	ARG
1	C	1031[B]	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 83 ligands modelled in this entry, 3 are monoatomic - leaving 80 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	OCT	C	1105	-	7,7,7	0.11	0	6,6,6	0.06	0
3	LMT	B	1103	-	36,36,36	0.49	0	47,47,47	0.84	2 (4%)
9	EDO	B	1127	-	3,3,3	0.06	0	2,2,2	0.19	0
6	GOL	B	1111	-	5,5,5	0.10	0	5,5,5	0.27	0
3	LMT	A	1102	-	36,36,36	0.46	0	47,47,47	0.66	0
10	PGE	C	1129	-	9,9,9	0.15	0	8,8,8	0.12	0
16	PG4	B	1120	-	12,12,12	0.16	0	11,11,11	0.10	0
9	EDO	B	1130	-	3,3,3	0.07	0	2,2,2	0.18	0
9	EDO	B	1121	-	3,3,3	0.05	0	2,2,2	0.16	0
8	HEX	B	1117	-	5,5,5	0.14	0	4,4,4	0.11	0
7	D12	A	1112	-	11,11,11	0.25	0	10,10,10	0.49	0
13	D10	C	1108	-	9,9,9	0.10	0	8,8,8	0.06	0
11	MIY	B	1101	-	35,36,36	1.15	2 (5%)	41,58,58	1.05	2 (4%)
9	EDO	A	1115	-	3,3,3	0.06	0	2,2,2	0.19	0
6	GOL	A	1106	-	5,5,5	0.08	0	5,5,5	0.25	0
8	HEX	A	1113	-	5,5,5	0.14	0	4,4,4	0.10	0
7	D12	C	1115	-	11,11,11	0.26	0	10,10,10	0.45	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
9	EDO	D	201	-	3,3,3	0.05	0	2,2,2	0.15	0
8	HEX	B	1116	-	5,5,5	0.14	0	4,4,4	0.10	0
6	GOL	E	201	-	5,5,5	0.09	0	5,5,5	0.27	0
6	GOL	B	1112	-	5,5,5	0.09	0	5,5,5	0.27	0
8	HEX	C	1117	-	5,5,5	0.14	0	4,4,4	0.11	0
6	GOL	A	1108	-	5,5,5	0.09	0	5,5,5	0.27	0
9	EDO	D	203	-	3,3,3	0.06	0	2,2,2	0.18	0
9	EDO	C	1125	-	3,3,3	0.06	0	2,2,2	0.17	0
9	EDO	B	1125	-	3,3,3	0.06	0	2,2,2	0.18	0
4	OCT	C	1104	-	7,7,7	0.12	0	6,6,6	0.09	0
6	GOL	B	1110	-	5,5,5	0.09	0	5,5,5	0.25	0
9	EDO	A	1114	-	3,3,3	0.07	0	2,2,2	0.17	0
18	R16	B	1132	-	15,15,15	0.08	0	14,14,14	0.07	0
3	LMT	A	1101	-	36,36,36	0.44	0	47,47,47	0.62	0
19	SO4	B	1133	-	4,4,4	0.39	0	6,6,6	0.05	0
21	PTY	C	1103	-	49,49,49	0.26	0	52,54,54	0.35	0
9	EDO	C	1126	-	3,3,3	0.06	0	2,2,2	0.17	0
5	DDQ	C	1107	-	10,13,13	2.25	1 (10%)	12,15,15	0.49	0
13	D10	B	1107	-	9,9,9	0.10	0	8,8,8	0.07	0
7	D12	C	1116	-	11,11,11	0.26	0	10,10,10	0.50	0
8	HEX	B	1115	-	5,5,5	0.14	0	4,4,4	0.13	0
9	EDO	C	1122	-	3,3,3	0.05	0	2,2,2	0.19	0
9	EDO	B	1128	-	3,3,3	0.06	0	2,2,2	0.17	0
9	EDO	C	1123	-	3,3,3	0.06	0	2,2,2	0.16	0
9	EDO	C	1128	-	3,3,3	0.07	0	2,2,2	0.19	0
13	D10	B	1109	-	9,9,9	0.11	0	8,8,8	0.06	0
17	8K6	B	1131	-	17,17,17	0.18	0	16,16,16	0.06	0
15	MYS	B	1119	-	14,14,14	0.25	0	13,13,13	0.52	0
9	EDO	B	1126	-	3,3,3	0.06	0	2,2,2	0.18	0
9	EDO	D	202	-	3,3,3	0.06	0	2,2,2	0.17	0
3	LMT	A	1103	-	36,36,36	0.46	0	47,47,47	0.60	0
22	LPX	C	1119	-	29,29,29	0.28	0	31,33,33	0.37	0
20	C14	C	1101	-	13,13,13	0.09	0	12,12,12	0.08	0
5	DDQ	C	1106	-	10,13,13	2.27	1 (10%)	12,15,15	0.44	0
4	OCT	A	1104	-	7,7,7	0.11	0	6,6,6	0.07	0
3	LMT	C	1102	-	36,36,36	0.43	0	47,47,47	0.47	0
9	EDO	B	1129	-	3,3,3	0.06	0	2,2,2	0.16	0
6	GOL	A	1111	-	5,5,5	0.09	0	5,5,5	0.26	0
9	EDO	B	1123	-	3,3,3	0.07	0	2,2,2	0.21	0
6	GOL	A	1109	-	5,5,5	0.09	0	5,5,5	0.26	0
6	GOL	C	1110	-	5,5,5	0.09	0	5,5,5	0.28	0
6	GOL	B	1113	-	5,5,5	0.10	0	5,5,5	0.29	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
13	D10	B	1108	-	9,9,9	0.10	0	8,8,8	0.06	0
15	MYS	B	1118	-	14,14,14	0.23	0	13,13,13	0.58	0
10	PGE	A	1117	-	9,9,9	0.15	0	8,8,8	0.13	0
8	HEX	C	1118	-	5,5,5	0.14	0	4,4,4	0.10	0
9	EDO	B	1124	-	3,3,3	0.06	0	2,2,2	0.20	0
9	EDO	C	1124	-	3,3,3	0.06	0	2,2,2	0.16	0
5	DDQ	B	1106	-	10,13,13	2.33	1 (10%)	12,15,15	0.36	0
3	LMT	B	1102	-	36,36,36	0.44	0	47,47,47	0.49	0
13	D10	C	1109	-	9,9,9	0.12	0	8,8,8	0.13	0
6	GOL	A	1110	-	5,5,5	0.09	0	5,5,5	0.27	0
9	EDO	C	1127	-	3,3,3	0.06	0	2,2,2	0.18	0
6	GOL	A	1107	-	5,5,5	0.09	0	5,5,5	0.27	0
12	DDR	B	1104	-	27,27,27	1.23	2 (7%)	29,29,29	1.08	2 (6%)
6	GOL	C	1111	-	5,5,5	0.10	0	5,5,5	0.28	0
6	GOL	C	1112	-	5,5,5	0.08	0	5,5,5	0.25	0
5	DDQ	B	1105	-	10,13,13	2.27	1 (10%)	12,15,15	0.58	0
9	EDO	B	1122	-	3,3,3	0.06	0	2,2,2	0.15	0
23	1PE	C	1120	-	15,15,15	0.49	0	14,14,14	0.25	0
9	EDO	A	1116	-	3,3,3	0.06	0	2,2,2	0.18	0
9	EDO	C	1121	-	3,3,3	0.06	0	2,2,2	0.17	0
5	DDQ	A	1105	-	10,13,13	2.28	1 (10%)	12,15,15	0.48	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	OCT	C	1105	-	-	3/5/5/5	-
3	LMT	B	1103	-	-	7/21/61/61	0/2/2/2
9	EDO	B	1127	-	-	0/1/1/1	-
6	GOL	B	1111	-	-	0/4/4/4	-
3	LMT	A	1102	-	-	12/21/61/61	0/2/2/2
10	PGE	C	1129	-	-	6/7/7/7	-
16	PG4	B	1120	-	-	5/10/10/10	-
9	EDO	B	1130	-	-	1/1/1/1	-
9	EDO	B	1121	-	-	1/1/1/1	-
8	HEX	B	1117	-	-	2/3/3/3	-
7	D12	A	1112	-	-	4/9/9/9	-
13	D10	C	1108	-	-	4/7/7/7	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
11	MIY	B	1101	-	-	2/12/70/70	0/4/4/4
9	EDO	A	1115	-	-	1/1/1/1	-
6	GOL	A	1106	-	-	2/4/4/4	-
8	HEX	A	1113	-	-	1/3/3/3	-
7	D12	C	1115	-	-	4/9/9/9	-
9	EDO	D	201	-	-	0/1/1/1	-
8	HEX	B	1116	-	-	2/3/3/3	-
6	GOL	E	201	-	-	0/4/4/4	-
6	GOL	B	1112	-	-	0/4/4/4	-
8	HEX	C	1117	-	-	1/3/3/3	-
6	GOL	A	1108	-	-	2/4/4/4	-
9	EDO	D	203	-	-	1/1/1/1	-
9	EDO	C	1125	-	-	0/1/1/1	-
9	EDO	B	1125	-	-	1/1/1/1	-
4	OCT	C	1104	-	-	4/5/5/5	-
6	GOL	B	1110	-	-	2/4/4/4	-
9	EDO	A	1114	-	-	1/1/1/1	-
18	R16	B	1132	-	-	9/13/13/13	-
3	LMT	A	1101	-	-	9/21/61/61	0/2/2/2
21	PTY	C	1103	-	-	24/53/53/53	-
9	EDO	C	1126	-	-	1/1/1/1	-
5	DDQ	C	1107	-	-	6/11/11/11	-
13	D10	B	1107	-	-	1/7/7/7	-
7	D12	C	1116	-	-	3/9/9/9	-
8	HEX	B	1115	-	-	1/3/3/3	-
9	EDO	C	1122	-	-	1/1/1/1	-
9	EDO	B	1128	-	-	1/1/1/1	-
9	EDO	C	1123	-	-	1/1/1/1	-
9	EDO	C	1128	-	-	0/1/1/1	-
13	D10	B	1109	-	-	4/7/7/7	-
17	8K6	B	1131	-	-	9/15/15/15	-
15	MYS	B	1119	-	-	3/12/12/12	-
9	EDO	B	1126	-	-	1/1/1/1	-
9	EDO	D	202	-	-	1/1/1/1	-
3	LMT	A	1103	-	-	14/21/61/61	0/2/2/2
22	LPX	C	1119	-	-	16/31/31/31	-
20	C14	C	1101	-	-	6/11/11/11	-
5	DDQ	C	1106	-	-	5/11/11/11	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	OCT	A	1104	-	-	2/5/5/5	-
3	LMT	C	1102	-	-	7/21/61/61	0/2/2/2
9	EDO	B	1129	-	-	0/1/1/1	-
6	GOL	A	1111	-	-	2/4/4/4	-
9	EDO	B	1123	-	-	1/1/1/1	-
6	GOL	A	1109	-	-	0/4/4/4	-
6	GOL	C	1110	-	-	0/4/4/4	-
6	GOL	B	1113	-	-	2/4/4/4	-
13	D10	B	1108	-	-	2/7/7/7	-
15	MYS	B	1118	-	-	2/12/12/12	-
10	PGE	A	1117	-	-	4/7/7/7	-
8	HEX	C	1118	-	-	1/3/3/3	-
9	EDO	B	1124	-	-	1/1/1/1	-
9	EDO	C	1124	-	-	1/1/1/1	-
5	DDQ	B	1106	-	-	9/11/11/11	-
3	LMT	B	1102	-	-	8/21/61/61	0/2/2/2
13	D10	C	1109	-	-	6/7/7/7	-
6	GOL	A	1110	-	-	1/4/4/4	-
9	EDO	C	1127	-	-	1/1/1/1	-
6	GOL	A	1107	-	-	2/4/4/4	-
12	DDR	B	1104	-	-	14/29/29/29	-
6	GOL	C	1111	-	-	3/4/4/4	-
6	GOL	C	1112	-	-	3/4/4/4	-
5	DDQ	B	1105	-	-	3/11/11/11	-
9	EDO	B	1122	-	-	1/1/1/1	-
23	1PE	C	1120	-	-	8/13/13/13	-
9	EDO	A	1116	-	-	1/1/1/1	-
9	EDO	C	1121	-	-	0/1/1/1	-
5	DDQ	A	1105	-	-	8/11/11/11	-

All (9) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	B	1106	DDQ	O1-N1	-7.30	1.25	1.42
5	A	1105	DDQ	O1-N1	-7.15	1.25	1.42
5	C	1106	DDQ	O1-N1	-7.13	1.25	1.42
5	B	1105	DDQ	O1-N1	-7.12	1.25	1.42
5	C	1107	DDQ	O1-N1	-7.05	1.25	1.42

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
11	B	1101	MIY	C21-N2	5.64	1.48	1.33
12	B	1104	DDR	O51-C1	4.29	1.45	1.33
12	B	1104	DDR	O52-C21	4.24	1.46	1.34
11	B	1101	MIY	O5-C15	2.28	1.28	1.23

All (6) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
12	B	1104	DDR	O52-C21-C22	3.66	119.40	111.50
3	B	1103	LMT	O1B-C4'-C3'	3.09	115.50	107.28
11	B	1101	MIY	C15-C16-C17	2.57	120.83	118.80
12	B	1104	DDR	O51-C1-C2	2.51	119.78	111.91
3	B	1103	LMT	C1B-C2B-C3B	2.37	114.92	110.00
11	B	1101	MIY	O7-C18-C17	-2.28	106.49	110.14

There are no chirality outliers.

All (278) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	A	1101	LMT	C2'-C1'-O1'-C1
3	A	1101	LMT	O5'-C1'-O1'-C1
3	A	1102	LMT	C2'-C1'-O1'-C1
3	A	1102	LMT	O5'-C1'-O1'-C1
3	A	1103	LMT	C2'-C1'-O1'-C1
3	A	1103	LMT	O5'-C1'-O1'-C1
5	A	1105	DDQ	C2-C1-N1-O1
5	B	1106	DDQ	C2-C1-N1-CM2
5	B	1106	DDQ	N1-C1-C2-C3
5	C	1106	DDQ	N1-C1-C2-C3
6	A	1106	GOL	C1-C2-C3-O3
6	A	1108	GOL	C1-C2-C3-O3
6	A	1111	GOL	C1-C2-C3-O3
6	B	1113	GOL	C1-C2-C3-O3
21	C	1103	PTY	C11-C8-O7-C6
22	C	1119	LPX	O2-C1-C2-N1
3	B	1103	LMT	C3'-C4'-O1B-C1B
12	B	1104	DDR	O1-C1-O51-C51
22	C	1119	LPX	O7-C6-O6-C5
12	B	1104	DDR	C2-C1-O51-C51
3	A	1103	LMT	O5B-C5B-C6B-O6B
3	A	1101	LMT	O5B-C5B-C6B-O6B
22	C	1119	LPX	C7-C6-O6-C5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
3	C	1102	LMT	O5'-C5'-C6'-O6'
21	C	1103	PTY	O10-C8-O7-C6
3	A	1103	LMT	C4B-C5B-C6B-O6B
3	B	1102	LMT	O5'-C5'-C6'-O6'
22	C	1119	LPX	C15-C16-C17-C18
23	C	1120	1PE	OH4-C13-C23-OH3
3	A	1101	LMT	C4B-C5B-C6B-O6B
3	C	1102	LMT	C4'-C5'-C6'-O6'
23	C	1120	1PE	OH5-C14-C24-OH4
10	A	1117	PGE	O3-C5-C6-O4
3	B	1102	LMT	C4'-C5'-C6'-O6'
22	C	1119	LPX	C17-C18-C19-C20
22	C	1119	LPX	C6-C7-C8-C9
6	B	1113	GOL	O2-C2-C3-O3
3	A	1103	LMT	O5'-C5'-C6'-O6'
10	C	1129	PGE	O1-C1-C2-O2
9	C	1122	EDO	O1-C1-C2-O2
3	A	1102	LMT	C5'-C4'-O1B-C1B
10	A	1117	PGE	O2-C3-C4-O3
3	A	1103	LMT	C4'-C5'-C6'-O6'
22	C	1119	LPX	O5-C4-C5-O6
22	C	1119	LPX	C3-O1-P1-O2
12	B	1104	DDR	C21-C22-C23-C24
10	A	1117	PGE	O1-C1-C2-O2
16	B	1120	PG4	O4-C7-C8-O5
13	B	1109	D10	C6-C7-C8-C9
12	B	1104	DDR	C22-C21-O52-C52
3	A	1101	LMT	C4-C5-C6-C7
3	A	1103	LMT	C11-C10-C9-C8
3	C	1102	LMT	C6-C7-C8-C9
5	C	1106	DDQ	C6-C7-C8-C9
22	C	1119	LPX	C3-C4-C5-O6
7	C	1115	D12	C2-C3-C4-C5
13	B	1108	D10	C4-C5-C6-C7
12	B	1104	DDR	O21-C21-O52-C52
3	B	1103	LMT	C11-C10-C9-C8
5	B	1106	DDQ	C4-C5-C6-C7
3	A	1101	LMT	C3-C4-C5-C6
16	B	1120	PG4	O3-C5-C6-O4
3	A	1102	LMT	C3-C4-C5-C6
3	B	1102	LMT	O1'-C1-C2-C3
13	B	1107	D10	C4-C5-C6-C7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
21	C	1103	PTY	C25-C26-C27-C28
18	B	1132	R16	C35-C36-C37-C38
5	A	1105	DDQ	C4-C5-C6-C7
21	C	1103	PTY	C16-C17-C18-C19
21	C	1103	PTY	C33-C34-C35-C36
3	A	1103	LMT	C6-C7-C8-C9
21	C	1103	PTY	C38-C39-C40-C41
6	A	1107	GOL	C1-C2-C3-O3
6	B	1110	GOL	C1-C2-C3-O3
6	C	1111	GOL	C1-C2-C3-O3
6	C	1112	GOL	O1-C1-C2-C3
8	B	1116	HEX	C2-C3-C4-C5
4	A	1104	OCT	C2-C3-C4-C5
5	C	1106	DDQ	C4-C5-C6-C7
13	B	1109	D10	C4-C5-C6-C7
13	C	1109	D10	C2-C3-C4-C5
20	C	1101	C14	C03-C04-C05-C06
5	B	1106	DDQ	C2-C3-C4-C5
7	A	1112	D12	C6-C7-C8-C9
3	C	1102	LMT	C5-C6-C7-C8
17	B	1131	8K6	C7-C8-C9-C10
21	C	1103	PTY	C32-C33-C34-C35
22	C	1119	LPX	C11-C10-C9-C8
5	B	1106	DDQ	C5-C6-C7-C8
20	C	1101	C14	C08-C09-C10-C11
16	B	1120	PG4	C5-C6-O4-C7
3	B	1102	LMT	C5-C6-C7-C8
6	A	1108	GOL	O2-C2-C3-O3
3	A	1102	LMT	C5-C6-C7-C8
13	C	1108	D10	C4-C5-C6-C7
15	B	1119	MYS	C9-C10-C11-C12
20	C	1101	C14	C10-C11-C12-C13
5	B	1106	DDQ	C1-C2-C3-C4
12	B	1104	DDR	C26-C27-C28-C29
22	C	1119	LPX	C11-C12-C13-C14
3	A	1102	LMT	C1-C2-C3-C4
3	B	1103	LMT	C1-C2-C3-C4
9	A	1114	EDO	O1-C1-C2-O2
9	A	1115	EDO	O1-C1-C2-O2
9	B	1123	EDO	O1-C1-C2-O2
9	B	1125	EDO	O1-C1-C2-O2
9	B	1126	EDO	O1-C1-C2-O2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
9	B	1128	EDO	O1-C1-C2-O2
9	C	1126	EDO	O1-C1-C2-O2
9	D	202	EDO	O1-C1-C2-O2
17	B	1131	8K6	C4-C5-C6-C7
5	B	1106	DDQ	C3-C4-C5-C6
3	A	1101	LMT	C2-C3-C4-C5
21	C	1103	PTY	C31-C30-O4-C1
3	A	1102	LMT	C3'-C4'-O1B-C1B
7	C	1115	D12	C5-C6-C7-C8
17	B	1131	8K6	C3-C4-C5-C6
3	B	1102	LMT	C11-C10-C9-C8
3	A	1102	LMT	C4-C5-C6-C7
3	B	1102	LMT	C3-C4-C5-C6
21	C	1103	PTY	C19-C20-C21-C22
13	C	1108	D10	C2-C3-C4-C5
21	C	1103	PTY	C18-C19-C20-C21
21	C	1103	PTY	C17-C18-C19-C20
21	C	1103	PTY	C37-C38-C39-C40
5	A	1105	DDQ	C6-C7-C8-C9
12	B	1104	DDR	C5-C6-C7-C8
15	B	1119	MYS	C6-C7-C8-C9
21	C	1103	PTY	O30-C30-O4-C1
21	C	1103	PTY	C20-C21-C22-C23
4	C	1105	OCT	C4-C5-C6-C7
5	C	1107	DDQ	C3-C4-C5-C6
13	B	1109	D10	C2-C3-C4-C5
18	B	1132	R16	C37-C38-C39-C40
13	C	1109	D10	C3-C4-C5-C6
17	B	1131	8K6	C9-C10-C11-C12
4	C	1104	OCT	C5-C6-C7-C8
3	A	1103	LMT	C2-C3-C4-C5
20	C	1101	C14	C11-C12-C13-C14
4	C	1105	OCT	C2-C3-C4-C5
5	C	1106	DDQ	C3-C4-C5-C6
6	A	1107	GOL	O2-C2-C3-O3
5	B	1106	DDQ	C7-C8-C9-C10
21	C	1103	PTY	C24-C25-C26-C27
3	A	1102	LMT	O1'-C1-C2-C3
3	A	1101	LMT	O5'-C5'-C6'-O6'
13	B	1108	D10	C2-C3-C4-C5
17	B	1131	8K6	C2-C3-C4-C5
13	B	1109	D10	C3-C4-C5-C6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
10	C	1129	PGE	O3-C5-C6-O4
3	A	1102	LMT	C6-C7-C8-C9
16	B	1120	PG4	O2-C3-C4-O3
8	B	1116	HEX	C3-C4-C5-C6
5	C	1107	DDQ	N1-C1-C2-C3
5	B	1105	DDQ	C4-C5-C6-C7
21	C	1103	PTY	O14-C5-C6-C1
23	C	1120	1PE	OH7-C16-C26-OH6
5	C	1106	DDQ	C7-C8-C9-C10
15	B	1118	MYS	C9-C10-C11-C12
20	C	1101	C14	C04-C05-C06-C07
5	C	1107	DDQ	C2-C3-C4-C5
17	B	1131	8K6	C1-C2-C3-C4
3	A	1103	LMT	C2-C1-O1'-C1'
3	B	1102	LMT	C2-C1-O1'-C1'
3	B	1103	LMT	C2-C1-O1'-C1'
13	C	1109	D10	C1-C2-C3-C4
22	C	1119	LPX	C13-C14-C15-C16
7	A	1112	D12	C7-C8-C9-C10
5	B	1105	DDQ	C7-C8-C9-C10
21	C	1103	PTY	C23-C24-C25-C26
18	B	1132	R16	C28-C29-C30-C31
3	B	1103	LMT	O5B-C1B-O1B-C4'
6	A	1106	GOL	O2-C2-C3-O3
22	C	1119	LPX	C14-C15-C16-C17
3	A	1103	LMT	C5-C6-C7-C8
12	B	1104	DDR	C51-C52-C53-O53
12	B	1104	DDR	C2-C3-C4-C5
3	B	1103	LMT	C3-C4-C5-C6
7	A	1112	D12	C3-C4-C5-C6
9	A	1116	EDO	O1-C1-C2-O2
9	B	1121	EDO	O1-C1-C2-O2
9	B	1130	EDO	O1-C1-C2-O2
9	D	203	EDO	O1-C1-C2-O2
13	C	1109	D10	C4-C5-C6-C7
12	B	1104	DDR	C27-C28-C29-C30
17	B	1131	8K6	C14-C15-C16-C17
12	B	1104	DDR	O52-C52-C53-O53
16	B	1120	PG4	C4-C3-O2-C2
3	A	1103	LMT	C4-C5-C6-C7
8	B	1115	HEX	C3-C4-C5-C6
23	C	1120	1PE	C23-C13-OH4-C24

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
21	C	1103	PTY	O14-C5-C6-O7
10	A	1117	PGE	C4-C3-O2-C2
23	C	1120	1PE	C16-C26-OH6-C15
5	A	1105	DDQ	C2-C1-N1-CM2
5	B	1106	DDQ	C2-C1-N1-CM1
21	C	1103	PTY	C41-C42-C43-C44
12	B	1104	DDR	C23-C24-C25-C26
17	B	1131	8K6	C5-C6-C7-C8
8	B	1117	HEX	C3-C4-C5-C6
6	C	1111	GOL	O1-C1-C2-C3
7	C	1116	D12	C11-C10-C9-C8
22	C	1119	LPX	C3-O1-P1-O4
18	B	1132	R16	C39-C40-C41-C42
13	C	1109	D10	C7-C8-C9-C10
13	C	1108	D10	C6-C7-C8-C9
11	B	1101	MIY	C1-C2-C21-N2
13	C	1109	D10	C6-C7-C8-C9
7	C	1115	D12	C6-C7-C8-C9
8	C	1118	HEX	C2-C3-C4-C5
22	C	1119	LPX	C10-C11-C12-C13
5	C	1107	DDQ	C1-C2-C3-C4
18	B	1132	R16	C31-C32-C33-C34
21	C	1103	PTY	C6-C5-O14-P1
3	B	1102	LMT	C7-C8-C9-C10
10	C	1129	PGE	C1-C2-O2-C3
21	C	1103	PTY	C3-O11-P1-O14
23	C	1120	1PE	C25-C15-OH6-C26
3	B	1103	LMT	C2B-C1B-O1B-C4'
4	C	1104	OCT	C3-C4-C5-C6
15	B	1119	MYS	C3-C4-C5-C6
5	A	1105	DDQ	N1-C1-C2-C3
6	A	1111	GOL	O2-C2-C3-O3
6	B	1110	GOL	O2-C2-C3-O3
6	C	1112	GOL	O1-C1-C2-O2
3	A	1101	LMT	C6-C7-C8-C9
3	C	1102	LMT	C4-C5-C6-C7
7	C	1116	D12	C6-C7-C8-C9
10	C	1129	PGE	C3-C4-O3-C5
5	A	1105	DDQ	C5-C6-C7-C8
21	C	1103	PTY	C26-C27-C28-C29
18	B	1132	R16	C27-C28-C29-C30
4	C	1105	OCT	C1-C2-C3-C4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
9	B	1122	EDO	O1-C1-C2-O2
9	C	1123	EDO	O1-C1-C2-O2
4	C	1104	OCT	C4-C5-C6-C7
5	A	1105	DDQ	C1-C2-C3-C4
7	A	1112	D12	C1-C2-C3-C4
5	C	1107	DDQ	C5-C6-C7-C8
3	A	1102	LMT	C11-C10-C9-C8
3	A	1102	LMT	C2-C3-C4-C5
18	B	1132	R16	C34-C35-C36-C37
7	C	1116	D12	C7-C8-C9-C10
5	C	1107	DDQ	C4-C5-C6-C7
21	C	1103	PTY	C34-C35-C36-C37
8	A	1113	HEX	C3-C4-C5-C6
23	C	1120	1PE	C14-C24-OH4-C13
9	C	1124	EDO	O1-C1-C2-O2
3	C	1102	LMT	C2-C3-C4-C5
20	C	1101	C14	C07-C08-C09-C10
8	B	1117	HEX	C2-C3-C4-C5
4	A	1104	OCT	C1-C2-C3-C4
8	C	1117	HEX	C3-C4-C5-C6
18	B	1132	R16	C30-C31-C32-C33
4	C	1104	OCT	C2-C3-C4-C5
18	B	1132	R16	C38-C39-C40-C41
17	B	1131	8K6	C15-C16-C17-C18
9	B	1124	EDO	O1-C1-C2-O2
9	C	1127	EDO	O1-C1-C2-O2
10	C	1129	PGE	C6-C5-O3-C4
15	B	1118	MYS	C10-C11-C12-C13
6	A	1110	GOL	O1-C1-C2-C3
6	C	1112	GOL	C1-C2-C3-O3
3	A	1103	LMT	C3-C4-C5-C6
5	A	1105	DDQ	C7-C8-C9-C10
5	B	1105	DDQ	C6-C7-C8-C9
11	B	1101	MIY	C3-C2-C21-N2
21	C	1103	PTY	C3-O11-P1-O13
23	C	1120	1PE	OH2-C12-C22-OH3
3	A	1103	LMT	C9-C10-C11-C12
3	C	1102	LMT	O1'-C1-C2-C3
22	C	1119	LPX	C2-C1-O2-P1
6	C	1111	GOL	O2-C2-C3-O3
10	C	1129	PGE	O2-C3-C4-O3
7	C	1115	D12	C11-C10-C9-C8

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
13	C	1108	D10	C3-C4-C5-C6
12	B	1104	DDR	O52-C21-C22-C23
12	B	1104	DDR	O51-C1-C2-C3



There are no ring outliers.


3 monomers are involved in 5 short contacts:




Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	B	1103	LMT	1	0
16	B	1120	PG4	3	0
20	C	1101	C14	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.











5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	1042/1057 (98%)	0.56	78 (7%) 14 21	27, 48, 79, 106	2 (0%)
1	B	1033/1057 (97%)	0.42	59 (5%) 23 34	28, 47, 66, 82	3 (0%)
1	C	1034/1057 (97%)	0.30	34 (3%) 46 59	29, 39, 55, 65	2 (0%)
2	D	156/169 (92%)	0.57	18 (11%) 4 7	38, 47, 67, 79	0
2	E	154/169 (91%)	1.19	36 (23%) 0 1	42, 58, 80, 82	0
All	All	3419/3509 (97%)	0.47	225 (6%) 18 26	27, 45, 71, 106	7 (0%)

All (225) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	E	34	MET	8.8
1	A	1040	ILE	7.8
1	A	868	LEU	7.1
1	B	677	ALA	6.9
1	B	617	PHE	6.3
1	A	1035	ARG	6.2
2	E	68	LYS	6.0
2	E	35	ALA	5.9
1	A	512	PHE	5.9
1	C	362	PHE	5.7
1	A	918	PHE	5.7
1	A	515	TRP	5.6
1	B	678	THR	5.4
2	D	11	GLY	5.3
1	B	600	THR	5.3
1	A	510	LYS	5.2
1	B	606	VAL	5.1
1	A	678	THR	5.0
1	B	633	ASP	4.8
1	A	557	VAL	4.8

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	554	TYR	4.8
1	B	603	LYS	4.8
1	A	866	GLU	4.7
2	D	150	PHE	4.6
1	A	558	ARG	4.6
1	A	255	GLN	4.6
1	A	514	GLY	4.3
1	B	597	TYR	4.3
2	E	66	LEU	4.3
1	B	558	ARG	4.3
1	C	510	LYS	4.3
2	D	165	LEU	4.3
1	B	634	TRP	4.3
2	E	31	ARG	4.2
1	A	1037	ASN	4.2
1	A	873	ALA	4.2
2	E	165	LEU	4.1
1	B	618	ALA	4.1
1	B	657	GLN	4.0
1	B	834	GLY	4.0
1	A	835	LYS	4.0
1	A	869	SER	3.9
1	A	871	ASN	3.9
1	A	500	ILE	3.9
1	C	673	GLU	3.8
1	A	712	MET	3.8
1	A	834	GLY	3.8
1	A	1042	HIS	3.8
2	E	37	GLY	3.8
1	C	1033	PHE	3.7
2	E	32	ILE	3.7
2	E	67	LEU	3.7
1	C	511	GLY	3.7
1	B	632	LYS	3.7
1	B	596	HIS	3.6
1	A	617	PHE	3.6
1	A	1039	ASP	3.6
1	B	366	LEU	3.6
2	D	28	ASP	3.6
1	B	599	LEU	3.6
1	B	604	ASN	3.5
2	E	33	LEU	3.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	601	LYS	3.4
2	E	64	GLU	3.4
2	E	27	ASP	3.4
1	A	874	PRO	3.4
2	E	70	GLY	3.4
1	B	635	ALA	3.3
1	A	675	GLY	3.3
2	D	134	LYS	3.3
1	A	547	ILE	3.3
1	C	811	TYR	3.3
2	E	71	ALA	3.3
1	A	509	LYS	3.3
2	E	141	ALA	3.3
1	B	641	GLU	3.3
1	B	639	GLY	3.2
2	E	28	ASP	3.2
1	A	677	ALA	3.2
1	C	741	VAL	3.2
2	E	159	GLU	3.2
1	C	784	ASP	3.1
1	B	134	SER	3.1
1	A	513	PHE	3.1
1	B	501	ALA	3.1
1	B	255	GLN	3.1
1	A	846	GLN	3.0
1	A	836	SER	3.0
1	A	503	GLY	3.0
1	B	256	ASP	3.0
1	C	558	ARG	3.0
1	B	674	LEU	2.9
1	C	498	LYS	2.9
2	D	163	GLU	2.9
1	C	674	LEU	2.9
2	E	14	LEU	2.9
2	D	31	ARG	2.9
1	A	459	PHE	2.9
1	A	831	ALA	2.9
1	A	867	ARG	2.9
1	C	513	PHE	2.9
1	C	804	PHE	2.9
2	E	106	VAL	2.8
2	D	140	ASN	2.8

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	636	ASP	2.8
1	C	730	ASP	2.8
1	A	127	VAL	2.8
2	E	30	VAL	2.8
1	A	839	GLU	2.8
1	B	628	PHE	2.7
2	D	139	VAL	2.7
1	B	642	ASN	2.7
2	E	69	ASN	2.7
1	B	832	ALA	2.7
1	A	122	VAL	2.7
2	E	38	ALA	2.7
2	E	36	ASN	2.7
1	A	505	HIS	2.7
2	D	126	LEU	2.7
1	B	638	PRO	2.6
2	D	166	GLN	2.6
1	B	563	PHE	2.6
1	B	616	GLY	2.6
2	E	61	GLU	2.6
1	A	556	PHE	2.6
2	D	154	ILE	2.6
1	C	797	GLN	2.6
1	C	807	SER	2.6
1	C	739	LEU	2.6
1	A	832	ALA	2.6
1	A	522	LYS	2.6
1	A	362	PHE	2.6
1	B	629	VAL	2.5
1	B	866	GLU	2.5
2	E	60	LEU	2.5
1	B	129	VAL	2.5
1	A	501	ALA	2.5
1	A	676	THR	2.5
1	A	865	GLN	2.5
1	B	508	GLY	2.5
1	B	868	LEU	2.5
1	B	607	GLU	2.5
1	B	865	GLN	2.4
1	A	430	ALA	2.4
1	C	512	PHE	2.4
1	C	918	PHE	2.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	1038	GLU	2.4
1	B	840	ALA	2.4
2	E	65	VAL	2.4
2	D	159	GLU	2.4
2	E	62	ILE	2.4
1	C	799	VAL	2.4
1	B	145	THR	2.4
1	C	899	PHE	2.4
1	C	957	GLY	2.4
2	D	149	ALA	2.4
1	A	1041	GLU	2.4
1	A	673	GLU	2.3
2	E	148	THR	2.3
1	A	870	GLY	2.3
1	C	737	GLN	2.3
2	E	163	GLU	2.3
1	A	356	TYR	2.3
1	B	650	ARG	2.3
2	E	97	GLU	2.3
2	E	139	VAL	2.3
1	A	542	LEU	2.2
1	C	497	LEU	2.2
1	A	957	GLY	2.2
1	B	605	ASN	2.2
1	A	520	PHE	2.2
1	B	710	PRO	2.2
1	A	118	LEU	2.2
1	B	712	MET	2.2
1	C	356	TYR	2.2
1	A	543	VAL	2.2
1	C	127	VAL	2.2
2	E	162	ALA	2.2
2	E	102	ASN	2.2
2	D	161	LEU	2.2
1	B	116	PRO	2.2
1	A	461	GLY	2.2
1	A	872	GLN	2.2
1	A	446	ALA	2.2
1	C	500	ILE	2.2
1	C	501	ALA	2.1
2	D	162	ALA	2.1
1	A	502	LYS	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	517	ASN	2.1
1	B	595	THR	2.1
1	A	711	ASP	2.1
1	B	647	ILE	2.1
2	E	152	ILE	2.1
1	C	361	ASN	2.1
1	A	518	ARG	2.1
2	D	61	GLU	2.1
1	B	651	ALA	2.1
1	B	711	ASP	2.1
1	A	668	LEU	2.1
1	B	573	MET	2.1
1	A	421	ALA	2.1
1	A	904	VAL	2.1
1	B	114	ALA	2.1
1	C	803	ALA	2.1
1	C	508	GLY	2.1
1	C	65	ILE	2.1
1	A	420	MET	2.1
1	A	448	VAL	2.1
1	B	598	TYR	2.1
1	C	554	TYR	2.1
1	A	713	LEU	2.1
1	B	662	MET	2.1
1	B	918	PHE	2.1
1	A	980	LEU	2.0
1	A	987	MET	2.0
1	A	61	VAL	2.0
1	C	1032	ARG	2.0
2	E	145	PHE	2.0
1	A	37	THR	2.0
1	B	258	SER	2.0
2	D	141	ALA	2.0
1	B	127	VAL	2.0
2	E	101	LYS	2.0
1	A	425	LEU	2.0
1	A	462	SER	2.0

6.2 Non-standard residues in protein, DNA, RNA chains

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
23	1PE	C	1120	16/16	0.60	0.53	71,71,72,72	0
5	DDQ	C	1107	14/14	0.66	0.23	50,51,53,53	0
10	PGE	A	1117	10/10	0.67	0.35	72,73,73,73	0
9	EDO	C	1122	4/4	0.69	0.55	68,68,68,68	0
6	GOL	B	1113	6/6	0.73	0.49	64,65,65,65	0
13	D10	B	1109	10/10	0.73	0.26	45,45,45,45	0
6	GOL	A	1109	6/6	0.73	0.18	73,74,74,74	0
3	LMT	A	1102	35/35	0.74	0.22	70,78,83,83	0
5	DDQ	B	1105	14/14	0.74	0.18	68,70,73,73	0
13	D10	C	1109	10/10	0.74	0.22	53,53,53,53	0
3	LMT	A	1101	35/35	0.74	0.29	73,81,85,86	0
9	EDO	A	1116	4/4	0.75	0.19	63,63,63,63	0
6	GOL	A	1110	6/6	0.75	0.30	65,65,65,65	0
21	PTY	C	1103	50/50	0.76	0.27	71,73,75,75	0
13	D10	C	1108	10/10	0.77	0.27	60,60,60,60	0
3	LMT	B	1103	35/35	0.77	0.31	105,107,109,109	0
8	HEX	C	1117	6/6	0.78	0.26	50,50,50,50	0
5	DDQ	C	1106	14/14	0.78	0.20	72,73,75,75	0
13	D10	B	1107	10/10	0.78	0.20	68,68,68,68	0
9	EDO	B	1126	4/4	0.78	0.40	67,67,67,67	0
20	C14	C	1101	14/14	0.79	0.16	47,47,48,48	0
15	MYS	B	1119	15/15	0.80	0.17	71,71,72,72	0
6	GOL	A	1108	6/6	0.80	0.33	70,70,70,70	0
8	HEX	B	1115	6/6	0.81	0.18	68,68,69,69	0
9	EDO	B	1127	4/4	0.81	0.19	63,64,64,64	0
9	EDO	B	1128	4/4	0.81	0.25	56,56,56,57	0
4	OCT	C	1105	8/8	0.81	0.19	46,47,47,47	0
17	8K6	B	1131	18/18	0.81	0.22	44,45,45,45	0
9	EDO	A	1114	4/4	0.81	0.23	59,59,59,59	0
11	MIY	B	1101	33/33	0.81	0.21	76,76,77,77	0
6	GOL	A	1106	6/6	0.81	0.22	46,47,47,47	0
9	EDO	B	1123	4/4	0.82	0.26	62,63,63,63	0

Continued on next page...

Continued from previous page...


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
6	GOL	E	201	6/6	0.82	0.25	67,67,67,67	0
7	D12	C	1115	12/12	0.82	0.24	60,61,62,62	0
4	OCT	C	1104	8/8	0.82	0.28	46,46,46,46	0
12	DDR	B	1104	28/28	0.83	0.24	67,71,71,72	0
9	EDO	B	1122	4/4	0.84	0.29	68,68,68,69	0
6	GOL	A	1111	6/6	0.84	0.27	64,65,65,65	0
9	EDO	C	1124	4/4	0.84	0.23	67,67,67,67	0
9	EDO	C	1125	4/4	0.85	0.28	56,56,56,57	0
9	EDO	D	203	4/4	0.85	0.14	56,56,56,57	0
8	HEX	C	1118	6/6	0.85	0.18	44,44,44,44	0
6	GOL	B	1111	6/6	0.85	0.34	76,76,76,77	0
5	DDQ	B	1106	14/14	0.85	0.32	50,51,52,52	0
8	HEX	B	1117	6/6	0.85	0.16	45,45,45,45	0
5	DDQ	A	1105	14/14	0.85	0.23	95,95,96,96	0
6	GOL	C	1112	6/6	0.86	0.18	65,65,65,65	0
8	HEX	A	1113	6/6	0.86	0.22	65,65,65,66	0
10	PGE	C	1129	10/10	0.86	0.26	65,65,66,66	0
22	LPX	C	1119	30/30	0.86	0.26	76,78,79,79	0
13	D10	B	1108	10/10	0.86	0.12	45,45,45,45	0
9	EDO	C	1127	4/4	0.87	0.20	62,62,62,62	0
7	D12	C	1116	12/12	0.87	0.37	43,43,43,43	0
8	HEX	B	1116	6/6	0.87	0.18	54,54,55,55	0
9	EDO	B	1129	4/4	0.87	0.27	56,56,56,56	0
16	PG4	B	1120	13/13	0.87	0.21	58,59,60,60	0
3	LMT	B	1102	35/35	0.88	0.28	69,71,78,78	0
6	GOL	A	1107	6/6	0.88	0.20	45,45,46,46	0
9	EDO	D	202	4/4	0.88	0.24	56,56,56,56	0
7	D12	A	1112	12/12	0.88	0.14	61,61,61,61	0
9	EDO	C	1128	4/4	0.89	0.16	58,58,58,58	0
6	GOL	B	1110	6/6	0.89	0.20	47,48,48,48	0
9	EDO	B	1125	4/4	0.89	0.11	65,65,65,65	0
18	R16	B	1132	16/16	0.89	0.12	42,43,44,44	0
15	MYS	B	1118	15/15	0.90	0.23	67,68,68,68	0
3	LMT	A	1103	35/35	0.90	0.24	83,84,88,88	0
9	EDO	A	1115	4/4	0.90	0.20	70,70,70,70	0
9	EDO	D	201	4/4	0.91	0.20	67,67,67,67	0
9	EDO	C	1123	4/4	0.91	0.30	57,57,57,58	0
6	GOL	B	1112	6/6	0.91	0.64	73,74,74,74	0
4	OCT	A	1104	8/8	0.91	0.17	76,76,76,76	0
9	EDO	C	1126	4/4	0.91	0.29	56,56,56,57	0
9	EDO	C	1121	4/4	0.91	0.19	60,60,61,61	0
3	LMT	C	1102	35/35	0.91	0.18	60,62,66,66	0

Continued on next page...

Continued from previous page...




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
9	EDO	B	1130	4/4	0.92	0.14	54,54,54,54	0
9	EDO	B	1121	4/4	0.92	0.24	61,61,61,62	0
6	GOL	C	1111	6/6	0.92	0.20	50,50,50,51	0
9	EDO	B	1124	4/4	0.94	0.26	49,49,49,49	0
6	GOL	C	1110	6/6	0.94	0.17	33,33,33,33	0
14	CL	C	1114	1/1	0.96	0.11	65,65,65,65	0
14	CL	C	1113	1/1	0.97	0.12	57,57,57,57	0
19	SO4	B	1133	5/5	0.97	0.15	71,71,72,72	0
14	CL	B	1114	1/1	0.98	0.21	55,55,55,55	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.






Electron density around LMT A 1101:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around PTY C 1103:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around LMT B 1103:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around 8K6 B 1131:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around MIY B 1101:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around DDR B 1104:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around LPX C 1119:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around LMT B 1102:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around LMT A 1103:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around LMT C 1102:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers

There are no such residues in this entry.