



wwPDB EM Validation Summary Report ⓘ

Apr 24, 2024 – 11:40 pm BST

PDB ID : 6ZSC
EMDB ID : EMD-11393
Title : Human mitochondrial ribosome in complex with E-site tRNA
Authors : Aibara, S.; Singh, V.; Modelska, A.; Amunts, A.
Deposited on : 2020-07-15
Resolution : 3.50 Å (reported)

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


EMDB validation analysis : 0.0.1.dev92
Mogul : 1.8.4, CSD as541be (2020)
MolProbity : 4.02b-467
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.36.2

1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:
ELECTRON MICROSCOPY

The reported resolution of this entry is 3.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)
Clashscore	158937	4297
Ramachandran outliers	154571	4023
Sidechain outliers	154315	3826
RNA backbone	4643	859

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	0	188	
2	1	65	
3	2	92	
4	3	188	
5	4	103	
6	5	423	
7	6	380	


























Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
8	7	338	
9	8	206	
10	9	137	
11	XA	1561	
12	A0	218	
13	A1	323	
14	A2	118	
15	A3	199	
16	A4	689	
17	AA	954	
18	AB	296	
19	AC	167	
20	AD	430	
21	AE	125	
22	AF	242	
23	AG	396	
24	AH	201	
25	AI	194	
26	AJ	138	
27	AK	128	
28	AL	257	
29	AM	137	
30	AN	130	
31	AO	258	
32	AP	142	


























Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
33	AQ	85	 87% 13%
34	AR	360	 15% 59% 10% 31%
35	AS	190	 8% 62% 8% 30%
36	AT	173	 81% 13% 6%
37	AU	205	 75% 9% 16%
38	AV	414	 33% 73% 11% 16%
39	AW	187	 47% 5% 48%
40	AX	398	 22% 77% 10% 13%
41	AY	395	 7% 24% 5% 71%
42	AZ	106	 6% 72% 8% 19%
43	XB	72	 54% 22% 6% 18%
44	XD	305	 68% 9% 23%
45	XE	348	 80% 7% 13%
46	XF	311	 68% 13% 20%
47	XH	267	 32% 64%
48	XI	261	 20% 71% 10% 19%
49	XJ	192	 7% 77% 11% 11%
50	XK	178	 92% 7% ..
51	XL	145	 70% 9% 21%
52	XM	296	 83% 14% .
53	XN	251	 77% 11% 12%
54	XO	175	 75% 12% 13%
55	XP	180	 70% 9% 21%
56	XQ	292	 72% 10% 18%
57	XR	149	 77% 17% 6%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
58	XS	205	 71% 7% 22%
59	XT	206	 73% 8% 19%
60	XU	153	 82% 10% 8%
61	XV	216	 76% 17% 6%
62	XW	148	 64% 10% 25%
63	XX	256	 82% 13% 5%
64	XY	250	 60% 11% 29%
65	XZ	161	 65% 9% 25%
66	a	142	 67% 32%
67	b	215	 67% 31%
68	c	332	 82% 17%
69	d	306	 70% 29%
70	e	279	 9% 76% 22%
71	f	212	 63% 36%
72	g	166	 78% 20%
73	h	158	 68% 31%
74	i	128	 75% 24%
75	j	123	 70% 30%
76	k	112	 85% 15%
77	l	138	 56% 42%
78	m	128	 5% 47% 53%
79	o	102	 92% 8%
80	p	206	 61% 38%
81	q	222	 7% 73% 26%
82	r	196	 77% 22%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
83	r4	76	 8% 100%
84	s	439	 83% 16%
85	t1	198	 17% 21% 77%
85	t2	198	 10% 15% 85%
85	t3	198	 15% 15% 85%
85	t4	198	 15% 15% 85%
85	t5	198	 15% 15% 85%
85	t6	198	 14% 14% 86%
86	A	8	 12% 38% 50%

2 Entry composition [i](#)

There are 90 unique types of molecules in this entry. The entry contains 311612 atoms, of which 142812 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called 39S ribosomal protein L32, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
1	0	108	Total	C	H	N	O	S	0	0
			1783	545	903	172	157	6		

- Molecule 2 is a protein called 39S ribosomal protein L33, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
2	1	53	Total	C	H	N	O	S	0	0
			919	281	480	84	72	2		

- Molecule 3 is a protein called 39S ribosomal protein L34, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
3	2	46	Total	C	H	N	O	S	0	0
			783	233	407	83	59	1		

- Molecule 4 is a protein called 39S ribosomal protein L35, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
4	3	95	Total	C	H	N	O	S	0	0
			1714	539	883	162	127	3		

- Molecule 5 is a protein called 39S ribosomal protein L36, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
5	4	38	Total	C	H	N	O	S	0	0
			702	217	361	72	48	4		

- Molecule 6 is a protein called 39S ribosomal protein L37, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
6	5	393	Total	C	H	N	O	S	0	0
			6405	2070	3201	559	564	11		

- Molecule 7 is a protein called 39S ribosomal protein L38, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
7	6	354	5786	1881	2839	525	532	9	0	0

- Molecule 8 is a protein called 39S ribosomal protein L39, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
8	7	291	4737	1514	2372	401	432	18	0	0

- Molecule 9 is a protein called 39S ribosomal protein L40, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
9	8	123	2069	659	1036	177	195	2	0	0

- Molecule 10 is a protein called 39S ribosomal protein L41, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
10	9	124	1983	644	987	170	180	2	0	0

- Molecule 11 is a RNA chain called 16S mitochondrial rRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			P
11	XA	1500	48025	14293	16172	5759	10301	1500	0	0

- Molecule 12 is a protein called 28S ribosomal protein S34, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
12	A0	201	3369	1065	1685	322	292	5	0	0

- Molecule 13 is a protein called 28S ribosomal protein S35, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
13	A1	275	4491	1414	2261	380	425	11	0	0

- Molecule 14 is a protein called Coiled-coil-helix-coiled-coil-helix domain-containing protein 1.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
14	A2	116	1889	574	964	181	162	8	0	0

- Molecule 15 is a protein called Aurora kinase A-interacting protein.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
15	A3	69	1292	393	682	130	86	1	0	0

- Molecule 16 is a protein called Pentatricopeptide repeat domain-containing protein 3, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
16	A4	552	8955	2866	4485	756	820	28	0	0

- Molecule 17 is a RNA chain called 12S mitochondrial rRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			P
17	AA	924	29592	8800	9964	3540	6364	924	0	0

- Molecule 18 is a protein called 28S ribosomal protein S2, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
18	AB	218	3545	1135	1769	322	309	10	0	0

- Molecule 19 is a protein called 28S ribosomal protein S24, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
19	AC	132	2170	699	1088	195	184	4	0	0

- Molecule 20 is a protein called 28S ribosomal protein S5, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
20	AD	343	5501	1706	2785	515	482	13	0	0

- Molecule 21 is a protein called 28S ribosomal protein S6, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
21	AE	122	1973	614	1001	177	177	4	0	0

- Molecule 22 is a protein called 28S ribosomal protein S7, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
22	AF	201	3382	1069	1714	305	283	11	0	0

- Molecule 23 is a protein called 28S ribosomal protein S9, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
23	AG	304	4996	1593	2491	444	454	14	0	0

- Molecule 24 is a protein called 28S ribosomal protein S10, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
24	AH	135	2241	712	1136	187	203	3	0	0

- Molecule 25 is a protein called 28S ribosomal protein S11, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
25	AI	136	2063	637	1052	192	178	4	0	0

- Molecule 26 is a protein called 28S ribosomal protein S12, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
26	AJ	108	1725	521	887	169	142	6	0	0

- Molecule 27 is a protein called 28S ribosomal protein S14, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
27	AK	101	1746	537	885	179	140	5	0	0

- Molecule 28 is a protein called 28S ribosomal protein S15, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
28	AL	164	2854	883	1472	257	235	7	0	0

- Molecule 29 is a protein called 28S ribosomal protein S16, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
29	AM	116	1871	582	951	182	150	6	0	0

- Molecule 30 is a protein called 28S ribosomal protein S17, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
30	AN	107	1754	549	908	153	141	3	0	0

- Molecule 31 is a protein called 28S ribosomal protein S18b, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
31	AO	185	3017	970	1489	285	267	6	0	0

- Molecule 32 is a protein called 28S ribosomal protein S18c, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
32	AP	95	1561	493	796	132	132	8	0	0

- Molecule 33 is a protein called 28S ribosomal protein S21, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
33	AQ	85	1483	455	749	149	123	7	0	0

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
AQ	50	ARG	CYS	conflict	UNP P82921

- Molecule 34 is a protein called 28S ribosomal protein S22, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
34	AR	250	4134	1314	2074	353	385	8	0	0

- Molecule 35 is a protein called 28S ribosomal protein S23, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
35	AS	133	2203	709	1103	196	194	1	0	0

- Molecule 36 is a protein called 28S ribosomal protein S25, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
36	AT	162	2672	850	1342	231	238	11	0	0

- Molecule 37 is a protein called 28S ribosomal protein S26, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
37	AU	173	2932	900	1471	294	263	4	0	0

- Molecule 38 is a protein called 28S ribosomal protein S27, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
38	AV	349	5730	1841	2863	478	536	12	0	0

- Molecule 39 is a protein called 28S ribosomal protein S28, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
39	AW	97	1551	486	785	137	139	4	0	0

- Molecule 40 is a protein called 28S ribosomal protein S29, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
40	AX	348	5619	1802	2805	491	510	11	0	0

- Molecule 41 is a protein called 28S ribosomal protein S31, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace	
41	AY	113	Total	C	H	N	O	S	0	0
			1868	621	912	157	176	2		

- Molecule 42 is a protein called 28S ribosomal protein S33, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace	
42	AZ	86	Total	C	H	N	O	S	0	0
			1465	467	734	131	129	4		

- Molecule 43 is a RNA chain called mitochondrial tRNAVal.

Mol	Chain	Residues	Atoms					AltConf	Trace	
43	XB	59	Total	C	H	N	O	P	0	0
			1890	563	635	227	406	59		

- Molecule 44 is a protein called 39S ribosomal protein L2, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace	
44	XD	236	Total	C	H	N	O	S	0	0
			3738	1145	1896	373	315	9		

- Molecule 45 is a protein called 39S ribosomal protein L3, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace	
45	XE	304	Total	C	H	N	O	S	0	0
			4798	1539	2402	416	430	11		

- Molecule 46 is a protein called 39S ribosomal protein L4, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace	
46	XF	250	Total	C	H	N	O	S	0	0
			4058	1294	2045	365	348	6		

- Molecule 47 is a protein called 39S ribosomal protein L9, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace	
47	XH	95	Total	C	H	N	O		0	0
			1616	498	832	152	134			

- Molecule 48 is a protein called 39S ribosomal protein L10, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
48	XI	211	3474	1086	1783	303	291	11	0	0

- Molecule 49 is a protein called 39S ribosomal protein L11, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
49	XJ	170	2657	825	1366	230	234	2	0	0

- Molecule 50 is a protein called 39S ribosomal protein L13, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
50	XK	177	2899	934	1448	259	251	7	0	0

- Molecule 51 is a protein called 39S ribosomal protein L14, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
51	XL	115	1830	559	941	171	154	5	0	0

- Molecule 52 is a protein called 39S ribosomal protein L15, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
52	XM	287	4682	1472	2377	425	402	6	0	0

- Molecule 53 is a protein called 39S ribosomal protein L16, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
53	XN	221	3586	1138	1808	325	305	10	0	0

- Molecule 54 is a protein called 39S ribosomal protein L17, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
54	XO	152	2528	784	1283	239	215	7	0	0

- Molecule 55 is a protein called 39S ribosomal protein L18, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
55	XP	143	2326	729	1162	223	207	5	0	0

- Molecule 56 is a protein called 39S ribosomal protein L19, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
56	XQ	238	4000	1268	2022	352	349	9	0	0

- Molecule 57 is a protein called 39S ribosomal protein L20, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
57	XR	140	2367	732	1214	231	186	4	0	0

- Molecule 58 is a protein called 39S ribosomal protein L21, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
58	XS	160	2638	829	1354	226	225	4	0	0

- Molecule 59 is a protein called 39S ribosomal protein L22, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
59	XT	166	2778	875	1410	254	232	7	0	0

- Molecule 60 is a protein called 39S ribosomal protein L23, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
60	XU	141	2335	743	1164	222	203	3	0	0

- Molecule 61 is a protein called 39S ribosomal protein L24, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
61	XV	202	3304	1051	1656	294	295	8	0	0

- Molecule 62 is a protein called 39S ribosomal protein L27, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
62	XW	111	1769	558	898	164	146	3	0	0

- Molecule 63 is a protein called 39S ribosomal protein L28, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
63	XX	243	4089	1317	2054	351	362	5	0	0

- Molecule 64 is a protein called 39S ribosomal protein L47, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
64	XY	178	3109	981	1575	295	254	4	0	0

- Molecule 65 is a protein called 39S ribosomal protein L30, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
65	XZ	120	2008	626	1030	183	166	3	0	0

- Molecule 66 is a protein called 39S ribosomal protein L42, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
66	a	97	1584	510	775	145	149	5	0	0

- Molecule 67 is a protein called 39S ribosomal protein L43, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
67	b	148	2358	733	1180	229	213	3	0	0

- Molecule 68 is a protein called 39S ribosomal protein L44, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
68	c	275	4437	1415	2220	383	410	9	0	0

- Molecule 69 is a protein called 39S ribosomal protein L45, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
69	d	216	3501	1125	1743	305	315	13	0	0

- Molecule 70 is a protein called 39S ribosomal protein L46, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
70	e	217	3529	1124	1767	310	323	5	0	0

- Molecule 71 is a protein called 39S ribosomal protein L48, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
71	f	135	2172	694	1089	177	208	4	0	0

- Molecule 72 is a protein called 39S ribosomal protein L49, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
72	g	132	2183	710	1086	191	194	2	0	0

- Molecule 73 is a protein called 39S ribosomal protein L50, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
73	h	109	1756	562	870	155	166	3	0	0

- Molecule 74 is a protein called 39S ribosomal protein L51, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
74	i	97	1684	532	857	165	126	4	0	0

- Molecule 75 is a protein called 39S ribosomal protein L52, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
75	j	86	1367	426	678	134	127	2	0	0

- Molecule 76 is a protein called 39S ribosomal protein L53, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
76	k	95	1477	456	745	139	132	5	0	0

- Molecule 77 is a protein called 39S ribosomal protein L54, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
77	l	80	1327	427	654	118	125	3	0	0

- Molecule 78 is a protein called 39S ribosomal protein L55, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
78	m	60	1025	309	525	104	85	2	0	0

- Molecule 79 is a protein called Ribosomal protein 63, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
79	o	94	1601	501	804	165	128	3	0	0

- Molecule 80 is a protein called Peptidyl-tRNA hydrolase ICT1, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
80	p	127	2141	661	1083	201	192	4	0	0

- Molecule 81 is a protein called Growth arrest and DNA damage-inducible proteins-interacting protein 1.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
81	q	164	2738	858	1359	267	249	5	0	0

- Molecule 82 is a protein called 39S ribosomal protein S18a, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
82	r	152	2514	792	1267	239	208	8	0	0

- Molecule 83 is a RNA chain called E-site tRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	P		
83	r4	76	1485	723	230	456	76	0	0

- Molecule 84 is a protein called 39S ribosomal protein S30, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
84	s	370	6059	1946	3023	542	534	14	0	0

- Molecule 85 is a protein called 39S ribosomal protein L12, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	H	N	O		
85	t1	46	733	228	379	56	70	2	0
85	t2	30	506	154	268	38	46	0	0
85	t3	30	506	154	268	38	46	0	0
85	t4	29	484	148	255	36	45	0	0
85	t5	29	484	148	255	36	45	0	0
85	t6	27	450	137	236	34	43	0	0

- Molecule 86 is a protein called Quinupristin.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
86	A	8	140	53	67	9	10	1	0	0

- Molecule 87 is ZINC ION (three-letter code: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		AltConf
87	0	1	Total	Zn	0
			1	1	
87	4	1	Total	Zn	0
			1	1	
87	AB	1	Total	Zn	0
			1	1	
87	AO	1	Total	Zn	0
			1	1	

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms		AltConf
87	AP	1	Total 1	Zn 1	0
87	AT	1	Total 1	Zn 1	0
87	r	1	Total 1	Zn 1	0

- Molecule 88 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).


Mol	Chain	Residues	Atoms		AltConf
88	XA	143	Total 143	Mg 143	0
88	AA	46	Total 46	Mg 46	0
88	XD	1	Total 1	Mg 1	0
88	XE	1	Total 1	Mg 1	0
88	XI	1	Total 1	Mg 1	0
88	XM	2	Total 2	Mg 2	0
88	g	1	Total 1	Mg 1	0

- Molecule 89 is 5-(2-DIETHYLAMINO-ETHANESULFONYL)-21-HYDROXY-10-ISOPROPYL-11,19-DIMETHYL-9,26-DIOXA-3,15,28-TRIAZA-TRICYCLO[23.2.1.00,255]OCTACOSA-1(27),12,17,19,25(28)-PENTAENE-2,8,14,23-TETRAONE (three-letter code: DOL) (formula: C₃₄H₅₀N₄O₉S).




Mol	Chain	Residues	Atoms					AltConf	
			Total	C	H	N	O		S
89	XA	1	98	34	50	4	9	1	0



- Molecule 90 is GUANOSINE-5'-TRIPHOSPHATE (three-letter code: GTP) (formula: $C_{10}H_{16}N_5O_{14}P_3$).





Mol	Chain	Residues	Atoms					AltConf	
			Total	C	H	N	O		P
90	AX	1	42	10	10	5	14	3	0





• Molecule 6: 39S ribosomal protein L37, mitochondrial




• Molecule 7: 39S ribosomal protein L38, mitochondrial




• Molecule 8: 39S ribosomal protein L39, mitochondrial




• Molecule 9: 39S ribosomal protein L40, mitochondrial











• Molecule 10: 39S ribosomal protein L41, mitochondrial





• Molecule 11: 16S mitochondrial rRNA














• Molecule 15: Aurora kinase A-interacting protein




• Molecule 16: Pentatricopeptide repeat domain-containing protein 3, mitochondrial








• Molecule 20: 28S ribosomal protein S5, mitochondrial



• Molecule 21: 28S ribosomal protein S6, mitochondrial




• Molecule 22: 28S ribosomal protein S7, mitochondrial




• Molecule 23: 28S ribosomal protein S9, mitochondrial







• Molecule 24: 28S ribosomal protein S10, mitochondrial




• Molecule 25: 28S ribosomal protein S11, mitochondrial




• Molecule 26: 28S ribosomal protein S12, mitochondrial





• Molecule 27: 28S ribosomal protein S14, mitochondrial



- Molecule 28: 28S ribosomal protein S15, mitochondrial




- Molecule 29: 28S ribosomal protein S16, mitochondrial




- Molecule 30: 28S ribosomal protein S17, mitochondrial





- Molecule 31: 28S ribosomal protein S18b, mitochondrial




- Molecule 32: 28S ribosomal protein S18c, mitochondrial




• Molecule 45: 39S ribosomal protein L3, mitochondrial



• Molecule 46: 39S ribosomal protein L4, mitochondrial




• Molecule 47: 39S ribosomal protein L9, mitochondrial




• Molecule 48: 39S ribosomal protein L10, mitochondrial






- Molecule 49: 39S ribosomal protein L11, mitochondrial





- Molecule 50: 39S ribosomal protein L13, mitochondrial




- Molecule 51: 39S ribosomal protein L14, mitochondrial




- Molecule 52: 39S ribosomal protein L15, mitochondrial




- Molecule 53: 39S ribosomal protein L16, mitochondrial







- Molecule 54: 39S ribosomal protein L17, mitochondrial




- Molecule 55: 39S ribosomal protein L18, mitochondrial




- Molecule 56: 39S ribosomal protein L19, mitochondrial



- Molecule 57: 39S ribosomal protein L20, mitochondrial




- Molecule 58: 39S ribosomal protein L21, mitochondrial








- Molecule 59: 39S ribosomal protein L22, mitochondrial





- Molecule 60: 39S ribosomal protein L23, mitochondrial





- Molecule 61: 39S ribosomal protein L24, mitochondrial



- Molecule 62: 39S ribosomal protein L27, mitochondrial



- Molecule 63: 39S ribosomal protein L28, mitochondrial



GLU
PRO
ALA
VAL
VAL
GLN
LYS
ARG
ALA
SER
GLY
GLN

- Molecule 64: 39S ribosomal protein L47, mitochondrial



MET
ALA
ALA
ALA
GLY
LEU
LEU
LEU
CYS
ARG
ARG
VAL
SER
SER
ALA
LEU
LEU
LYS
SER
SER
ARG
SER
LEU
LEU
ILE
THR
PRO
GLN
VAL
VAL
PRO
ALA
CYS
THR
GLY
PHE
PHE
LEU
SER
LEU
LEU
PRO
LYS
LYS
THR
PRO
ASN
VAL
THR
SER
PHE
HIS
GLN
TYR
LEU
LEU
LEU
HIS
THR
THR
SER

ARG
LYS
G63
N92
K93
S94
N95
M111
T114
E130
D133
K134
D137
S138
M139
D140
A141
D142
L142
D143
K144
Q147
P165
R170
G174
K180
F181
K182
Q183
K197
R210
L211
E214
K230
I233
H240
LEU
ALA
GLU
GLU
GLN
LYS
SER
SER

LEU
VAL

- Molecule 65: 39S ribosomal protein L30, mitochondrial



MET
ALA
GLY
ILE
LEU
ARG
LEU
VAL
VAL
GLN
TRP
PRO
PRO
GLY
ARG
LEU
LEU
GLN
THR
VAL
THR
LYS
GLY
VAL
VAL
GLU
SER
LEU
ILE
CYS
THR
ASP
TRP
TRP
ILE
ARG
HIS
K35
S39
T75
R76
R77
W81
E82
K83
D84
I85
M88
V106
L110
E131
E132
M133
M134
V147

Q148
L151
V154
GLU
GLN
LYS
ALA
HIS
GLU
SER

- Molecule 66: 39S ribosomal protein L42, mitochondrial



MET
ALA
VAL
VAL
ALA
VAL
VAL
LYS
TRP
VAL
MET
SER
LYS
ARG
THR
ILE
LEU
LYS
HIS
HIS
PHE
PRO
VAL
VAL
ASN
GLY
ALA
ALA
TYR
CYS
VAL
CYS
HIS
LYS
TRP
T95
P76
ARG
PRO
ASP
PRO
PRO
VAL
HIS
ASN
ASN
E88
L95
R98
L99
E100
GLU
LYS
VAL
VAL
E101
H102
R122

R142


- Molecule 67: 39S ribosomal protein L43, mitochondrial





MET
T2
R9
M66
Q102
Q149
ASP
PRO
PRO
ALA
ALA
GLN
ASP
THR
THR
GLY
LEU
LEU
ARG
LEU
SER
SER
ALA
VAL
ALA
PRO
LEU
GLN
ILE
LEU
LEU
PRO
GLY
TRP
PRO
PRO
ASP
PRO
PRO
LEU
LEU
PRO
THR
VAL
ASP
PRO
ILE
SER
SER
SER
LEU
THR
SER
ALA
PRO
ALA
PRO
MET
LEU
SER
SER
ALA



VAL
SER
CYS
LEU
PRO
PRO
ILE
VAL
PRO
ALA
ALA
LEU
THR
THR
VAL
CYS
SER
ALA

- Molecule 68: 39S ribosomal protein L44, mitochondrial










• Molecule 69: 39S ribosomal protein L45, mitochondrial





• Molecule 70: 39S ribosomal protein L46, mitochondrial



• Molecule 71: 39S ribosomal protein L48, mitochondrial




• Molecule 72: 39S ribosomal protein L49, mitochondrial




• Molecule 73: 39S ribosomal protein L50, mitochondrial








- Molecule 74: 39S ribosomal protein L51, mitochondrial




- Molecule 75: 39S ribosomal protein L52, mitochondrial




- Molecule 76: 39S ribosomal protein L53, mitochondrial



- Molecule 77: 39S ribosomal protein L54, mitochondrial




- Molecule 78: 39S ribosomal protein L55, mitochondrial





- Molecule 79: Ribosomal protein 63, mitochondrial









- Molecule 80: Peptidyl-tRNA hydrolase ICT1, mitochondrial




- Molecule 81: Growth arrest and DNA damage-inducible proteins-interacting protein 1





- Molecule 82: 39S ribosomal protein S18a, mitochondrial




- Molecule 83: E-site tRNA




- Molecule 84: 39S ribosomal protein S30, mitochondrial







• Molecule 85: 39S ribosomal protein L12, mitochondrial



• Molecule 85: 39S ribosomal protein L12, mitochondrial



• Molecule 85: 39S ribosomal protein L12, mitochondrial



• Molecule 85: 39S ribosomal protein L12, mitochondrial

4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	36165	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	30	Depositor
Minimum defocus (nm)	Not provided	
Maximum defocus (nm)	Not provided	
Magnification	Not provided	
Image detector	GATAN K2 SUMMIT (4k x 4k)	Depositor
Maximum map value	0.277	Depositor
Minimum map value	-0.142	Depositor
Average map value	-0.000	Depositor
Map value standard deviation	0.005	Depositor
Recommended contour level	0.02	Depositor
Map size (Å)	546.0, 546.0, 546.0	wwPDB
Map dimensions	520, 520, 520	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	1.05, 1.05, 1.05	Depositor

5 Model quality i

5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: P5P, MHU, MG, 004, DBB, ZN, MHV, MHW, DOL, MHT, GTP, Y5P

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	0	0.30	0/895	0.47	0/1201
2	1	0.28	0/444	0.48	0/591
3	2	0.37	0/382	0.50	0/507
4	3	0.37	0/852	0.48	0/1136
5	4	0.33	0/349	0.47	0/461
6	5	0.28	0/3299	0.43	0/4495
7	6	0.29	0/3040	0.43	0/4134
8	7	0.27	0/2420	0.42	0/3270
9	8	1.92	1/1057 (0.1%)	0.48	2/1428 (0.1%)
10	9	0.31	0/1024	0.43	0/1379
11	XA	0.42	0/35637	0.78	0/55463
12	A0	0.23	0/1727	0.43	0/2338
13	A1	0.24	0/2276	0.40	0/3079
14	A2	0.25	0/939	0.42	0/1256
15	A3	0.27	0/621	0.43	0/820
16	A4	0.25	0/4559	0.41	0/6149
17	AA	0.23	0/21952	0.75	1/34164 (0.0%)
18	AB	0.25	0/1819	0.40	0/2462
19	AC	0.25	0/1112	0.43	0/1505
20	AD	0.25	0/2768	0.44	0/3707
21	AE	0.26	0/989	0.44	0/1335
22	AF	0.24	0/1708	0.40	0/2291
23	AG	0.25	0/2559	0.41	0/3429
24	AH	0.25	0/1128	0.41	0/1529
25	AI	0.26	0/1031	0.44	0/1390
26	AJ	0.26	0/854	0.45	0/1148
27	AK	0.23	0/879	0.41	0/1182
28	AL	0.25	0/1406	0.40	0/1878
29	AM	0.25	0/941	0.44	0/1265
30	AN	0.25	0/864	0.42	0/1169
31	AO	0.24	0/1580	0.39	0/2150
32	AP	0.26	0/782	0.39	0/1050

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
33	AQ	0.26	0/746	0.43	0/993
34	AR	0.47	1/2103 (0.0%)	0.52	3/2842 (0.1%)
35	AS	0.25	0/1127	0.40	0/1518
36	AT	0.25	0/1361	0.43	0/1829
37	AU	0.24	0/1482	0.40	0/1987
38	AV	0.24	0/2925	0.41	0/3948
39	AW	0.25	0/778	0.45	0/1048
40	AX	0.25	0/2886	0.42	0/3909
41	AY	0.24	0/985	0.39	0/1329
42	AZ	0.24	0/748	0.39	0/1000
43	XB	0.21	0/1400	0.73	0/2168
44	XD	0.31	0/1879	0.47	0/2527
45	XE	0.32	0/2465	0.45	0/3344
46	XF	0.36	0/2071	0.46	0/2817
47	XH	0.28	0/798	0.46	0/1073
48	XI	0.26	0/1727	0.45	0/2340
49	XJ	0.25	0/1309	0.41	0/1764
50	XK	0.33	0/1495	0.44	0/2029
51	XL	0.29	0/904	0.45	0/1218
52	XM	0.34	0/2359	0.45	0/3185
53	XN	0.32	0/1825	0.47	0/2458
54	XO	0.29	0/1269	0.45	0/1708
55	XP	0.29	0/1190	0.44	0/1611
56	XQ	0.28	0/2026	0.45	0/2734
57	XR	0.36	0/1174	0.47	0/1572
58	XS	0.34	0/1311	0.48	0/1778
59	XT	0.34	0/1402	0.44	0/1886
60	XU	0.32	0/1200	0.44	0/1623
61	XV	0.28	0/1693	0.45	0/2297
62	XW	0.34	0/893	0.48	0/1204
63	XX	0.35	2/2090 (0.1%)	0.45	1/2825 (0.0%)
64	XY	0.30	0/1571	0.43	0/2106
65	XZ	0.32	0/1003	0.46	0/1354
66	a	0.31	0/834	0.44	0/1133
67	b	0.33	0/1202	0.47	0/1626
68	c	0.29	0/2264	0.42	0/3059
69	d	0.27	0/1807	0.42	0/2450
70	e	1.43	6/1797 (0.3%)	0.44	0/2422
71	f	0.27	0/1103	0.42	0/1490
72	g	0.32	0/1134	0.46	0/1547
73	h	0.26	0/909	0.41	0/1238
74	i	0.36	0/849	0.50	0/1135
75	j	0.29	0/703	0.41	0/947

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
76	k	0.25	0/743	0.44	0/1003
77	l	0.24	0/692	0.39	0/939
78	m	0.23	0/508	0.48	0/682
79	o	0.33	0/818	0.44	0/1097
80	p	0.24	0/1071	0.43	0/1433
81	q	0.26	0/1413	0.41	0/1906
82	r	0.29	0/1282	0.43	0/1734
84	s	0.30	0/3114	0.45	0/4225
85	t1	0.25	0/366	0.37	0/497
85	t2	0.22	0/238	0.37	0/319
85	t3	0.22	0/238	0.37	0/319
85	t4	0.23	0/229	0.40	0/308
85	t5	0.23	0/229	0.38	0/308
85	t6	0.24	0/213	0.42	0/286
86	A	0.55	0/13	0.66	0/15
All	All	0.37	10/175857 (0.0%)	0.58	7/249503 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
44	XD	0	1
48	XI	0	2
55	XP	0	1
71	f	0	1
86	A	2	3
All	All	2	8

The worst 5 of 10 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
9	8	99	ARG	CG-CD	61.80	3.06	1.51
70	e	84	TYR	CD2-CE2	32.11	1.87	1.39
70	e	84	TYR	CD1-CE1	30.69	1.85	1.39
70	e	84	TYR	CE1-CZ	22.51	1.67	1.38
70	e	84	TYR	CE2-CZ	21.76	1.66	1.38

The worst 5 of 7 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
34	AR	309	PRO	O-C-N	11.63	141.32	122.70
34	AR	309	PRO	CA-C-N	-8.78	97.89	117.20
63	XX	150	LYS	C-N-CA	7.81	141.22	121.70
34	AR	309	PRO	C-N-CA	-5.91	106.92	121.70
9	8	99	ARG	CB-CG-CD	5.88	126.88	111.60

All (2) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
86	A	2	THR	CB
86	A	4	PRO	CA

5 of 8 planarity outliers are listed below:

Mol	Chain	Res	Type	Group
44	XD	206	TYR	Peptide
48	XI	197	LEU	Peptide
48	XI	90	PHE	Peptide
55	XP	177	ILE	Peptide
71	f	138	GLN	Peptide

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	0	880	903	903	13	0
2	1	439	480	480	3	0
3	2	376	407	406	5	0
4	3	831	883	883	10	0
5	4	341	361	361	5	0
6	5	3204	3201	3201	29	0
7	6	2947	2839	2839	32	0
8	7	2365	2372	2372	16	0
9	8	1033	1036	1036	7	0
10	9	996	987	987	6	0
11	XA	31853	16172	16181	210	0
12	A0	1684	1685	1685	16	0
13	A1	2230	2261	2261	28	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
14	A2	925	964	964	15	0
15	A3	610	682	682	8	0
16	A4	4470	4485	4486	38	0
17	AA	19628	9964	9971	144	0
18	AB	1776	1769	1769	9	0
19	AC	1082	1088	1088	11	0
20	AD	2716	2785	2785	24	0
21	AE	972	1001	1001	10	0
22	AF	1668	1714	1716	20	0
23	AG	2505	2491	2490	29	0
24	AH	1105	1136	1136	14	0
25	AI	1011	1052	1052	8	0
26	AJ	838	887	887	9	0
27	AK	861	885	885	9	0
28	AL	1382	1472	1472	14	0
29	AM	920	951	951	14	0
30	AN	846	908	908	11	0
31	AO	1528	1489	1489	20	0
32	AP	765	796	796	6	0
33	AQ	734	749	749	6	0
34	AR	2060	2074	2074	31	0
35	AS	1100	1103	1103	10	0
36	AT	1330	1342	1342	14	0
37	AU	1461	1471	1471	13	0
38	AV	2867	2863	2862	23	0
39	AW	766	785	785	6	0
40	AX	2814	2805	2804	25	0
41	AY	956	912	911	11	0
42	AZ	731	734	734	6	0
43	XB	1255	635	640	13	0
44	XD	1842	1896	1896	20	0
45	XE	2396	2402	2402	18	0
46	XF	2013	2045	2044	25	0
47	XH	784	832	832	7	0
48	XI	1691	1783	1783	12	0
49	XJ	1291	1366	1364	13	0
50	XK	1451	1448	1448	8	0
51	XL	889	941	941	8	0
52	XM	2305	2377	2377	25	0
53	XN	1778	1808	1808	18	0
54	XO	1245	1283	1283	16	0
55	XP	1164	1162	1162	13	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
56	XQ	1978	2022	2022	17	0
57	XR	1153	1214	1214	23	0
58	XS	1284	1354	1354	10	0
59	XT	1368	1410	1410	13	0
60	XU	1171	1164	1164	10	0
61	XV	1648	1656	1654	24	0
62	XW	871	898	898	12	0
63	XX	2035	2054	2054	26	0
64	XY	1534	1575	1575	21	0
65	XZ	978	1030	1030	12	0
66	a	809	775	773	0	0
67	b	1178	1180	1180	0	0
68	c	2217	2220	2220	0	0
69	d	1758	1743	1742	0	0
70	e	1762	1767	1767	0	0
71	f	1083	1089	1089	0	0
72	g	1097	1086	1085	0	0
73	h	886	870	870	0	0
74	i	827	857	857	0	0
75	j	689	678	678	0	0
76	k	732	745	745	0	0
77	l	673	654	653	0	0
78	m	500	525	525	0	0
79	o	797	804	804	0	0
80	p	1058	1083	1083	0	0
81	q	1379	1359	1359	0	0
82	r	1247	1267	1267	0	0
83	r4	1485	0	835	0	0
84	s	3036	3023	3022	0	0
85	t1	354	379	374	0	0
85	t2	238	268	270	0	0
85	t3	238	268	270	0	0
85	t4	229	255	257	0	0
85	t5	229	255	257	0	0
85	t6	214	236	236	0	0
86	A	73	67	64	4	0
87	0	1	0	0	0	0
87	4	1	0	0	0	0
87	AB	1	0	0	0	0
87	AO	1	0	0	0	0
87	AP	1	0	0	0	0
87	AT	1	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
87	r	1	0	0	0	0
88	AA	46	0	0	0	0
88	XA	143	0	0	0	0
88	XD	1	0	0	0	0
88	XE	1	0	0	0	0
88	XI	1	0	0	0	0
88	XM	2	0	0	0	0
88	g	1	0	0	0	0
89	XA	48	50	50	2	0
90	AX	32	10	12	1	0
All	All	168800	142812	143657	1062	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

The worst 5 of 1062 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
63:XX:144:TYR:CE1	63:XX:148:THR:HG21	1.91	1.04
34:AR:305:HIS:HD2	34:AR:314:ALA:HB2	1.23	1.02
34:AR:305:HIS:HD2	34:AR:314:ALA:CB	1.81	0.93
11:XA:1777:A:N6	11:XA:1780:U:OP2	2.02	0.91
55:XP:49:ASN:ND2	55:XP:54:ASN:OD1	2.03	0.91

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	0	106/188 (56%)	101 (95%)	5 (5%)	0	100	100
2	1	51/65 (78%)	47 (92%)	4 (8%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
3	2	44/92 (48%)	42 (96%)	2 (4%)	0	100	100
4	3	93/188 (50%)	93 (100%)	0	0	100	100
5	4	36/103 (35%)	35 (97%)	1 (3%)	0	100	100
6	5	391/423 (92%)	365 (93%)	26 (7%)	0	100	100
7	6	348/380 (92%)	324 (93%)	24 (7%)	0	100	100
8	7	285/338 (84%)	265 (93%)	20 (7%)	0	100	100
9	8	121/206 (59%)	116 (96%)	5 (4%)	0	100	100
10	9	122/137 (89%)	117 (96%)	5 (4%)	0	100	100
12	A0	197/218 (90%)	186 (94%)	11 (6%)	0	100	100
13	A1	273/323 (84%)	254 (93%)	19 (7%)	0	100	100
14	A2	114/118 (97%)	109 (96%)	5 (4%)	0	100	100
15	A3	67/199 (34%)	66 (98%)	1 (2%)	0	100	100
16	A4	526/689 (76%)	493 (94%)	33 (6%)	0	100	100
18	AB	216/296 (73%)	212 (98%)	4 (2%)	0	100	100
19	AC	130/167 (78%)	128 (98%)	2 (2%)	0	100	100
20	AD	341/430 (79%)	320 (94%)	21 (6%)	0	100	100
21	AE	120/125 (96%)	116 (97%)	4 (3%)	0	100	100
22	AF	197/242 (81%)	191 (97%)	6 (3%)	0	100	100
23	AG	300/396 (76%)	287 (96%)	13 (4%)	0	100	100
24	AH	133/201 (66%)	124 (93%)	9 (7%)	0	100	100
25	AI	134/194 (69%)	128 (96%)	6 (4%)	0	100	100
26	AJ	106/138 (77%)	96 (91%)	10 (9%)	0	100	100
27	AK	99/128 (77%)	98 (99%)	1 (1%)	0	100	100
28	AL	162/257 (63%)	157 (97%)	5 (3%)	0	100	100
29	AM	114/137 (83%)	112 (98%)	2 (2%)	0	100	100
30	AN	105/130 (81%)	100 (95%)	5 (5%)	0	100	100
31	AO	183/258 (71%)	180 (98%)	3 (2%)	0	100	100
32	AP	93/142 (66%)	87 (94%)	6 (6%)	0	100	100
33	AQ	83/85 (98%)	80 (96%)	3 (4%)	0	100	100
34	AR	248/360 (69%)	238 (96%)	10 (4%)	0	100	100
35	AS	131/190 (69%)	122 (93%)	9 (7%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
36	AT	160/173 (92%)	150 (94%)	10 (6%)	0	100	100
37	AU	171/205 (83%)	169 (99%)	2 (1%)	0	100	100
38	AV	341/414 (82%)	321 (94%)	20 (6%)	0	100	100
39	AW	95/187 (51%)	93 (98%)	2 (2%)	0	100	100
40	AX	346/398 (87%)	327 (94%)	19 (6%)	0	100	100
41	AY	111/395 (28%)	103 (93%)	8 (7%)	0	100	100
42	AZ	84/106 (79%)	83 (99%)	1 (1%)	0	100	100
44	XD	234/305 (77%)	223 (95%)	10 (4%)	1 (0%)	34	72
45	XE	302/348 (87%)	291 (96%)	11 (4%)	0	100	100
46	XF	248/311 (80%)	242 (98%)	6 (2%)	0	100	100
47	XH	93/267 (35%)	89 (96%)	4 (4%)	0	100	100
48	XI	209/261 (80%)	194 (93%)	15 (7%)	0	100	100
49	XJ	168/192 (88%)	153 (91%)	15 (9%)	0	100	100
50	XK	175/178 (98%)	166 (95%)	9 (5%)	0	100	100
51	XL	113/145 (78%)	108 (96%)	5 (4%)	0	100	100
52	XM	285/296 (96%)	272 (95%)	13 (5%)	0	100	100
53	XN	219/251 (87%)	207 (94%)	12 (6%)	0	100	100
54	XO	150/175 (86%)	144 (96%)	6 (4%)	0	100	100
55	XP	141/180 (78%)	136 (96%)	5 (4%)	0	100	100
56	XQ	236/292 (81%)	228 (97%)	8 (3%)	0	100	100
57	XR	138/149 (93%)	132 (96%)	6 (4%)	0	100	100
58	XS	158/205 (77%)	154 (98%)	4 (2%)	0	100	100
59	XT	164/206 (80%)	161 (98%)	3 (2%)	0	100	100
60	XU	137/153 (90%)	129 (94%)	8 (6%)	0	100	100
61	XV	200/216 (93%)	191 (96%)	9 (4%)	0	100	100
62	XW	109/148 (74%)	105 (96%)	4 (4%)	0	100	100
63	XX	241/256 (94%)	234 (97%)	7 (3%)	0	100	100
64	XY	176/250 (70%)	170 (97%)	6 (3%)	0	100	100
65	XZ	118/161 (73%)	114 (97%)	4 (3%)	0	100	100
66	a	93/142 (66%)	84 (90%)	9 (10%)	0	100	100
67	b	146/215 (68%)	137 (94%)	9 (6%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
68	c	271/332 (82%)	262 (97%)	9 (3%)	0	100	100
69	d	212/306 (69%)	201 (95%)	10 (5%)	1 (0%)	29	68
70	e	211/279 (76%)	208 (99%)	3 (1%)	0	100	100
71	f	131/212 (62%)	125 (95%)	6 (5%)	0	100	100
72	g	130/166 (78%)	123 (95%)	7 (5%)	0	100	100
73	h	107/158 (68%)	101 (94%)	6 (6%)	0	100	100
74	i	95/128 (74%)	90 (95%)	5 (5%)	0	100	100
75	j	84/123 (68%)	83 (99%)	1 (1%)	0	100	100
76	k	93/112 (83%)	87 (94%)	6 (6%)	0	100	100
77	l	78/138 (56%)	74 (95%)	4 (5%)	0	100	100
78	m	58/128 (45%)	54 (93%)	4 (7%)	0	100	100
79	o	92/102 (90%)	88 (96%)	4 (4%)	0	100	100
80	p	119/206 (58%)	117 (98%)	2 (2%)	0	100	100
81	q	162/222 (73%)	160 (99%)	2 (1%)	0	100	100
82	r	144/196 (74%)	139 (96%)	5 (4%)	0	100	100
84	s	366/439 (83%)	353 (96%)	13 (4%)	0	100	100
85	t1	45/198 (23%)	40 (89%)	5 (11%)	0	100	100
85	t2	28/198 (14%)	28 (100%)	0	0	100	100
85	t3	28/198 (14%)	27 (96%)	1 (4%)	0	100	100
85	t4	27/198 (14%)	26 (96%)	1 (4%)	0	100	100
85	t5	27/198 (14%)	26 (96%)	1 (4%)	0	100	100
85	t6	25/198 (13%)	25 (100%)	0	0	100	100
86	A	2/8 (25%)	0	1 (50%)	1 (50%)	0	0
All	All	13765/19166 (72%)	13136 (95%)	626 (4%)	3 (0%)	100	100

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
86	A	4	PRO
44	XD	207	ILE
69	d	289	PRO

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	0	97/164 (59%)	95 (98%)	2 (2%)	53	79
2	1	50/60 (83%)	50 (100%)	0	100	100
3	2	40/72 (56%)	40 (100%)	0	100	100
4	3	88/166 (53%)	85 (97%)	3 (3%)	37	68
5	4	37/89 (42%)	36 (97%)	1 (3%)	44	73
6	5	353/368 (96%)	350 (99%)	3 (1%)	81	91
7	6	313/332 (94%)	308 (98%)	5 (2%)	62	83
8	7	267/303 (88%)	263 (98%)	4 (2%)	65	84
9	8	113/190 (60%)	112 (99%)	1 (1%)	78	90
10	9	104/112 (93%)	104 (100%)	0	100	100
12	A0	176/190 (93%)	170 (97%)	6 (3%)	37	68
13	A1	253/291 (87%)	246 (97%)	7 (3%)	43	72
14	A2	99/101 (98%)	96 (97%)	3 (3%)	41	71
15	A3	63/166 (38%)	61 (97%)	2 (3%)	39	69
16	A4	494/609 (81%)	490 (99%)	4 (1%)	81	91
18	AB	192/249 (77%)	191 (100%)	1 (0%)	88	94
19	AC	115/143 (80%)	114 (99%)	1 (1%)	78	90
20	AD	283/357 (79%)	277 (98%)	6 (2%)	53	79
21	AE	104/107 (97%)	104 (100%)	0	100	100
22	AF	178/209 (85%)	173 (97%)	5 (3%)	43	72
23	AG	264/342 (77%)	261 (99%)	3 (1%)	73	88
24	AH	125/180 (69%)	125 (100%)	0	100	100
25	AI	104/147 (71%)	103 (99%)	1 (1%)	76	88
26	AJ	93/118 (79%)	91 (98%)	2 (2%)	52	78
27	AK	91/113 (80%)	90 (99%)	1 (1%)	73	88
28	AL	152/226 (67%)	149 (98%)	3 (2%)	55	79

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
29	AM	95/113 (84%)	95 (100%)	0	100	100
30	AN	93/115 (81%)	91 (98%)	2 (2%)	52	78
31	AO	166/230 (72%)	164 (99%)	2 (1%)	71	87
32	AP	86/123 (70%)	85 (99%)	1 (1%)	71	87
33	AQ	77/77 (100%)	75 (97%)	2 (3%)	46	74
34	AR	229/318 (72%)	225 (98%)	4 (2%)	60	82
35	AS	115/164 (70%)	113 (98%)	2 (2%)	60	82
36	AT	150/157 (96%)	149 (99%)	1 (1%)	84	93
37	AU	149/174 (86%)	144 (97%)	5 (3%)	37	68
38	AV	315/364 (86%)	310 (98%)	5 (2%)	62	83
39	AW	84/158 (53%)	84 (100%)	0	100	100
40	AX	307/351 (88%)	301 (98%)	6 (2%)	55	79
41	AY	104/357 (29%)	103 (99%)	1 (1%)	76	88
42	AZ	79/95 (83%)	78 (99%)	1 (1%)	69	86
44	XD	190/245 (78%)	188 (99%)	2 (1%)	73	88
45	XE	259/290 (89%)	259 (100%)	0	100	100
46	XF	217/262 (83%)	214 (99%)	3 (1%)	67	85
47	XH	86/228 (38%)	86 (100%)	0	100	100
48	XI	194/232 (84%)	191 (98%)	3 (2%)	65	84
49	XJ	133/150 (89%)	129 (97%)	4 (3%)	41	71
50	XK	155/156 (99%)	153 (99%)	2 (1%)	69	86
51	XL	98/124 (79%)	97 (99%)	1 (1%)	76	88
52	XM	245/249 (98%)	243 (99%)	2 (1%)	81	91
53	XN	188/211 (89%)	187 (100%)	1 (0%)	88	94
54	XO	133/150 (89%)	133 (100%)	0	100	100
55	XP	125/155 (81%)	123 (98%)	2 (2%)	62	83
56	XQ	220/256 (86%)	220 (100%)	0	100	100
57	XR	118/126 (94%)	117 (99%)	1 (1%)	81	91
58	XS	145/180 (81%)	143 (99%)	2 (1%)	67	85
59	XT	146/176 (83%)	144 (99%)	2 (1%)	67	85
60	XU	126/135 (93%)	125 (99%)	1 (1%)	81	91

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
61	XV	179/191 (94%)	174 (97%)	5 (3%)	43	72
62	XW	91/119 (76%)	89 (98%)	2 (2%)	52	78
63	XX	219/229 (96%)	219 (100%)	0	100	100
64	XY	161/223 (72%)	159 (99%)	2 (1%)	71	87
65	XZ	111/147 (76%)	109 (98%)	2 (2%)	59	81
66	a	92/133 (69%)	90 (98%)	2 (2%)	52	78
67	b	130/186 (70%)	127 (98%)	3 (2%)	50	77
68	c	241/288 (84%)	238 (99%)	3 (1%)	71	87
69	d	196/274 (72%)	196 (100%)	0	100	100
70	e	188/236 (80%)	182 (97%)	6 (3%)	39	69
71	f	121/188 (64%)	121 (100%)	0	100	100
72	g	122/148 (82%)	120 (98%)	2 (2%)	62	83
73	h	103/148 (70%)	101 (98%)	2 (2%)	57	80
74	i	86/110 (78%)	85 (99%)	1 (1%)	71	87
75	j	68/97 (70%)	68 (100%)	0	100	100
76	k	80/90 (89%)	80 (100%)	0	100	100
77	l	74/116 (64%)	71 (96%)	3 (4%)	30	63
78	m	54/113 (48%)	54 (100%)	0	100	100
79	o	80/87 (92%)	80 (100%)	0	100	100
80	p	117/181 (65%)	116 (99%)	1 (1%)	78	90
81	q	141/178 (79%)	140 (99%)	1 (1%)	84	93
82	r	138/169 (82%)	136 (99%)	2 (1%)	67	85
84	s	326/381 (86%)	322 (99%)	4 (1%)	71	87
85	t1	41/158 (26%)	37 (90%)	4 (10%)	8	33
85	t2	29/158 (18%)	29 (100%)	0	100	100
85	t3	29/158 (18%)	29 (100%)	0	100	100
85	t4	28/158 (18%)	28 (100%)	0	100	100
85	t5	28/158 (18%)	28 (100%)	0	100	100
85	t6	26/158 (16%)	26 (100%)	0	100	100
86	A	2/2 (100%)	2 (100%)	0	100	100
All	All	12376/16507 (75%)	12209 (99%)	167 (1%)	70	86

5 of 167 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
55	XP	176	ARG
70	e	90	ARG
59	XT	133	ASN
64	XY	210	ARG
73	h	122	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 16 such sidechains are listed below:

Mol	Chain	Res	Type
66	a	111	GLN
45	XE	137	ASN
40	AX	110	HIS
45	XE	117	HIS
35	AS	91	ASN

5.3.3 RNA [i](#)

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
11	XA	1491/1561 (95%)	268 (17%)	9 (0%)
17	AA	916/954 (96%)	160 (17%)	4 (0%)
43	XB	54/72 (75%)	10 (18%)	0
83	r4	0/76	-	-
All	All	2461/2663 (92%)	438 (17%)	13 (0%)

5 of 438 RNA backbone outliers are listed below:

Mol	Chain	Res	Type
11	XA	1681	G
11	XA	1685	C
11	XA	1689	C
11	XA	1692	A
11	XA	1693	C

5 of 13 RNA pucker outliers are listed below:

Mol	Chain	Res	Type
11	XA	2961	C
11	XA	2962	C
17	AA	1527	A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
17	AA	1048	C
17	AA	1234	C

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

81 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
83	P5P	r4	26	83	16,23,24	0.97	1 (6%)	14,33,36	2.01	3 (21%)
83	P5P	r4	71	83	16,23,24	0.95	1 (6%)	14,33,36	1.96	3 (21%)
83	Y5P	r4	74	83	14,19,20	3.16	3 (21%)	18,26,29	0.56	0
83	P5P	r4	23	83	16,23,24	0.96	1 (6%)	14,33,36	2.02	3 (21%)
83	Y5P	r4	39	83	14,19,20	3.14	3 (21%)	18,26,29	0.59	0
83	P5P	r4	36	83	16,23,24	0.96	1 (6%)	14,33,36	1.99	3 (21%)
83	Y5P	r4	16	83	14,19,20	3.13	3 (21%)	18,26,29	0.63	0
83	P5P	r4	21	83	16,23,24	0.97	1 (6%)	14,33,36	2.00	3 (21%)
83	P5P	r4	5	83	16,23,24	0.95	1 (6%)	14,33,36	2.00	3 (21%)
83	Y5P	r4	13	83	14,19,20	3.15	3 (21%)	18,26,29	0.55	0
83	P5P	r4	30	83	16,23,24	0.95	1 (6%)	14,33,36	1.98	3 (21%)
83	P5P	r4	7	83	16,23,24	0.96	1 (6%)	14,33,36	2.00	3 (21%)
83	Y5P	r4	50	83	14,19,20	3.13	3 (21%)	18,26,29	0.57	0
83	P5P	r4	38	83	16,23,24	0.95	1 (6%)	14,33,36	1.97	3 (21%)
83	Y5P	r4	2	83	14,19,20	3.13	3 (21%)	18,26,29	0.57	0
83	Y5P	r4	60	83	14,19,20	3.14	3 (21%)	18,26,29	0.57	0
86	MHW	A	1	86	9,9,10	0.82	0	10,11,13	3.06	3 (30%)
83	P5P	r4	14	83	16,23,24	0.95	1 (6%)	14,33,36	1.97	3 (21%)
83	Y5P	r4	40	83	14,19,20	3.14	3 (21%)	18,26,29	0.60	0
83	P5P	r4	29	83	16,23,24	0.95	1 (6%)	14,33,36	2.04	3 (21%)
83	P5P	r4	53	83	16,23,24	0.95	1 (6%)	14,33,36	1.99	3 (21%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
83	P5P	r4	44	83	16,23,24	0.95	1 (6%)	14,33,36	1.98	3 (21%)
83	P5P	r4	52	83	16,23,24	0.96	1 (6%)	14,33,36	1.98	3 (21%)
83	P5P	r4	9	83	16,23,24	0.96	1 (6%)	14,33,36	1.99	3 (21%)
83	Y5P	r4	55	83	14,19,20	3.13	3 (21%)	18,26,29	0.59	0
83	P5P	r4	37	83	16,23,24	0.96	1 (6%)	14,33,36	1.97	3 (21%)
83	Y5P	r4	48	83	14,19,20	3.13	3 (21%)	18,26,29	0.60	0
83	Y5P	r4	56	83	14,19,20	3.14	3 (21%)	18,26,29	0.59	0
83	P5P	r4	35	83	16,23,24	0.96	1 (6%)	14,33,36	1.97	3 (21%)
83	P5P	r4	65	83	16,23,24	0.95	1 (6%)	14,33,36	1.99	3 (21%)
83	Y5P	r4	4	83	14,19,20	3.13	3 (21%)	18,26,29	0.58	0
83	Y5P	r4	62	83	14,19,20	3.13	4 (28%)	18,26,29	0.58	0
83	P5P	r4	63	83	16,23,24	0.96	1 (6%)	14,33,36	2.01	3 (21%)
83	Y5P	r4	12	83	14,19,20	3.13	3 (21%)	18,26,29	0.57	0
83	Y5P	r4	11	83	14,19,20	3.15	3 (21%)	18,26,29	0.56	0
83	Y5P	r4	67	83	14,19,20	3.13	3 (21%)	18,26,29	0.59	0
83	Y5P	r4	45	83	14,19,20	3.13	3 (21%)	18,26,29	0.58	0
83	Y5P	r4	49	83	14,19,20	3.13	3 (21%)	18,26,29	0.56	0
83	Y5P	r4	68	83	14,19,20	3.14	3 (21%)	18,26,29	0.58	0
83	P5P	r4	27	83	16,23,24	0.96	1 (6%)	14,33,36	1.97	3 (21%)
83	Y5P	r4	51	83	14,19,20	3.14	3 (21%)	18,26,29	0.56	0
83	P5P	r4	57	83	16,23,24	0.96	1 (6%)	14,33,36	1.98	3 (21%)
86	DBB	A	3	86	4,5,6	0.56	0	1,5,7	0.66	0
83	Y5P	r4	42	83	14,19,20	3.13	3 (21%)	18,26,29	0.57	0
83	P5P	r4	15	83	16,23,24	0.95	1 (6%)	14,33,36	1.97	3 (21%)
83	Y5P	r4	8	83	14,19,20	3.15	3 (21%)	18,26,29	0.55	0
83	Y5P	r4	59	83	14,19,20	3.13	3 (21%)	18,26,29	0.59	0
83	P5P	r4	58	83	16,23,24	0.95	1 (6%)	14,33,36	1.97	3 (21%)
83	P5P	r4	76	11,83	16,23,24	1.01	1 (6%)	14,33,36	1.92	3 (21%)
83	Y5P	r4	66	83	14,19,20	3.13	3 (21%)	18,26,29	0.57	0
83	Y5P	r4	33	83	14,19,20	3.15	3 (21%)	18,26,29	0.54	0
83	P5P	r4	6	83	16,23,24	0.95	1 (6%)	14,33,36	2.00	3 (21%)
83	P5P	r4	34	83	16,23,24	0.96	1 (6%)	14,33,36	1.99	3 (21%)
83	P5P	r4	24	83	16,23,24	0.94	1 (6%)	14,33,36	2.00	3 (21%)
83	Y5P	r4	47	83	14,19,20	3.15	3 (21%)	18,26,29	0.59	0
83	P5P	r4	70	83	16,23,24	0.95	1 (6%)	14,33,36	1.99	3 (21%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
83	P5P	r4	28	83	16,23,24	0.96	1 (6%)	14,33,36	1.98	3 (21%)
83	Y5P	r4	41	83	14,19,20	3.16	3 (21%)	18,26,29	0.58	0
83	P5P	r4	1	83	16,23,24	0.96	1 (6%)	14,33,36	2.00	3 (21%)
83	Y5P	r4	61	83	14,19,20	3.13	3 (21%)	18,26,29	0.53	0
83	P5P	r4	10	83	16,23,24	0.97	1 (6%)	14,33,36	1.98	3 (21%)
83	P5P	r4	69	83	16,23,24	0.95	1 (6%)	14,33,36	1.99	3 (21%)
83	Y5P	r4	20	83	14,19,20	3.15	3 (21%)	18,26,29	0.59	0
83	P5P	r4	31	83	16,23,24	0.93	1 (6%)	14,33,36	2.01	3 (21%)
86	MHU	A	5	86	14,15,16	0.44	0	18,19,21	1.23	3 (16%)
83	Y5P	r4	3	83	14,19,20	3.13	3 (21%)	18,26,29	0.55	0
83	Y5P	r4	75	83	14,19,20	3.14	3 (21%)	18,26,29	0.57	0
86	004	A	7	86	9,10,11	1.08	1 (11%)	9,12,14	1.80	3 (33%)
83	Y5P	r4	54	83	14,19,20	3.15	3 (21%)	18,26,29	0.56	0
83	P5P	r4	64	83	16,23,24	0.96	1 (6%)	14,33,36	2.00	3 (21%)
83	Y5P	r4	32	83	14,19,20	3.13	3 (21%)	18,26,29	0.58	0
83	P5P	r4	22	83	16,23,24	0.95	1 (6%)	14,33,36	2.01	3 (21%)
83	P5P	r4	46	83	16,23,24	0.95	1 (6%)	14,33,36	1.96	3 (21%)
83	P5P	r4	18	83	16,23,24	0.96	1 (6%)	14,33,36	1.99	3 (21%)
83	Y5P	r4	25	83	14,19,20	3.13	3 (21%)	18,26,29	0.55	0
83	P5P	r4	73	83	16,23,24	0.97	1 (6%)	14,33,36	2.05	3 (21%)
83	Y5P	r4	17	83	14,19,20	3.13	3 (21%)	18,26,29	0.57	0
86	MHV	A	6	86	7,9,10	0.35	0	7,11,13	1.73	2 (28%)
83	Y5P	r4	72	83	14,19,20	3.14	3 (21%)	18,26,29	0.57	0
83	Y5P	r4	43	83	14,19,20	3.14	3 (21%)	18,26,29	0.59	0
83	P5P	r4	19	83	16,23,24	0.95	1 (6%)	14,33,36	1.98	3 (21%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
83	P5P	r4	26	83	-	2/3/25/26	0/3/3/3
83	P5P	r4	71	83	-	0/3/25/26	0/3/3/3
83	Y5P	r4	74	83	-	6/7/33/34	0/2/2/2
83	P5P	r4	23	83	-	3/3/25/26	0/3/3/3

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
83	Y5P	r4	39	83	-	1/7/33/34	0/2/2/2
83	P5P	r4	36	83	-	0/3/25/26	0/3/3/3
83	Y5P	r4	16	83	-	1/7/33/34	0/2/2/2
83	P5P	r4	21	83	-	1/3/25/26	0/3/3/3
83	P5P	r4	5	83	-	0/3/25/26	0/3/3/3
83	Y5P	r4	13	83	-	3/7/33/34	0/2/2/2
83	P5P	r4	30	83	-	1/3/25/26	0/3/3/3
83	P5P	r4	7	83	-	2/3/25/26	0/3/3/3
83	Y5P	r4	50	83	-	2/7/33/34	0/2/2/2
83	P5P	r4	38	83	-	2/3/25/26	0/3/3/3
83	Y5P	r4	2	83	-	1/7/33/34	0/2/2/2
83	Y5P	r4	60	83	-	1/7/33/34	0/2/2/2
86	MHW	A	1	86	-	0/2/2/4	0/1/1/1
83	P5P	r4	14	83	-	0/3/25/26	0/3/3/3
83	Y5P	r4	40	83	-	1/7/33/34	0/2/2/2
83	P5P	r4	29	83	-	2/3/25/26	0/3/3/3
83	P5P	r4	53	83	-	0/3/25/26	0/3/3/3
83	P5P	r4	44	83	-	0/3/25/26	0/3/3/3
83	P5P	r4	52	83	-	2/3/25/26	0/3/3/3
83	P5P	r4	9	83	-	2/3/25/26	0/3/3/3
83	Y5P	r4	55	83	-	1/7/33/34	0/2/2/2
83	P5P	r4	37	83	-	0/3/25/26	0/3/3/3
83	Y5P	r4	48	83	-	3/7/33/34	0/2/2/2
83	Y5P	r4	56	83	-	3/7/33/34	0/2/2/2
83	P5P	r4	35	83	-	0/3/25/26	0/3/3/3
83	P5P	r4	65	83	-	0/3/25/26	0/3/3/3
83	Y5P	r4	4	83	-	1/7/33/34	0/2/2/2
83	Y5P	r4	62	83	-	1/7/33/34	0/2/2/2
83	P5P	r4	63	83	-	0/3/25/26	0/3/3/3
83	Y5P	r4	12	83	-	1/7/33/34	0/2/2/2
83	Y5P	r4	11	83	-	1/7/33/34	0/2/2/2
83	Y5P	r4	67	83	-	1/7/33/34	0/2/2/2
83	Y5P	r4	45	83	-	4/7/33/34	0/2/2/2
83	Y5P	r4	49	83	-	3/7/33/34	0/2/2/2
83	Y5P	r4	68	83	-	1/7/33/34	0/2/2/2
83	P5P	r4	27	83	-	2/3/25/26	0/3/3/3
83	Y5P	r4	51	83	-	1/7/33/34	0/2/2/2
83	P5P	r4	57	83	-	0/3/25/26	0/3/3/3
86	DBB	A	3	86	-	0/3/4/6	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
83	Y5P	r4	42	83	-	1/7/33/34	0/2/2/2
83	P5P	r4	15	83	-	0/3/25/26	0/3/3/3
83	Y5P	r4	8	83	-	1/7/33/34	0/2/2/2
83	Y5P	r4	59	83	-	2/7/33/34	0/2/2/2
83	P5P	r4	58	83	-	0/3/25/26	0/3/3/3
83	P5P	r4	76	11,83	-	2/3/25/26	0/3/3/3
83	Y5P	r4	66	83	-	3/7/33/34	0/2/2/2
83	Y5P	r4	33	83	-	2/7/33/34	0/2/2/2
83	P5P	r4	6	83	-	2/3/25/26	0/3/3/3
83	P5P	r4	34	83	-	2/3/25/26	0/3/3/3
83	P5P	r4	24	83	-	0/3/25/26	0/3/3/3
83	Y5P	r4	47	83	-	4/7/33/34	0/2/2/2
83	P5P	r4	70	83	-	0/3/25/26	0/3/3/3
83	P5P	r4	28	83	-	2/3/25/26	0/3/3/3
83	Y5P	r4	41	83	-	3/7/33/34	0/2/2/2
83	P5P	r4	1	83	-	3/3/25/26	0/3/3/3
83	Y5P	r4	61	83	-	1/7/33/34	0/2/2/2
83	P5P	r4	10	83	-	1/3/25/26	0/3/3/3
83	P5P	r4	69	83	-	0/3/25/26	0/3/3/3
83	Y5P	r4	20	83	-	2/7/33/34	0/2/2/2
83	P5P	r4	31	83	-	0/3/25/26	0/3/3/3
86	MHU	A	5	86	-	5/9/12/14	0/1/1/1
83	Y5P	r4	3	83	-	1/7/33/34	0/2/2/2
83	Y5P	r4	75	83	-	3/7/33/34	0/2/2/2
86	004	A	7	86	-	1/4/6/8	0/1/1/1
83	Y5P	r4	54	83	-	1/7/33/34	0/2/2/2
83	P5P	r4	64	83	-	2/3/25/26	0/3/3/3
83	Y5P	r4	32	83	-	3/7/33/34	0/2/2/2
83	P5P	r4	22	83	-	3/3/25/26	0/3/3/3
83	P5P	r4	46	83	-	0/3/25/26	0/3/3/3
83	P5P	r4	18	83	-	2/3/25/26	0/3/3/3
83	Y5P	r4	25	83	-	3/7/33/34	0/2/2/2
83	P5P	r4	73	83	-	3/3/25/26	0/3/3/3
83	Y5P	r4	17	83	-	3/7/33/34	0/2/2/2
86	MHV	A	6	86	-	0/1/12/14	0/1/1/1
83	Y5P	r4	72	83	-	3/7/33/34	0/2/2/2
83	Y5P	r4	43	83	-	1/7/33/34	0/2/2/2

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
83	P5P	r4	19	83	-	0/3/25/26	0/3/3/3

The worst 5 of 152 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
83	r4	8	Y5P	C6-C5	10.57	1.52	1.33
83	r4	33	Y5P	C6-C5	10.57	1.52	1.33
83	r4	47	Y5P	C6-C5	10.57	1.52	1.33
83	r4	13	Y5P	C6-C5	10.57	1.52	1.33
83	r4	51	Y5P	C6-C5	10.56	1.52	1.33

The worst 5 of 128 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
86	A	1	MHW	O-C-CA	-8.04	116.60	124.22
83	r4	73	P5P	N1-C2-N3	-6.08	119.86	127.65
83	r4	1	P5P	N1-C2-N3	-6.05	119.91	127.65
83	r4	24	P5P	N1-C2-N3	-6.03	119.94	127.65
83	r4	29	P5P	N1-C2-N3	-6.00	119.98	127.65

There are no chirality outliers.

5 of 121 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
83	r4	8	Y5P	O4'-C1'-N1-C2
83	r4	9	P5P	O4'-C4'-C5'-O5'
83	r4	12	Y5P	O4'-C1'-N1-C2
83	r4	13	Y5P	C3'-C4'-C5'-O5'
83	r4	16	Y5P	O4'-C1'-N1-C2

There are no ring outliers.

2 monomers are involved in 3 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
86	A	1	MHW	1	0
86	A	7	004	2	0

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry

Of 204 ligands modelled in this entry, 202 are monoatomic - leaving 2 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
90	GTP	AX	500	-	26,34,34	1.13	2 (7%)	32,54,54	1.52	6 (18%)
89	DOL	XA	5144	-	43,50,50	3.46	17 (39%)	51,70,70	2.77	10 (19%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
90	GTP	AX	500	-	-	8/18/38/38	0/3/3/3
89	DOL	XA	5144	-	-	18/58/77/77	0/2/3/3

The worst 5 of 19 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
89	XA	5144	DOL	C28-C29	9.97	1.55	1.32
89	XA	5144	DOL	C22-C23	9.37	1.56	1.32
89	XA	5144	DOL	C19-C20	7.28	1.57	1.34
89	XA	5144	DOL	C26-N25	6.38	1.48	1.34
89	XA	5144	DOL	C6-N5	6.33	1.49	1.34

The worst 5 of 16 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
89	XA	5144	DOL	O40-S39-O41	-15.66	100.33	118.19
89	XA	5144	DOL	C24-N25-C26	-6.34	111.78	122.03
90	AX	500	GTP	PA-O3A-PB	-3.87	119.53	132.83
89	XA	5144	DOL	C23-C22-C20	-3.60	120.44	125.89
89	XA	5144	DOL	C32-O36-C37	-3.38	111.98	117.78

There are no chirality outliers.

5 of 26 torsion outliers are listed below:



Mol	Chain	Res	Type	Atoms
89	XA	5144	DOL	C3-C2-S39-C42
89	XA	5144	DOL	C1-C2-S39-O41
89	XA	5144	DOL	C1-C2-S39-O40
89	XA	5144	DOL	C1-C2-S39-C42
89	XA	5144	DOL	C43-C42-S39-C2

There are no ring outliers.

2 monomers are involved in 3 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
90	AX	500	GTP	1	0
89	XA	5144	DOL	2	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

The following chains have linkage breaks:

Mol	Chain	Number of breaks
16	A4	2
8	7	2
7	6	2
82	r	1
38	AV	1
34	AR	1

The worst 5 of 9 chain breaks are listed below:

Model	Chain	Residue-1	Atom-1	Residue-2	Atom-2	Distance (Å)
1	A4	537:ARG	C	538:ASP	N	6.17
1	7	285:ASN	C	286:LEU	N	5.95
1	r	134:ARG	C	135:LEU	N	5.40
1	AV	269:SER	C	270:PRO	N	4.56
1	6	282:SER	C	283:GLU	N	3.29


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-11393. These allow visual inspection of the internal detail of the map and identification of artifacts.


No raw map or half-maps were deposited for this entry and therefore no images, graphs, etc. pertaining to the raw map can be shown.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 260



Y Index: 260




Z Index: 260


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 277



Y Index: 321




Z Index: 257


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X



Y



Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.

6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.02. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.


6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 1583 nm^3 ; this corresponds to an approximate mass of 1430 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum [i](#)



*Reported resolution corresponds to spatial frequency of 0.286\AA^{-1}


8 Fourier-Shell correlation

This section was not generated. No FSC curve or half-maps provided.

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-11393 and PDB model 6ZSC. Per-residue inclusion information can be found in section 3 on page 22.

9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.02 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.02).







































































9.4 Atom inclusion [i](#)



At the recommended contour level, 82% of all backbone atoms, 82% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary

The table lists the average atom inclusion at the recommended contour level (0.02) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.8190	 0.3980
0	 0.8690	 0.4500
1	 0.8850	 0.4590
2	 0.9530	 0.5370
3	 0.9220	 0.5320
4	 0.9200	 0.5050
5	 0.8700	 0.4380
6	 0.8390	 0.3900
7	 0.8320	 0.3940
8	 0.7120	 0.2730
9	 0.8600	 0.4400
A	 0.8900	 0.5010
A0	 0.5900	 0.2240
A1	 0.5860	 0.2260
A2	 0.7500	 0.3430
A3	 0.8560	 0.4470
A4	 0.4150	 0.1720
AA	 0.9430	 0.3940
AB	 0.7950	 0.3560
AC	 0.6980	 0.3270
AD	 0.7080	 0.3490
AE	 0.7870	 0.4010
AF	 0.7190	 0.3150
AG	 0.6920	 0.2920
AH	 0.6270	 0.2840
AI	 0.8120	 0.4020
AJ	 0.7620	 0.3700
AK	 0.7170	 0.2820
AL	 0.7920	 0.3750
AM	 0.6790	 0.2700
AN	 0.7760	 0.3790
AO	 0.6820	 0.2840
AP	 0.8300	 0.4040
AQ	 0.8140	 0.3980
AR	 0.5980	 0.2240

































Continued on next page...

Continued from previous page...

Chain	Atom inclusion	Q-score
AS	0.6920	0.3120
AT	0.7580	0.3350
AU	0.7090	0.2660
AV	0.4730	0.1820
AW	0.7340	0.3520
AX	0.5680	0.2000
AY	0.5390	0.2090
AZ	0.6730	0.2380
XA	0.9700	0.5190
XB	0.9670	0.3440
XD	0.9030	0.4920
XE	0.8940	0.4800
XF	0.9030	0.4990
XH	0.8310	0.4060
XI	0.6240	0.2950
XJ	0.6880	0.2340
XK	0.9070	0.4960
XL	0.8870	0.4710
XM	0.8920	0.4730
XN	0.8720	0.4700
XO	0.8840	0.4710
XP	0.8670	0.4250
XQ	0.8110	0.4320
XR	0.8970	0.4980
XS	0.8950	0.4880
XT	0.8970	0.5010
XU	0.8890	0.4670
XV	0.8430	0.4120
XW	0.9150	0.5120
XX	0.8610	0.4370
XY	0.8780	0.4640
XZ	0.9130	0.5090
a	0.8500	0.4450
b	0.8960	0.4920
c	0.8700	0.4350
d	0.7960	0.3780
e	0.6830	0.2170
f	0.7600	0.3320
g	0.9000	0.4710
h	0.8410	0.3980
i	0.8960	0.5130
j	0.8650	0.4540

Continued on next page...

Continued from previous page...

Chain	Atom inclusion	Q-score
k	 0.7790	 0.3260
l	 0.7630	 0.2850
m	 0.7420	 0.2640
o	 0.9080	 0.4960
p	 0.8430	 0.3940
q	 0.7300	 0.3140
r	 0.8940	 0.4610
r4	 0.7480	 0.2000
s	 0.8820	 0.4600
t1	 0.2210	 0.2020
t2	 0.2230	 0.1900
t3	 0.0000	 0.1670
t4	 0.0000	 0.1500
t5	 0.0000	 0.1290
t6	 0.0000	 0.1090