



wwPDB EM Validation Summary Report ⓘ

Apr 24, 2024 – 11:27 pm BST

PDB ID : 6ZSE
EMDB ID : EMD-11395
Title : Human mitochondrial ribosome in complex with mRNA, A/P-tRNA and P/E-tRNA
Authors : Aibara, S.; Singh, V.; Modelska, A.; Amunts, A.
Deposited on : 2020-07-15
Resolution : 5.00 Å(reported)

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev92
Mogul : 1.8.4, CSD as541be (2020)
MolProbity : 4.02b-467
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.36.2


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

ELECTRON MICROSCOPY

The reported resolution of this entry is 5.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



| Metric | Whole archive (#Entries) | EM structures (#Entries) |
|-----------------------|--------------------------|--------------------------|
| Clashscore | 158937 | 4297 |
| Ramachandran outliers | 154571 | 4023 |
| Sidechain outliers | 154315 | 3826 |
| RNA backbone | 4643 | 859 |

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

| Mol | Chain | Length | Quality of chain |
|-----|-------|--------|------------------|
| 1 | 0 | 188 | |
| 2 | 1 | 65 | |
| 3 | 2 | 92 | |
| 4 | 3 | 188 | |
| 5 | 4 | 103 | |
| 6 | 5 | 423 | |
| 7 | 6 | 380 | |

Continued on next page...

Continued from previous page...

| Mol | Chain | Length | Quality of chain |
|-----|-------|--------|------------------|
| 8 | 7 | 338 | |
| 9 | 8 | 206 | |
| 10 | 9 | 137 | |
| 11 | XA | 1561 | |
| 12 | A0 | 218 | |
| 13 | A1 | 323 | |
| 14 | A2 | 118 | |
| 15 | A3 | 199 | |
| 16 | A4 | 689 | |
| 17 | AA | 924 | |
| 18 | AB | 296 | |
| 19 | AC | 167 | |
| 20 | AD | 430 | |
| 21 | AE | 125 | |
| 22 | AF | 242 | |
| 23 | AG | 396 | |
| 24 | AH | 201 | |
| 25 | AI | 194 | |
| 26 | AJ | 138 | |
| 27 | AK | 128 | |
| 28 | AL | 257 | |
| 29 | AM | 137 | |
| 30 | AN | 130 | |
| 31 | AO | 258 | |
| 32 | AP | 142 | |


























Continued on next page...

Continued from previous page...

| Mol | Chain | Length | Quality of chain |
|-----|-------|--------|------------------|
| 33 | AQ | 87 | |
| 34 | AR | 360 | |
| 35 | AS | 190 | |
| 36 | AT | 173 | |
| 37 | AU | 205 | |
| 38 | AV | 414 | |
| 39 | AW | 187 | |
| 40 | AX | 398 | |
| 41 | AY | 395 | |
| 42 | AZ | 106 | |
| 43 | XB | 72 | |
| 44 | XD | 305 | |
| 45 | XE | 348 | |
| 46 | XF | 311 | |
| 47 | XH | 267 | |
| 48 | XI | 261 | |
| 49 | XJ | 192 | |
| 50 | XK | 178 | |
| 51 | XL | 145 | |
| 52 | XM | 296 | |
| 53 | XN | 251 | |
| 54 | XO | 175 | |
| 55 | XP | 180 | |
| 56 | XQ | 292 | |
| 57 | XR | 149 | |

Continued on next page...

Continued from previous page...

| Mol | Chain | Length | Quality of chain |
|-----|-------|--------|--|
| 58 | XS | 205 |  |
| 59 | XT | 206 |  |
| 60 | XU | 153 |  |
| 61 | XV | 216 |  |
| 62 | XW | 148 |  |
| 63 | XX | 256 |  |
| 64 | XY | 250 |  |
| 65 | XZ | 161 |  |
| 66 | a | 142 |  |
| 67 | b | 215 |  |
| 68 | c | 332 |  |
| 69 | d | 306 |  |
| 70 | e | 279 |  |
| 71 | f | 212 |  |
| 72 | g | 166 |  |
| 73 | h | 158 |  |
| 74 | i | 128 |  |
| 75 | j | 123 |  |
| 76 | k | 112 |  |
| 77 | l | 138 |  |
| 78 | m | 128 |  |
| 79 | o | 102 |  |
| 80 | p | 206 |  |
| 81 | q | 222 |  |
| 82 | r | 196 |  |

Continued on next page...

Continued from previous page...

| Mol | Chain | Length | Quality of chain |
|-----|-------|--------|---------------------|
| 83 | r1 | 14 | 21% 100% |
| 84 | r2 | 76 | 25% 100% |
| 85 | r3 | 73 | 14% 100% |
| 86 | s | 439 | 84% 16% |
| 87 | t1 | 198 | 18% 23% 77% |
| 87 | t2 | 198 | 12% 15% 85% |
| 87 | t3 | 198 | 15% 15% 85% |
| 87 | t4 | 198 | 15% 15% 85% |
| 87 | t5 | 198 | 15% 15% 85% |
| 87 | t6 | 198 | 14% 14% 86% |
| 88 | A | 8 | 25% 25% 38% 12% |

2 Entry composition [i](#)

There are 92 unique types of molecules in this entry. The entry contains 313629 atoms, of which 143000 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called 39S ribosomal protein L32, mitochondrial.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace | |
|-----|-------|----------|-------|-----|-----|-----|-----|---------|-------|---|
| | | | Total | C | H | N | O | | | S |
| 1 | 0 | 108 | 1783 | 545 | 903 | 172 | 157 | 6 | 0 | 0 |

- Molecule 2 is a protein called 39S ribosomal protein L33, mitochondrial.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace | |
|-----|-------|----------|-------|-----|-----|----|----|---------|-------|---|
| | | | Total | C | H | N | O | | | S |
| 2 | 1 | 53 | 919 | 281 | 480 | 84 | 72 | 2 | 0 | 0 |

- Molecule 3 is a protein called 39S ribosomal protein L34, mitochondrial.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace | |
|-----|-------|----------|-------|-----|-----|----|----|---------|-------|---|
| | | | Total | C | H | N | O | | | S |
| 3 | 2 | 46 | 782 | 233 | 406 | 83 | 59 | 1 | 0 | 0 |

- Molecule 4 is a protein called 39S ribosomal protein L35, mitochondrial.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace | |
|-----|-------|----------|-------|-----|-----|-----|-----|---------|-------|---|
| | | | Total | C | H | N | O | | | S |
| 4 | 3 | 95 | 1714 | 539 | 883 | 162 | 127 | 3 | 0 | 0 |

- Molecule 5 is a protein called 39S ribosomal protein L36, mitochondrial.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace | |
|-----|-------|----------|-------|-----|-----|----|----|---------|-------|---|
| | | | Total | C | H | N | O | | | S |
| 5 | 4 | 38 | 703 | 217 | 362 | 72 | 48 | 4 | 0 | 0 |

- Molecule 6 is a protein called 39S ribosomal protein L37, mitochondrial.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace | |
|-----|-------|----------|-------|------|------|-----|-----|---------|-------|---|
| | | | Total | C | H | N | O | | | S |
| 6 | 5 | 393 | 6405 | 2070 | 3201 | 559 | 564 | 11 | 0 | 0 |

- Molecule 7 is a protein called 39S ribosomal protein L38, mitochondrial.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace | |
|-----|-------|----------|-------|------|------|-----|-----|---------|-------|---|
| | | | Total | C | H | N | O | | | S |
| 7 | 6 | 354 | 5787 | 1881 | 2840 | 525 | 532 | 9 | 0 | 0 |

- Molecule 8 is a protein called 39S ribosomal protein L39, mitochondrial.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace | |
|-----|-------|----------|-------|------|------|-----|-----|---------|-------|---|
| | | | Total | C | H | N | O | | | S |
| 8 | 7 | 291 | 4737 | 1514 | 2372 | 401 | 432 | 18 | 0 | 0 |

- Molecule 9 is a protein called 39S ribosomal protein L40, mitochondrial.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace | |
|-----|-------|----------|-------|-----|------|-----|-----|---------|-------|---|
| | | | Total | C | H | N | O | | | S |
| 9 | 8 | 139 | 2377 | 747 | 1202 | 208 | 218 | 2 | 0 | 0 |

- Molecule 10 is a protein called 39S ribosomal protein L41, mitochondrial.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace | |
|-----|-------|----------|-------|-----|-----|-----|-----|---------|-------|---|
| | | | Total | C | H | N | O | | | S |
| 10 | 9 | 124 | 1983 | 644 | 987 | 170 | 180 | 2 | 0 | 0 |

- Molecule 11 is a RNA chain called 16S mitochondrial rRNA.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace | |
|-----|-------|----------|-------|-------|-------|------|-------|---------|-------|---|
| | | | Total | C | H | N | O | | | P |
| 11 | XA | 1499 | 47992 | 14284 | 16159 | 5756 | 10294 | 1499 | 0 | 0 |

- Molecule 12 is a protein called 28S ribosomal protein S34, mitochondrial.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace | |
|-----|-------|----------|-------|------|------|-----|-----|---------|-------|---|
| | | | Total | C | H | N | O | | | S |
| 12 | A0 | 201 | 3369 | 1065 | 1685 | 322 | 292 | 5 | 0 | 0 |

- Molecule 13 is a protein called 28S ribosomal protein S35, mitochondrial.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace | |
|-----|-------|----------|-------|------|------|-----|-----|---------|-------|---|
| | | | Total | C | H | N | O | | | S |
| 13 | A1 | 275 | 4491 | 1414 | 2261 | 380 | 425 | 11 | 0 | 0 |

- Molecule 14 is a protein called Coiled-coil-helix-coiled-coil-helix domain-containing protein 1.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace | |
|-----|-------|----------|-------|-----|-----|-----|-----|---------|-------|---|
| | | | Total | C | H | N | O | | | S |
| 14 | A2 | 116 | 1889 | 574 | 964 | 181 | 162 | 8 | 0 | 0 |

- Molecule 15 is a protein called Aurora kinase A-interacting protein.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace | |
|-----|-------|----------|-------|-----|-----|-----|----|---------|-------|---|
| | | | Total | C | H | N | O | | | S |
| 15 | A3 | 69 | 1292 | 393 | 682 | 130 | 86 | 1 | 0 | 0 |

- Molecule 16 is a protein called Pentatricopeptide repeat domain-containing protein 3, mitochondrial.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace | |
|-----|-------|----------|-------|------|------|-----|-----|---------|-------|---|
| | | | Total | C | H | N | O | | | S |
| 16 | A4 | 552 | 8955 | 2866 | 4485 | 756 | 820 | 28 | 0 | 0 |

- Molecule 17 is a RNA chain called 12S mitochondrial rRNA.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace | |
|-----|-------|----------|-------|------|------|------|------|---------|-------|---|
| | | | Total | C | H | N | O | | | P |
| 17 | AA | 924 | 29592 | 8800 | 9964 | 3540 | 6364 | 924 | 0 | 0 |

- Molecule 18 is a protein called 28S ribosomal protein S2, mitochondrial.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace | |
|-----|-------|----------|-------|------|------|-----|-----|---------|-------|---|
| | | | Total | C | H | N | O | | | S |
| 18 | AB | 218 | 3545 | 1135 | 1769 | 322 | 309 | 10 | 0 | 0 |

- Molecule 19 is a protein called 28S ribosomal protein S24, mitochondrial.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace | |
|-----|-------|----------|-------|-----|------|-----|-----|---------|-------|---|
| | | | Total | C | H | N | O | | | S |
| 19 | AC | 132 | 2170 | 699 | 1088 | 195 | 184 | 4 | 0 | 0 |

- Molecule 20 is a protein called 28S ribosomal protein S5, mitochondrial.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace | |
|-----|-------|----------|-------|------|------|-----|-----|---------|-------|---|
| | | | Total | C | H | N | O | | | S |
| 20 | AD | 343 | 5499 | 1706 | 2783 | 515 | 482 | 13 | 0 | 0 |

- Molecule 21 is a protein called 28S ribosomal protein S6, mitochondrial.

| Mol | Chain | Residues | Atoms | | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|------|-----|-----|---|---------|-------|
| | | | Total | C | H | N | O | S | | |
| 21 | AE | 122 | 1973 | 614 | 1001 | 177 | 177 | 4 | 0 | 0 |

- Molecule 22 is a protein called 28S ribosomal protein S7, mitochondrial.

| Mol | Chain | Residues | Atoms | | | | | | AltConf | Trace |
|-----|-------|----------|-------|------|------|-----|-----|----|---------|-------|
| | | | Total | C | H | N | O | S | | |
| 22 | AF | 201 | 3384 | 1069 | 1716 | 305 | 283 | 11 | 0 | 0 |

- Molecule 23 is a protein called 28S ribosomal protein S9, mitochondrial.

| Mol | Chain | Residues | Atoms | | | | | | AltConf | Trace |
|-----|-------|----------|-------|------|------|-----|-----|----|---------|-------|
| | | | Total | C | H | N | O | S | | |
| 23 | AG | 304 | 4995 | 1593 | 2490 | 444 | 454 | 14 | 0 | 0 |

- Molecule 24 is a protein called 28S ribosomal protein S10, mitochondrial.

| Mol | Chain | Residues | Atoms | | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|------|-----|-----|---|---------|-------|
| | | | Total | C | H | N | O | S | | |
| 24 | AH | 135 | 2241 | 712 | 1136 | 187 | 203 | 3 | 0 | 0 |

- Molecule 25 is a protein called 28S ribosomal protein S11, mitochondrial.

| Mol | Chain | Residues | Atoms | | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|------|-----|-----|---|---------|-------|
| | | | Total | C | H | N | O | S | | |
| 25 | AI | 136 | 2063 | 637 | 1052 | 192 | 178 | 4 | 0 | 0 |

- Molecule 26 is a protein called 28S ribosomal protein S12, mitochondrial.

| Mol | Chain | Residues | Atoms | | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|-----|---|---------|-------|
| | | | Total | C | H | N | O | S | | |
| 26 | AJ | 108 | 1725 | 521 | 887 | 169 | 142 | 6 | 0 | 0 |

- Molecule 27 is a protein called 28S ribosomal protein S14, mitochondrial.

| Mol | Chain | Residues | Atoms | | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|-----|---|---------|-------|
| | | | Total | C | H | N | O | S | | |
| 27 | AK | 101 | 1746 | 537 | 885 | 179 | 140 | 5 | 0 | 0 |

- Molecule 28 is a protein called 28S ribosomal protein S15, mitochondrial.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace | |
|-----|-------|----------|-------|-----|------|-----|-----|---------|-------|---|
| | | | Total | C | H | N | O | | | S |
| 28 | AL | 164 | 2855 | 883 | 1473 | 257 | 235 | 7 | 0 | 0 |

- Molecule 29 is a protein called 28S ribosomal protein S16, mitochondrial.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace | |
|-----|-------|----------|-------|-----|-----|-----|-----|---------|-------|---|
| | | | Total | C | H | N | O | | | S |
| 29 | AM | 116 | 1871 | 582 | 951 | 182 | 150 | 6 | 0 | 0 |

- Molecule 30 is a protein called 28S ribosomal protein S17, mitochondrial.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace | |
|-----|-------|----------|-------|-----|-----|-----|-----|---------|-------|---|
| | | | Total | C | H | N | O | | | S |
| 30 | AN | 107 | 1754 | 549 | 908 | 153 | 141 | 3 | 0 | 0 |

- Molecule 31 is a protein called 28S ribosomal protein S18b, mitochondrial.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace | |
|-----|-------|----------|-------|-----|------|-----|-----|---------|-------|---|
| | | | Total | C | H | N | O | | | S |
| 31 | AO | 185 | 3018 | 970 | 1490 | 285 | 267 | 6 | 0 | 0 |

- Molecule 32 is a protein called 28S ribosomal protein S18c, mitochondrial.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace | |
|-----|-------|----------|-------|-----|-----|-----|-----|---------|-------|---|
| | | | Total | C | H | N | O | | | S |
| 32 | AP | 95 | 1561 | 493 | 796 | 132 | 132 | 8 | 0 | 0 |

- Molecule 33 is a protein called 28S ribosomal protein S21, mitochondrial.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace | |
|-----|-------|----------|-------|-----|-----|-----|-----|---------|-------|---|
| | | | Total | C | H | N | O | | | S |
| 33 | AQ | 85 | 1483 | 455 | 749 | 149 | 123 | 7 | 0 | 0 |

There is a discrepancy between the modelled and reference sequences:

| Chain | Residue | Modelled | Actual | Comment | Reference |
|-------|---------|----------|--------|---------|------------|
| AQ | 50 | ARG | CYS | variant | UNP P82921 |

- Molecule 34 is a protein called 28S ribosomal protein S22, mitochondrial.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace | |
|-----|-------|----------|-------|------|------|-----|-----|---------|-------|---|
| | | | Total | C | H | N | O | | | S |
| 34 | AR | 250 | 4134 | 1314 | 2074 | 353 | 385 | 8 | 0 | 0 |

- Molecule 35 is a protein called 28S ribosomal protein S23, mitochondrial.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace | |
|-----|-------|----------|-------|-----|------|-----|-----|---------|-------|---|
| | | | Total | C | H | N | O | | | S |
| 35 | AS | 133 | 2203 | 709 | 1103 | 196 | 194 | 1 | 0 | 0 |

- Molecule 36 is a protein called 28S ribosomal protein S25, mitochondrial.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace | |
|-----|-------|----------|-------|-----|------|-----|-----|---------|-------|---|
| | | | Total | C | H | N | O | | | S |
| 36 | AT | 162 | 2672 | 850 | 1342 | 231 | 238 | 11 | 0 | 0 |

- Molecule 37 is a protein called 28S ribosomal protein S26, mitochondrial.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace | |
|-----|-------|----------|-------|-----|------|-----|-----|---------|-------|---|
| | | | Total | C | H | N | O | | | S |
| 37 | AU | 173 | 2932 | 900 | 1471 | 294 | 263 | 4 | 0 | 0 |

- Molecule 38 is a protein called 28S ribosomal protein S27, mitochondrial.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace | |
|-----|-------|----------|-------|------|------|-----|-----|---------|-------|---|
| | | | Total | C | H | N | O | | | S |
| 38 | AV | 349 | 5729 | 1841 | 2862 | 478 | 536 | 12 | 0 | 0 |

- Molecule 39 is a protein called 28S ribosomal protein S28, mitochondrial.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace | |
|-----|-------|----------|-------|-----|-----|-----|-----|---------|-------|---|
| | | | Total | C | H | N | O | | | S |
| 39 | AW | 97 | 1551 | 486 | 785 | 137 | 139 | 4 | 0 | 0 |

- Molecule 40 is a protein called 28S ribosomal protein S29, mitochondrial.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace | |
|-----|-------|----------|-------|------|------|-----|-----|---------|-------|---|
| | | | Total | C | H | N | O | | | S |
| 40 | AX | 348 | 5617 | 1802 | 2803 | 491 | 510 | 11 | 0 | 0 |

- Molecule 41 is a protein called 28S ribosomal protein S31, mitochondrial.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace | |
|-----|-------|----------|-------|-----|-----|-----|-----|---------|-------|---|
| | | | Total | C | H | N | O | | | S |
| 41 | AY | 113 | 1868 | 621 | 912 | 157 | 176 | 2 | 0 | 0 |

- Molecule 42 is a protein called 28S ribosomal protein S33, mitochondrial.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace | |
|-----|-------|----------|-------|-----|-----|-----|-----|---------|-------|---|
| | | | Total | C | H | N | O | | | S |
| 42 | AZ | 86 | 1465 | 467 | 734 | 131 | 129 | 4 | 0 | 0 |

- Molecule 43 is a RNA chain called mitochondrial tRNAVal.

| Mol | Chain | Residues | Atoms | | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|-----|----|---------|-------|
| | | | Total | C | H | N | O | P | | |
| 43 | XB | 59 | 1890 | 563 | 635 | 227 | 406 | 59 | 0 | 0 |

- Molecule 44 is a protein called 39S ribosomal protein L2, mitochondrial.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace | |
|-----|-------|----------|-------|------|------|-----|-----|---------|-------|---|
| | | | Total | C | H | N | O | | | S |
| 44 | XD | 236 | 3738 | 1145 | 1896 | 373 | 315 | 9 | 0 | 0 |

- Molecule 45 is a protein called 39S ribosomal protein L3, mitochondrial.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace | |
|-----|-------|----------|-------|------|------|-----|-----|---------|-------|---|
| | | | Total | C | H | N | O | | | S |
| 45 | XE | 304 | 4798 | 1539 | 2402 | 416 | 430 | 11 | 0 | 0 |

- Molecule 46 is a protein called 39S ribosomal protein L4, mitochondrial.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace | |
|-----|-------|----------|-------|------|------|-----|-----|---------|-------|---|
| | | | Total | C | H | N | O | | | S |
| 46 | XF | 250 | 4057 | 1294 | 2044 | 365 | 348 | 6 | 0 | 0 |

- Molecule 47 is a protein called 39S ribosomal protein L9, mitochondrial.

| Mol | Chain | Residues | Atoms | | | | AltConf | Trace | |
|-----|-------|----------|-------|-----|-----|-----|---------|-------|---|
| | | | Total | C | H | N | | | O |
| 47 | XH | 95 | 1616 | 498 | 832 | 152 | 134 | 0 | 0 |

- Molecule 48 is a protein called 39S ribosomal protein L10, mitochondrial.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace | |
|-----|-------|----------|-------|------|------|-----|-----|---------|-------|---|
| | | | Total | C | H | N | O | | | S |
| 48 | XI | 211 | 3474 | 1086 | 1783 | 303 | 291 | 11 | 0 | 0 |

- Molecule 49 is a protein called 39S ribosomal protein L11, mitochondrial.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace | |
|-----|-------|----------|-------|-----|------|-----|-----|---------|-------|---|
| | | | Total | C | H | N | O | | | S |
| 49 | XJ | 170 | 2658 | 825 | 1367 | 230 | 234 | 2 | 0 | 0 |

- Molecule 50 is a protein called 39S ribosomal protein L13, mitochondrial.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace | |
|-----|-------|----------|-------|-----|------|-----|-----|---------|-------|---|
| | | | Total | C | H | N | O | | | S |
| 50 | XK | 177 | 2899 | 934 | 1448 | 259 | 251 | 7 | 0 | 0 |

- Molecule 51 is a protein called 39S ribosomal protein L14, mitochondrial.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace | |
|-----|-------|----------|-------|-----|-----|-----|-----|---------|-------|---|
| | | | Total | C | H | N | O | | | S |
| 51 | XL | 115 | 1830 | 559 | 941 | 171 | 154 | 5 | 0 | 0 |

- Molecule 52 is a protein called 39S ribosomal protein L15, mitochondrial.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace | |
|-----|-------|----------|-------|------|------|-----|-----|---------|-------|---|
| | | | Total | C | H | N | O | | | S |
| 52 | XM | 287 | 4681 | 1472 | 2376 | 425 | 402 | 6 | 0 | 0 |

- Molecule 53 is a protein called 39S ribosomal protein L16, mitochondrial.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace | |
|-----|-------|----------|-------|------|------|-----|-----|---------|-------|---|
| | | | Total | C | H | N | O | | | S |
| 53 | XN | 221 | 3586 | 1138 | 1808 | 325 | 305 | 10 | 0 | 0 |

- Molecule 54 is a protein called 39S ribosomal protein L17, mitochondrial.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace | |
|-----|-------|----------|-------|-----|------|-----|-----|---------|-------|---|
| | | | Total | C | H | N | O | | | S |
| 54 | XO | 152 | 2528 | 784 | 1283 | 239 | 215 | 7 | 0 | 0 |

- Molecule 55 is a protein called 39S ribosomal protein L18, mitochondrial.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace | |
|-----|-------|----------|-------|-----|------|-----|-----|---------|-------|---|
| | | | Total | C | H | N | O | | | S |
| 55 | XP | 143 | 2326 | 729 | 1162 | 223 | 207 | 5 | 0 | 0 |

- Molecule 56 is a protein called 39S ribosomal protein L19, mitochondrial.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace | |
|-----|-------|----------|-------|------|------|-----|-----|---------|-------|---|
| | | | Total | C | H | N | O | | | S |
| 56 | XQ | 238 | 4000 | 1268 | 2022 | 352 | 349 | 9 | 0 | 0 |

- Molecule 57 is a protein called 39S ribosomal protein L20, mitochondrial.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace | |
|-----|-------|----------|-------|-----|------|-----|-----|---------|-------|---|
| | | | Total | C | H | N | O | | | S |
| 57 | XR | 140 | 2367 | 732 | 1214 | 231 | 186 | 4 | 0 | 0 |

- Molecule 58 is a protein called 39S ribosomal protein L21, mitochondrial.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace | |
|-----|-------|----------|-------|-----|------|-----|-----|---------|-------|---|
| | | | Total | C | H | N | O | | | S |
| 58 | XS | 160 | 2638 | 829 | 1354 | 226 | 225 | 4 | 0 | 0 |

- Molecule 59 is a protein called 39S ribosomal protein L22, mitochondrial.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace | |
|-----|-------|----------|-------|-----|------|-----|-----|---------|-------|---|
| | | | Total | C | H | N | O | | | S |
| 59 | XT | 166 | 2778 | 875 | 1410 | 254 | 232 | 7 | 0 | 0 |

- Molecule 60 is a protein called 39S ribosomal protein L23, mitochondrial.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace | |
|-----|-------|----------|-------|-----|------|-----|-----|---------|-------|---|
| | | | Total | C | H | N | O | | | S |
| 60 | XU | 141 | 2335 | 743 | 1164 | 222 | 203 | 3 | 0 | 0 |

- Molecule 61 is a protein called 39S ribosomal protein L24, mitochondrial.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace | |
|-----|-------|----------|-------|------|------|-----|-----|---------|-------|---|
| | | | Total | C | H | N | O | | | S |
| 61 | XV | 202 | 3304 | 1051 | 1656 | 294 | 295 | 8 | 0 | 0 |

- Molecule 62 is a protein called 39S ribosomal protein L27, mitochondrial.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace | |
|-----|-------|----------|-------|-----|-----|-----|-----|---------|-------|---|
| | | | Total | C | H | N | O | | | S |
| 62 | XW | 111 | 1769 | 558 | 898 | 164 | 146 | 3 | 0 | 0 |

- Molecule 63 is a protein called 39S ribosomal protein L28, mitochondrial.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace | |
|-----|-------|----------|-------|------|------|-----|-----|---------|-------|---|
| | | | Total | C | H | N | O | | | S |
| 63 | XX | 243 | 4089 | 1317 | 2054 | 351 | 362 | 5 | 0 | 0 |

- Molecule 64 is a protein called 39S ribosomal protein L47, mitochondrial.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace | |
|-----|-------|----------|-------|-----|------|-----|-----|---------|-------|---|
| | | | Total | C | H | N | O | | | S |
| 64 | XY | 178 | 3109 | 981 | 1575 | 295 | 254 | 4 | 0 | 0 |

- Molecule 65 is a protein called 39S ribosomal protein L30, mitochondrial.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace | |
|-----|-------|----------|-------|-----|------|-----|-----|---------|-------|---|
| | | | Total | C | H | N | O | | | S |
| 65 | XZ | 120 | 2008 | 626 | 1030 | 183 | 166 | 3 | 0 | 0 |

- Molecule 66 is a protein called 39S ribosomal protein L42, mitochondrial.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace | |
|-----|-------|----------|-------|-----|-----|-----|-----|---------|-------|---|
| | | | Total | C | H | N | O | | | S |
| 66 | a | 97 | 1590 | 512 | 777 | 145 | 151 | 5 | 0 | 0 |

- Molecule 67 is a protein called 39S ribosomal protein L43, mitochondrial.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace | |
|-----|-------|----------|-------|-----|------|-----|-----|---------|-------|---|
| | | | Total | C | H | N | O | | | S |
| 67 | b | 148 | 2358 | 733 | 1180 | 229 | 213 | 3 | 0 | 0 |

- Molecule 68 is a protein called 39S ribosomal protein L44, mitochondrial.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace | |
|-----|-------|----------|-------|------|------|-----|-----|---------|-------|---|
| | | | Total | C | H | N | O | | | S |
| 68 | c | 275 | 4437 | 1415 | 2220 | 383 | 410 | 9 | 0 | 0 |

- Molecule 69 is a protein called 39S ribosomal protein L45, mitochondrial.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace | |
|-----|-------|----------|-------|------|------|-----|-----|---------|-------|---|
| | | | Total | C | H | N | O | | | S |
| 69 | d | 216 | 3501 | 1125 | 1743 | 305 | 315 | 13 | 0 | 0 |

- Molecule 70 is a protein called 39S ribosomal protein L46, mitochondrial.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace | |
|-----|-------|----------|-------|------|------|-----|-----|---------|-------|---|
| | | | Total | C | H | N | O | | | S |
| 70 | e | 213 | 3463 | 1105 | 1732 | 304 | 317 | 5 | 0 | 0 |

- Molecule 71 is a protein called 39S ribosomal protein L48, mitochondrial.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace | |
|-----|-------|----------|-------|-----|------|-----|-----|---------|-------|---|
| | | | Total | C | H | N | O | | | S |
| 71 | f | 143 | 2313 | 737 | 1164 | 187 | 221 | 4 | 0 | 0 |

- Molecule 72 is a protein called 39S ribosomal protein L49, mitochondrial.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace | |
|-----|-------|----------|-------|-----|------|-----|-----|---------|-------|---|
| | | | Total | C | H | N | O | | | S |
| 72 | g | 132 | 2183 | 710 | 1086 | 191 | 194 | 2 | 0 | 0 |

- Molecule 73 is a protein called 39S ribosomal protein L50, mitochondrial.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace | |
|-----|-------|----------|-------|-----|-----|-----|-----|---------|-------|---|
| | | | Total | C | H | N | O | | | S |
| 73 | h | 108 | 1748 | 560 | 866 | 154 | 165 | 3 | 0 | 0 |

- Molecule 74 is a protein called 39S ribosomal protein L51, mitochondrial.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace | |
|-----|-------|----------|-------|-----|-----|-----|-----|---------|-------|---|
| | | | Total | C | H | N | O | | | S |
| 74 | i | 97 | 1684 | 532 | 857 | 165 | 126 | 4 | 0 | 0 |

- Molecule 75 is a protein called 39S ribosomal protein L52, mitochondrial.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace | |
|-----|-------|----------|-------|-----|-----|-----|-----|---------|-------|---|
| | | | Total | C | H | N | O | | | S |
| 75 | j | 86 | 1367 | 426 | 678 | 134 | 127 | 2 | 0 | 0 |

- Molecule 76 is a protein called 39S ribosomal protein L53, mitochondrial.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace | |
|-----|-------|----------|-------|-----|-----|-----|-----|---------|-------|---|
| | | | Total | C | H | N | O | | | S |
| 76 | k | 95 | 1477 | 456 | 745 | 139 | 132 | 5 | 0 | 0 |

- Molecule 77 is a protein called 39S ribosomal protein L54, mitochondrial.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace | |
|-----|-------|----------|-------|-----|-----|-----|-----|---------|-------|---|
| | | | Total | C | H | N | O | | | S |
| 77 | l | 80 | 1327 | 427 | 654 | 118 | 125 | 3 | 0 | 0 |

- Molecule 78 is a protein called 39S ribosomal protein L55, mitochondrial.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace | |
|-----|-------|----------|-------|-----|-----|-----|----|---------|-------|---|
| | | | Total | C | H | N | O | | | S |
| 78 | m | 60 | 1025 | 309 | 525 | 104 | 85 | 2 | 0 | 0 |

- Molecule 79 is a protein called Ribosomal protein 63, mitochondrial.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace | |
|-----|-------|----------|-------|-----|-----|-----|-----|---------|-------|---|
| | | | Total | C | H | N | O | | | S |
| 79 | o | 94 | 1601 | 501 | 804 | 165 | 128 | 3 | 0 | 0 |

- Molecule 80 is a protein called Peptidyl-tRNA hydrolase ICT1, mitochondrial.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace | |
|-----|-------|----------|-------|-----|------|-----|-----|---------|-------|---|
| | | | Total | C | H | N | O | | | S |
| 80 | p | 127 | 2141 | 661 | 1083 | 201 | 192 | 4 | 0 | 0 |

- Molecule 81 is a protein called Growth arrest and DNA damage-inducible proteins-interacting protein 1.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace | |
|-----|-------|----------|-------|-----|------|-----|-----|---------|-------|---|
| | | | Total | C | H | N | O | | | S |
| 81 | q | 164 | 2738 | 858 | 1359 | 267 | 249 | 5 | 0 | 0 |

- Molecule 82 is a protein called 39S ribosomal protein S18a, mitochondrial.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace | |
|-----|-------|----------|-------|-----|------|-----|-----|---------|-------|---|
| | | | Total | C | H | N | O | | | S |
| 82 | r | 152 | 2514 | 792 | 1267 | 239 | 208 | 8 | 0 | 0 |

- Molecule 83 is a RNA chain called mRNA.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|----|----|----|---------|-------|
| 83 | r1 | 14 | Total | C | N | O | P | 0 | 0 |
| | | | 252 | 126 | 28 | 84 | 14 | | |

- Molecule 84 is a RNA chain called A/P-tRNA.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|----|---------|-------|
| 84 | r2 | 76 | Total | C | N | O | P | 0 | 0 |
| | | | 1485 | 723 | 230 | 456 | 76 | | |

- Molecule 85 is a RNA chain called P/E-tRNA.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|----|---------|-------|
| 85 | r3 | 73 | Total | C | N | O | P | 0 | 0 |
| | | | 1420 | 692 | 216 | 439 | 73 | | |

- Molecule 86 is a protein called 39S ribosomal protein S30, mitochondrial.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace | |
|-----|-------|----------|-------|------|------|-----|-----|---------|-------|---|
| 86 | s | 370 | Total | C | H | N | O | S | 0 | 0 |
| | | | 6058 | 1946 | 3022 | 542 | 534 | 14 | | |

- Molecule 87 is a protein called 39S ribosomal protein L12, mitochondrial.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|----|----|---------|-------|
| 87 | t1 | 46 | Total | C | H | N | O | 2 | 0 |
| | | | 733 | 228 | 379 | 56 | 70 | | |
| 87 | t2 | 30 | Total | C | H | N | O | 0 | 0 |
| | | | 506 | 154 | 268 | 38 | 46 | | |
| 87 | t3 | 30 | Total | C | H | N | O | 0 | 0 |
| | | | 506 | 154 | 268 | 38 | 46 | | |
| 87 | t4 | 29 | Total | C | H | N | O | 0 | 0 |
| | | | 484 | 148 | 255 | 36 | 45 | | |
| 87 | t5 | 29 | Total | C | H | N | O | 0 | 0 |
| | | | 484 | 148 | 255 | 36 | 45 | | |
| 87 | t6 | 27 | Total | C | H | N | O | 0 | 0 |
| | | | 450 | 137 | 236 | 34 | 43 | | |

- Molecule 88 is a protein called Quinupristin.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace | |
|-----|-------|----------|-------|----|----|---|----|---------|-------|---|
| 88 | A | 8 | Total | C | H | N | O | S | 0 | 0 |
| | | | 140 | 53 | 67 | 9 | 10 | 1 | | |


- Molecule 89 is ZINC ION (three-letter code: ZN) (formula: Zn).

| Mol | Chain | Residues | Atoms | | AltConf |
|-----|-------|----------|------------|---------|---------|
| 89 | 0 | 1 | Total 1 | Zn 1 | 0 |
| 89 | 4 | 1 | Total 1 | Zn 1 | 0 |
| 89 | AB | 1 | Total 1 | Zn 1 | 0 |
| 89 | AO | 1 | Total 1 | Zn 1 | 0 |
| 89 | AP | 1 | Total 1 | Zn 1 | 0 |
| 89 | AT | 1 | Total 1 | Zn 1 | 0 |
| 89 | r | 1 | Total 1 | Zn 1 | 0 |

- Molecule 90 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).


| Mol | Chain | Residues | Atoms | | AltConf |
|-----|-------|----------|--------------|-----------|---------|
| 90 | XA | 141 | Total 141 | Mg 141 | 0 |
| 90 | AA | 46 | Total 46 | Mg 46 | 0 |
| 90 | XD | 1 | Total 1 | Mg 1 | 0 |
| 90 | XE | 1 | Total 1 | Mg 1 | 0 |
| 90 | XI | 1 | Total 1 | Mg 1 | 0 |
| 90 | XM | 2 | Total 2 | Mg 2 | 0 |
| 90 | XW | 1 | Total 1 | Mg 1 | 0 |
| 90 | g | 1 | Total 1 | Mg 1 | 0 |
| 90 | o | 1 | Total 1 | Mg 1 | 0 |

- Molecule 91 is 5-(2-DIETHYLAMINO-ETHANESULFONYL)-21-HYDROXY-10-ISOPROPYL-11,19-DIMETHYL-9,26-DIOXA-3,15,28-TRIAZA-TRICYCLO[23.2.1.00,255]OCTACOSA-1(27),12,17,19,25(28)-PENTAENE-2,8,14,23-TETRAONE (three-letter code: DOL) (formula: C₃₄H₅₀N₄O₉S).



| Mol | Chain | Residues | Atoms | | | | | AltConf | |
|-----|-------|----------|-------|----|----|---|---|---------|---|
| | | | Total | C | H | N | O | | S |
| 91 | XA | 1 | 98 | 34 | 50 | 4 | 9 | 1 | 0 |

- Molecule 92 is GUANOSINE-5'-TRIPHOSPHATE (three-letter code: GTP) (formula: $C_{10}H_{16}N_5O_{14}P_3$).




| Mol | Chain | Residues | Atoms | | | | | AltConf | |
|-----|-------|----------|-------|----|----|---|----|---------|---|
| | | | Total | C | H | N | O | | P |
| 92 | AX | 1 | 42 | 10 | 10 | 5 | 14 | 3 | 0 |


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: 39S ribosomal protein L32, mitochondrial




- Molecule 2: 39S ribosomal protein L33, mitochondrial




- Molecule 3: 39S ribosomal protein L34, mitochondrial




- Molecule 4: 39S ribosomal protein L35, mitochondrial













- Molecule 5: 39S ribosomal protein L36, mitochondrial




- Molecule 6: 39S ribosomal protein L37, mitochondrial




- Molecule 7: 39S ribosomal protein L38, mitochondrial




- Molecule 8: 39S ribosomal protein L39, mitochondrial








• Molecule 9: 39S ribosomal protein L40, mitochondrial




• Molecule 10: 39S ribosomal protein L41, mitochondrial





• Molecule 11: 16S mitochondrial rRNA






• Molecule 12: 28S ribosomal protein S34, mitochondrial







• Molecule 13: 28S ribosomal protein S35, mitochondrial



• Molecule 14: Coiled-coil-helix-coiled-coil-helix domain-containing protein 1




• Molecule 15: Aurora kinase A-interacting protein




GLU
MET
VAL
PRO
ARG
LYS
MET
SER
VAL
SER
PRO
LEU
GLU
TRP
THR
ALA
ARG
PHE
LEU
PRO
ARG
ASP
THR
GLY
THR
ALA
THR
VAL
ALA
PRO
PRO
GLN
SER
TYR
GLY
CYS
PRO
SER
GLN
ILE
GLY
GLY
ALA
GLU
GLN
GLY
ASP
GLU
GLY
VAL
ALA

ASP
ALA
PRO
GLN
ILE
GLN
CYS
K128
K142
Y143
R161
R164
K171
R174
R175
W176
L177
K178
K179
A180
K183
E187
G188
W189
Q190
K193
L196
ARG
GLY
LYS

• Molecule 16: Pentatricopeptide repeat domain-containing protein 3, mitochondrial




• Molecule 17: 12S mitochondrial rRNA





GLY
PRO
ALA
ALA
HIS
HIS
PRO
PRO
GLY
ALA
ASP
MET
SER
SER
HIS
SER
LEU



• Molecule 19: 28S ribosomal protein S24, mitochondrial




• Molecule 20: 28S ribosomal protein S5, mitochondrial




• Molecule 21: 28S ribosomal protein S6, mitochondrial




• Molecule 22: 28S ribosomal protein S7, mitochondrial




• Molecule 25: 28S ribosomal protein S11, mitochondrial




• Molecule 26: 28S ribosomal protein S12, mitochondrial




• Molecule 27: 28S ribosomal protein S14, mitochondrial





• Molecule 28: 28S ribosomal protein S15, mitochondrial







• Molecule 29: 28S ribosomal protein S16, mitochondrial



• Molecule 30: 28S ribosomal protein S17, mitochondrial





• Molecule 31: 28S ribosomal protein S18b, mitochondrial





• Molecule 32: 28S ribosomal protein S18c, mitochondrial

GLU ASN
GLU THR
GLN LYS
GLU VAL
PRO
GLN
ASP
GLN
HIS
LEU
GLU
PRO
ALA
ALA
ALA
GLN
SER
SER
GLY
LEU
LEU
PRO
PRO



• Molecule 36: 28S ribosomal protein S25, mitochondrial




• Molecule 37: 28S ribosomal protein S26, mitochondrial






• Molecule 38: 28S ribosomal protein S27, mitochondrial












• Molecule 39: 28S ribosomal protein S28, mitochondrial





• Molecule 40: 28S ribosomal protein S29, mitochondrial




• Molecule 41: 28S ribosomal protein S31, mitochondrial




• Molecule 45: 39S ribosomal protein L3, mitochondrial




• Molecule 46: 39S ribosomal protein L4, mitochondrial




• Molecule 47: 39S ribosomal protein L9, mitochondrial




• Molecule 48: 39S ribosomal protein L10, mitochondrial




• Molecule 49: 39S ribosomal protein L11, mitochondrial




• Molecule 50: 39S ribosomal protein L13, mitochondrial




• Molecule 51: 39S ribosomal protein L14, mitochondrial




• Molecule 52: 39S ribosomal protein L15, mitochondrial





- Molecule 53: 39S ribosomal protein L16, mitochondrial

Chain XN:  77% 11% 12%




- Molecule 54: 39S ribosomal protein L17, mitochondrial

Chain XO:  73% 14% 13%




- Molecule 55: 39S ribosomal protein L18, mitochondrial

Chain XP:  67% 12% 21%




- Molecule 56: 39S ribosomal protein L19, mitochondrial

Chain XQ:  8% 68% 14% 18%




- Molecule 57: 39S ribosomal protein L20, mitochondrial



Chain XR:  80% 14% 6%




• Molecule 58: 39S ribosomal protein L21, mitochondrial





• Molecule 59: 39S ribosomal protein L22, mitochondrial




• Molecule 60: 39S ribosomal protein L23, mitochondrial



• Molecule 61: 39S ribosomal protein L24, mitochondrial




• Molecule 62: 39S ribosomal protein L27, mitochondrial








- Molecule 63: 39S ribosomal protein L28, mitochondrial

Chain XX: 82% 12% 5%





- Molecule 64: 39S ribosomal protein L47, mitochondrial

Chain XY: 56% 15% 29%




- Molecule 65: 39S ribosomal protein L30, mitochondrial

Chain XZ: 68% 6% 25%




- Molecule 66: 39S ribosomal protein L42, mitochondrial



Chain a: 6% 68% 32%



- Molecule 67: 39S ribosomal protein L43, mitochondrial





- Molecule 68: 39S ribosomal protein L44, mitochondrial



- Molecule 69: 39S ribosomal protein L45, mitochondrial




- Molecule 70: 39S ribosomal protein L46, mitochondrial





- Molecule 71: 39S ribosomal protein L48, mitochondrial







- Molecule 72: 39S ribosomal protein L49, mitochondrial




- Molecule 73: 39S ribosomal protein L50, mitochondrial




- Molecule 74: 39S ribosomal protein L51, mitochondrial




- Molecule 75: 39S ribosomal protein L52, mitochondrial




- Molecule 76: 39S ribosomal protein L53, mitochondrial





- Molecule 77: 39S ribosomal protein L54, mitochondrial




• Molecule 78: 39S ribosomal protein L55, mitochondrial





• Molecule 79: Ribosomal protein 63, mitochondrial



• Molecule 80: Peptidyl-tRNA hydrolase ICT1, mitochondrial



• Molecule 81: Growth arrest and DNA damage-inducible proteins-interacting protein 1



• Molecule 82: 39S ribosomal protein S18a, mitochondrial

4 Experimental information

| Property | Value | Source |
|--------------------------------------|---|-----------|
| EM reconstruction method | SINGLE PARTICLE | Depositor |
| Imposed symmetry | POINT, Not provided | |
| Number of particles used | 4966 | Depositor |
| Resolution determination method | FSC 0.143 CUT-OFF | Depositor |
| CTF correction method | PHASE FLIPPING AND AMPLITUDE CORRECTION | Depositor |
| Microscope | FEI TITAN KRIOS | Depositor |
| Voltage (kV) | 300 | Depositor |
| Electron dose ($e^-/\text{\AA}^2$) | 30 | Depositor |
| Minimum defocus (nm) | Not provided | |
| Maximum defocus (nm) | Not provided | |
| Magnification | Not provided | |
| Image detector | GATAN K2 SUMMIT (4k x 4k) | Depositor |
| Maximum map value | 0.208 | Depositor |
| Minimum map value | -0.112 | Depositor |
| Average map value | -0.000 | Depositor |
| Map value standard deviation | 0.004 | Depositor |
| Recommended contour level | 0.02 | Depositor |
| Map size (Å) | 546.0, 546.0, 546.0 | wwPDB |
| Map dimensions | 520, 520, 520 | wwPDB |
| Map angles (°) | 90.0, 90.0, 90.0 | wwPDB |
| Pixel spacing (Å) | 1.05, 1.05, 1.05 | Depositor |

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: P5P, DOL, Y5P, MHT, MHW, ZN, 004, MHV, DBB, MHU, GTP, MG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

| Mol | Chain | Bond lengths | | Bond angles | |
|-----|-------|--------------|---------|-------------|---------|
| | | RMSZ | # Z >5 | RMSZ | # Z >5 |
| 1 | 0 | 0.27 | 0/895 | 0.43 | 0/1201 |
| 2 | 1 | 0.26 | 0/444 | 0.46 | 0/591 |
| 3 | 2 | 0.30 | 0/382 | 0.43 | 0/507 |
| 4 | 3 | 0.31 | 0/852 | 0.43 | 0/1136 |
| 5 | 4 | 0.26 | 0/349 | 0.44 | 0/461 |
| 6 | 5 | 0.26 | 0/3299 | 0.42 | 0/4495 |
| 7 | 6 | 0.27 | 0/3041 | 0.41 | 0/4137 |
| 8 | 7 | 0.25 | 0/2419 | 0.42 | 0/3267 |
| 9 | 8 | 0.25 | 0/1199 | 0.38 | 0/1612 |
| 10 | 9 | 0.28 | 0/1024 | 0.41 | 0/1379 |
| 11 | XA | 0.32 | 0/35615 | 0.79 | 0/55429 |
| 12 | A0 | 0.23 | 0/1727 | 0.42 | 0/2338 |
| 13 | A1 | 0.24 | 0/2276 | 0.40 | 0/3079 |
| 14 | A2 | 0.24 | 0/939 | 0.41 | 0/1256 |
| 15 | A3 | 0.25 | 0/621 | 0.42 | 0/820 |
| 16 | A4 | 0.25 | 0/4559 | 0.41 | 0/6149 |
| 17 | AA | 0.20 | 0/21952 | 0.75 | 0/34164 |
| 18 | AB | 0.24 | 0/1819 | 0.40 | 0/2462 |
| 19 | AC | 0.24 | 0/1112 | 0.42 | 0/1505 |
| 20 | AD | 0.24 | 0/2768 | 0.42 | 0/3707 |
| 21 | AE | 0.23 | 0/989 | 0.43 | 0/1335 |
| 22 | AF | 0.24 | 0/1708 | 0.39 | 0/2291 |
| 23 | AG | 0.25 | 0/2559 | 0.41 | 0/3429 |
| 24 | AH | 0.24 | 0/1128 | 0.43 | 0/1529 |
| 25 | AI | 0.25 | 0/1031 | 0.42 | 0/1390 |
| 26 | AJ | 0.25 | 0/854 | 0.46 | 0/1148 |
| 27 | AK | 0.22 | 0/879 | 0.39 | 0/1182 |
| 28 | AL | 0.24 | 0/1406 | 0.39 | 0/1878 |
| 29 | AM | 0.24 | 0/941 | 0.41 | 0/1265 |
| 30 | AN | 0.24 | 0/864 | 0.43 | 0/1169 |
| 31 | AO | 0.24 | 0/1580 | 0.38 | 0/2150 |
| 32 | AP | 0.24 | 0/782 | 0.38 | 0/1050 |

| Mol | Chain | Bond lengths | | Bond angles | |
|-----|-------|--------------|---------------|-------------|---------|
| | | RMSZ | # Z >5 | RMSZ | # Z >5 |
| 33 | AQ | 0.23 | 0/746 | 0.41 | 0/993 |
| 34 | AR | 0.27 | 0/2103 | 0.43 | 0/2842 |
| 35 | AS | 0.25 | 0/1127 | 0.40 | 0/1518 |
| 36 | AT | 0.25 | 0/1361 | 0.41 | 0/1829 |
| 37 | AU | 0.24 | 0/1482 | 0.39 | 0/1987 |
| 38 | AV | 0.24 | 0/2925 | 0.40 | 0/3948 |
| 39 | AW | 0.24 | 0/778 | 0.44 | 0/1048 |
| 40 | AX | 0.24 | 0/2884 | 0.43 | 0/3903 |
| 41 | AY | 0.25 | 0/985 | 0.38 | 0/1329 |
| 42 | AZ | 0.24 | 0/748 | 0.38 | 0/1000 |
| 43 | XB | 0.20 | 0/1400 | 0.73 | 0/2168 |
| 44 | XD | 0.26 | 0/1879 | 0.45 | 0/2527 |
| 45 | XE | 0.28 | 0/2465 | 0.44 | 0/3344 |
| 46 | XF | 0.30 | 0/2071 | 0.45 | 0/2817 |
| 47 | XH | 0.25 | 0/798 | 0.44 | 0/1073 |
| 48 | XI | 0.25 | 0/1727 | 0.43 | 0/2340 |
| 49 | XJ | 0.24 | 0/1309 | 0.40 | 0/1764 |
| 50 | XK | 0.30 | 0/1495 | 0.41 | 0/2029 |
| 51 | XL | 0.26 | 0/904 | 0.43 | 0/1218 |
| 52 | XM | 0.29 | 0/2359 | 0.43 | 0/3185 |
| 53 | XN | 0.28 | 0/1825 | 0.44 | 0/2458 |
| 54 | XO | 0.26 | 0/1269 | 0.43 | 0/1708 |
| 55 | XP | 0.25 | 0/1190 | 0.41 | 0/1611 |
| 56 | XQ | 0.26 | 0/2026 | 0.44 | 0/2734 |
| 57 | XR | 0.31 | 0/1174 | 0.45 | 0/1572 |
| 58 | XS | 0.28 | 0/1311 | 0.46 | 0/1778 |
| 59 | XT | 0.30 | 0/1402 | 0.44 | 0/1886 |
| 60 | XU | 0.27 | 0/1200 | 0.41 | 0/1623 |
| 61 | XV | 0.26 | 0/1693 | 0.44 | 0/2297 |
| 62 | XW | 0.28 | 0/893 | 0.46 | 0/1204 |
| 63 | XX | 0.32 | 1/2090 (0.0%) | 0.41 | 0/2825 |
| 64 | XY | 0.26 | 0/1571 | 0.42 | 0/2106 |
| 65 | XZ | 0.29 | 0/1003 | 0.45 | 0/1354 |
| 66 | a | 0.26 | 0/838 | 0.43 | 0/1138 |
| 67 | b | 0.28 | 0/1202 | 0.46 | 0/1626 |
| 68 | c | 0.26 | 0/2264 | 0.41 | 0/3059 |
| 69 | d | 0.25 | 0/1807 | 0.42 | 0/2450 |
| 70 | e | 0.24 | 0/1766 | 0.42 | 0/2382 |
| 71 | f | 0.25 | 0/1168 | 0.42 | 0/1573 |
| 72 | g | 0.30 | 0/1134 | 0.48 | 0/1547 |
| 73 | h | 0.25 | 0/905 | 0.41 | 0/1233 |
| 74 | i | 0.30 | 0/849 | 0.45 | 0/1135 |
| 75 | j | 0.27 | 0/703 | 0.41 | 0/947 |

| Mol | Chain | Bond lengths | | Bond angles | |
|-----|-------|--------------|-----------------|-------------|----------|
| | | RMSZ | # Z >5 | RMSZ | # Z >5 |
| 76 | k | 0.24 | 0/743 | 0.44 | 0/1003 |
| 77 | l | 0.24 | 0/692 | 0.37 | 0/939 |
| 78 | m | 0.23 | 0/508 | 0.49 | 0/682 |
| 79 | o | 0.29 | 0/818 | 0.45 | 0/1097 |
| 80 | p | 0.23 | 0/1071 | 0.41 | 0/1433 |
| 81 | q | 0.25 | 0/1413 | 0.40 | 0/1906 |
| 82 | r | 0.27 | 0/1282 | 0.42 | 0/1734 |
| 86 | s | 0.26 | 0/3114 | 0.42 | 0/4225 |
| 87 | t1 | 0.25 | 0/366 | 0.37 | 0/497 |
| 87 | t2 | 0.21 | 0/238 | 0.37 | 0/319 |
| 87 | t3 | 0.21 | 0/238 | 0.35 | 0/319 |
| 87 | t4 | 0.22 | 0/229 | 0.37 | 0/308 |
| 87 | t5 | 0.21 | 0/229 | 0.35 | 0/308 |
| 87 | t6 | 0.23 | 0/213 | 0.39 | 0/286 |
| 88 | A | 0.55 | 0/13 | 0.66 | 0/15 |
| All | All | 0.27 | 1/176009 (0.0%) | 0.57 | 0/249690 |

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

| Mol | Chain | #Chirality outliers | #Planarity outliers |
|-----|-------|---------------------|---------------------|
| 48 | XI | 0 | 1 |
| 70 | e | 0 | 1 |
| 88 | A | 2 | 3 |
| All | All | 2 | 5 |

All (1) bond length outliers are listed below:

| Mol | Chain | Res | Type | Atoms | Z | Observed(Å) | Ideal(Å) |
|-----|-------|-----|------|-------|------|-------------|----------|
| 63 | XX | 149 | PRO | N-CD | 7.70 | 1.58 | 1.47 |

There are no bond angle outliers.

All (2) chirality outliers are listed below:

| Mol | Chain | Res | Type | Atom |
|-----|-------|-----|------|------|
| 88 | A | 2 | THR | CB |
| 88 | A | 4 | PRO | CA |

All (5) planarity outliers are listed below:

| Mol | Chain | Res | Type | Group |
|-----|-------|-----|------|---------|
| 88 | A | 3 | DBB | Peptide |
| 88 | A | 4 | PRO | Peptide |
| 88 | A | 5 | MHU | Peptide |
| 48 | XI | 197 | LEU | Peptide |
| 70 | e | 265 | LYS | Peptide |

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

| Mol | Chain | Non-H | H(model) | H(added) | Clashes | Symm-Clashes |
|-----|-------|-------|----------|----------|---------|--------------|
| 1 | 0 | 880 | 903 | 903 | 12 | 0 |
| 2 | 1 | 439 | 480 | 480 | 9 | 0 |
| 3 | 2 | 376 | 406 | 406 | 14 | 0 |
| 4 | 3 | 831 | 883 | 883 | 17 | 0 |
| 5 | 4 | 341 | 362 | 362 | 7 | 0 |
| 6 | 5 | 3204 | 3201 | 3201 | 31 | 0 |
| 7 | 6 | 2947 | 2840 | 2840 | 31 | 0 |
| 8 | 7 | 2365 | 2372 | 2371 | 31 | 0 |
| 9 | 8 | 1175 | 1202 | 1202 | 9 | 0 |
| 10 | 9 | 996 | 987 | 987 | 17 | 0 |
| 11 | XA | 31833 | 16159 | 16168 | 352 | 0 |
| 12 | A0 | 1684 | 1685 | 1685 | 16 | 0 |
| 13 | A1 | 2230 | 2261 | 2261 | 68 | 0 |
| 14 | A2 | 925 | 964 | 964 | 13 | 0 |
| 15 | A3 | 610 | 682 | 682 | 11 | 0 |
| 16 | A4 | 4470 | 4485 | 4486 | 127 | 0 |
| 17 | AA | 19628 | 9964 | 9971 | 159 | 0 |
| 18 | AB | 1776 | 1769 | 1769 | 17 | 0 |
| 19 | AC | 1082 | 1088 | 1088 | 25 | 0 |
| 20 | AD | 2716 | 2783 | 2784 | 32 | 0 |
| 21 | AE | 972 | 1001 | 1001 | 18 | 0 |
| 22 | AF | 1668 | 1716 | 1716 | 23 | 0 |
| 23 | AG | 2505 | 2490 | 2490 | 31 | 0 |
| 24 | AH | 1105 | 1136 | 1136 | 38 | 0 |
| 25 | AI | 1011 | 1052 | 1052 | 6 | 0 |
| 26 | AJ | 838 | 887 | 887 | 13 | 0 |
| 27 | AK | 861 | 885 | 885 | 13 | 0 |
| 28 | AL | 1382 | 1473 | 1472 | 19 | 0 |
| 29 | AM | 920 | 951 | 951 | 11 | 0 |

Continued on next page...

Continued from previous page...

| Mol | Chain | Non-H | H(model) | H(added) | Clashes | Symm-Clashes |
|-----|-------|-------|----------|----------|---------|--------------|
| 30 | AN | 846 | 908 | 908 | 13 | 0 |
| 31 | AO | 1528 | 1490 | 1490 | 18 | 0 |
| 32 | AP | 765 | 796 | 796 | 8 | 0 |
| 33 | AQ | 734 | 749 | 749 | 6 | 0 |
| 34 | AR | 2060 | 2074 | 2074 | 24 | 0 |
| 35 | AS | 1100 | 1103 | 1103 | 12 | 0 |
| 36 | AT | 1330 | 1342 | 1342 | 11 | 0 |
| 37 | AU | 1461 | 1471 | 1471 | 17 | 0 |
| 38 | AV | 2867 | 2862 | 2862 | 26 | 0 |
| 39 | AW | 766 | 785 | 785 | 5 | 0 |
| 40 | AX | 2814 | 2803 | 2802 | 27 | 0 |
| 41 | AY | 956 | 912 | 911 | 21 | 0 |
| 42 | AZ | 731 | 734 | 734 | 9 | 0 |
| 43 | XB | 1255 | 635 | 640 | 9 | 0 |
| 44 | XD | 1842 | 1896 | 1896 | 40 | 0 |
| 45 | XE | 2396 | 2402 | 2402 | 27 | 0 |
| 46 | XF | 2013 | 2044 | 2044 | 25 | 0 |
| 47 | XH | 784 | 832 | 832 | 9 | 0 |
| 48 | XI | 1691 | 1783 | 1783 | 15 | 0 |
| 49 | XJ | 1291 | 1367 | 1364 | 16 | 0 |
| 50 | XK | 1451 | 1448 | 1448 | 12 | 0 |
| 51 | XL | 889 | 941 | 941 | 8 | 0 |
| 52 | XM | 2305 | 2376 | 2376 | 30 | 0 |
| 53 | XN | 1778 | 1808 | 1808 | 17 | 0 |
| 54 | XO | 1245 | 1283 | 1283 | 18 | 0 |
| 55 | XP | 1164 | 1162 | 1162 | 16 | 0 |
| 56 | XQ | 1978 | 2022 | 2022 | 30 | 0 |
| 57 | XR | 1153 | 1214 | 1214 | 18 | 0 |
| 58 | XS | 1284 | 1354 | 1354 | 12 | 0 |
| 59 | XT | 1368 | 1410 | 1410 | 16 | 0 |
| 60 | XU | 1171 | 1164 | 1164 | 9 | 0 |
| 61 | XV | 1648 | 1656 | 1654 | 24 | 0 |
| 62 | XW | 871 | 898 | 898 | 18 | 0 |
| 63 | XX | 2035 | 2054 | 2054 | 21 | 0 |
| 64 | XY | 1534 | 1575 | 1575 | 33 | 0 |
| 65 | XZ | 978 | 1030 | 1030 | 8 | 0 |
| 66 | a | 813 | 777 | 777 | 0 | 0 |
| 67 | b | 1178 | 1180 | 1180 | 0 | 0 |
| 68 | c | 2217 | 2220 | 2220 | 0 | 0 |
| 69 | d | 1758 | 1743 | 1742 | 0 | 0 |
| 70 | e | 1731 | 1732 | 1732 | 0 | 0 |
| 71 | f | 1149 | 1164 | 1164 | 0 | 0 |

Continued on next page...

Continued from previous page...

| Mol | Chain | Non-H | H(model) | H(added) | Clashes | Symm-Clashes |
|-----|-------|--------|----------|----------|---------|--------------|
| 72 | g | 1097 | 1086 | 1085 | 0 | 0 |
| 73 | h | 882 | 866 | 867 | 0 | 0 |
| 74 | i | 827 | 857 | 857 | 0 | 0 |
| 75 | j | 689 | 678 | 678 | 0 | 0 |
| 76 | k | 732 | 745 | 745 | 0 | 0 |
| 77 | l | 673 | 654 | 653 | 0 | 0 |
| 78 | m | 500 | 525 | 525 | 0 | 0 |
| 79 | o | 797 | 804 | 804 | 0 | 0 |
| 80 | p | 1058 | 1083 | 1083 | 0 | 0 |
| 81 | q | 1379 | 1359 | 1359 | 0 | 0 |
| 82 | r | 1247 | 1267 | 1267 | 0 | 0 |
| 83 | r1 | 252 | 0 | 169 | 0 | 0 |
| 84 | r2 | 1485 | 0 | 835 | 0 | 0 |
| 85 | r3 | 1420 | 0 | 807 | 0 | 0 |
| 86 | s | 3036 | 3022 | 3022 | 0 | 0 |
| 87 | t1 | 354 | 379 | 374 | 0 | 0 |
| 87 | t2 | 238 | 268 | 270 | 0 | 0 |
| 87 | t3 | 238 | 268 | 270 | 0 | 0 |
| 87 | t4 | 229 | 255 | 257 | 0 | 0 |
| 87 | t5 | 229 | 255 | 257 | 0 | 0 |
| 87 | t6 | 214 | 236 | 236 | 0 | 0 |
| 88 | A | 73 | 67 | 64 | 7 | 0 |
| 89 | 0 | 1 | 0 | 0 | 0 | 0 |
| 89 | 4 | 1 | 0 | 0 | 0 | 0 |
| 89 | AB | 1 | 0 | 0 | 0 | 0 |
| 89 | AO | 1 | 0 | 0 | 0 | 0 |
| 89 | AP | 1 | 0 | 0 | 0 | 0 |
| 89 | AT | 1 | 0 | 0 | 0 | 0 |
| 89 | r | 1 | 0 | 0 | 0 | 0 |
| 90 | AA | 46 | 0 | 0 | 0 | 0 |
| 90 | XA | 141 | 0 | 0 | 0 | 0 |
| 90 | XD | 1 | 0 | 0 | 0 | 0 |
| 90 | XE | 1 | 0 | 0 | 0 | 0 |
| 90 | XI | 1 | 0 | 0 | 0 | 0 |
| 90 | XM | 2 | 0 | 0 | 0 | 0 |
| 90 | XW | 1 | 0 | 0 | 0 | 0 |
| 90 | g | 1 | 0 | 0 | 0 | 0 |
| 90 | o | 1 | 0 | 0 | 0 | 0 |
| 91 | XA | 48 | 50 | 50 | 1 | 0 |
| 92 | AX | 32 | 10 | 12 | 1 | 0 |
| All | All | 170629 | 143000 | 144825 | 1391 | 0 |

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including

hydrogen atoms). The all-atom clashscore for this structure is 6.

The worst 5 of 1391 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

| Atom-1 | Atom-2 | Interatomic distance (Å) | Clash overlap (Å) |
|-------------------|-------------------|--------------------------|-------------------|
| 16:A4:449:GLY:HA2 | 41:AY:292:GLN:NE2 | 1.33 | 1.40 |
| 13:A1:162:SER:OG | 16:A4:134:GLU:CG | 2.03 | 1.05 |
| 16:A4:449:GLY:CA | 41:AY:292:GLN:NE2 | 2.22 | 1.03 |
| 13:A1:162:SER:OG | 16:A4:134:GLU:HG3 | 1.60 | 1.00 |
| 17:AA:701:G:N2 | 17:AA:841:A:O2' | 1.99 | 0.95 |

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

| Mol | Chain | Analysed | Favoured | Allowed | Outliers | Percentiles | |
|-----|-------|---------------|-----------|---------|----------|-------------|-----|
| 1 | 0 | 106/188 (56%) | 102 (96%) | 4 (4%) | 0 | 100 | 100 |
| 2 | 1 | 51/65 (78%) | 47 (92%) | 4 (8%) | 0 | 100 | 100 |
| 3 | 2 | 44/92 (48%) | 43 (98%) | 1 (2%) | 0 | 100 | 100 |
| 4 | 3 | 93/188 (50%) | 91 (98%) | 2 (2%) | 0 | 100 | 100 |
| 5 | 4 | 36/103 (35%) | 35 (97%) | 1 (3%) | 0 | 100 | 100 |
| 6 | 5 | 391/423 (92%) | 365 (93%) | 26 (7%) | 0 | 100 | 100 |
| 7 | 6 | 350/380 (92%) | 325 (93%) | 25 (7%) | 0 | 100 | 100 |
| 8 | 7 | 283/338 (84%) | 266 (94%) | 17 (6%) | 0 | 100 | 100 |
| 9 | 8 | 137/206 (66%) | 129 (94%) | 8 (6%) | 0 | 100 | 100 |
| 10 | 9 | 122/137 (89%) | 116 (95%) | 6 (5%) | 0 | 100 | 100 |
| 12 | A0 | 197/218 (90%) | 187 (95%) | 10 (5%) | 0 | 100 | 100 |
| 13 | A1 | 273/323 (84%) | 258 (94%) | 15 (6%) | 0 | 100 | 100 |
| 14 | A2 | 114/118 (97%) | 111 (97%) | 3 (3%) | 0 | 100 | 100 |

Continued on next page...

Continued from previous page...

| Mol | Chain | Analysed | Favoured | Allowed | Outliers | Percentiles | |
|-----|-------|---------------|-----------|---------|----------|-------------|-----|
| 15 | A3 | 67/199 (34%) | 67 (100%) | 0 | 0 | 100 | 100 |
| 16 | A4 | 526/689 (76%) | 493 (94%) | 33 (6%) | 0 | 100 | 100 |
| 18 | AB | 216/296 (73%) | 210 (97%) | 6 (3%) | 0 | 100 | 100 |
| 19 | AC | 130/167 (78%) | 128 (98%) | 2 (2%) | 0 | 100 | 100 |
| 20 | AD | 341/430 (79%) | 327 (96%) | 14 (4%) | 0 | 100 | 100 |
| 21 | AE | 120/125 (96%) | 116 (97%) | 4 (3%) | 0 | 100 | 100 |
| 22 | AF | 197/242 (81%) | 193 (98%) | 4 (2%) | 0 | 100 | 100 |
| 23 | AG | 300/396 (76%) | 290 (97%) | 10 (3%) | 0 | 100 | 100 |
| 24 | AH | 133/201 (66%) | 127 (96%) | 6 (4%) | 0 | 100 | 100 |
| 25 | AI | 134/194 (69%) | 129 (96%) | 5 (4%) | 0 | 100 | 100 |
| 26 | AJ | 106/138 (77%) | 97 (92%) | 9 (8%) | 0 | 100 | 100 |
| 27 | AK | 99/128 (77%) | 97 (98%) | 2 (2%) | 0 | 100 | 100 |
| 28 | AL | 162/257 (63%) | 160 (99%) | 2 (1%) | 0 | 100 | 100 |
| 29 | AM | 114/137 (83%) | 112 (98%) | 2 (2%) | 0 | 100 | 100 |
| 30 | AN | 105/130 (81%) | 101 (96%) | 4 (4%) | 0 | 100 | 100 |
| 31 | AO | 183/258 (71%) | 179 (98%) | 4 (2%) | 0 | 100 | 100 |
| 32 | AP | 93/142 (66%) | 87 (94%) | 6 (6%) | 0 | 100 | 100 |
| 33 | AQ | 83/87 (95%) | 79 (95%) | 4 (5%) | 0 | 100 | 100 |
| 34 | AR | 248/360 (69%) | 238 (96%) | 10 (4%) | 0 | 100 | 100 |
| 35 | AS | 131/190 (69%) | 123 (94%) | 8 (6%) | 0 | 100 | 100 |
| 36 | AT | 160/173 (92%) | 150 (94%) | 10 (6%) | 0 | 100 | 100 |
| 37 | AU | 171/205 (83%) | 169 (99%) | 2 (1%) | 0 | 100 | 100 |
| 38 | AV | 341/414 (82%) | 322 (94%) | 19 (6%) | 0 | 100 | 100 |
| 39 | AW | 95/187 (51%) | 91 (96%) | 4 (4%) | 0 | 100 | 100 |
| 40 | AX | 342/398 (86%) | 327 (96%) | 15 (4%) | 0 | 100 | 100 |
| 41 | AY | 111/395 (28%) | 102 (92%) | 9 (8%) | 0 | 100 | 100 |
| 42 | AZ | 84/106 (79%) | 82 (98%) | 2 (2%) | 0 | 100 | 100 |
| 44 | XD | 234/305 (77%) | 214 (92%) | 18 (8%) | 2 (1%) | 17 | 56 |
| 45 | XE | 302/348 (87%) | 287 (95%) | 15 (5%) | 0 | 100 | 100 |
| 46 | XF | 248/311 (80%) | 240 (97%) | 8 (3%) | 0 | 100 | 100 |
| 47 | XH | 93/267 (35%) | 90 (97%) | 3 (3%) | 0 | 100 | 100 |

Continued on next page...

Continued from previous page...

| Mol | Chain | Analysed | Favoured | Allowed | Outliers | Percentiles | |
|-----|-------|---------------|-----------|---------|----------|-------------|-----|
| 48 | XI | 209/261 (80%) | 192 (92%) | 17 (8%) | 0 | 100 | 100 |
| 49 | XJ | 168/192 (88%) | 157 (94%) | 11 (6%) | 0 | 100 | 100 |
| 50 | XK | 175/178 (98%) | 169 (97%) | 6 (3%) | 0 | 100 | 100 |
| 51 | XL | 113/145 (78%) | 109 (96%) | 4 (4%) | 0 | 100 | 100 |
| 52 | XM | 285/296 (96%) | 272 (95%) | 13 (5%) | 0 | 100 | 100 |
| 53 | XN | 219/251 (87%) | 210 (96%) | 9 (4%) | 0 | 100 | 100 |
| 54 | XO | 150/175 (86%) | 144 (96%) | 6 (4%) | 0 | 100 | 100 |
| 55 | XP | 141/180 (78%) | 131 (93%) | 10 (7%) | 0 | 100 | 100 |
| 56 | XQ | 236/292 (81%) | 223 (94%) | 13 (6%) | 0 | 100 | 100 |
| 57 | XR | 138/149 (93%) | 132 (96%) | 6 (4%) | 0 | 100 | 100 |
| 58 | XS | 158/205 (77%) | 153 (97%) | 5 (3%) | 0 | 100 | 100 |
| 59 | XT | 164/206 (80%) | 156 (95%) | 8 (5%) | 0 | 100 | 100 |
| 60 | XU | 137/153 (90%) | 132 (96%) | 5 (4%) | 0 | 100 | 100 |
| 61 | XV | 200/216 (93%) | 191 (96%) | 9 (4%) | 0 | 100 | 100 |
| 62 | XW | 109/148 (74%) | 105 (96%) | 4 (4%) | 0 | 100 | 100 |
| 63 | XX | 241/256 (94%) | 231 (96%) | 10 (4%) | 0 | 100 | 100 |
| 64 | XY | 176/250 (70%) | 171 (97%) | 5 (3%) | 0 | 100 | 100 |
| 65 | XZ | 118/161 (73%) | 116 (98%) | 2 (2%) | 0 | 100 | 100 |
| 66 | a | 93/142 (66%) | 86 (92%) | 7 (8%) | 0 | 100 | 100 |
| 67 | b | 146/215 (68%) | 137 (94%) | 9 (6%) | 0 | 100 | 100 |
| 68 | c | 271/332 (82%) | 259 (96%) | 12 (4%) | 0 | 100 | 100 |
| 69 | d | 212/306 (69%) | 200 (94%) | 11 (5%) | 1 (0%) | 29 | 68 |
| 70 | e | 207/279 (74%) | 200 (97%) | 7 (3%) | 0 | 100 | 100 |
| 71 | f | 137/212 (65%) | 131 (96%) | 6 (4%) | 0 | 100 | 100 |
| 72 | g | 130/166 (78%) | 121 (93%) | 8 (6%) | 1 (1%) | 19 | 60 |
| 73 | h | 106/158 (67%) | 100 (94%) | 6 (6%) | 0 | 100 | 100 |
| 74 | i | 95/128 (74%) | 91 (96%) | 4 (4%) | 0 | 100 | 100 |
| 75 | j | 84/123 (68%) | 84 (100%) | 0 | 0 | 100 | 100 |
| 76 | k | 93/112 (83%) | 86 (92%) | 7 (8%) | 0 | 100 | 100 |
| 77 | l | 78/138 (56%) | 73 (94%) | 5 (6%) | 0 | 100 | 100 |
| 78 | m | 58/128 (45%) | 54 (93%) | 4 (7%) | 0 | 100 | 100 |

Continued on next page...

Continued from previous page...

| Mol | Chain | Analysed | Favoured | Allowed | Outliers | Percentiles | |
|-----|-------|-------------------|-------------|----------|----------|-------------|-----|
| 79 | o | 92/102 (90%) | 87 (95%) | 5 (5%) | 0 | 100 | 100 |
| 80 | p | 119/206 (58%) | 113 (95%) | 6 (5%) | 0 | 100 | 100 |
| 81 | q | 162/222 (73%) | 159 (98%) | 3 (2%) | 0 | 100 | 100 |
| 82 | r | 144/196 (74%) | 136 (94%) | 8 (6%) | 0 | 100 | 100 |
| 86 | s | 366/439 (83%) | 349 (95%) | 17 (5%) | 0 | 100 | 100 |
| 87 | t1 | 45/198 (23%) | 41 (91%) | 4 (9%) | 0 | 100 | 100 |
| 87 | t2 | 28/198 (14%) | 28 (100%) | 0 | 0 | 100 | 100 |
| 87 | t3 | 28/198 (14%) | 28 (100%) | 0 | 0 | 100 | 100 |
| 87 | t4 | 27/198 (14%) | 26 (96%) | 1 (4%) | 0 | 100 | 100 |
| 87 | t5 | 27/198 (14%) | 26 (96%) | 1 (4%) | 0 | 100 | 100 |
| 87 | t6 | 25/198 (13%) | 25 (100%) | 0 | 0 | 100 | 100 |
| 88 | A | 2/8 (25%) | 0 | 1 (50%) | 1 (50%) | 0 | 0 |
| All | All | 13778/19168 (72%) | 13136 (95%) | 637 (5%) | 5 (0%) | 100 | 100 |

All (5) Ramachandran outliers are listed below:

| Mol | Chain | Res | Type |
|-----|-------|-----|------|
| 88 | A | 4 | PRO |
| 72 | g | 38 | PHE |
| 44 | XD | 207 | ILE |
| 44 | XD | 208 | ARG |
| 69 | d | 289 | PRO |

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

| Mol | Chain | Analysed | Rotameric | Outliers | Percentiles | |
|-----|-------|--------------|-----------|----------|-------------|-----|
| 1 | 0 | 97/164 (59%) | 97 (100%) | 0 | 100 | 100 |
| 2 | 1 | 50/60 (83%) | 50 (100%) | 0 | 100 | 100 |
| 3 | 2 | 40/72 (56%) | 40 (100%) | 0 | 100 | 100 |

Continued on next page...

Continued from previous page...

| Mol | Chain | Analysed | Rotameric | Outliers | Percentiles | |
|-----|-------|---------------|------------|----------|-------------|-----|
| 4 | 3 | 88/166 (53%) | 88 (100%) | 0 | 100 | 100 |
| 5 | 4 | 37/89 (42%) | 37 (100%) | 0 | 100 | 100 |
| 6 | 5 | 353/368 (96%) | 352 (100%) | 1 (0%) | 92 | 95 |
| 7 | 6 | 313/332 (94%) | 312 (100%) | 1 (0%) | 92 | 95 |
| 8 | 7 | 267/303 (88%) | 267 (100%) | 0 | 100 | 100 |
| 9 | 8 | 128/190 (67%) | 128 (100%) | 0 | 100 | 100 |
| 10 | 9 | 104/112 (93%) | 104 (100%) | 0 | 100 | 100 |
| 12 | A0 | 176/190 (93%) | 175 (99%) | 1 (1%) | 86 | 92 |
| 13 | A1 | 253/291 (87%) | 249 (98%) | 4 (2%) | 62 | 79 |
| 14 | A2 | 99/101 (98%) | 97 (98%) | 2 (2%) | 55 | 73 |
| 15 | A3 | 63/166 (38%) | 63 (100%) | 0 | 100 | 100 |
| 16 | A4 | 494/609 (81%) | 490 (99%) | 4 (1%) | 81 | 89 |
| 18 | AB | 192/249 (77%) | 192 (100%) | 0 | 100 | 100 |
| 19 | AC | 115/143 (80%) | 115 (100%) | 0 | 100 | 100 |
| 20 | AD | 283/357 (79%) | 281 (99%) | 2 (1%) | 84 | 90 |
| 21 | AE | 104/107 (97%) | 104 (100%) | 0 | 100 | 100 |
| 22 | AF | 178/209 (85%) | 177 (99%) | 1 (1%) | 86 | 92 |
| 23 | AG | 264/342 (77%) | 264 (100%) | 0 | 100 | 100 |
| 24 | AH | 125/180 (69%) | 125 (100%) | 0 | 100 | 100 |
| 25 | AI | 104/147 (71%) | 104 (100%) | 0 | 100 | 100 |
| 26 | AJ | 93/118 (79%) | 93 (100%) | 0 | 100 | 100 |
| 27 | AK | 91/113 (80%) | 91 (100%) | 0 | 100 | 100 |
| 28 | AL | 152/226 (67%) | 151 (99%) | 1 (1%) | 84 | 90 |
| 29 | AM | 95/113 (84%) | 95 (100%) | 0 | 100 | 100 |
| 30 | AN | 93/115 (81%) | 93 (100%) | 0 | 100 | 100 |
| 31 | AO | 166/230 (72%) | 165 (99%) | 1 (1%) | 86 | 92 |
| 32 | AP | 86/123 (70%) | 85 (99%) | 1 (1%) | 71 | 84 |
| 33 | AQ | 77/79 (98%) | 77 (100%) | 0 | 100 | 100 |
| 34 | AR | 229/318 (72%) | 228 (100%) | 1 (0%) | 91 | 94 |
| 35 | AS | 115/164 (70%) | 115 (100%) | 0 | 100 | 100 |
| 36 | AT | 150/157 (96%) | 148 (99%) | 2 (1%) | 69 | 82 |

Continued on next page...

Continued from previous page...

| Mol | Chain | Analysed | Rotameric | Outliers | Percentiles | |
|-----|-------|---------------|------------|----------|-------------|-----|
| 37 | AU | 149/174 (86%) | 148 (99%) | 1 (1%) | 84 | 90 |
| 38 | AV | 315/364 (86%) | 312 (99%) | 3 (1%) | 76 | 86 |
| 39 | AW | 84/158 (53%) | 84 (100%) | 0 | 100 | 100 |
| 40 | AX | 307/351 (88%) | 305 (99%) | 2 (1%) | 84 | 90 |
| 41 | AY | 104/357 (29%) | 104 (100%) | 0 | 100 | 100 |
| 42 | AZ | 79/95 (83%) | 79 (100%) | 0 | 100 | 100 |
| 44 | XD | 190/245 (78%) | 189 (100%) | 1 (0%) | 88 | 93 |
| 45 | XE | 259/290 (89%) | 259 (100%) | 0 | 100 | 100 |
| 46 | XF | 217/262 (83%) | 217 (100%) | 0 | 100 | 100 |
| 47 | XH | 86/228 (38%) | 85 (99%) | 1 (1%) | 71 | 84 |
| 48 | XI | 194/232 (84%) | 194 (100%) | 0 | 100 | 100 |
| 49 | XJ | 133/150 (89%) | 132 (99%) | 1 (1%) | 81 | 89 |
| 50 | XK | 155/156 (99%) | 155 (100%) | 0 | 100 | 100 |
| 51 | XL | 98/124 (79%) | 98 (100%) | 0 | 100 | 100 |
| 52 | XM | 245/249 (98%) | 244 (100%) | 1 (0%) | 91 | 94 |
| 53 | XN | 188/211 (89%) | 188 (100%) | 0 | 100 | 100 |
| 54 | XO | 133/150 (89%) | 133 (100%) | 0 | 100 | 100 |
| 55 | XP | 125/155 (81%) | 125 (100%) | 0 | 100 | 100 |
| 56 | XQ | 220/256 (86%) | 220 (100%) | 0 | 100 | 100 |
| 57 | XR | 118/126 (94%) | 117 (99%) | 1 (1%) | 81 | 89 |
| 58 | XS | 145/180 (81%) | 145 (100%) | 0 | 100 | 100 |
| 59 | XT | 146/176 (83%) | 145 (99%) | 1 (1%) | 84 | 90 |
| 60 | XU | 126/135 (93%) | 126 (100%) | 0 | 100 | 100 |
| 61 | XV | 179/191 (94%) | 179 (100%) | 0 | 100 | 100 |
| 62 | XW | 91/119 (76%) | 88 (97%) | 3 (3%) | 38 | 61 |
| 63 | XX | 219/229 (96%) | 218 (100%) | 1 (0%) | 88 | 93 |
| 64 | XY | 161/223 (72%) | 161 (100%) | 0 | 100 | 100 |
| 65 | XZ | 111/147 (76%) | 111 (100%) | 0 | 100 | 100 |
| 66 | a | 93/133 (70%) | 93 (100%) | 0 | 100 | 100 |
| 67 | b | 130/186 (70%) | 130 (100%) | 0 | 100 | 100 |
| 68 | c | 241/288 (84%) | 240 (100%) | 1 (0%) | 91 | 94 |

Continued on next page...

Continued from previous page...

| Mol | Chain | Analysed | Rotameric | Outliers | Percentiles | |
|-----|-------|-------------------|--------------|----------|-------------|-----|
| 69 | d | 196/274 (72%) | 196 (100%) | 0 | 100 | 100 |
| 70 | e | 185/236 (78%) | 183 (99%) | 2 (1%) | 73 | 85 |
| 71 | f | 128/188 (68%) | 128 (100%) | 0 | 100 | 100 |
| 72 | g | 122/148 (82%) | 122 (100%) | 0 | 100 | 100 |
| 73 | h | 103/148 (70%) | 103 (100%) | 0 | 100 | 100 |
| 74 | i | 86/110 (78%) | 85 (99%) | 1 (1%) | 71 | 84 |
| 75 | j | 68/97 (70%) | 68 (100%) | 0 | 100 | 100 |
| 76 | k | 80/90 (89%) | 80 (100%) | 0 | 100 | 100 |
| 77 | l | 74/116 (64%) | 74 (100%) | 0 | 100 | 100 |
| 78 | m | 54/113 (48%) | 54 (100%) | 0 | 100 | 100 |
| 79 | o | 80/87 (92%) | 79 (99%) | 1 (1%) | 69 | 82 |
| 80 | p | 117/181 (65%) | 117 (100%) | 0 | 100 | 100 |
| 81 | q | 141/178 (79%) | 141 (100%) | 0 | 100 | 100 |
| 82 | r | 138/169 (82%) | 138 (100%) | 0 | 100 | 100 |
| 86 | s | 326/381 (86%) | 325 (100%) | 1 (0%) | 92 | 95 |
| 87 | t1 | 41/158 (26%) | 40 (98%) | 1 (2%) | 49 | 69 |
| 87 | t2 | 29/158 (18%) | 29 (100%) | 0 | 100 | 100 |
| 87 | t3 | 29/158 (18%) | 29 (100%) | 0 | 100 | 100 |
| 87 | t4 | 28/158 (18%) | 28 (100%) | 0 | 100 | 100 |
| 87 | t5 | 28/158 (18%) | 28 (100%) | 0 | 100 | 100 |
| 87 | t6 | 26/158 (16%) | 26 (100%) | 0 | 100 | 100 |
| 88 | A | 2/2 (100%) | 2 (100%) | 0 | 100 | 100 |
| All | All | 12396/16509 (75%) | 12351 (100%) | 45 (0%) | 91 | 94 |

5 of 45 residues with a non-rotameric sidechain are listed below:

| Mol | Chain | Res | Type |
|-----|-------|-----|------|
| 44 | XD | 231 | LYS |
| 62 | XW | 56 | MET |
| 47 | XH | 70 | LYS |
| 57 | XR | 44 | ARG |
| 63 | XX | 12 | LYS |

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 29 such sidechains are listed below:

| Mol | Chain | Res | Type |
|-----|-------|-----|------|
| 31 | AO | 119 | ASN |
| 82 | r | 123 | HIS |
| 41 | AY | 292 | GLN |
| 72 | g | 139 | GLN |
| 38 | AV | 329 | GLN |

5.3.3 RNA [i](#)

| Mol | Chain | Analysed | Backbone Outliers | Pucker Outliers |
|-----|-------|-----------------|-------------------|-----------------|
| 11 | XA | 1490/1561 (95%) | 270 (18%) | 7 (0%) |
| 17 | AA | 916/924 (99%) | 167 (18%) | 6 (0%) |
| 43 | XB | 54/72 (75%) | 10 (18%) | 0 |
| 83 | r1 | 0/14 | - | - |
| 84 | r2 | 0/76 | - | - |
| 85 | r3 | 0/73 | - | - |
| All | All | 2460/2720 (90%) | 447 (18%) | 13 (0%) |

5 of 447 RNA backbone outliers are listed below:

| Mol | Chain | Res | Type |
|-----|-------|------|------|
| 11 | XA | 1681 | G |
| 11 | XA | 1685 | C |
| 11 | XA | 1689 | C |
| 11 | XA | 1692 | A |
| 11 | XA | 1693 | C |

5 of 13 RNA pucker outliers are listed below:

| Mol | Chain | Res | Type |
|-----|-------|------|------|
| 17 | AA | 687 | G |
| 17 | AA | 770 | C |
| 17 | AA | 1420 | U |
| 17 | AA | 1234 | C |
| 17 | AA | 1419 | G |

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

168 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The

Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

| Mol | Type | Chain | Res | Link | Bond lengths | | | Bond angles | | |
|-----|------|-------|-----|------|--------------|------|----------|-------------|------|----------|
| | | | | | Counts | RMSZ | # Z > 2 | Counts | RMSZ | # Z > 2 |
| 84 | P5P | r2 | 15 | 84 | 16,23,24 | 0.96 | 1 (6%) | 14,33,36 | 2.00 | 3 (21%) |
| 84 | Y5P | r2 | 49 | 84 | 14,19,20 | 3.13 | 3 (21%) | 18,26,29 | 0.62 | 0 |
| 85 | Y5P | r3 | 67 | 85 | 14,19,20 | 3.13 | 3 (21%) | 18,26,29 | 0.59 | 0 |
| 85 | Y5P | r3 | 36 | 85 | 14,19,20 | 3.13 | 3 (21%) | 18,26,29 | 0.56 | 0 |
| 83 | Y5P | r1 | 45 | 83 | 14,19,20 | 3.13 | 3 (21%) | 18,26,29 | 0.57 | 0 |
| 83 | Y5P | r1 | 52 | 83 | 14,19,20 | 3.14 | 3 (21%) | 18,26,29 | 0.55 | 0 |
| 84 | P5P | r2 | 5 | 84 | 16,23,24 | 0.96 | 1 (6%) | 14,33,36 | 1.99 | 3 (21%) |
| 85 | Y5P | r3 | 64 | 85 | 14,19,20 | 3.15 | 3 (21%) | 18,26,29 | 0.56 | 0 |
| 88 | MHV | A | 6 | 88 | 7,9,10 | 0.35 | 0 | 7,11,13 | 1.73 | 2 (28%) |
| 84 | P5P | r2 | 19 | 84 | 16,23,24 | 0.97 | 1 (6%) | 14,33,36 | 1.99 | 3 (21%) |
| 85 | P5P | r3 | 44 | 85 | 16,23,24 | 0.95 | 1 (6%) | 14,33,36 | 2.02 | 3 (21%) |
| 84 | P5P | r2 | 53 | 84 | 16,23,24 | 0.95 | 1 (6%) | 14,33,36 | 1.97 | 3 (21%) |
| 85 | P5P | r3 | 46 | 85 | 16,23,24 | 0.97 | 1 (6%) | 14,33,36 | 1.98 | 3 (21%) |
| 85 | Y5P | r3 | 16 | 85 | 14,19,20 | 3.14 | 3 (21%) | 18,26,29 | 0.56 | 0 |
| 84 | Y5P | r2 | 47 | 84 | 14,19,20 | 3.13 | 3 (21%) | 18,26,29 | 0.57 | 0 |
| 84 | Y5P | r2 | 74 | 84 | 14,19,20 | 3.13 | 3 (21%) | 18,26,29 | 0.57 | 0 |
| 84 | P5P | r2 | 58 | 84 | 16,23,24 | 0.95 | 1 (6%) | 14,33,36 | 1.97 | 3 (21%) |
| 85 | Y5P | r3 | 1 | 85 | 18,20,20 | 2.76 | 3 (16%) | 25,29,29 | 0.69 | 0 |
| 85 | Y5P | r3 | 56 | 85 | 14,19,20 | 3.12 | 3 (21%) | 18,26,29 | 0.62 | 0 |
| 85 | P5P | r3 | 23 | 85 | 16,23,24 | 0.96 | 1 (6%) | 14,33,36 | 1.97 | 3 (21%) |
| 84 | Y5P | r2 | 25 | 84 | 14,19,20 | 3.15 | 3 (21%) | 18,26,29 | 0.56 | 0 |
| 85 | P5P | r3 | 57 | 85 | 16,23,24 | 0.95 | 1 (6%) | 14,33,36 | 1.96 | 3 (21%) |
| 85 | P5P | r3 | 18 | 85 | 16,23,24 | 0.96 | 1 (6%) | 14,33,36 | 1.99 | 3 (21%) |
| 85 | P5P | r3 | 48 | 85 | 16,23,24 | 0.96 | 1 (6%) | 14,33,36 | 1.99 | 3 (21%) |
| 85 | P5P | r3 | 51 | 85 | 16,23,24 | 0.95 | 1 (6%) | 14,33,36 | 1.97 | 3 (21%) |
| 84 | P5P | r2 | 28 | 84 | 16,23,24 | 0.95 | 1 (6%) | 14,33,36 | 1.99 | 3 (21%) |
| 85 | Y5P | r3 | 13 | 85 | 14,19,20 | 3.14 | 3 (21%) | 18,26,29 | 0.57 | 0 |
| 85 | Y5P | r3 | 60 | 85 | 14,19,20 | 3.13 | 3 (21%) | 18,26,29 | 0.57 | 0 |
| 84 | Y5P | r2 | 32 | 84 | 14,19,20 | 3.15 | 3 (21%) | 18,26,29 | 0.54 | 0 |
| 85 | P5P | r3 | 9 | 85 | 16,23,24 | 0.97 | 1 (6%) | 14,33,36 | 1.99 | 3 (21%) |
| 85 | Y5P | r3 | 59 | 85 | 14,19,20 | 3.15 | 3 (21%) | 18,26,29 | 0.54 | 0 |

| Mol | Type | Chain | Res | Link | Bond lengths | | | Bond angles | | |
|-----|------|-------|-----|-------|--------------|------|----------|-------------|------|----------|
| | | | | | Counts | RMSZ | # Z > 2 | Counts | RMSZ | # Z > 2 |
| 84 | P5P | r2 | 44 | 84 | 16,23,24 | 0.95 | 1 (6%) | 14,33,36 | 1.99 | 3 (21%) |
| 84 | Y5P | r2 | 16 | 84 | 14,19,20 | 3.16 | 3 (21%) | 18,26,29 | 0.53 | 0 |
| 84 | P5P | r2 | 31 | 84 | 16,23,24 | 0.96 | 1 (6%) | 14,33,36 | 1.97 | 3 (21%) |
| 84 | P5P | r2 | 36 | 83,84 | 16,23,24 | 0.96 | 1 (6%) | 14,33,36 | 1.97 | 3 (21%) |
| 88 | 004 | A | 7 | 88 | 9,10,11 | 1.08 | 1 (11%) | 9,12,14 | 1.80 | 3 (33%) |
| 84 | P5P | r2 | 21 | 84 | 16,23,24 | 0.94 | 1 (6%) | 14,33,36 | 2.02 | 3 (21%) |
| 84 | P5P | r2 | 52 | 84 | 16,23,24 | 0.96 | 1 (6%) | 14,33,36 | 1.99 | 3 (21%) |
| 84 | P5P | r2 | 24 | 84 | 16,23,24 | 0.96 | 1 (6%) | 14,33,36 | 1.98 | 3 (21%) |
| 85 | Y5P | r3 | 7 | 85 | 14,19,20 | 3.14 | 3 (21%) | 18,26,29 | 0.59 | 0 |
| 83 | Y5P | r1 | 53 | 83 | 14,19,20 | 3.14 | 3 (21%) | 18,26,29 | 0.61 | 0 |
| 84 | Y5P | r2 | 75 | 84 | 14,19,20 | 3.14 | 3 (21%) | 18,26,29 | 0.65 | 0 |
| 85 | Y5P | r3 | 33 | 85 | 14,19,20 | 3.14 | 3 (21%) | 18,26,29 | 0.53 | 0 |
| 84 | P5P | r2 | 27 | 84 | 16,23,24 | 0.96 | 1 (6%) | 14,33,36 | 1.98 | 3 (21%) |
| 83 | Y5P | r1 | 57 | 83 | 14,19,20 | 3.13 | 3 (21%) | 18,26,29 | 0.57 | 0 |
| 85 | Y5P | r3 | 25 | 85 | 14,19,20 | 3.13 | 3 (21%) | 18,26,29 | 0.59 | 0 |
| 83 | Y5P | r1 | 51 | 83 | 14,19,20 | 3.12 | 3 (21%) | 18,26,29 | 0.59 | 0 |
| 84 | Y5P | r2 | 2 | 84 | 14,19,20 | 3.14 | 3 (21%) | 18,26,29 | 0.57 | 0 |
| 84 | Y5P | r2 | 8 | 84 | 14,19,20 | 3.14 | 3 (21%) | 18,26,29 | 0.54 | 0 |
| 85 | P5P | r3 | 55 | 85 | 16,23,24 | 0.96 | 1 (6%) | 14,33,36 | 1.97 | 3 (21%) |
| 84 | Y5P | r2 | 17 | 84 | 14,19,20 | 3.13 | 3 (21%) | 18,26,29 | 0.56 | 0 |
| 84 | Y5P | r2 | 3 | 84 | 14,19,20 | 3.13 | 3 (21%) | 18,26,29 | 0.59 | 0 |
| 85 | Y5P | r3 | 12 | 85 | 14,19,20 | 3.14 | 3 (21%) | 18,26,29 | 0.57 | 0 |
| 84 | Y5P | r2 | 48 | 84 | 14,19,20 | 3.14 | 3 (21%) | 18,26,29 | 0.65 | 0 |
| 84 | Y5P | r2 | 61 | 84 | 14,19,20 | 3.12 | 3 (21%) | 18,26,29 | 0.56 | 0 |
| 85 | Y5P | r3 | 61 | 85 | 14,19,20 | 3.14 | 3 (21%) | 18,26,29 | 0.54 | 0 |
| 85 | Y5P | r3 | 34 | 85 | 14,19,20 | 3.14 | 4 (28%) | 18,26,29 | 0.57 | 0 |
| 84 | Y5P | r2 | 42 | 84 | 14,19,20 | 3.13 | 3 (21%) | 18,26,29 | 0.56 | 0 |
| 88 | MHU | A | 5 | 88 | 14,15,16 | 0.44 | 0 | 18,19,21 | 1.23 | 3 (16%) |
| 84 | P5P | r2 | 6 | 84 | 16,23,24 | 0.96 | 1 (6%) | 14,33,36 | 1.99 | 3 (21%) |
| 84 | Y5P | r2 | 45 | 84 | 14,19,20 | 3.14 | 3 (21%) | 18,26,29 | 0.54 | 0 |
| 84 | Y5P | r2 | 12 | 84 | 14,19,20 | 3.14 | 3 (21%) | 18,26,29 | 0.60 | 0 |
| 84 | P5P | r2 | 35 | 84 | 16,23,24 | 0.98 | 1 (6%) | 14,33,36 | 1.95 | 3 (21%) |
| 84 | P5P | r2 | 14 | 84 | 16,23,24 | 0.95 | 1 (6%) | 14,33,36 | 1.96 | 3 (21%) |
| 84 | P5P | r2 | 73 | 84 | 16,23,24 | 0.96 | 1 (6%) | 14,33,36 | 1.96 | 3 (21%) |
| 84 | P5P | r2 | 65 | 84 | 16,23,24 | 0.95 | 1 (6%) | 14,33,36 | 1.98 | 3 (21%) |

| Mol | Type | Chain | Res | Link | Bond lengths | | | Bond angles | | |
|-----|------|-------|-----|-------|--------------|------|----------|-------------|------|----------|
| | | | | | Counts | RMSZ | # Z > 2 | Counts | RMSZ | # Z > 2 |
| 83 | Y5P | r1 | 49 | 83,84 | 14,19,20 | 3.14 | 3 (21%) | 18,26,29 | 0.61 | 0 |
| 84 | P5P | r2 | 64 | 84 | 16,23,24 | 0.95 | 1 (6%) | 14,33,36 | 1.99 | 3 (21%) |
| 85 | P5P | r3 | 37 | 85 | 16,23,24 | 0.95 | 1 (6%) | 14,33,36 | 1.96 | 3 (21%) |
| 83 | Y5P | r1 | 48 | 83 | 14,19,20 | 3.13 | 3 (21%) | 18,26,29 | 0.57 | 0 |
| 84 | Y5P | r2 | 41 | 84 | 14,19,20 | 3.15 | 3 (21%) | 18,26,29 | 0.57 | 0 |
| 85 | Y5P | r3 | 62 | 85 | 14,19,20 | 3.13 | 3 (21%) | 18,26,29 | 0.63 | 0 |
| 85 | P5P | r3 | 68 | 85 | 16,23,24 | 0.97 | 1 (6%) | 14,33,36 | 1.96 | 3 (21%) |
| 84 | P5P | r2 | 30 | 84 | 16,23,24 | 0.95 | 1 (6%) | 14,33,36 | 1.96 | 3 (21%) |
| 85 | P5P | r3 | 3 | 85 | 16,23,24 | 0.95 | 1 (6%) | 14,33,36 | 1.97 | 3 (21%) |
| 84 | P5P | r2 | 70 | 84 | 16,23,24 | 0.95 | 1 (6%) | 14,33,36 | 1.98 | 3 (21%) |
| 83 | Y5P | r1 | 44 | 83 | 14,19,20 | 3.15 | 3 (21%) | 18,26,29 | 0.58 | 0 |
| 84 | P5P | r2 | 18 | 84 | 16,23,24 | 0.97 | 1 (6%) | 14,33,36 | 1.99 | 3 (21%) |
| 85 | P5P | r3 | 42 | 85 | 16,23,24 | 0.97 | 1 (6%) | 14,33,36 | 1.99 | 3 (21%) |
| 84 | Y5P | r2 | 20 | 84 | 14,19,20 | 3.14 | 4 (28%) | 18,26,29 | 0.59 | 0 |
| 84 | P5P | r2 | 26 | 84 | 16,23,24 | 0.96 | 1 (6%) | 14,33,36 | 1.99 | 3 (21%) |
| 85 | P5P | r3 | 45 | 85 | 16,23,24 | 0.96 | 1 (6%) | 14,33,36 | 1.97 | 3 (21%) |
| 85 | Y5P | r3 | 70 | 85 | 14,19,20 | 3.12 | 4 (28%) | 18,26,29 | 0.63 | 0 |
| 83 | Y5P | r1 | 56 | 83,20 | 14,19,20 | 3.13 | 3 (21%) | 18,26,29 | 0.61 | 0 |
| 85 | Y5P | r3 | 73 | 85 | 14,19,20 | 3.11 | 3 (21%) | 18,26,29 | 0.57 | 0 |
| 84 | P5P | r2 | 37 | 84 | 16,23,24 | 0.96 | 1 (6%) | 14,33,36 | 1.96 | 3 (21%) |
| 84 | Y5P | r2 | 39 | 84 | 14,19,20 | 3.13 | 3 (21%) | 18,26,29 | 0.55 | 0 |
| 84 | Y5P | r2 | 40 | 84 | 14,19,20 | 3.14 | 3 (21%) | 18,26,29 | 0.57 | 0 |
| 83 | Y5P | r1 | 55 | 83 | 14,19,20 | 3.11 | 3 (21%) | 18,26,29 | 0.67 | 0 |
| 85 | Y5P | r3 | 20 | 85 | 14,19,20 | 3.13 | 3 (21%) | 18,26,29 | 0.59 | 0 |
| 84 | Y5P | r2 | 72 | 84 | 14,19,20 | 3.13 | 3 (21%) | 18,26,29 | 0.58 | 0 |
| 84 | Y5P | r2 | 11 | 84 | 14,19,20 | 3.14 | 3 (21%) | 18,26,29 | 0.58 | 0 |
| 85 | P5P | r3 | 21 | 85 | 16,23,24 | 0.95 | 1 (6%) | 14,33,36 | 1.99 | 3 (21%) |
| 88 | MHW | A | 1 | 88 | 9,9,10 | 0.82 | 0 | 10,11,13 | 3.06 | 3 (30%) |
| 84 | P5P | r2 | 23 | 84 | 16,23,24 | 0.97 | 1 (6%) | 14,33,36 | 1.97 | 3 (21%) |
| 85 | Y5P | r3 | 49 | 85 | 14,19,20 | 3.14 | 3 (21%) | 18,26,29 | 0.57 | 0 |
| 85 | P5P | r3 | 4 | 85 | 16,23,24 | 0.98 | 1 (6%) | 14,33,36 | 2.00 | 3 (21%) |
| 84 | P5P | r2 | 38 | 84 | 16,23,24 | 0.96 | 1 (6%) | 14,33,36 | 1.96 | 3 (21%) |
| 84 | Y5P | r2 | 13 | 84 | 14,19,20 | 3.13 | 3 (21%) | 18,26,29 | 0.59 | 0 |
| 84 | Y5P | r2 | 43 | 84 | 14,19,20 | 3.14 | 3 (21%) | 18,26,29 | 0.56 | 0 |
| 85 | P5P | r3 | 14 | 85 | 16,23,24 | 0.94 | 1 (6%) | 14,33,36 | 1.98 | 3 (21%) |

| Mol | Type | Chain | Res | Link | Bond lengths | | | Bond angles | | |
|-----|------|-------|-----|------|--------------|------|----------|-------------|------|----------|
| | | | | | Counts | RMSZ | # Z > 2 | Counts | RMSZ | # Z > 2 |
| 84 | P5P | r2 | 71 | 84 | 16,23,24 | 0.94 | 1 (6%) | 14,33,36 | 1.96 | 3 (21%) |
| 84 | P5P | r2 | 29 | 84 | 16,23,24 | 0.96 | 1 (6%) | 14,33,36 | 1.97 | 3 (21%) |
| 84 | Y5P | r2 | 50 | 84 | 14,19,20 | 3.13 | 3 (21%) | 18,26,29 | 0.58 | 0 |
| 85 | P5P | r3 | 10 | 85 | 16,23,24 | 0.96 | 1 (6%) | 14,33,36 | 1.98 | 3 (21%) |
| 84 | Y5P | r2 | 66 | 84 | 14,19,20 | 3.14 | 3 (21%) | 18,26,29 | 0.59 | 0 |
| 85 | Y5P | r3 | 41 | 85 | 14,19,20 | 3.12 | 4 (28%) | 18,26,29 | 0.64 | 0 |
| 85 | P5P | r3 | 11 | 85 | 16,23,24 | 0.97 | 1 (6%) | 14,33,36 | 1.96 | 3 (21%) |
| 85 | Y5P | r3 | 24 | 85 | 14,19,20 | 3.13 | 3 (21%) | 18,26,29 | 0.61 | 0 |
| 85 | P5P | r3 | 30 | 85 | 16,23,24 | 0.95 | 1 (6%) | 14,33,36 | 1.99 | 3 (21%) |
| 83 | Y5P | r1 | 46 | 83 | 14,19,20 | 3.11 | 3 (21%) | 18,26,29 | 0.58 | 0 |
| 84 | P5P | r2 | 9 | 84 | 16,23,24 | 0.95 | 1 (6%) | 14,33,36 | 2.03 | 3 (21%) |
| 85 | Y5P | r3 | 32 | 85 | 14,19,20 | 3.13 | 3 (21%) | 18,26,29 | 0.60 | 0 |
| 85 | Y5P | r3 | 58 | 85 | 14,19,20 | 3.13 | 3 (21%) | 18,26,29 | 0.67 | 0 |
| 85 | Y5P | r3 | 53 | 85 | 14,19,20 | 3.15 | 3 (21%) | 18,26,29 | 0.56 | 0 |
| 88 | DBB | A | 3 | 88 | 4,5,6 | 0.56 | 0 | 1,5,7 | 0.66 | 0 |
| 85 | Y5P | r3 | 27 | 85 | 14,19,20 | 3.14 | 3 (21%) | 18,26,29 | 0.54 | 0 |
| 85 | P5P | r3 | 43 | 85 | 16,23,24 | 0.97 | 1 (6%) | 14,33,36 | 1.97 | 3 (21%) |
| 84 | Y5P | r2 | 68 | 84 | 14,19,20 | 3.14 | 3 (21%) | 18,26,29 | 0.56 | 0 |
| 85 | P5P | r3 | 31 | 85 | 16,23,24 | 0.96 | 1 (6%) | 14,33,36 | 1.97 | 3 (21%) |
| 83 | Y5P | r1 | 54 | 83 | 14,19,20 | 3.13 | 3 (21%) | 18,26,29 | 0.60 | 0 |
| 84 | P5P | r2 | 63 | 84 | 16,23,24 | 0.96 | 1 (6%) | 14,33,36 | 1.97 | 3 (21%) |
| 84 | P5P | r2 | 34 | 84 | 16,23,24 | 0.94 | 1 (6%) | 14,33,36 | 2.00 | 3 (21%) |
| 85 | Y5P | r3 | 63 | 85 | 14,19,20 | 3.14 | 3 (21%) | 18,26,29 | 0.59 | 0 |
| 84 | Y5P | r2 | 51 | 84 | 14,19,20 | 3.13 | 3 (21%) | 18,26,29 | 0.56 | 0 |
| 83 | Y5P | r1 | 47 | 83 | 14,19,20 | 3.13 | 3 (21%) | 18,26,29 | 0.57 | 0 |
| 84 | P5P | r2 | 69 | 84 | 16,23,24 | 0.95 | 1 (6%) | 14,33,36 | 1.97 | 3 (21%) |
| 84 | Y5P | r2 | 54 | 84 | 14,19,20 | 3.13 | 3 (21%) | 18,26,29 | 0.54 | 0 |
| 84 | P5P | r2 | 22 | 84 | 16,23,24 | 0.96 | 1 (6%) | 14,33,36 | 1.99 | 3 (21%) |
| 84 | P5P | r2 | 1 | 84 | 16,23,24 | 0.94 | 1 (6%) | 14,33,36 | 1.96 | 3 (21%) |
| 84 | Y5P | r2 | 56 | 84 | 14,19,20 | 3.13 | 3 (21%) | 18,26,29 | 0.58 | 0 |
| 84 | Y5P | r2 | 59 | 84 | 14,19,20 | 3.16 | 3 (21%) | 18,26,29 | 0.56 | 0 |
| 85 | Y5P | r3 | 69 | 85 | 14,19,20 | 3.14 | 3 (21%) | 18,26,29 | 0.54 | 0 |
| 84 | P5P | r2 | 10 | 84 | 16,23,24 | 0.96 | 1 (6%) | 14,33,36 | 1.99 | 3 (21%) |
| 84 | Y5P | r2 | 67 | 84 | 14,19,20 | 3.13 | 3 (21%) | 18,26,29 | 0.57 | 0 |
| 85 | Y5P | r3 | 28 | 85 | 14,19,20 | 3.14 | 3 (21%) | 18,26,29 | 0.59 | 0 |

| Mol | Type | Chain | Res | Link | Bond lengths | | | Bond angles | | |
|-----|------|-------|-----|------|--------------|------|----------|-------------|------|----------|
| | | | | | Counts | RMSZ | # Z > 2 | Counts | RMSZ | # Z > 2 |
| 85 | Y5P | r3 | 72 | 85 | 14,19,20 | 3.13 | 3 (21%) | 18,26,29 | 0.59 | 0 |
| 85 | Y5P | r3 | 65 | 85 | 14,19,20 | 3.11 | 3 (21%) | 18,26,29 | 0.66 | 0 |
| 85 | P5P | r3 | 71 | 85 | 16,23,24 | 0.96 | 1 (6%) | 14,33,36 | 1.96 | 3 (21%) |
| 84 | Y5P | r2 | 55 | 84 | 14,19,20 | 3.13 | 3 (21%) | 18,26,29 | 0.58 | 0 |
| 85 | Y5P | r3 | 38 | 85 | 14,19,20 | 3.15 | 3 (21%) | 18,26,29 | 0.64 | 0 |
| 85 | P5P | r3 | 52 | 85 | 16,23,24 | 0.95 | 1 (6%) | 14,33,36 | 1.98 | 3 (21%) |
| 84 | Y5P | r2 | 4 | 84 | 14,19,20 | 3.14 | 3 (21%) | 18,26,29 | 0.57 | 0 |
| 85 | P5P | r3 | 15 | 85 | 16,23,24 | 0.99 | 1 (6%) | 14,33,36 | 1.96 | 3 (21%) |
| 84 | Y5P | r2 | 33 | 84 | 14,19,20 | 3.12 | 3 (21%) | 18,26,29 | 0.63 | 0 |
| 84 | P5P | r2 | 46 | 84 | 16,23,24 | 0.96 | 1 (6%) | 14,33,36 | 2.00 | 3 (21%) |
| 85 | Y5P | r3 | 2 | 85 | 14,19,20 | 3.13 | 3 (21%) | 18,26,29 | 0.62 | 0 |
| 85 | Y5P | r3 | 47 | 85 | 14,19,20 | 3.15 | 3 (21%) | 18,26,29 | 0.63 | 0 |
| 84 | P5P | r2 | 76 | 84 | 16,23,24 | 0.97 | 1 (6%) | 14,33,36 | 1.96 | 3 (21%) |
| 84 | P5P | r2 | 57 | 84 | 16,23,24 | 0.95 | 1 (6%) | 14,33,36 | 1.96 | 3 (21%) |
| 84 | Y5P | r2 | 60 | 84 | 14,19,20 | 3.13 | 3 (21%) | 18,26,29 | 0.60 | 0 |
| 85 | P5P | r3 | 6 | 85 | 16,23,24 | 0.94 | 1 (6%) | 14,33,36 | 1.99 | 3 (21%) |
| 85 | Y5P | r3 | 40 | 85 | 14,19,20 | 3.14 | 3 (21%) | 18,26,29 | 0.56 | 0 |
| 85 | P5P | r3 | 35 | 85 | 16,23,24 | 0.99 | 1 (6%) | 14,33,36 | 1.96 | 3 (21%) |
| 85 | P5P | r3 | 19 | 85 | 16,23,24 | 0.97 | 1 (6%) | 14,33,36 | 2.00 | 3 (21%) |
| 85 | P5P | r3 | 66 | 85 | 16,23,24 | 0.96 | 1 (6%) | 14,33,36 | 2.00 | 3 (21%) |
| 83 | Y5P | r1 | 50 | 83 | 14,19,20 | 3.13 | 3 (21%) | 18,26,29 | 0.61 | 0 |
| 85 | P5P | r3 | 26 | 85 | 16,23,24 | 0.96 | 1 (6%) | 14,33,36 | 1.95 | 3 (21%) |
| 85 | P5P | r3 | 5 | 85 | 16,23,24 | 0.95 | 1 (6%) | 14,33,36 | 1.97 | 3 (21%) |
| 85 | Y5P | r3 | 50 | 85 | 14,19,20 | 3.14 | 3 (21%) | 18,26,29 | 0.58 | 0 |
| 84 | Y5P | r2 | 62 | 84 | 14,19,20 | 3.14 | 3 (21%) | 18,26,29 | 0.60 | 0 |
| 85 | Y5P | r3 | 39 | 85 | 14,19,20 | 3.14 | 3 (21%) | 18,26,29 | 0.57 | 0 |
| 84 | P5P | r2 | 7 | 84 | 16,23,24 | 0.96 | 1 (6%) | 14,33,36 | 2.01 | 3 (21%) |
| 85 | P5P | r3 | 74 | 85 | 16,23,24 | 0.97 | 1 (6%) | 14,33,36 | 1.97 | 3 (21%) |
| 85 | P5P | r3 | 8 | 85 | 16,23,24 | 0.97 | 1 (6%) | 14,33,36 | 1.98 | 3 (21%) |
| 85 | Y5P | r3 | 54 | 85 | 14,19,20 | 3.14 | 3 (21%) | 18,26,29 | 0.56 | 0 |
| 85 | P5P | r3 | 22 | 85 | 16,23,24 | 0.96 | 1 (6%) | 14,33,36 | 1.97 | 3 (21%) |
| 85 | P5P | r3 | 29 | 85 | 16,23,24 | 0.95 | 1 (6%) | 14,33,36 | 1.98 | 3 (21%) |

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the

Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns.
'-' means no outliers of that kind were identified.

| Mol | Type | Chain | Res | Link | Chirals | Torsions | Rings |
|-----|------|-------|-----|-------|---------|------------|---------|
| 84 | P5P | r2 | 15 | 84 | - | 0/3/25/26 | 0/3/3/3 |
| 84 | Y5P | r2 | 49 | 84 | - | 3/7/33/34 | 0/2/2/2 |
| 85 | Y5P | r3 | 67 | 85 | - | 1/7/33/34 | 0/2/2/2 |
| 85 | Y5P | r3 | 36 | 85 | - | 3/7/33/34 | 0/2/2/2 |
| 83 | Y5P | r1 | 45 | 83 | - | 1/7/33/34 | 0/2/2/2 |
| 83 | Y5P | r1 | 52 | 83 | - | 1/7/33/34 | 0/2/2/2 |
| 84 | P5P | r2 | 5 | 84 | - | 0/3/25/26 | 0/3/3/3 |
| 85 | Y5P | r3 | 64 | 85 | - | 1/7/33/34 | 0/2/2/2 |
| 88 | MHV | A | 6 | 88 | - | 0/1/12/14 | 0/1/1/1 |
| 84 | P5P | r2 | 19 | 84 | - | 0/3/25/26 | 0/3/3/3 |
| 85 | P5P | r3 | 44 | 85 | - | 0/3/25/26 | 0/3/3/3 |
| 84 | P5P | r2 | 53 | 84 | - | 0/3/25/26 | 0/3/3/3 |
| 85 | P5P | r3 | 46 | 85 | - | 1/3/25/26 | 0/3/3/3 |
| 85 | Y5P | r3 | 16 | 85 | - | 4/7/33/34 | 0/2/2/2 |
| 84 | Y5P | r2 | 47 | 84 | - | 3/7/33/34 | 0/2/2/2 |
| 84 | Y5P | r2 | 74 | 84 | - | 3/7/33/34 | 0/2/2/2 |
| 84 | P5P | r2 | 58 | 84 | - | 0/3/25/26 | 0/3/3/3 |
| 85 | Y5P | r3 | 1 | 85 | - | 4/10/34/34 | 0/2/2/2 |
| 85 | Y5P | r3 | 56 | 85 | - | 7/7/33/34 | 0/2/2/2 |
| 85 | P5P | r3 | 23 | 85 | - | 0/3/25/26 | 0/3/3/3 |
| 84 | Y5P | r2 | 25 | 84 | - | 1/7/33/34 | 0/2/2/2 |
| 85 | P5P | r3 | 57 | 85 | - | 2/3/25/26 | 0/3/3/3 |
| 85 | P5P | r3 | 18 | 85 | - | 3/3/25/26 | 0/3/3/3 |
| 85 | P5P | r3 | 48 | 85 | - | 2/3/25/26 | 0/3/3/3 |
| 85 | P5P | r3 | 51 | 85 | - | 0/3/25/26 | 0/3/3/3 |
| 84 | P5P | r2 | 28 | 84 | - | 0/3/25/26 | 0/3/3/3 |
| 85 | Y5P | r3 | 13 | 85 | - | 6/7/33/34 | 0/2/2/2 |
| 85 | Y5P | r3 | 60 | 85 | - | 2/7/33/34 | 0/2/2/2 |
| 84 | Y5P | r2 | 32 | 84 | - | 1/7/33/34 | 0/2/2/2 |
| 85 | P5P | r3 | 9 | 85 | - | 1/3/25/26 | 0/3/3/3 |
| 85 | Y5P | r3 | 59 | 85 | - | 2/7/33/34 | 0/2/2/2 |
| 84 | P5P | r2 | 44 | 84 | - | 0/3/25/26 | 0/3/3/3 |
| 84 | Y5P | r2 | 16 | 84 | - | 1/7/33/34 | 0/2/2/2 |
| 84 | P5P | r2 | 31 | 84 | - | 0/3/25/26 | 0/3/3/3 |
| 84 | P5P | r2 | 36 | 83,84 | - | 0/3/25/26 | 0/3/3/3 |
| 88 | 004 | A | 7 | 88 | - | 1/4/6/8 | 0/1/1/1 |
| 84 | P5P | r2 | 21 | 84 | - | 2/3/25/26 | 0/3/3/3 |
| 84 | P5P | r2 | 52 | 84 | - | 0/3/25/26 | 0/3/3/3 |

Continued on next page...

Continued from previous page...

| Mol | Type | Chain | Res | Link | Chirals | Torsions | Rings |
|-----|------|-------|-----|-------|---------|-----------|---------|
| 84 | P5P | r2 | 24 | 84 | - | 0/3/25/26 | 0/3/3/3 |
| 85 | Y5P | r3 | 7 | 85 | - | 3/7/33/34 | 0/2/2/2 |
| 83 | Y5P | r1 | 53 | 83 | - | 4/7/33/34 | 0/2/2/2 |
| 84 | Y5P | r2 | 75 | 84 | - | 1/7/33/34 | 0/2/2/2 |
| 85 | Y5P | r3 | 33 | 85 | - | 2/7/33/34 | 0/2/2/2 |
| 84 | P5P | r2 | 27 | 84 | - | 0/3/25/26 | 0/3/3/3 |
| 83 | Y5P | r1 | 57 | 83 | - | 1/7/33/34 | 0/2/2/2 |
| 85 | Y5P | r3 | 25 | 85 | - | 1/7/33/34 | 0/2/2/2 |
| 83 | Y5P | r1 | 51 | 83 | - | 2/7/33/34 | 0/2/2/2 |
| 84 | Y5P | r2 | 2 | 84 | - | 1/7/33/34 | 0/2/2/2 |
| 84 | Y5P | r2 | 8 | 84 | - | 1/7/33/34 | 0/2/2/2 |
| 85 | P5P | r3 | 55 | 85 | - | 2/3/25/26 | 0/3/3/3 |
| 84 | Y5P | r2 | 17 | 84 | - | 3/7/33/34 | 0/2/2/2 |
| 84 | Y5P | r2 | 3 | 84 | - | 2/7/33/34 | 0/2/2/2 |
| 85 | Y5P | r3 | 12 | 85 | - | 1/7/33/34 | 0/2/2/2 |
| 84 | Y5P | r2 | 48 | 84 | - | 2/7/33/34 | 0/2/2/2 |
| 84 | Y5P | r2 | 61 | 84 | - | 2/7/33/34 | 0/2/2/2 |
| 85 | Y5P | r3 | 61 | 85 | - | 2/7/33/34 | 0/2/2/2 |
| 85 | Y5P | r3 | 34 | 85 | - | 5/7/33/34 | 0/2/2/2 |
| 84 | Y5P | r2 | 42 | 84 | - | 1/7/33/34 | 0/2/2/2 |
| 88 | MHU | A | 5 | 88 | - | 5/9/12/14 | 0/1/1/1 |
| 84 | P5P | r2 | 6 | 84 | - | 0/3/25/26 | 0/3/3/3 |
| 84 | Y5P | r2 | 45 | 84 | - | 3/7/33/34 | 0/2/2/2 |
| 84 | Y5P | r2 | 12 | 84 | - | 1/7/33/34 | 0/2/2/2 |
| 84 | P5P | r2 | 35 | 84 | - | 2/3/25/26 | 0/3/3/3 |
| 84 | P5P | r2 | 14 | 84 | - | 2/3/25/26 | 0/3/3/3 |
| 84 | P5P | r2 | 73 | 84 | - | 2/3/25/26 | 0/3/3/3 |
| 84 | P5P | r2 | 65 | 84 | - | 0/3/25/26 | 0/3/3/3 |
| 83 | Y5P | r1 | 49 | 83,84 | - | 3/7/33/34 | 0/2/2/2 |
| 84 | P5P | r2 | 64 | 84 | - | 0/3/25/26 | 0/3/3/3 |
| 85 | P5P | r3 | 37 | 85 | - | 0/3/25/26 | 0/3/3/3 |
| 83 | Y5P | r1 | 48 | 83 | - | 1/7/33/34 | 0/2/2/2 |
| 84 | Y5P | r2 | 41 | 84 | - | 1/7/33/34 | 0/2/2/2 |
| 85 | Y5P | r3 | 62 | 85 | - | 1/7/33/34 | 0/2/2/2 |
| 85 | P5P | r3 | 68 | 85 | - | 0/3/25/26 | 0/3/3/3 |
| 84 | P5P | r2 | 30 | 84 | - | 0/3/25/26 | 0/3/3/3 |
| 85 | P5P | r3 | 3 | 85 | - | 3/3/25/26 | 0/3/3/3 |
| 84 | P5P | r2 | 70 | 84 | - | 0/3/25/26 | 0/3/3/3 |

Continued on next page...

Continued from previous page...

| Mol | Type | Chain | Res | Link | Chirals | Torsions | Rings |
|-----|------|-------|-----|-------|---------|-----------|---------|
| 83 | Y5P | r1 | 44 | 83 | - | 2/7/33/34 | 0/2/2/2 |
| 84 | P5P | r2 | 18 | 84 | - | 1/3/25/26 | 0/3/3/3 |
| 85 | P5P | r3 | 42 | 85 | - | 2/3/25/26 | 0/3/3/3 |
| 84 | Y5P | r2 | 20 | 84 | - | 1/7/33/34 | 0/2/2/2 |
| 84 | P5P | r2 | 26 | 84 | - | 0/3/25/26 | 0/3/3/3 |
| 85 | P5P | r3 | 45 | 85 | - | 3/3/25/26 | 0/3/3/3 |
| 85 | Y5P | r3 | 70 | 85 | - | 1/7/33/34 | 0/2/2/2 |
| 83 | Y5P | r1 | 56 | 83,20 | - | 2/7/33/34 | 0/2/2/2 |
| 85 | Y5P | r3 | 73 | 85 | - | 1/7/33/34 | 0/2/2/2 |
| 84 | P5P | r2 | 37 | 84 | - | 0/3/25/26 | 0/3/3/3 |
| 84 | Y5P | r2 | 39 | 84 | - | 1/7/33/34 | 0/2/2/2 |
| 84 | Y5P | r2 | 40 | 84 | - | 1/7/33/34 | 0/2/2/2 |
| 83 | Y5P | r1 | 55 | 83 | - | 3/7/33/34 | 0/2/2/2 |
| 85 | Y5P | r3 | 20 | 85 | - | 1/7/33/34 | 0/2/2/2 |
| 84 | Y5P | r2 | 72 | 84 | - | 3/7/33/34 | 0/2/2/2 |
| 84 | Y5P | r2 | 11 | 84 | - | 1/7/33/34 | 0/2/2/2 |
| 85 | P5P | r3 | 21 | 85 | - | 3/3/25/26 | 0/3/3/3 |
| 88 | MHW | A | 1 | 88 | - | 0/2/2/4 | 0/1/1/1 |
| 84 | P5P | r2 | 23 | 84 | - | 1/3/25/26 | 0/3/3/3 |
| 85 | Y5P | r3 | 49 | 85 | - | 1/7/33/34 | 0/2/2/2 |
| 85 | P5P | r3 | 4 | 85 | - | 3/3/25/26 | 0/3/3/3 |
| 84 | P5P | r2 | 38 | 84 | - | 0/3/25/26 | 0/3/3/3 |
| 84 | Y5P | r2 | 13 | 84 | - | 3/7/33/34 | 0/2/2/2 |
| 84 | Y5P | r2 | 43 | 84 | - | 1/7/33/34 | 0/2/2/2 |
| 85 | P5P | r3 | 14 | 85 | - | 1/3/25/26 | 0/3/3/3 |
| 84 | P5P | r2 | 71 | 84 | - | 0/3/25/26 | 0/3/3/3 |
| 84 | P5P | r2 | 29 | 84 | - | 0/3/25/26 | 0/3/3/3 |
| 84 | Y5P | r2 | 50 | 84 | - | 3/7/33/34 | 0/2/2/2 |
| 85 | P5P | r3 | 10 | 85 | - | 0/3/25/26 | 0/3/3/3 |
| 84 | Y5P | r2 | 66 | 84 | - | 3/7/33/34 | 0/2/2/2 |
| 85 | Y5P | r3 | 41 | 85 | - | 1/7/33/34 | 0/2/2/2 |
| 85 | P5P | r3 | 11 | 85 | - | 0/3/25/26 | 0/3/3/3 |
| 85 | Y5P | r3 | 24 | 85 | - | 1/7/33/34 | 0/2/2/2 |
| 85 | P5P | r3 | 30 | 85 | - | 2/3/25/26 | 0/3/3/3 |
| 83 | Y5P | r1 | 46 | 83 | - | 4/7/33/34 | 0/2/2/2 |
| 84 | P5P | r2 | 9 | 84 | - | 3/3/25/26 | 0/3/3/3 |
| 85 | Y5P | r3 | 32 | 85 | - | 1/7/33/34 | 0/2/2/2 |
| 85 | Y5P | r3 | 58 | 85 | - | 4/7/33/34 | 0/2/2/2 |

Continued on next page...

Continued from previous page...

| Mol | Type | Chain | Res | Link | Chirals | Torsions | Rings |
|-----|------|-------|-----|------|---------|-----------|---------|
| 85 | Y5P | r3 | 53 | 85 | - | 3/7/33/34 | 0/2/2/2 |
| 88 | DBB | A | 3 | 88 | - | 0/3/4/6 | - |
| 85 | Y5P | r3 | 27 | 85 | - | 1/7/33/34 | 0/2/2/2 |
| 85 | P5P | r3 | 43 | 85 | - | 1/3/25/26 | 0/3/3/3 |
| 84 | Y5P | r2 | 68 | 84 | - | 1/7/33/34 | 0/2/2/2 |
| 85 | P5P | r3 | 31 | 85 | - | 0/3/25/26 | 0/3/3/3 |
| 83 | Y5P | r1 | 54 | 83 | - | 3/7/33/34 | 0/2/2/2 |
| 84 | P5P | r2 | 63 | 84 | - | 0/3/25/26 | 0/3/3/3 |
| 84 | P5P | r2 | 34 | 84 | - | 0/3/25/26 | 0/3/3/3 |
| 85 | Y5P | r3 | 63 | 85 | - | 3/7/33/34 | 0/2/2/2 |
| 84 | Y5P | r2 | 51 | 84 | - | 1/7/33/34 | 0/2/2/2 |
| 83 | Y5P | r1 | 47 | 83 | - | 3/7/33/34 | 0/2/2/2 |
| 84 | P5P | r2 | 69 | 84 | - | 3/3/25/26 | 0/3/3/3 |
| 84 | Y5P | r2 | 54 | 84 | - | 1/7/33/34 | 0/2/2/2 |
| 84 | P5P | r2 | 22 | 84 | - | 1/3/25/26 | 0/3/3/3 |
| 84 | P5P | r2 | 1 | 84 | - | 3/3/25/26 | 0/3/3/3 |
| 84 | Y5P | r2 | 56 | 84 | - | 1/7/33/34 | 0/2/2/2 |
| 84 | Y5P | r2 | 59 | 84 | - | 2/7/33/34 | 0/2/2/2 |
| 85 | Y5P | r3 | 69 | 85 | - | 3/7/33/34 | 0/2/2/2 |
| 84 | P5P | r2 | 10 | 84 | - | 0/3/25/26 | 0/3/3/3 |
| 84 | Y5P | r2 | 67 | 84 | - | 1/7/33/34 | 0/2/2/2 |
| 85 | Y5P | r3 | 28 | 85 | - | 1/7/33/34 | 0/2/2/2 |
| 85 | Y5P | r3 | 72 | 85 | - | 2/7/33/34 | 0/2/2/2 |
| 85 | Y5P | r3 | 65 | 85 | - | 1/7/33/34 | 0/2/2/2 |
| 85 | P5P | r3 | 71 | 85 | - | 0/3/25/26 | 0/3/3/3 |
| 84 | Y5P | r2 | 55 | 84 | - | 2/7/33/34 | 0/2/2/2 |
| 85 | Y5P | r3 | 38 | 85 | - | 4/7/33/34 | 0/2/2/2 |
| 85 | P5P | r3 | 52 | 85 | - | 0/3/25/26 | 0/3/3/3 |
| 84 | Y5P | r2 | 4 | 84 | - | 1/7/33/34 | 0/2/2/2 |
| 85 | P5P | r3 | 15 | 85 | - | 0/3/25/26 | 0/3/3/3 |
| 84 | Y5P | r2 | 33 | 84 | - | 6/7/33/34 | 0/2/2/2 |
| 84 | P5P | r2 | 46 | 84 | - | 3/3/25/26 | 0/3/3/3 |
| 85 | Y5P | r3 | 2 | 85 | - | 4/7/33/34 | 0/2/2/2 |
| 85 | Y5P | r3 | 47 | 85 | - | 4/7/33/34 | 0/2/2/2 |
| 84 | P5P | r2 | 76 | 84 | - | 1/3/25/26 | 0/3/3/3 |
| 84 | P5P | r2 | 57 | 84 | - | 0/3/25/26 | 0/3/3/3 |
| 84 | Y5P | r2 | 60 | 84 | - | 1/7/33/34 | 0/2/2/2 |
| 85 | P5P | r3 | 6 | 85 | - | 0/3/25/26 | 0/3/3/3 |

Continued on next page...

Continued from previous page...

| Mol | Type | Chain | Res | Link | Chirals | Torsions | Rings |
|-----|------|-------|-----|------|---------|-----------|---------|
| 85 | Y5P | r3 | 40 | 85 | - | 3/7/33/34 | 0/2/2/2 |
| 85 | P5P | r3 | 35 | 85 | - | 3/3/25/26 | 0/3/3/3 |
| 85 | P5P | r3 | 19 | 85 | - | 2/3/25/26 | 0/3/3/3 |
| 85 | P5P | r3 | 66 | 85 | - | 2/3/25/26 | 0/3/3/3 |
| 83 | Y5P | r1 | 50 | 83 | - | 2/7/33/34 | 0/2/2/2 |
| 85 | P5P | r3 | 26 | 85 | - | 0/3/25/26 | 0/3/3/3 |
| 85 | P5P | r3 | 5 | 85 | - | 1/3/25/26 | 0/3/3/3 |
| 85 | Y5P | r3 | 50 | 85 | - | 3/7/33/34 | 0/2/2/2 |
| 84 | Y5P | r2 | 62 | 84 | - | 1/7/33/34 | 0/2/2/2 |
| 85 | Y5P | r3 | 39 | 85 | - | 3/7/33/34 | 0/2/2/2 |
| 84 | P5P | r2 | 7 | 84 | - | 2/3/25/26 | 0/3/3/3 |
| 85 | P5P | r3 | 74 | 85 | - | 2/3/25/26 | 0/3/3/3 |
| 85 | P5P | r3 | 8 | 85 | - | 0/3/25/26 | 0/3/3/3 |
| 85 | Y5P | r3 | 54 | 85 | - | 3/7/33/34 | 0/2/2/2 |
| 85 | P5P | r3 | 22 | 85 | - | 0/3/25/26 | 0/3/3/3 |
| 85 | P5P | r3 | 29 | 85 | - | 3/3/25/26 | 0/3/3/3 |

The worst 5 of 346 bond length outliers are listed below:

| Mol | Chain | Res | Type | Atoms | Z | Observed(Å) | Ideal(Å) |
|-----|-------|-----|------|-------|-------|-------------|----------|
| 84 | r2 | 59 | Y5P | C6-C5 | 10.61 | 1.52 | 1.33 |
| 84 | r2 | 25 | Y5P | C6-C5 | 10.58 | 1.52 | 1.33 |
| 84 | r2 | 16 | Y5P | C6-C5 | 10.58 | 1.52 | 1.33 |
| 85 | r3 | 59 | Y5P | C6-C5 | 10.57 | 1.52 | 1.33 |
| 84 | r2 | 41 | Y5P | C6-C5 | 10.56 | 1.52 | 1.33 |

The worst 5 of 233 bond angle outliers are listed below:

| Mol | Chain | Res | Type | Atoms | Z | Observed(°) | Ideal(°) |
|-----|-------|-----|------|----------|-------|-------------|----------|
| 88 | A | 1 | MHW | O-C-CA | -8.04 | 116.60 | 124.22 |
| 84 | r2 | 21 | P5P | N1-C2-N3 | -6.06 | 119.89 | 127.65 |
| 85 | r3 | 35 | P5P | N1-C2-N3 | -6.04 | 119.92 | 127.65 |
| 85 | r3 | 42 | P5P | N1-C2-N3 | -6.03 | 119.93 | 127.65 |
| 84 | r2 | 26 | P5P | N1-C2-N3 | -6.01 | 119.96 | 127.65 |

There are no chirality outliers.

5 of 265 torsion outliers are listed below:

| Mol | Chain | Res | Type | Atoms |
|-----|-------|-----|------|-----------------|
| 83 | r1 | 46 | Y5P | C4'-C5'-O5'-P |
| 83 | r1 | 46 | Y5P | O4'-C1'-N1-C6 |
| 83 | r1 | 47 | Y5P | O4'-C4'-C5'-O5' |
| 83 | r1 | 47 | Y5P | C3'-C4'-C5'-O5' |
| 83 | r1 | 55 | Y5P | O4'-C4'-C5'-O5' |

There are no ring outliers.

3 monomers are involved in 7 short contacts:

| Mol | Chain | Res | Type | Clashes | Symm-Clashes |
|-----|-------|-----|------|---------|--------------|
| 88 | A | 7 | 004 | 2 | 0 |
| 88 | A | 5 | MHU | 2 | 0 |
| 88 | A | 1 | MHW | 3 | 0 |

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 204 ligands modelled in this entry, 202 are monoatomic - leaving 2 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

| Mol | Type | Chain | Res | Link | Bond lengths | | | Bond angles | | |
|-----|------|-------|------|------|--------------|------|-------------|-------------|------|-------------|
| | | | | | Counts | RMSZ | # $ Z > 2$ | Counts | RMSZ | # $ Z > 2$ |
| 91 | DOL | XA | 5142 | - | 43,50,50 | 3.57 | 17 (39%) | 51,70,70 | 2.61 | 9 (17%) |
| 92 | GTP | AX | 500 | - | 26,34,34 | 1.13 | 2 (7%) | 32,54,54 | 1.50 | 6 (18%) |

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

| Mol | Type | Chain | Res | Link | Chirals | Torsions | Rings |
|-----|------|-------|------|------|---------|-------------|---------|
| 91 | DOL | XA | 5142 | - | - | 20/58/77/77 | 0/2/3/3 |
| 92 | GTP | AX | 500 | - | - | 7/18/38/38 | 0/3/3/3 |

The worst 5 of 19 bond length outliers are listed below:

| Mol | Chain | Res | Type | Atoms | Z | Observed(Å) | Ideal(Å) |
|-----|-------|------|------|---------|-------|-------------|----------|
| 91 | XA | 5142 | DOL | C28-C29 | 10.18 | 1.56 | 1.32 |
| 91 | XA | 5142 | DOL | C22-C23 | 9.89 | 1.57 | 1.32 |
| 91 | XA | 5142 | DOL | C19-C20 | 7.44 | 1.57 | 1.34 |
| 91 | XA | 5142 | DOL | C26-N25 | 6.56 | 1.48 | 1.34 |
| 91 | XA | 5142 | DOL | C6-N5 | 6.35 | 1.49 | 1.34 |

The worst 5 of 15 bond angle outliers are listed below:

| Mol | Chain | Res | Type | Atoms | Z | Observed(°) | Ideal(°) |
|-----|-------|------|------|-------------|--------|-------------|----------|
| 91 | XA | 5142 | DOL | O40-S39-O41 | -14.87 | 101.23 | 118.19 |
| 91 | XA | 5142 | DOL | C24-N25-C26 | -5.19 | 113.64 | 122.03 |
| 91 | XA | 5142 | DOL | C23-C22-C20 | -4.13 | 119.66 | 125.89 |
| 91 | XA | 5142 | DOL | C32-O36-C37 | -3.84 | 111.19 | 117.78 |
| 92 | AX | 500 | GTP | PA-O3A-PB | -3.56 | 120.62 | 132.83 |

There are no chirality outliers.

5 of 27 torsion outliers are listed below:

| Mol | Chain | Res | Type | Atoms |
|-----|-------|------|------|----------------|
| 91 | XA | 5142 | DOL | C3-C2-S39-C42 |
| 91 | XA | 5142 | DOL | C1-C2-S39-O41 |
| 91 | XA | 5142 | DOL | C1-C2-S39-O40 |
| 91 | XA | 5142 | DOL | C1-C2-S39-C42 |
| 91 | XA | 5142 | DOL | C43-C42-S39-C2 |


There are no ring outliers.


2 monomers are involved in 2 short contacts:

| Mol | Chain | Res | Type | Clashes | Symm-Clashes |
|-----|-------|------|------|---------|--------------|
| 91 | XA | 5142 | DOL | 1 | 0 |
| 92 | AX | 500 | GTP | 1 | 0 |

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is

within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [\(i\)](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [\(i\)](#)

The following chains have linkage breaks:

| Mol | Chain | Number of breaks |
|-----|-------|------------------|
| 17 | AA | 7 |
| 8 | 7 | 3 |
| 16 | A4 | 2 |
| 40 | AX | 2 |
| 82 | r | 1 |
| 85 | r3 | 1 |
| 38 | AV | 1 |
| 7 | 6 | 1 |

The worst 5 of 18 chain breaks are listed below:

| Model | Chain | Residue-1 | Atom-1 | Residue-2 | Atom-2 | Distance (Å) |
|-------|-------|-----------|--------|-----------|--------|--------------|
| 1 | AA | 955:A | O3' | 965:C | P | 31.06 |
| 1 | AA | 734:C | O3' | 740:G | P | 17.04 |
| 1 | AA | 1403:A | O3' | 1407:U | P | 14.09 |
| 1 | AA | 1115:U | O3' | 1120:C | P | 10.73 |

Continued on next page...

Continued from previous page...

| Model | Chain | Residue-1 | Atom-1 | Residue-2 | Atom-2 | Distance (Å) |
|-------|-------|-----------|--------|-----------|--------|--------------|
| 1 | AA | 928:A | O3' | 931:C | P | 9.83 |


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-11395. These allow visual inspection of the internal detail of the map and identification of artifacts.

No raw map or half-maps were deposited for this entry and therefore no images, graphs, etc. pertaining to the raw map can be shown.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map




The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 277



Y Index: 333




Z Index: 265


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X



Y



Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.

6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.02. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.


6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [\(i\)](#)



The volume at the recommended contour level is 1624 nm³; this corresponds to an approximate mass of 1467 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum [i](#)



*Reported resolution corresponds to spatial frequency of 0.200 Å⁻¹


8 Fourier-Shell correlation

This section was not generated. No FSC curve or half-maps provided.

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-11395 and PDB model 6ZSE. Per-residue inclusion information can be found in section 3 on page 22.

9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.02 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.02).







































































9.4 Atom inclusion [i](#)



At the recommended contour level, 70% of all backbone atoms, 70% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary

The table lists the average atom inclusion at the recommended contour level (0.02) and Q-score for the entire model and for each chain.

| Chain | Atom inclusion | Q-score |
|-------|--|--|
| All |  0.7000 |  0.2530 |
| 0 |  0.7850 |  0.3180 |
| 1 |  0.7180 |  0.2780 |
| 2 |  0.8440 |  0.3950 |
| 3 |  0.8410 |  0.3950 |
| 4 |  0.7940 |  0.3320 |
| 5 |  0.7500 |  0.2530 |
| 6 |  0.7330 |  0.2450 |
| 7 |  0.7290 |  0.2560 |
| 8 |  0.5410 |  0.1860 |
| 9 |  0.7510 |  0.2860 |
| A |  0.8080 |  0.3540 |
| A0 |  0.4340 |  0.1130 |
| A1 |  0.2850 |  0.1000 |
| A2 |  0.3800 |  0.1620 |
| A3 |  0.7050 |  0.2760 |
| A4 |  0.2690 |  0.1270 |
| AA |  0.8690 |  0.2190 |
| AB |  0.5830 |  0.1560 |
| AC |  0.5160 |  0.1450 |
| AD |  0.5530 |  0.1840 |
| AE |  0.4320 |  0.1380 |
| AF |  0.3730 |  0.1010 |
| AG |  0.4930 |  0.1390 |
| AH |  0.2820 |  0.0970 |
| AI |  0.4310 |  0.1040 |
| AJ |  0.6710 |  0.2200 |
| AK |  0.5100 |  0.0690 |
| AL |  0.5170 |  0.1400 |
| AM |  0.5000 |  0.1140 |
| AN |  0.5760 |  0.1320 |
| AO |  0.5710 |  0.1650 |
| AP |  0.4550 |  0.1270 |
| AQ |  0.5140 |  0.1640 |
| AR |  0.4700 |  0.1250 |





































Continued on next page...

Continued from previous page...

| Chain | Atom inclusion | Q-score |
|-------|----------------|---------|
| AS | 0.5010 | 0.1550 |
| AT | 0.5910 | 0.1590 |
| AU | 0.5200 | 0.1510 |
| AV | 0.2660 | 0.1200 |
| AW | 0.4760 | 0.1330 |
| AX | 0.1910 | 0.0640 |
| AY | 0.2400 | 0.0880 |
| AZ | 0.4090 | 0.1160 |
| XA | 0.9340 | 0.3770 |
| XB | 0.9410 | 0.2600 |
| XD | 0.8010 | 0.3150 |
| XE | 0.8000 | 0.3390 |
| XF | 0.8350 | 0.3660 |
| XH | 0.7270 | 0.2790 |
| XI | 0.5390 | 0.1960 |
| XJ | 0.6010 | 0.1650 |
| XK | 0.8350 | 0.3660 |
| XL | 0.8080 | 0.3560 |
| XM | 0.8020 | 0.3440 |
| XN | 0.7780 | 0.3330 |
| XO | 0.7900 | 0.3170 |
| XP | 0.7410 | 0.2520 |
| XQ | 0.7130 | 0.2890 |
| XR | 0.8340 | 0.3650 |
| XS | 0.7860 | 0.3580 |
| XT | 0.8290 | 0.3730 |
| XU | 0.7950 | 0.3260 |
| XV | 0.7630 | 0.2730 |
| XW | 0.8170 | 0.3620 |
| XX | 0.7610 | 0.2840 |
| XY | 0.7940 | 0.2940 |
| XZ | 0.8260 | 0.3640 |
| a | 0.7450 | 0.3170 |
| b | 0.8410 | 0.3550 |
| c | 0.7630 | 0.2800 |
| d | 0.6810 | 0.2310 |
| e | 0.5970 | 0.1610 |
| f | 0.6050 | 0.1920 |
| g | 0.8090 | 0.3390 |
| h | 0.7230 | 0.2650 |
| i | 0.8450 | 0.3800 |
| j | 0.8030 | 0.3350 |

Continued on next page...

Continued from previous page...

| Chain | Atom inclusion | Q-score |
|-------|--|--|
| k |  0.7000 |  0.2050 |
| l |  0.6420 |  0.1990 |
| m |  0.6930 |  0.1780 |
| o |  0.8530 |  0.3760 |
| p |  0.7210 |  0.2470 |
| q |  0.6190 |  0.2310 |
| r |  0.7920 |  0.2920 |
| r1 |  0.6270 |  0.2510 |
| r2 |  0.5370 |  0.1930 |
| r3 |  0.6720 |  0.1550 |
| s |  0.7650 |  0.2790 |
| t1 |  0.1730 |  0.1940 |
| t2 |  0.2230 |  0.1700 |
| t3 |  0.0000 |  0.1470 |
| t4 |  0.0000 |  0.1300 |
| t5 |  0.0000 |  0.1430 |
| t6 |  0.0000 |  0.0830 |