

Full wwPDB X-ray Structure Validation Report (i)

Jun 14, 2022 – 04:21 pm BST

PDB ID	:	7ZWM
Title	:	Pfs48/45 central and C-terminal domains bound to Fab fragments of mono-
		clonal antibody 10D8 and 32F3
Authors	:	Ko, K.T.; Lennartz, F.L.; Higgins, M.K.
Deposited on	:	2022-05-19
Resolution	:	3.69 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at *validation@mail.wwpdb.org* A user guide is available at https://www.wwpdb.org/validation/2017/XrayValidationReportHelp with specific help available everywhere you see the (i) symbol.

The following versions of software and data (see references (1)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.8.4, CSD as541be (2020)
Xtriage (Phenix)	:	1.13
EDS	:	2.28.1
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0267
CCP4	:	7.1.010 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.28.1

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure: $X\text{-}RAY \, DIFFRACTION$

The reported resolution of this entry is 3.69 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Matria	Whole archive	Similar resolution
Metric	$(\# {\rm Entries})$	$(\# { m Entries}, { m resolution} { m range}({ m \AA}))$
R_{free}	130704	1049 (3.88-3.52)
Clashscore	141614	1027 (3.86-3.54)
Ramachandran outliers	138981	1069 (3.88-3.52)
Sidechain outliers	138945	1065 (3.88-3.52)
RSRZ outliers	127900	1578(3.90-3.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length		Quality of cha	ain		
1	А	428	43%	12%	45%		_
1	F	428	.%	14%	46%		
2	В	444	43%	•	52%		-
2	G	444	42%	6%	51%		
3	С	213		83%		16%	·



Mol	Chain	Length	Quality of chain	1	
3	Н	213	81%	1	.8% •
4	D	466	37% 9%	54%	
4	Ι	466	^{2%} 37% 9%	54%	
5	Е	240	72%	18%	10%
5	J	240	2% 69%	21%	10%
6	K	3	33%	67%	
7	L	4	50%	50%	



7ZWM

2 Entry composition (i)

There are 8 unique types of molecules in this entry. The entry contains 16969 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

• Molecule 1 is a protein called Gametocyte surface protein P45/48.

Mol	Chain	Residues		Atoms					AltConf	Trace
1	А	237	Total 1888	C 1204	N 301	0 372	S 11	0	0	0
1	F	230	Total 1831	C 1169	N 292	O 359	S 11	0	0	0

• Molecule 2 is a protein called 32F3 heavy chain.

Mol	Chain	Residues		Ate	oms		ZeroOcc	AltConf	Trace		
2	В	913	Total	С	Ν	0	S	0	0	0	
2	D	210	1627	1036	267	317	7	0	0	0	
0	C	216	Total	С	Ν	0	S	0	0	0	
2 G	G	210	1647	1046	271	323	$\overline{7}$		U	0	

• Molecule 3 is a protein called 32F3 light chain.

Mol	Chain	Residues		Ate	oms		ZeroOcc	AltConf	Trace	
3	С	911	Total	С	Ν	0	S	0	0	0
0		211	1613	1004	274	329	6	0	0	0
2	ц	911	Total	С	Ν	0	S	0	0	0
0	П 211		1613	1004	274	329	6	0	0	0

• Molecule 4 is a protein called 10D8 heavy chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
4	D	213	Total 1617	C 1021	N 271	0 315	S 10	0	0	0
4	Ι	215	Total 1631	C 1028	N 274	O 319	S 10	0	0	0

• Molecule 5 is a protein called 10D8 light chain.



Mol	Chain	Residues		Ate	oms		ZeroOcc	AltConf	Trace		
5	F	217	Total	С	Ν	0	\mathbf{S}	0	0	0	
0		211	1690	1061	278	344	$\overline{7}$	0	0	0	
5	т	216	Total	С	Ν	0	S	0	0	0	
0	0 J	210	1682	1057	277	341	7	0	0	0	

• Molecule 6 is an oligosaccharide called beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-b eta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	I	Aton	ns		ZeroOcc	AltConf	Trace
6	K	3	Total 39	C 22	N 2	0 15	0	0	0

• Molecule 7 is an oligosaccharide called beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-b eta-D-glucopyranose-(1-4)-[alpha-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopy ranose.



Mol	Chain	Residues	A	Aton	ns		ZeroOcc	AltConf	Trace
7	L	4	Total 49	C 28	N 2	O 19	0	0	0

• Molecule 8 is 2-acetamido-2-deoxy-beta-D-glucopyranose (three-letter code: NAG) (formula: $C_8H_{15}NO_6$).





Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
8	А	1	Total C N O 14 8 1 5	0	0
8	F	1	Total C N O 14 8 1 5	0	0
8	F	1	Total C N O 14 8 1 5	0	0



3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Gametocyte surface protein P45/48



• Molecule 2: 32F3 heavy chain Chain B: 43% 52% VAL GENUAL SERVAL SERVAL SERVAL DENCONSTRATE PHEC PROOF PROO PPR0 GGLN GGLN GGLN GGLN ALA ALA ALA CYSS CLYSS GGLN VAL CYSS CLYSS CLYS • Molecule 2: 32F3 heavy chain Chain G: 42% 6% 51% SEH AL/ AL/ GLI ALA ALA PRODUCT NO. A CONTRACT OF A CONTRACT • Molecule 3: 32F3 light chain Chain C: 83% 16% • Molecule 3: 32F3 light chain Chain H: 81% 18%





• Molecule 4: 10D8 heavy chain



• Molecule 5: 10D8 light chain

Chain E:



V12 P12 S12

Q130 MET L131 MET L131 MET L142 MET M144 MET M145 MET M146 MET M145 MET M146 MET M149 MET </tr

• Molecule 5: 1 <u>2%</u>	0D8 light chain			-	
Chain J:	6	59%		21%	10%
MET ASP SER GLN GLN VAL LEU LEU LEU	LEU LEU TRP VAL SER GLY GLY CYB GLY ASP ASP	85 89 80 82 822 723 723	730 731 832 833 833 833 835 944 944	P50 L53 W56 T78 K85	D88 D88 L89 A90 T103 K109 T112
					_

• Molecule 6: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

R21 ASN GLU CYS

S2

NAG1 NAG2 BMA3	

 $\bullet \ Molecule \ 7: \ beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[alp ha-L-fucopyranose-(1-6)] 2-acetamido-2-deoxy-beta-D-glucopyranose \ (1-6)] 2-acetamido-2-deoxy-$

Chain L:	50%	50%
NAGI NAG2 FUC4		

 113
 133

 113
 114

 114
 114

 115
 115

 116
 115

 117
 117

 117
 117

 117
 117

 117
 117

 117
 117

 117
 117

 118
 117

 119
 117

 118
 117

 118
 117

 119
 116

 119
 117

 119
 117

 119
 117

 119
 117

 119
 118

 119
 118

 119
 118

 119
 119

 119
 119

 119
 119

 119
 119

 119
 119

 119
 119

 119
 119

 119
 119

 119
 119

 119
 119

 119



4 Data and refinement statistics (i)

Property	Value	Source	
Space group	P 21 21 21	Depositor	
Cell constants	108.58Å 158.45Å 186.16Å	Depositor	
a, b, c, α , β , γ	90.00° 90.00° 90.00°	Depositor	
Bosolution (Å)	93.79 - 3.69	Depositor	
Resolution (A)	93.79 - 3.69	EDS	
% Data completeness	99.9 (93.79-3.69)	Depositor	
(in resolution range)	$99.9 \ (93.79 - 3.69)$	EDS	
R _{merge}	(Not available)	Depositor	
R_{sym}	(Not available)	Depositor	
$< I/\sigma(I) > 1$	1.73 (at 3.67Å)	Xtriage	
Refinement program	BUSTER 1.19_4092, PHENIX 1.19_4092	Depositor	
D D	0.255 , 0.280	Depositor	
Λ, Λ_{free}	0.252 , 0.279	DCC	
R_{free} test set	1806 reflections (5.12%)	wwPDB-VP	
Wilson B-factor $(Å^2)$	138.7	Xtriage	
Anisotropy	0.210	Xtriage	
Bulk solvent $k_{sol}(e/Å^3), B_{sol}(Å^2)$	(Not available), (Not available)	EDS	
L-test for $twinning^2$	$ L > = 0.45, < L^2 > = 0.28$	Xtriage	
Estimated twinning fraction	No twinning to report.	Xtriage	
F_o, F_c correlation	0.93	EDS	
Total number of atoms	16969	wwPDB-VP	
Average B, all atoms $(Å^2)$	161.0	wwPDB-VP	

Xtriage's analysis on translational NCS is as follows: The largest off-origin peak in the Patterson function is 2.81% of the height of the origin peak. No significant pseudotranslation is detected.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



¹Intensities estimated from amplitudes.

5 Model quality (i)

5.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: BMA, FUC, NAG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol Chain		Bond lengths		Bond angles	
WIOI	Chain	RMSZ	# Z > 5	RMSZ	# Z > 5
1	А	0.28	0/1927	0.50	0/2605
1	F	0.28	0/1869	0.51	0/2528
2	В	0.27	0/1669	0.53	0/2278
2	G	0.27	0/1689	0.54	0/2305
3	С	0.27	0/1652	0.51	0/2248
3	Н	0.27	0/1652	0.51	0/2248
4	D	0.28	0/1659	0.55	0/2266
4	Ι	0.26	0/1673	0.51	0/2285
5	Е	0.28	0/1731	0.51	0/2350
5	J	0.27	0/1723	0.49	0/2339
All	All	0.27	0/17244	0.52	0/23452

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	А	1888	0	1838	37	0
1	F	1831	0	1785	48	0
2	В	1627	0	1600	12	0



Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	G	1647	0	1613	18	0
3	С	1613	0	1552	20	0
3	Н	1613	0	1552	22	0
4	D	1617	0	1582	28	0
4	Ι	1631	0	1593	27	0
5	Е	1690	0	1623	28	0
5	J	1682	0	1616	31	0
6	Κ	39	0	34	1	0
7	L	49	0	43	0	0
8	А	14	0	13	0	0
8	F	28	0	26	0	0
All	All	16969	0	16470	248	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

All (248) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom 1	Atom 2	Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
4:I:91:THR:HG23	4:I:120:THR:HA	1.57	0.84
4:D:91:THR:HG23	4:D:120:THR:HA	1.59	0.84
4:I:19:LYS:HD3	4:I:80:TYR:HB3	1.59	0.83
1:A:186:ILE:HG22	1:A:222:LEU:HB3	1.64	0.79
5:J:155:LYS:HB2	5:J:199:THR:HB	1.69	0.74
1:A:191:LEU:HB2	1:A:227:CYS:HB3	1.70	0.73
2:G:91:THR:HG23	2:G:117:THR:HA	1.71	0.72
3:C:194:GLU:HG2	3:C:205:VAL:HG22	1.72	0.70
1:F:234:CYS:SG	1:F:235:PHE:N	2.65	0.70
5:E:155:LYS:HB2	5:E:199:THR:HB	1.74	0.69
2:B:91:THR:HG23	2:B:117:THR:HA	1.76	0.67
5:E:191:GLU:HA	5:E:194:ARG:HD3	1.76	0.67
4:I:5:VAL:HG23	4:I:23:ALA:HB3	1.76	0.67
5:J:85:LYS:HB2	5:J:88:ASP:OD1	1.96	0.65
1:A:369:ILE:HD11	2:B:104:LEU:HD21	1.78	0.65
4:I:3:MET:HB2	4:I:25:SER:HB3	1.77	0.65
3:H:34:TRP:HB2	3:H:47:ILE:HB	1.79	0.63
1:F:235:PHE:CD1	1:F:271:THR:HB	2.34	0.62
3:H:192:THR:HG23	3:H:207:SER:HB2	1.80	0.62
3:C:65:GLY:HA3	3:C:70:TYR:HA	1.81	0.61
5:J:191:GLU:HA	5:J:194:ARG:HD3	1.83	0.61
4:I:178:ALA:HB2	4:I:187:LEU:HD23	1.82	0.61



		Interatomic	Clash	
Atom-1	Atom-2	distance (Å)	overlap (Å)	
5:E:91:VAL:HG22	5:E:109:LYS:HG2	1.83	0.61	
3:H:119:PRO:HD3	3:H:131:VAL:HG22	1.83	0.61	
1:F:289:LYS:HD3	4:I:54:GLY:HA3	1.84	0.60	
1:A:363:GLU:HG3	1:A:365:GLU:HG2	1.83	0.59	
1:F:332:SER:HA	1:F:426:ASP:OD1	2.01	0.59	
1:F:369:ILE:HD11	2:G:104:LEU:HD21	1.84	0.59	
3:C:34:TRP:HB2	3:C:47:ILE:HB	1.84	0.59	
1:F:287:LYS:HG2	4:I:57:TYR:CZ	2.38	0.59	
1:F:385:GLU:HB3	1:F:394:LYS:HZ3	1.68	0.58	
5:E:201:GLU:HB3	5:E:212:VAL:HG12	1.84	0.58	
4:I:148:LEU:HD22	4:I:220:ILE:HG21	1.86	0.58	
1:A:189:THR:HA	1:A:203:TYR:O	2.03	0.58	
1:A:376:ILE:HG22	1:A:406:THR:HG21	1.85	0.58	
2:B:155:GLU:HG3	2:B:156:PRO:HA	1.85	0.58	
3:C:119:PRO:HD3	3:C:131:VAL:HG22	1.86	0.57	
1:F:312:ASP:OD2	1:F:329:VAL:HG22	2.04	0.57	
1:F:270:ASN:HB3	1:F:287:LYS:HE2	1.84	0.57	
2:G:175:ALA:HB2	2:G:184:LEU:HD23	1.85	0.57	
5:E:89:LEU:HD13	5:E:112:ILE:HD11	1.87	0.56	
1:A:235:PHE:CD2	1:A:246:SER:HB3	2.40	0.56	
5:E:143:ASN:HA	5:E:180:SER:HA	1.88	0.56	
1:F:363:GLU:HG2	1:F:365:GLU:HG2	1.87	0.56	
2:G:155:GLU:HG2	2:G:156:PRO:HA	1.87	0.56	
1:F:216:GLU:HB3	1:F:289:LYS:HE2	1.87	0.56	
3:H:107:ARG:HG3	3:H:170:SER:HB2	1.88	0.56	
1:A:366:PRO:HB3	3:C:90:TRP:CD2	2.40	0.56	
5:J:43:GLN:HB2	5:J:53:LEU:HD11	1.88	0.56	
1:F:290:TYR:CZ	1:F:292:LYS:HE3	2.40	0.56	
3:H:1:GLN:HA	3:H:94:PRO:HD2	1.88	0.55	
4:D:158:GLU:HG3	4:D:159:PRO:HA	1.89	0.55	
3:H:65:GLY:HA3	3:H:70:TYR:HA	1.88	0.55	
1:F:366:PRO:HB3	3:H:90:TRP:CD2	2.42	0.55	
4:I:67:ARG:NH2	4:I:87:ARG:HG3	2.22	0.55	
1:F:189:THR:HG22	1:F:203:TYR:HB2	1.88	0.55	
4:I:181:GLN:HG3	5:J:166:LEU:HD21	1.89	0.55	
1:F:363:GLU:CD	1:F:363:GLU:H	2.10	0.54	
4:D:12:VAL:HG21	4:D:86:LEU:HD13	1.89	0.54	
5:J:144:ASN:HA	5:J:178:THR:HB	1.89	0.54	
4:D:64:VAL:HA	4:D:67:ARG:HD3	1.89	0.54	
3:C:144:ASN:HB3	3:C:196:THR:HB	1.89	0.54	
5:J:89:LEU:HD11	5:J:112:ILE:HD11	1.90	0.54	



	ti a	Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:A:248:LYS:HE2	1:F:248:LYS:HA	1.89	0.54
1:A:189:THR:HG22	1:A:191:LEU:HG	1.91	0.53
4:D:55:ALA:HB2	4:D:72:ARG:HG2	1.91	0.53
5:E:188:THR:HG23	5:E:191:GLU:H	1.73	0.53
3:C:7:SER:OG	3:C:24:ARG:NH1	2.43	0.52
5:E:144:ASN:HA	5:E:178:THR:HB	1.90	0.52
5:E:199:THR:HA	5:E:214:SER:HB3	1.91	0.52
5:J:44:GLN:HG3	5:J:50:PRO:HG3	1.91	0.52
4:D:206:ASN:ND2	4:D:217:ASP:OD1	2.42	0.52
5:J:2:ILE:O	5:J:103:THR:OG1	2.25	0.52
5:J:32:SER:O	5:J:35:GLN:HG3	2.10	0.52
3:C:146:LYS:HB2	3:C:194:GLU:HB2	1.91	0.52
4:I:22:CYS:HB3	4:I:79:LEU:HB3	1.92	0.52
1:A:341:GLY:HA3	1:A:395:LEU:HB3	1.92	0.52
3:C:18:LYS:HG2	3:C:75:SER:O	2.10	0.52
5:E:122:SER:HA	5:E:213:LYS:NZ	2.25	0.52
5:E:150:ILE:HD11	5:E:202:ALA:HB1	1.92	0.51
1:F:303:ASN:OD1	1:F:305:SER:N	2.42	0.51
3:C:10:ILE:HG23	3:C:104:GLU:HG3	1.92	0.51
1:F:292:LYS:HE2	1:F:292:LYS:HA	1.92	0.51
4:D:67:ARG:NH2	4:D:87:ARG:HG3	2.26	0.51
5:E:43:GLN:HB2	5:E:53:LEU:HD11	1.93	0.51
1:F:398:ILE:HD11	1:F:402:ILE:HD11	1.92	0.51
4:I:55:ALA:HB2	4:I:72:ARG:HG2	1.91	0.51
4:D:145:MET:HG2	4:D:192:THR:HG22	1.92	0.51
1:A:235:PHE:HA	1:A:271:THR:HG23	1.93	0.51
5:E:121:VAL:HA	5:E:142:LEU:HD23	1.92	0.51
1:A:248:LYS:NZ	1:F:249:ILE:H	2.08	0.51
2:B:175:ALA:HB2	2:B:184:LEU:HD23	1.94	0.51
5:J:153:LYS:HB2	5:J:201:GLU:HG3	1.92	0.51
1:F:235:PHE:CD2	1:F:249:ILE:HG12	2.46	0.50
1:F:339:LEU:HD22	1:F:395:LEU:HD13	1.92	0.50
1:A:364:LEU:HD23	2:B:59:TYR:HB3	1.93	0.50
4:D:148:LEU:HD22	4:D:220:ILE:HG21	1.93	0.50
1:F:331:LEU:HB3	1:F:336:TYR:HE2	1.75	0.50
5:J:199:THR:HA	5:J:214:SER:HB3	1.93	0.50
5:E:33:SER:HB2	6:K:1:NAG:H83	1.94	0.50
1:A:386:ASP:HB3	1:A:393:ILE:HG23	1.94	0.50
5:J:192:TYR:O	5:J:198:TYR:OH	2.30	0.50
5:E:191:GLU:HG2	5:E:195:HIS:HE1	1.77	0.49
4:D:181:GLN:N	4:D:184:LEU:O	2.40	0.49



		Interatomic	Clash	
Atom-1	Atom-2	distance (Å)	overlap (Å)	
4:I:12:VAL:HG21	4:I:86:LEU:HD13	1.94	0.49	
5:J:166:LEU:HB2	5:J:184:THR:HB	1.94	0.49	
1:A:223:PHE:HE1	1:A:225:LEU:HD23	1.78	0.49	
1:F:208:PHE:CE2	1:F:213:LEU:HB2	2.48	0.49	
3:H:114:VAL:O	3:H:206:LYS:NZ	2.45	0.49	
4:I:64:VAL:HA	4:I:67:ARG:HD3	1.95	0.49	
1:A:287:LYS:HB2	4:D:57:TYR:OH	2.12	0.48	
1:A:217:LEU:HD11	1:A:286:LEU:HD22	1.96	0.48	
1:A:287:LYS:HE2	4:D:56:SER:HB3	1.95	0.48	
1:F:345:PRO:HG2	1:F:414:LYS:HD2	1.95	0.48	
1:F:235:PHE:HD2	1:F:249:ILE:HG12	1.78	0.48	
1:F:376:ILE:HG13	1:F:378:ILE:HG12	1.94	0.48	
5:J:195:HIS:O	5:J:217:ARG:NH2	2.47	0.48	
1:F:392:LYS:HB3	1:F:394:LYS:HE2	1.95	0.48	
4:D:198:TRP:CG	4:D:199:PRO:HA	2.48	0.48	
5:J:5:SER:O	5:J:23:CYS:HA	2.14	0.48	
1:A:326:SER:HB3	1:A:420:TYR:CZ	2.49	0.48	
5:E:61:GLU:HG3	5:E:62:SER:N	2.28	0.48	
2:G:201:THR:OG1	2:G:216:LYS:HG2	2.14	0.48	
4:D:22:CYS:HB3	4:D:79:LEU:HB3	1.96	0.48	
1:F:206:SER:OG	5:J:34:ASN:ND2	2.44	0.47	
5:E:45:LYS:HD2	5:E:90:ALA:HB2	1.95	0.47	
2:G:193:SER:HB2	2:G:194:PRO:HD3	1.94	0.47	
2:B:51:ILE:HG13	2:B:58:THR:HG22	1.95	0.47	
4:I:198:TRP:CG	4:I:199:PRO:HA	2.50	0.47	
2:G:51:ILE:HG13	2:G:58:THR:HG22	1.97	0.47	
5:J:126:PRO:HD3	5:J:138:VAL:HG22	1.96	0.47	
5:E:199:THR:HG23	5:E:214:SER:HB3	1.97	0.47	
1:F:274:THR:HG22	1:F:283:LYS:HG2	1.96	0.47	
3:H:89:GLN:O	3:H:95:LEU:HG	2.15	0.46	
5:J:21:MET:O	5:J:78:THR:HA	2.15	0.46	
2:G:64:VAL:HG12	2:G:67:ARG:HH21	1.80	0.46	
3:C:165:GLN:HG2	3:C:170:SER:HA	1.96	0.46	
3:H:148:LYS:HB2	3:H:192:THR:HB	1.97	0.46	
2:G:153:PHE:HA	2:G:154:PRO:HA	1.67	0.46	
1:F:352:CYS:HA	1:F:353:PHE:HA	1.49	0.46	
1:A:297:GLY:HA3	1:A:341:GLY:O	2.16	0.46	
4:I:71:SER:OG	4:I:80:TYR:HB2	2.15	0.46	
3:H:14:SER:HB3	3:H:106:LYS:HD2	1.98	0.46	
1:F:341:GLY:HA2	1:F:353:PHE:CE1	2.51	0.46	
2:G:11:LEU:HB2	2:G:154:PRO:HG3	1.98	0.46	



		Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
2:G:103:ASN:HB2	3:H:48:GLN:NE2	2.32	0.45
2:G:143:VAL:HG21	2:G:195:TRP:CD1	2.51	0.45
4:I:12:VAL:HG11	4:I:18:LEU:HB2	1.98	0.45
1:A:320:ASP:HB2	1:A:323:ALA:HB2	1.98	0.45
1:A:332:SER:HA	1:A:426:ASP:HB2	1.98	0.45
3:C:149:ILE:HD11	3:C:178:LEU:HD21	1.99	0.45
5:E:126:PRO:HD3	5:E:138:VAL:HG22	1.98	0.45
1:F:386:ASP:HB3	1:F:393:ILE:HB	1.98	0.45
1:A:411:ILE:HD13	2:B:102:GLY:O	2.17	0.45
4:D:5:VAL:HG23	4:D:23:ALA:HB3	1.98	0.45
3:C:139:TYR:CD1	3:C:140:PRO:HA	2.51	0.45
2:G:142:MET:HA	2:G:191:PRO:HA	1.99	0.45
3:C:145:VAL:HA	3:C:194:GLU:O	2.17	0.45
2:G:191:PRO:O	2:G:194:PRO:HD2	2.16	0.45
3:H:48:GLN:N	3:H:52:SER:O	2.43	0.45
5:J:192:TYR:O	5:J:217:ARG:NH2	2.50	0.45
5:J:143:ASN:HA	5:J:180:SER:HA	2.00	0.44
2:G:2:VAL:HG13	2:G:27:PHE:CD1	2.52	0.44
3:H:112:PRO:HB3	3:H:138:PHE:HB3	2.00	0.44
4:D:148:LEU:HD13	4:D:203:VAL:HG21	1.99	0.44
1:F:326:SER:HB3	1:F:420:TYR:CZ	2.53	0.44
5:J:56:TRP:CE3	5:J:56:TRP:HA	2.51	0.44
2:B:19:LYS:HE2	2:B:80:ASN:HB3	2.00	0.44
4:I:178:ALA:HA	4:I:187:LEU:HB3	1.99	0.44
3:H:149:ILE:HD11	3:H:178:LEU:HD21	1.99	0.44
1:A:366:PRO:HB3	3:C:90:TRP:CE2	2.53	0.44
5:E:39:LEU:HD13	5:E:77:PHE:CG	2.52	0.44
5:E:156:ILE:HD12	5:E:161:ARG:HD3	2.00	0.43
1:F:349:ILE:HB	1:F:411:ILE:HB	1.99	0.43
1:A:184:HIS:O	1:A:185:ASN:HB3	2.18	0.43
1:A:183:PRO:HD2	1:A:200:PRO:HD3	1.99	0.43
1:F:297:GLY:HA2	1:F:329:VAL:HG21	1.98	0.43
1:A:345:PRO:HG2	1:A:414:LYS:HD2	1.99	0.43
3:C:82:ALA:HA	3:C:103:LEU:HD22	2.01	0.43
3:C:203:PRO:O	3:C:205:VAL:HG23	2.18	0.43
1:F:235:PHE:CG	1:F:271:THR:HB	2.53	0.43
1:F:235:PHE:HE1	1:F:286:LEU:HD13	1.82	0.43
4:I:162:VAL:HA	4:I:206:ASN:O	2.19	0.43
5:J:31:TYR:CZ	5:J:33:SER:HB2	2.54	0.43
1:F:297:GLY:HA3	1:F:341:GLY:O	2.18	0.43
2:G:108:ASP:HA	3:H:45:PRO:HG3	2.01	0.43



	i a se pagem	Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
4:I:148:LEU:HD13	4:I:203:VAL:HG21	2.00	0.43
5:J:30:PHE:CZ	5:J:35:GLN:HA	2.54	0.43
5:J:188:THR:HG23	5:J:191:GLU:H	1.83	0.43
1:F:233:LYS:HG2	1:F:234:CYS:N	2.34	0.43
1:A:324:HIS:CD2	2:B:103:ASN:HB3	2.53	0.43
5:E:44:GLN:O	5:E:90:ALA:HB1	2.19	0.43
3:H:150:ASP:OD1	3:H:190:SER:N	2.51	0.43
3:H:183:ASP:O	3:H:187:ARG:HG3	2.19	0.43
3:H:121:SER:HA	3:H:124:LEU:HD12	2.01	0.43
4:I:39:GLN:HB2	4:I:95:TYR:HE2	1.84	0.43
5:J:9:SER:O	5:J:109:LYS:HD2	2.19	0.43
2:B:2:VAL:HG13	2:B:27:PHE:CD1	2.53	0.42
1:F:233:LYS:HG2	1:F:234:CYS:H	1.84	0.42
2:B:68:PHE:HB3	2:B:81:LEU:HD11	2.00	0.42
4:D:162:VAL:HG12	4:D:207:VAL:HG13	2.00	0.42
1:A:246:SER:HB2	1:A:249:ILE:HG23	2.01	0.42
5:E:119:PRO:HB3	5:E:145:PHE:HB3	2.01	0.42
2:B:108:ASP:HA	3:C:45:PRO:HG3	2.02	0.42
5:E:30:PHE:CZ	5:E:35:GLN:HA	2.54	0.42
5:J:127:SER:O	5:J:131:LEU:HG	2.20	0.42
1:A:272:GLU:HB3	1:A:283:LYS:HD2	2.02	0.42
4:D:178:ALA:HB2	4:D:187:LEU:HD23	2.01	0.42
4:D:218:LYS:NZ	5:E:129:GLU:OE1	2.45	0.42
1:A:341:GLY:HA2	1:A:353:PHE:CE2	2.55	0.42
4:D:125:LYS:O	4:D:127:THR:HG23	2.19	0.42
1:F:385:GLU:HB3	1:F:394:LYS:NZ	2.32	0.42
5:J:44:GLN:O	5:J:90:ALA:HB1	2.20	0.42
1:A:220:GLY:O	1:F:252:HIS:HE1	2.02	0.42
4:D:158:GLU:HG3	4:D:159:PRO:CA	2.49	0.42
4:I:65:LYS:HE3	4:I:65:LYS:HB2	1.82	0.42
1:A:248:LYS:HZ1	1:F:249:ILE:H	1.66	0.41
4:D:17:SER:HA	4:D:83:MET:O	2.20	0.41
4:D:163:THR:OG1	4:D:206:ASN:HB2	2.20	0.41
5:E:127:SER:O	5:E:131:LEU:HG	2.20	0.41
3:C:11:LEU:HD21	3:C:19:VAL:HB	2.01	0.41
3:H:147:TRP:O	3:H:153:GLU:HA	2.20	0.41
1:F:343:ASN:OD1	1:F:391:ASP:HB3	2.20	0.41
2:G:103:ASN:HB2	3:H:48:GLN:HE22	1.85	0.41
1:A:352:CYS:HA	1:A:353:PHE:HA	1.52	0.41
3:C:183:ASP:O	3:C:187:ARG:HG3	2.21	0.41
4:D:147:THR:HA	4:D:192:THR:HA	2.02	0.41



A + 1	A + 2	Interatomic	Clash
Atom-1	Atom-2	distance (\AA)	overlap (Å)
4:D:178:ALA:HA	4:D:187:LEU:HB3	2.03	0.41
1:F:235:PHE:CE1	1:F:286:LEU:HD13	2.56	0.41
5:J:157:ASP:CG	5:J:195:HIS:HB3	2.41	0.41
4:I:100:VAL:HG22	4:I:111:ASP:OD1	2.21	0.41
4:D:12:VAL:HG11	4:D:18:LEU:HB2	2.03	0.41
5:J:139:VAL:HG22	5:J:184:THR:HG23	2.03	0.41
4:D:43:LYS:HB3	4:D:43:LYS:HE3	1.61	0.41
4:D:125:LYS:NZ	4:D:126:THR:OG1	2.50	0.41
4:I:89:GLU:OE1	4:I:89:GLU:N	2.46	0.41
5:E:119:PRO:HB3	5:E:145:PHE:CD2	2.57	0.40
2:G:39:GLN:HA	2:G:44:ARG:O	2.21	0.40
3:H:37:GLN:HA	3:H:44:LYS:HZ3	1.86	0.40
1:A:355:GLN:HG2	1:A:371:TYR:HE1	1.87	0.40
1:F:208:PHE:CE2	1:F:282:TYR:HB3	2.56	0.40
1:F:229:LEU:HB3	1:F:232:LYS:HA	2.03	0.40
4:I:129:PRO:HB3	4:I:155:TYR:HB3	2.03	0.40
5:J:121:VAL:HG12	5:J:142:LEU:HD23	2.02	0.40
5:E:61:GLU:HB3	5:E:64:VAL:CG2	2.52	0.40
4:I:17:SER:HA	4:I:83:MET:O	2.21	0.40
4:I:39:GLN:HA	4:I:44:ARG:O	2.21	0.40
1:A:355:GLN:HG2	1:A:371:TYR:CE1	2.56	0.40

There are no symmetry-related clashes.

5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Perce	ntiles
1	А	231/428~(54%)	209 (90%)	22 (10%)	0	100	100
1	F	224/428~(52%)	203 (91%)	21 (9%)	0	100	100
2	В	209/444~(47%)	204 (98%)	5 (2%)	0	100	100
2	G	212/444 (48%)	203 (96%)	9 (4%)	0	100	100



Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
3	С	209/213~(98%)	203~(97%)	6 (3%)	0	100 100
3	Н	209/213~(98%)	201 (96%)	8 (4%)	0	100 100
4	D	209/466~(45%)	197~(94%)	12 (6%)	0	100 100
4	Ι	211/466~(45%)	201 (95%)	10 (5%)	0	100 100
5	Ε	215/240~(90%)	206~(96%)	9 (4%)	0	100 100
5	J	214/240 (89%)	207 (97%)	7 (3%)	0	100 100
All	All	2143/3582~(60%)	2034 (95%)	109 (5%)	0	100 100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Analysed Rotameric Outliers		Perce	ntiles
1	А	222/402~(55%)	220~(99%)	2(1%)	78	88
1	F	216/402~(54%)	213~(99%)	3~(1%)	67	82
2	В	186/398~(47%)	184 (99%)	2(1%)	73	85
2	G	188/398~(47%)	186~(99%)	2(1%)	73	85
3	С	184/186~(99%)	182~(99%)	2(1%)	73	85
3	Н	184/186~(99%)	183 (100%)	1 (0%)	88	94
4	D	185/417~(44%)	184 (100%)	1 (0%)	88	94
4	Ι	187/417~(45%)	187 (100%)	0	100	100
5	Ε	194/214~(91%)	193 (100%)	1 (0%)	88	94
5	J	$19\overline{3/214}~(90\%)$	193 (100%)	0	100	100
All	All	1939/3234~(60%)	1925~(99%)	14 (1%)	84	91

All (14) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type					
1	А	215	VAL					
Continued on mont mana								



Mol	Chain	Res	Type
1	А	273	CYS
2	В	104	LEU
2	В	157	VAL
3	С	135	LEU
3	C	210	ARG
4	D	120	THR
5	Е	201	GLU
1	F	249	ILE
1	F	333	GLU
1	F	363	GLU
2	G	104	LEU
2	G	157	VAL
3	Н	135	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (3) such sidechains are listed below:

Mol	Chain	Res	Type
4	D	206	ASN
5	Е	130	GLN
4	Ι	103	HIS

5.3.3 RNA (i)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates (i)

7 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).



Mal	Type Chain Beg		Chain Bog Link		Chain Reg Link Bond lengths			Bond angles		
WIOI	Type	Ullalli	nes		Counts	RMSZ	# Z >2	Counts	RMSZ	# Z >2
6	NAG	K	1	6,1	$14,\!14,\!15$	0.42	0	17,19,21	0.46	0
6	NAG	K	2	6	14,14,15	0.39	0	17,19,21	0.91	1 (5%)
6	BMA	K	3	6	11,11,12	0.73	0	15,15,17	0.74	0
7	NAG	L	1	7,1	$14,\!14,\!15$	0.24	0	17,19,21	0.59	0
7	NAG	L	2	7	14,14,15	0.51	0	17,19,21	0.91	1 (5%)
7	BMA	L	3	7	11,11,12	0.89	0	15,15,17	0.78	0
7	FUC	L	4	7	10,10,11	0.84	0	14,14,16	1.07	1 (7%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
6	NAG	K	1	6,1	-	2/6/23/26	0/1/1/1
6	NAG	K	2	6	-	0/6/23/26	0/1/1/1
6	BMA	K	3	6	-	0/2/19/22	0/1/1/1
7	NAG	L	1	7,1	-	0/6/23/26	0/1/1/1
7	NAG	L	2	7	-	0/6/23/26	0/1/1/1
7	BMA	L	3	7	-	0/2/19/22	0/1/1/1
7	FUC	L	4	7	-	-	0/1/1/1

There are no bond length outliers.

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
7	L	2	NAG	C1-O5-C5	3.28	116.64	112.19
6	Κ	2	NAG	C1-O5-C5	3.21	116.53	112.19
7	L	4	FUC	C1-O5-C5	2.32	118.04	112.78

There are no chirality outliers.

All (2) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
6	K	1	NAG	O5-C5-C6-O6
6	K	1	NAG	C4-C5-C6-O6

There are no ring outliers.

1 monomer is involved in 1 short contact:



Mol	Chain	Res	Type	Clashes	Symm-Clashes
6	K	1	NAG	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.







5.6 Ligand geometry (i)

3 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol Type	l Type Chain Bes Lir			Tink	Bo	Bond lengths			Bond angles		
	Type	Ullalli	nes		Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2	
8	NAG	F	901	1	14,14,15	0.34	0	17,19,21	0.53	0	
8	NAG	А	501	1	14,14,15	0.53	0	17,19,21	0.56	0	
8	NAG	F	902	1	14,14,15	0.63	1 (7%)	17,19,21	0.66	1 (5%)	

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.



Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
8	NAG	F	901	1	-	2/6/23/26	0/1/1/1
8	NAG	А	501	1	-	2/6/23/26	0/1/1/1
8	NAG	F	902	1	-	1/6/23/26	0/1/1/1

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
8	F	902	NAG	O5-C1	2.25	1.47	1.43

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
8	F	902	NAG	C1-O5-C5	2.15	115.10	112.19

There are no chirality outliers.

All (5) torsion outliers are listed below:

Mol	Chain	\mathbf{Res}	Type	Atoms
8	F	901	NAG	O5-C5-C6-O6
8	А	501	NAG	O5-C5-C6-O6
8	А	501	NAG	C4-C5-C6-O6
8	F	902	NAG	O5-C5-C6-O6
8	F	901	NAG	C4-C5-C6-O6

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers (i)

There are no such residues in this entry.

5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.



6 Fit of model and data (i)

6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled '#RSRZ > 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	$\langle RSRZ \rangle$	#RSRZ>2	$\mathbf{OWAB}(\mathrm{\AA}^2)$	Q<0.9
1	А	237/428~(55%)	-0.10	2 (0%) 86 78	98, 146, 208, 234	0
1	F	230/428~(53%)	0.02	6 (2%) 56 43	108, 157, 189, 214	0
2	В	213/444~(47%)	-0.22	2 (0%) 84 76	103, 146, 191, 207	0
2	G	216/444~(48%)	-0.24	1 (0%) 91 85	111, 142, 193, 257	0
3	С	211/213~(99%)	-0.30	0 100 100	94, 154, 200, 222	0
3	Н	211/213~(99%)	-0.26	0 100 100	103, 134, 165, 182	0
4	D	213/466~(45%)	-0.20	0 100 100	106, 157, 204, 238	0
4	Ι	215/466~(46%)	-0.06	8 (3%) 41 30	117, 180, 277, 310	0
5	Е	217/240~(90%)	-0.37	0 100 100	105, 158, 204, 222	0
5	J	216/240~(90%)	-0.21	6 (2%) 53 40	123, 222, 287, 297	0
All	All	2179/3582~(60%)	-0.19	25 (1%) 80 71	94, 153, 239, 310	0

All (25) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	F	235	PHE	5.2
1	А	235	PHE	3.6
5	J	161	ARG	3.5
5	J	154	TRP	3.5
4	Ι	131	VAL	3.4
4	Ι	153	LYS	3.3
4	Ι	221	VAL	3.2
2	В	126	PRO	3.1
5	J	150	ILE	2.8
5	J	132	THR	2.7
2	G	195	TRP	2.7
1	F	398	ILE	2.6
1	F	380	ASP	2.4



Mol	Chain	Res	Type	RSRZ
5	J	139	VAL	2.4
2	В	217	ILE	2.3
5	J	193	GLU	2.3
1	F	339	LEU	2.3
4	Ι	193	VAL	2.3
4	Ι	162	VAL	2.3
4	Ι	132	TYR	2.1
4	Ι	222	PRO	2.1
4	Ι	150	CYS	2.1
1	А	246	SER	2.0
1	F	338	HIS	2.0
1	F	335	LYS	2.0

6.2 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95^{th} percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	$B-factors(Å^2)$	Q<0.9
6	BMA	K	3	11/12	0.70	0.29	167,181,217,233	0
7	BMA	L	3	11/12	0.71	0.28	$195,\!195,\!195,\!195$	0
7	FUC	L	4	10/11	0.79	0.26	188,188,188,188	0
7	NAG	L	1	14/15	0.81	0.20	188,188,188,188	0
7	NAG	L	2	14/15	0.85	0.20	197,197,197,197	0
6	NAG	K	1	14/15	0.86	0.22	165,193,237,242	0
6	NAG	K	2	14/15	0.91	0.13	183,208,232,234	0

The following is a graphical depiction of the model fit to experimental electron density for oligosaccharide. Each fit is shown from different orientation to approximate a three-dimensional view.







6.4 Ligands (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95^{th} percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	$B-factors(A^2)$	Q<0.9
8	NAG	F	901	14/15	0.66	0.26	246,253,259,259	0
8	NAG	F	902	14/15	0.69	0.30	198,198,198,198	0
8	NAG	А	501	14/15	0.82	0.26	200,200,200,200	0

6.5 Other polymers (i)

There are no such residues in this entry.

