

Apr 23, 2024 – 06:54 am BST

PDB ID	:	6ZYW
EMDB ID	:	EMD-11576
Title	:	Outer Dynein Arm-Shulin complex - overall structure (Tetrahymena thermophila)
Authors	:	Mali, G.R.; Abid Ali, F.; Lau, C.K.; Carter, A.P.
Deposited on	:	2020-08-03
Resolution	:	8.78 Å(reported)
This is	a I	Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at *validation@mail.wwpdb.org* A user guide is available at https://www.wwpdb.org/validation/2017/EMValidationReportHelp

with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (1)) were used in the production of this report:

EMDB validation analysis	:	FAILED
Mogul	:	1.8.4, CSD as541be (2020)
MolProbity	:	4.02b-467
buster-report	:	1.1.7 (2018)
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
MapQ	:	FAILED
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.36.2

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure: $ELECTRON\ MICROSCOPY$

The reported resolution of this entry is 8.78 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	$egin{array}{c} { m Whole \ archive}\ (\#{ m Entries}) \end{array}$	${f EM} {f structures} \ (\#{f Entries})$
Clashscore	158937	4297
Ramachandran outliers	154571	4023

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5%

Mol	Chain	Length	Quality	of chain
1	А	4168	85%	6% 9%
2	В	4595	91%	• 5%
3	С	4620	94%	
4	D	667	47% •	52%
4	d	667	19%	81%
5	Е	670	51%	49%
5	е	670	15%	85%
6	F	133	74%	26%
7	G	103	90%	• 8%
8	Н	92	90%	• 8%



Ν.Γ.1		T		
IVIOI	Chain	Length	Quality of chain	
9	Ι	110	81%	19%
10	J	93	90%	10%
11	K	111	86%	14%
12	L	111	87%	13%
13	М	87	99%	•
14	Ν	132	83%	17%
15	Ο	117	93%	• 5%
16	Р	110	90%	• 6%
17	Y	1200	94%	6%



2 Entry composition (i)

There are 20 unique types of molecules in this entry. The entry contains 73897 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

• Molecule 1 is a protein called Dynein-1-alpha heavy chain, flagellar inner arm I1 complex protein, putative.

Mol	Chain	Residues	Atoms				AltConf	Trace
1	А	3795	Total 18787	C 11198	N 3795	O 3794	0	0

• Molecule 2 is a protein called Outer arm dynein beta heavy chain.

Mol	Chain	Residues	Atoms				AltConf	Trace
2	В	4370	Total 20008	C 12102	N 3953	O 3953	0	417

• Molecule 3 is a protein called Dynein heavy chain, outer arm protein.

Mol	Chain	Residues	Atoms				AltConf	Trace
3	С	4433	Total 19737	C 11997	N 3870	0 3870	0	563

• Molecule 4 is a protein called Dynein intermediate chain 2.

Mol	Chain	Residues	Atoms				AltConf	Trace
4	Л	201	Total	С	Ν	Ο	0	0
4 D	321	1588	946	321	321	0	0	
4	d	198	Total	С	Ν	Ο	0	0
4	u	128	637	381	128	128	0	0

• Molecule 5 is a protein called Flagellar outer dynein arm intermediate protein, putative.

Mol	Chain	Residues	Atoms				AltConf	Trace
5	Е	341	Total 1678	C 996	N 341	O 341	0	0
5	е	102	Total 501	C 297	N 102	O 102	0	0

• Molecule 6 is a protein called Dynein light chain roadblock-type 2 protein.



Mol	Chain	Residues	Atoms				AltConf	Trace
6	F	98	Total 486	C 290	N 98	O 98	0	0

• Molecule 7 is a protein called Dynein light chain roadblock-type 2 protein.

Mol	Chain	Residues	Atoms				AltConf	Trace
7	G	95	Total 470	C 280	N 95	O 95	0	0

• Molecule 8 is a protein called Dynein light chain.

Mol	Chain	Residues	Atoms				AltConf	Trace
8	Н	85	Total 420	C 250	N 85	O 85	0	0

• Molecule 9 is a protein called Dynein light chain.

Mol	Chain	Residues		Aton	ıs	AltConf	Trace	
9	Ι	89	Total 439	C 261	N 89	O 89	0	0

• Molecule 10 is a protein called Dynein light chain.

Mol	Chain	Residues	Atoms				AltConf	Trace
10	J	84	Total 416	C 248	N 84	0 84	0	0

• Molecule 11 is a protein called Dynein light chain.

Mol	Chain	Residues		Aton	ıs	AltConf	Trace	
11	K	95	Total 470	C 280	N 95	O 95	0	0

• Molecule 12 is a protein called Dynein light chain.

Mol	Chain	Residues	Atoms				AltConf	Trace
12	L	97	Total 479	C 285	N 97	O 97	0	0

• Molecule 13 is a protein called Dynein light chain.



Mol	Chain	Residues	Atoms				AltConf	Trace
13	М	86	Total 426	C 254	N 86	O 86	0	0

• Molecule 14 is a protein called Dynein light chain 2A.

Mol	Chain	Residues	Atoms				AltConf	Trace
14	Ν	109	Total	C 210	N 100	0 100	0	0
			007	519	109	109		

• Molecule 15 is a protein called Dynein light chain tctex-type 1 protein.

Mol	Chain	Residues	Atoms				AltConf	Trace
15	О	111	Total 550	C 328	N 111	0 111	0	0

• Molecule 16 is a protein called Thioredoxin.

Mol	Chain	Residues	Atoms				AltConf	Trace
16	Р	103	Total 513	$\begin{array}{c} \mathrm{C} \\ 307 \end{array}$	N 103	O 103	0	0

• Molecule 17 is a protein called Shulin.

Mol	Chain	Residues	Atoms				AltConf	Trace
17	Y	1133	Total 5611	C 3345	N 1133	0 1133	0	0

• Molecule 18 is ADENOSINE-5'-DIPHOSPHATE (three-letter code: ADP) (formula: $C_{10}H_{15}N_5O_{10}P_2$).





Mol	Chain	Residues		Atoms					
19	C	1	Total	С	Ν	Ο	Р	0	
10	U	L	27	10	5	10	2	0	
10	C	1	Total	С	Ν	0	Р	0	
10	U	L	27	10	5	10	2	0	
19	C	1	Total	С	Ν	Ο	Р	0	
10			27	10	5	10	2	U	

• Molecule 19 is ADENOSINE-5'-TRIPHOSPHATE (three-letter code: ATP) (formula: $C_{10}H_{16}N_5O_{13}P_3$).





Mol	Chain	Residues		AltConf				
19	С	1	Total 31	C 10	N 5	O 13	Р 3	0

• Molecule 20 is GUANOSINE-5'-TRIPHOSPHATE (three-letter code: GTP) (formula: $C_{10}H_{16}N_5O_{14}P_3$).



Mol	Chain	Residues		AltConf				
20	V	1	Total	С	Ν	Ο	Р	0
20	L	L	32	10	5	14	3	0



3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Dynein-1-alpha heavy chain, flagellar inner arm I1 complex protein, putative







VAL SER ASP GLU VAL LYS LYS LYS LYS LYS LYS LYS

• Molecule 3: Dynein heavy chain, outer arm protein





• Molecule 4: Dynein intermediate chain 2



VAL VAL SER LYS LYS GLU GLU ARG GLU ASP ASP

• Molecule 4: Dynein intermediate chain 2



• Molecule 5: Flagellar outer dynein arm intermediate protein, putative

Chain	E:								51	L%																	49	%											
MET ALA GLU TYR PHE	THR TYR	SER LYS	LYS	ARG LYS	GLU	ASN	ASN	ILE	ASN	PHE	ASP	THR	GLU	ARG	TYR CI V	GLY	ILE	GLN	GLN	VAL	VAL	ASN	ASN	GLN	TYK VAL	GLN	ARG	PRO	ASN	TIF	ASP	LEU	ASP	ILE	ALA	GLU	SER	GLU	HIS
VAL ASN THR GLU ARG	VAL LYS	THR GLY	ASP	ARG GLY	MET	HIS	LYS	GLY	GLY	TRP	GLY	ASN	ASP	PRO	ASN GI II	ALA	GLN	GLU	GLY	ARG	PHE	LYS	ARG	ILE	GLU GLU	ASP	THR	PHE	PRO	GLN AT A	VAL	LYS	ASP LEU	LYS	GLU	GLY	GLU	LYS	CYS ILE
TYR GLN ASN ASN GLN	ILE ASP	LEU	GLU	GLU TYR	PHE	GLY	GLU	SER	GLU	HIS VAT	VAL	GLU	ASN	S146	D00	THR	ARG	LYS	GLU	ALA	GLY	VAL	GLU	LYS	ASN	ILE	ILE	GLY	LEU	61 II	ASN	GLU	GLU TLE	<u>1317</u>		S418 D/10	T420		E510 ARG
GLU TYR ARG LYS GLU	LYS ASN	GLU	THR	ILE LYS	LYS	GLN	GLU	ALA	LYS	ARG	VAL	GLN	ASP	MET	GLY SFR	GLN	LYS	GLU	TRP	GLU	LYS	LYS	TEU	GLU	TLE	CLU	THR AT A	GLU	ALA	SER	HIS	GLU	ASN	ALA	LYS	ASN	VAL	ASN	GLU
GLU PHE ASN GLU LEU	ASP SER	PRO SER	GLU	LYS ARG	LYS	THR	ASN	ASN	GLN	GLY	GLU	GLN	GLU	GLN	SER	GLU	GLU	GLN	GLU	SER	GLY	ASN PHE	ASN	GLN	GLN	GLN	GLN	GLN	GLU	GTU GTU	GLN	GLN	GLN	GLY	GLU	GLN	SIH	HIS	GLN
GLN GLU HIS GLN ASN	GLY	GLY HIS	GLU	ASN GLY	GLN	GLU	GLY	GLU	ASN	GLY	GLU	GLY	GLN	GLN	GLU	GLU	GLY	GLN	GLU	ASN	GLU	0TTN	GLN	GLU															



• Molecule 5:	Flagellar outer dy	ynein arm int	ermediate prot	ein, putative	
Chain e:	15%		85%		_
MET ALA GLU TYR PHE TYR TYR SER LYS LYS	ARG LYS GLU PHE ASN ASN PRO P18 P18 P199 P104	P124 C137 ILE TYR GLN ASN GLN GLN GLN	ASP LEU LEU GLU GLU GLU GLU GLU THR THU	SER GLU VAL VAL GLU GLU LEU SER	SER LYS LYS LEU MET LEU DHE
LYS ASP GLU LYS GLU TLE CYS LYS ARG SFR	VAL SER GLU ILE SER TRP HIS PRO GLU GLU CLY VLYS	VAL ALA ALA VAL SER TYR ALA ALA ILE ARG ARG PHE	GLN GLN MET PRO GLU GLU LYS MET PRO THR GLN GLN	TYR VAL ASP LEU LEU ASN PRO ASN	SER PRO GLU ILE LYS LEU MET
SER PRO SER ALA VAL THR ASN ILE SER SER	ASN GLN LYS CLN TLE PRO ASP GLN GLY GLY GLY CYS	ASN GLY LEU LEU ALA VAL TRP ASP GLY ARG	LYS GLY GLU ASN PRO PRO TILE NET TLE SER PRO VAL	GLU ASN HIS TYR GLU VAL THR	HIS PHE HIS TRP LEU MET SFR
LYS THR GLY GLY GLU CYS CYS VAL THR THR THR	THR ASP GLY LYS LYS VAL MET TRP TRP TRP TRP TRP TRP TRP TRP TRP	GLU ALA GLY PRO VAL VAL CLYS LLYS LEU ASN TLE	ILE GLV GLV GLV GLV GLU GLU TLE TLE	GLY GLY ALA ALA LEU GLU ASN VAL	GLU ALA GLY PRO SER LYS DHF
LEU ILE GLY GLY GLU SER GLY SER ILE	THR ALA ASN LYS LYS LYS LEU LYS PRO VAL CLY GLU THR	THR ARG GLY GLY LEU ASP GLN GLV HIS	LEU GLY PRO PRO TYR SER ILE ASN SER SER SER	GLN ASN PRO LYS LYS PHE LEU SER VAL	GLY ASP TRP SER CYS LYS
TRP VAL GLU ASP LEU LEU LYS THR PRO TLE	ARG THR TYR TYR HIS GLY SER SER SER ASP GLY CYS	TRP SER PRO THR ARG SER GLY ALLA PHE	LEU VAL ARG ARG ARG GLY TRP MET ASP VAL VAL	ASP TYR TYR TYR ARG GLN GLN GLU ILE	ALA PHE SER HIS LYS VAL SFR
ASP SER PRO LLEU THR CYS ILE LYS ILE ASN	GLY THR GLY GLY GLY ALA ALA HTS ASN ASN ASN CYS	ALA ILE GLY GLY GLY GLN GLY THR YAL	ILE LEU CYS CYS ASP SER SER LEU TYR THR	GLN PRO LYS GLU CYS ASP TLE TLE ASN	GLU MET PHE GLU GLU GLU GLU
ARG LYS GLU GLU ASN ASN LFU GLU THR TLE	LYS GLN GLN GLU GLU LLEU ALA LYS GLN VAL CJLN CJLN ASP ASP	MET GLY SER GLN GLN LYS GLU LYS GLU CLV CLV	LYS LYS LYS LEU CLU MET THR THR ALA GLU ALA	SER PHE HIS GLU GLU ASN LVS ASN	PRO VAL ASN GLU GLU GLU DHF
ASN GLU LEU ASP SER PRO SER GLU LYS	LYS LYS THR ASN GLN GLN GLV GLU GLU GLU	GLN SER ARG GLU GLU GLU GLU SER SER GLY	ASN PHE ASN GLN GLN GLN GLN GLN GLN GLN	GLU GLU GLU GLU GLU GLU GLU GLU	GLN HIS GLN GLN GLN GLN
HIS GLN GLN GLY GLY GLY HIS GLU ASN	GLU GLU GLU GLU GLU GLU GLU GLU GLU GLU	GLN GLU GLU GLU GLU GLU ASN ASN GLU GLU	DTD NTD NTD NTD		
• Molecule 6:	Dynein light chai	n roadblock-t	ype 2 protein		
Chain F:		74%		26%	_
MET ALA ALA GLN GLN ASP TLE NG C103 GLY C103 GLY	ALA TLE GLU GLU GLU GLU CLYS LLYS ALA ALA ALA ALA ALA ALA ALA	ALA ALA ALA ALA VAL VAL GLU GLU GLU ASN LYS	TXS TXS TXS TXS TXS TXS TXS		
• Molecule 7:	Dynein light chai	n roadblock-t	ype 2 protein		
Chain G:		90%		• ٤	3%
MET S58 S1 E142 G152 GLU LVU	ARG ASP GLU ASN ASP				
• Molecule 8:	Dynein light chai	n			
Chain H:		90%		• 8	1%
MET SER HIS LEU ASP LYS VAL P9 P9	<mark>8</mark> 78				



• Molecule 9: Dynein lig	ght chain	
Chain I:	81%	19%
MET GLU GLU GLU GLU GLU CLYS ALA ASP MET ASP ASP ASP ASP ASP ASP ASP ASP ASP ASP	MET ILE GLY K22 8110	
• Molecule 10: Dynein l	ight chain	
Chain J:	90%	10%
MET GLY ASP ASP HIS ASN ASN GLU CLU TLE GLU GB3		
• Molecule 11: Dynein l	ight chain	
Chain K:	86%	14%
MET ALA SER ASN SER ASN ASN CLN CLN CLN CLN CLN CLN CLN CLN CLN CL	8	
• Molecule 12: Dynein l	ight chain	
Chain L:	87%	13%
MET ASP ASP ASP ASP SER SER ASP GIU GIU GIU PIS GIU GIU GIU		
• Molecule 13: Dynein l	ight chain	
Chain M:	99%	
MET N2 A87		
• Molecule 14: Dynein l	ight chain 2A	
Chain N:	83%	17%
MET LYS CLYS CLYS THR TYR TYR LEU ASN LYS CLYS CLYS CLYS CLYS SALA SALA	LLEU LLEU LLEU A.S.N P.24 B132 B132	
• Molecule 15: Dynein l	ight chain tctex-type 1 protein	
Chain O:	93%	• 5%
MET GLY ASP ASP LYS LYS S32 136 136 136		

• Molecule 16: Thioredoxin

532 136 V11



Chain P:	90%	• 6%
MET HIS HIS HIS HIS HIS M30 M30 M30 M30 M30 M30 M310 M310 M310		
• Molecule 17: Shulin		
Chain Y:	94%	6%
M1 M665 GLN GLN GLN GLN GLN GLN CLN CLN ASN M61 SER CLN M631 M631 M631	G964 ASN G964 ASN G10 LEU THR ASP ASP G10 G10 G10 G10 G10 G10 FYS C11 CYS	GLU LEU ASN ASN ASN ASN ASN ASP ASP ASP ASP ASP ASP ASP ASP ASP CYS CLU CYS CLU





4 Experimental information (i)

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	131142	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE	Depositor
	CORRECTION	
Microscope	FEI TITAN	Depositor
Voltage (kV)	300	Depositor
Electron dose $(e^-/\text{\AA}^2)$	52	Depositor
Minimum defocus (nm)	Not provided	
Maximum defocus (nm)	Not provided	
Magnification	Not provided	
Image detector	GATAN K3 (6k x 4k)	Depositor



5 Model quality (i)

5.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: ATP, ADP, GTP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	Chain	Bo	nd lengths	E	Bond angles
WIOI	Unain	RMSZ	# Z > 5	RMSZ	# Z > 5
1	А	0.34	0/18743	0.69	1/26057~(0.0%)
2	В	0.39	0/19561	0.65	6/27233~(0.0%)
3	С	0.31	0/19162	0.56	8/26702~(0.0%)
4	D	0.36	0/1584	0.84	0/2201
4	d	0.31	0/634	0.61	0/881
5	Е	0.36	0/1676	0.78	0/2327
5	е	0.44	0/498	0.76	3/687~(0.4%)
6	F	0.46	0/485	0.86	0/675
7	G	0.37	0/469	0.73	0/652
8	Н	0.42	0/419	0.84	0/582
9	Ι	0.40	0/438	0.86	0/608
10	J	0.31	0/415	0.57	0/577
11	Κ	0.28	0/469	0.56	0/652
12	L	0.28	0/478	0.57	0/664
13	М	0.29	0/425	0.55	0/591
14	Ν	0.28	0/536	0.57	0/744
15	0	0.24	0/549	0.50	0/764
16	Р	0.78	0/512	0.92	0/714
17	Y	0.29	1/5608~(0.0%)	0.55	2/7814~(0.0%)
All	All	0.35	1/72661~(0.0%)	0.64	20/101125~(0.0%)

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	$\mathrm{Ideal}(\mathrm{\AA})$
17	Y	1176	ASN	C-N	6.01	1.47	1.34

All (20) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Ζ	$Observed(^{o})$	$Ideal(^{o})$
2	В	4432	PRO	N-CA-CB	8.75	113.80	103.30



Mol	Chain	Res	Type	Atoms	Z	Observed(°)	$Ideal(^{o})$
3	С	4182	PRO	N-CA-CB	6.65	111.28	103.30
3	С	4188	PRO	N-CA-CB	6.65	111.28	103.30
17	Y	1106	PRO	N-CA-CB	6.55	111.16	103.30
3	С	2978	PRO	N-CA-CB	6.33	110.89	103.30
3	С	4180	PRO	N-CA-CB	6.29	110.85	103.30
17	Y	723	PRO	N-CA-CB	6.25	110.81	103.30
2	В	4008	PRO	N-CA-CB	6.21	110.76	103.30
5	е	99	PRO	N-CA-CB	6.21	110.76	103.30
3	С	4546	PRO	N-CA-CB	6.21	110.75	103.30
2	В	3703	PRO	N-CA-CB	6.20	110.74	103.30
3	С	2979	PRO	N-CA-CB	6.20	110.73	103.30
2	В	1652	PRO	N-CA-CB	5.83	110.29	103.30
5	е	124	PRO	N-CA-CB	5.76	110.21	103.30
1	А	1185	PRO	N-CA-CB	5.71	110.16	103.30
3	С	2805	PRO	N-CA-CB	5.63	110.06	103.30
3	С	3483	PRO	N-CA-CB	5.61	110.03	103.30
5	е	104	PRO	N-CA-CB	5.38	109.75	103.30
2	В	3951	PRO	N-CA-CB	5.29	109.65	103.30
2	В	2557	PRO	N-CA-CB	5.08	109.40	103.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	А	18787	0	8282	131	0
2	В	20008	0	8566	89	0
3	С	19737	0	8300	29	0
4	D	1588	0	693	3	0
4	d	637	0	261	0	0
5	Е	1678	0	724	1	0
5	е	501	0	215	0	0
6	F	486	0	218	0	0
7	G	470	0	203	1	0
8	Н	420	0	185	1	0



Ν.Γ.1		NT TT	TT ($\mathbf{TT}(-1,1,-1)$		Company Classica
IVIOI	Chain	INON-H	H(model)	H(added)	Clasnes	Symm-Clashes
9	Ι	439	0	202	0	0
10	J	416	0	184	0	0
11	K	470	0	215	0	0
12	L	479	0	209	0	0
13	М	426	0	189	0	0
14	Ν	537	0	231	0	0
15	0	550	0	247	1	0
16	Р	513	0	213	2	0
17	Y	5611	0	2410	0	0
18	С	81	0	36	0	0
19	С	31	0	12	0	0
20	Y	32	0	12	0	0
All	All	73897	0	31807	258	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 2.

All (258) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom 1	Atom 2	Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
2:B:917:ILE:O	2:B:921:SER:CB	2.17	0.92
3:C:617:ILE:C	3:C:618:THR:CA	2.46	0.84
2:B:4318:LEU:O	2:B:4322:GLU:N	2.12	0.83
3:C:642:ASN:CA	3:C:643:THR:N	2.43	0.81
2:B:2229:LYS:O	2:B:2230:THR:N	2.13	0.81
2:B:4032:GLY:O	2:B:4036:GLY:N	2.15	0.80
2:B:424:GLN:CA	2:B:425:ASP:N	2.45	0.80
1:A:4124:TYR:N	1:A:4146:MET:O	2.15	0.79
3:C:1314:SER:O	3:C:1318:VAL:N	2.14	0.79
1:A:2611:LYS:O	1:A:2613:THR:N	2.15	0.78
2:B:3830:PHE:O	2:B:3839:ASP:N	2.16	0.78
1:A:4048:THR:O	1:A:4110:ALA:N	2.16	0.78
1:A:2631:ALA:O	1:A:2635:LYS:N	2.16	0.77
2:B:3552:ASN:O	2:B:3553:LEU:N	2.18	0.76
2:B:3546:ARG:O	2:B:3550:GLY:N	2.19	0.76
3:C:579:GLU:CA	3:C:580:LEU:N	2.49	0.75
2:B:2201:TYR:O	2:B:2205:GLY:N	2.19	0.75
2:B:2228:THR:O	2:B:2231:LYS:N	2.21	0.74
1:A:2496:MET:O	1:A:2500:ALA:N	2.20	0.74
1:A:2297:GLY:N	1:A:2375:PHE:O	2.21	0.73
1:A:4004:LEU:O	1:A:4008:CYS:N	2.21	0.73



		Interatomic	Clash	
Atom-1	Atom-2	distance (Å)	overlap (Å)	
1:A:1954:SER:O	1:A:1957:SER:N	2.21	0.73	
2:B:1568:SER:O	2:B:1572:ALA:N	2.21	0.73	
2:B:2396:MET:N	2:B:2447:PRO:O	2.22	0.72	
1:A:3:GLN:N	1:A:305:ASN:O	2.23	0.72	
2:B:1650:ALA:N	2:B:1653:ALA:O	2.22	0.72	
1:A:2627:LYS:O	1:A:2631:ALA:N	2.23	0.71	
1:A:3895:MET:O	1:A:3899:THR:N	2.24	0.71	
1:A:1400:ALA:N	1:A:1524:ARG:O	2.23	0.71	
1:A:426:PRO:O	1:A:486:ASP:N	2.24	0.70	
2:B:2209:GLU:N	2:B:2258:HIS:O	2.25	0.70	
2:B:2221:ASP:O	2:B:2225:GLY:N	2.23	0.69	
1:A:3221:SER:O	1:A:3225:ARG:N	2.25	0.69	
2:B:3848:ASP:O	2:B:3853:CYS:N	2.24	0.69	
1:A:2044:TYR:O	1:A:2086:GLN:N	2.26	0.68	
1:A:2893:LEU:O	1:A:2898:ARG:N	2.26	0.68	
2:B:3833:MET:O	2:B:3839:ASP:N	2.25	0.68	
1:A:886:ASN:O	1:A:890:GLY:N	2.27	0.68	
1:A:1484:GLU:O	1:A:1495:LEU:N	2.27	0.68	
1:A:3519:LEU:O	1:A:3523:LEU:N	2.26	0.68	
1:A:3384:SER:O	1:A:3388:ARG:N	2.26	0.68	
1:A:898:TRP:O	1:A:901:PHE:N	2.27	0.67	
1:A:3781:TYR:O	1:A:3785:GLU:N	2.26	0.67	
2:B:4441:ILE:N	2:B:4494:TYR:O	2.27	0.67	
1:A:1931:LYS:O	1:A:1939:LYS:N	2.28	0.67	
1:A:3470:LEU:O	1:A:3473:ILE:N	2.28	0.67	
2:B:606:LEU:HA	2:B:612:GLY:HA2	1.77	0.67	
2:B:4123:ASP:O	2:B:4126:ILE:N	2.26	0.67	
1:A:3835:GLU:O	1:A:3839:LYS:N	2.27	0.67	
3:C:3741:ASN:O	3:C:3745:GLU:N	2.27	0.67	
1:A:3594:ARG:O	1:A:3621:TRP:N	2.26	0.67	
2:B:918:GLY:O	2:B:921:SER:C	2.34	0.67	
1:A:679:LEU:O	1:A:683:ARG:N	2.26	0.66	
1:A:2495:ASP:O	1:A:2496:MET:N	2.29	0.65	
3:C:1127:LYS:O	3:C:1131:SER:N	2.29	0.65	
1:A:2374:SER:O	1:A:2378:GLY:N	2.29	0.65	
2:B:2285:LEU:N	2:B:2293:ILE:O	2.30	0.65	
2:B:1804:PHE:O	2:B:1808:LYS:N	2.28	0.65	
2:B:2465:TRP:O	2:B:2469:ALA:N	2.30	0.65	
1:A:1592:ARG:O	1:A:1593:SER:N	2.29	0.65	
3:C:2492:ILE:O	3:C:2634:MET:N	2.29	0.65	
2:B:2890:GLY:N	2:B:3022:PHE:O	2.29	0.64	



	line as page	Interatomic	Clash	
Atom-1	Atom-2	distance (Å)	overlap (Å)	
1:A:1398:GLY:O	1:A:1524:ARG:N	2.32	0.63	
2:B:2189:GLY:O	2:B:2193:VAL:N	2.31	0.63	
1:A:2928:VAL:O	1:A:2932:SER:N	2.29	0.63	
1:A:1616:ALA:O	1:A:1620:LEU:N	2.32	0.62	
3:C:3870:GLU:O	3:C:3874:TRP:N	2.31	0.62	
3:C:2910:PHE:O	3:C:2914:GLY:N	2.31	0.62	
2:B:1748:ASP:O	2:B:1752:GLY:N	2.31	0.62	
1:A:3406:ARG:O	1:A:3688:ALA:N	2.33	0.62	
1:A:2175:SER:O	1:A:2177:ILE:N	2.32	0.62	
2:B:605:LYS:CB	2:B:611:GLN:CB	2.79	0.61	
2:B:3393:ARG:O	2:B:3396:GLU:N	2.34	0.61	
2:B:3516:PRO:O	2:B:3519:LEU:N	2.32	0.61	
1:A:834:VAL:O	1:A:837:LEU:N	2.34	0.61	
1:A:3487:VAL:O	1:A:3491:LYS:N	2.33	0.61	
1:A:1915:ALA:O	1:A:1919:SER:N	2.33	0.61	
2:B:918:GLY:O	2:B:922:ASN:N	2.34	0.60	
7:G:81:SER:N	7:G:142:GLU:O	2.34	0.60	
2:B:2904:THR:O	2:B:2908:GLY:N	2.34	0.60	
2:B:3590:LEU:O	2:B:3594:LEU:N	2.31	0.60	
1:A:1348:TYR:O	1:A:1355:LYS:N	2.34	0.60	
1:A:3206:LYS:O	1:A:3210:ALA:N	2.32	0.60	
2:B:1802:GLU:O	2:B:1806:ILE:N	2.30	0.60	
1:A:3135:LEU:O	1:A:3139:VAL:N	2.35	0.59	
2:B:1660:ILE:O	2:B:1672:PHE:N	2.35	0.59	
1:A:1701:GLN:O	1:A:1705:ASN:N	2.35	0.59	
2:B:902:ILE:O	2:B:1079:ASN:N	2.36	0.59	
1:A:3214:GLU:O	1:A:3218:ASN:N	2.35	0.59	
1:A:2628:GLN:O	1:A:2632:GLU:N	2.34	0.58	
2:B:2657:LYS:O	2:B:2660:SER:N	2.36	0.58	
1:A:3023:ARG:O	1:A:3027:LYS:N	2.37	0.58	
2:B:1734:THR:O	2:B:1737:VAL:N	2.37	0.58	
3:C:2912:ASP:O	3:C:2918:LYS:N	2.37	0.58	
5:E:418:SER:O	5:E:420:THR:N	2.37	0.58	
2:B:2781:ASP:O	2:B:3047:TRP:N	2.37	0.57	
1:A:3615:CYS:O	1:A:3619:GLY:N	2.37	0.57	
2:B:606:LEU:HA	2:B:612:GLY:CA	2.34	0.57	
2:B:4547:VAL:O	2:B:4558:VAL:N	2.36	0.57	
1:A:1400:ALA:O	1:A:1526:ILE:N	2.38	0.57	
2:B:4191:GLY:O	2:B:4196:GLY:N	2.38	0.57	
1:A:4135:GLY:O	1:A:4140:PHE:N	2.38	0.57	
4:D:400:TRP:N	4:D:417:ILE:O	2.34	0.57	



		Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:A:830:ASP:O	1:A:834:VAL:N	2.38	0.56
2:B:2818:LEU:N	2:B:2835:THR:O	2.38	0.56
1:A:674:ASN:HA	1:A:811:PHE:HA	1.87	0.56
1:A:1689:GLY:O	1:A:1693:THR:N	2.38	0.56
3:C:3117:PHE:CB	3:C:3433:ALA:HB2	2.36	0.56
1:A:2417:PHE:N	1:A:2487:ALA:O	2.38	0.56
2:B:1255:GLU:O	2:B:1256:ASN:C	2.43	0.55
3:C:1120:THR:O	3:C:1124:LYS:N	2.40	0.55
2:B:3579:ILE:O	2:B:3625:MET:N	2.39	0.55
1:A:3492:LYS:O	1:A:3496:GLU:N	2.39	0.55
1:A:1727:ASN:O	1:A:1731:LYS:N	2.39	0.55
1:A:4080:ALA:HB1	1:A:4092:TYR:O	2.07	0.55
3:C:1376:MET:O	3:C:1379:HIS:N	2.40	0.54
1:A:2102:LEU:O	1:A:2106:GLY:N	2.40	0.54
1:A:2499:ARG:O	1:A:2503:PHE:N	2.40	0.54
2:B:1437:GLU:O	2:B:1440:ILE:N	2.41	0.54
2:B:1254:TYR:O	2:B:1258:ASN:CB	2.55	0.54
1:A:3733:SER:O	1:A:3737:GLY:N	2.41	0.54
1:A:3438:HIS:O	1:A:3442:GLY:N	2.41	0.53
1:A:2176:THR:O	1:A:2177:ILE:N	2.40	0.53
1:A:3048:SER:O	1:A:3052:GLY:N	2.41	0.53
1:A:4006:GLU:O	1:A:4011:LEU:N	2.41	0.53
1:A:3894:VAL:O	1:A:3898:LEU:N	2.39	0.53
1:A:219:GLY:O	1:A:226:TYR:N	2.41	0.53
2:B:3874:ILE:O	2:B:3878:ILE:N	2.40	0.53
3:C:2324:GLY:O	3:C:2327:LEU:N	2.41	0.53
1:A:3817:ASN:O	1:A:3821:ALA:N	2.41	0.52
2:B:1982:THR:O	2:B:1994:LEU:N	2.42	0.52
1:A:1327:ARG:O	1:A:1330:ASN:N	2.42	0.52
2:B:4390:SER:O	2:B:4394:SER:N	2.43	0.51
1:A:2287:GLU:N	1:A:2305:ASP:O	2.43	0.51
15:O:32:SER:O	15:O:36:ILE:N	2.43	0.51
1:A:3850:PRO:O	1:A:3855:MET:N	2.43	0.51
1:A:3991:SER:O	1:A:3995:ALA:HB3	2.10	0.51
1:A:2920:GLN:O	1:A:2924:MET:N	2.41	0.51
2:B:3533:LEU:N	2:B:3642:THR:O	2.43	0.51
1:A:3409:PHE:O	1:A:3413:LYS:N	2.43	0.51
2:B:902:ILE:O	2:B:1078:ILE:HA	2.11	0.51
1:A:1302:ASP:O	1:A:1304:SER:N	2.44	0.51
1:A:3552:ILE:O	1:A:3556:PHE:N	2.43	0.51
1:A:679:LEU:O	1:A:682:VAL:N	2.44	0.50



Atom-1	Atom-2	Interatomic	Clash overlap (Å)	
		distance (A)		
2:B:565:GLY:HA2	2:B:571:SER:H	1.75	0.50	
3:C:2397:GLY:O	3:C:2633:ASN:N	2.43	0.50	
1:A:2077:TYR:N	1:A:2123:GLN:O	2.42	0.50	
2:B:3985:PHE:N	2:B:4076:LEU:O	2.42	0.50	
1:A:3615:CYS:O	1:A:3620:HIS:N	2.43	0.50	
4:D:516:PHE:O	4:D:528:TRP:N	2.45	0.50	
1:A:4036:THR:O	1:A:4040:GLN:N	2.45	0.49	
2:B:605:LYS:O	2:B:612:GLY:HA3	2.12	0.49	
1:A:4155:LYS:O	1:A:4159:SER:N	2.45	0.49	
1:A:4037:ALA:O	1:A:4041:GLY:N	2.41	0.49	
1:A:115:LYS:O	1:A:119:TYR:N	2.46	0.49	
1:A:2324:ASN:HA	1:A:2327:ASN:O	2.13	0.49	
1:A:4085:GLY:O	1:A:4088:GLY:N	2.46	0.49	
2:B:1577:ARG:O	2:B:1579:ASP:N	2.45	0.49	
1:A:3764:LEU:O	1:A:3768:LEU:N	2.38	0.49	
3:C:2932:GLU:O	3:C:2935:LEU:N	2.42	0.49	
1:A:3217:ILE:O	1:A:3221:SER:N	2.40	0.48	
2:B:2446:GLY:O	2:B:2675:SER:N	2.43	0.48	
1:A:3840:TYR:O	1:A:3844:LYS:N	2.44	0.48	
1:A:2891:ARG:O	1:A:2895:LEU:N	2.44	0.48	
1:A:3468:LYS:O	1:A:3472:THR:N	2.44	0.48	
1:A:4077:LEU:O	1:A:4102:HIS:N	2.47	0.48	
1:A:3996:ASP:HA	1:A:4168:ASP:HA	1.96	0.48	
3:C:2864:LEU:N	3:C:3023:THR:O	2.45	0.48	
1:A:1721:LYS:O	1:A:1725:GLY:N	2.45	0.48	
2:B:2888:LEU:O	2:B:3022:PHE:N	2.46	0.48	
3:C:3592:ASP:O	3:C:3595:LEU:N	2.47	0.48	
1:A:4124:TYR:O	1:A:4146:MET:N	2.46	0.47	
1:A:2827:ILE:O	1:A:2831:GLU:N	2.44	0.47	
2:B:1814:SER:O	2:B:1818:LEU:N	2.39	0.47	
3:C:1142:ILE:O	3:C:1146:GLN:N	2.47	0.47	
2:B:919:GLU:O	2:B:921:SER:O	2.33	0.47	
1:A:4001:ASN:O	1:A:4005:GLN:N	2.39	0.47	
2:B:1322:TYR:O	2:B:1326:LYS:N	2.47	0.47	
2:B:1459:THR:N	2:B:1466:THR:O	2.43	0.47	
2:B:4548:TYR:HA	2:B:4557:TYR:HA	1.97	0.47	
1:A:2955:MET:O	1:A:2959:LYS:N	2.47	0.47	
1:A:2406:CYS:O	1:A:2410:GLU:N	2.38	0.47	
2:B:1372:MET:O	2:B:1376:LEU:N	2.48	0.46	
2:B:4412:GLN:O	2:B:4414:TRP:N	2.48	0.46	
3:C:3744:ARG:O	3:C:3748:ARG:N	2.43	0.46	



		Interatomic	Clash	
Atom-1	Atom-2	distance (Å)	overlap (Å)	
2:B:1372:MET:O	2:B:1375:VAL:N	2.48	0.46	
2:B:962:PHE:O	2:B:967:GLN:N	2.37	0.46	
1:A:1300:GLN:O	1:A:1302:ASP:N	2.44	0.46	
1:A:2638:ALA:HB2	1:A:2875:ALA:HB1	1.97	0.46	
2:B:1568:SER:O	2:B:1571:GLU:N	2.44	0.46	
2:B:2631:GLY:O	2:B:2645:LEU:N	2.42	0.46	
1:A:233:ASP:O	1:A:237:ASP:N	2.48	0.45	
1:A:1826:GLN:O	1:A:1829:SER:N	2.50	0.45	
3:C:2738:GLU:O	3:C:2742:ALA:N	2.49	0.45	
1:A:1338:GLU:O	1:A:1341:TRP:N	2.50	0.45	
2:B:2500:LEU:O	2:B:2504:GLN:N	2.50	0.45	
3:C:1320:LYS:HA	3:C:1324:ALA:HB1	1.99	0.45	
1:A:887:ALA:O	1:A:891:ILE:N	2.32	0.44	
2:B:1359:PHE:O	2:B:1363:ASN:N	2.41	0.44	
2:B:1814:SER:O	2:B:1817:TRP:N	2.50	0.44	
2:B:2779:PHE:O	2:B:2783:PHE:N	2.50	0.44	
1:A:3777:ASP:O	1:A:3781:TYR:N	2.46	0.44	
1:A:2525:ASN:O	1:A:2529:SER:CB	2.66	0.44	
2:B:929:THR:O	2:B:932:ASN:N	2.50	0.44	
16:P:85:LYS:O	16:P:86:LYS:CB	2.65	0.44	
1:A:54:ASN:C	1:A:56:GLN:H	2.21	0.44	
1:A:879:ARG:O	1:A:883:LYS:N	2.45	0.44	
1:A:1399:CYS:HA	1:A:1524:ARG:C	2.38	0.44	
1:A:3996:ASP:HA	1:A:4168:ASP:O	2.17	0.44	
3:C:3439:GLN:O	3:C:3443:LEU:N	2.42	0.44	
1:A:2:PRO:HA	1:A:306:LEU:HA	2.00	0.43	
1:A:256:ILE:O	1:A:268:ILE:HA	2.18	0.43	
1:A:4114:PRO:O	1:A:4116:ASP:N	2.51	0.43	
2:B:1375:VAL:O	2:B:1378:LEU:N	2.51	0.43	
16:P:30:ALA:C	16:P:32:TRP:H	2.21	0.43	
1:A:1399:CYS:HA	1:A:1524:ARG:O	2.18	0.43	
2:B:3748:ARG:O	2:B:3751:ALA:HB3	2.18	0.43	
1:A:397:PHE:O	1:A:405:GLU:HA	2.19	0.43	
1:A:2044:TYR:HA	1:A:2085:PRO:HA	2.00	0.43	
2:B:482:GLU:O	2:B:484:LYS:N	2.52	0.43	
3:C:1400:TYR:O	3:C:1403:GLU:N	2.47	0.43	
3:C:3503:TRP:O	3:C:3506:GLN:N	2.52	0.43	
1:A:1758:LEU:N	1:A:1797:LEU:O	2.47	0.43	
1:A:3437:ASP:O	1:A:3441:ILE:N	2.44	0.42	
1:A:2943:LYS:O	1:A:2947:ASN:N	2.44	0.42	
2:B:3466:ALA:O	2:B:3469:ARG:N	2.53	0.42	



	io ao pago	Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
3:C:3726:VAL:O	3:C:3730:LEU:N	2.44	0.42
8:H:10:VAL:N	8:H:80:TYR:O	2.50	0.42
3:C:3540:TRP:O	3:C:3544:LYS:N	2.50	0.42
1:A:904:LEU:O	1:A:908:LEU:N	2.51	0.42
1:A:4077:LEU:N	1:A:4102:HIS:O	2.51	0.42
2:B:1494:VAL:O	2:B:1498:TYR:N	2.52	0.42
1:A:295:ASP:O	1:A:299:LEU:N	2.53	0.42
1:A:2203:ALA:HB2	1:A:3956:ALA:HA	2.02	0.42
2:B:3883:PHE:O	2:B:3887:ALA:N	2.44	0.42
3:C:3784:GLU:O	3:C:3787:ASP:N	2.53	0.42
1:A:2620:ILE:O	1:A:2624:VAL:N	2.48	0.41
2:B:2402:ILE:O	2:B:2405:ILE:N	2.52	0.41
2:B:3652:GLY:O	2:B:3655:GLU:N	2.53	0.41
2:B:2563:LYS:N	2:B:2601:ILE:O	2.52	0.41
2:B:1748:ASP:O	2:B:1751:GLY:N	2.46	0.41
2:B:1360:LYS:HA	2:B:1363:ASN:CB	2.50	0.41
4:D:421:GLY:HA2	4:D:459:GLY:O	2.20	0.41
1:A:3202:GLU:O	1:A:3206:LYS:N	2.52	0.41
1:A:2434:LEU:O	1:A:2438:GLY:N	2.48	0.41
2:B:1536:GLU:O	2:B:1539:ARG:N	2.53	0.41
1:A:3629:LEU:O	1:A:3631:GLN:N	2.54	0.41
3:C:934:GLU:O	3:C:945:ASN:N	2.41	0.41
1:A:1226:LEU:O	1:A:1230:ALA:HB2	2.20	0.41
1:A:1368:GLU:O	1:A:1421:ALA:HB1	2.21	0.41
1:A:3022:ILE:O	1:A:3026:GLU:N	2.51	0.41
2:B:2640:GLU:O	2:B:2642:ARG:N	2.54	0.41
2:B:4487:ALA:HB2	2:B:4528:LYS:H	1.86	0.41
1:A:2495:ASP:O	1:A:2497:ARG:N	2.54	0.40
2:B:2385:HIS:O	2:B:2388:ASN:N	2.54	0.40
1:A:941:GLU:O	1:A:945:ASP:CB	2.69	0.40
1:A:511:GLU:HA	1:A:523:THR:HA	2.02	0.40
1:A:1750:ASP:O	1:A:1752:ASN:N	2.55	0.40

There are no symmetry-related clashes.

5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM



entries.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Perce	ntiles
1	А	3707/4168~(89%)	3206~(86%)	493~(13%)	8 (0%)	47	81
2	В	3893/4595~(85%)	3484 (90%)	398 (10%)	11 (0%)	41	77
3	С	3846/4620~(83%)	3509 (91%)	330 (9%)	7~(0%)	47	81
4	D	313/667~(47%)	268 (86%)	45 (14%)	0	100	100
4	d	122/667~(18%)	112 (92%)	10 (8%)	0	100	100
5	Е	337/670~(50%)	287 (85%)	50 (15%)	0	100	100
5	е	96/670~(14%)	86 (90%)	10 (10%)	0	100	100
6	F	96/133~(72%)	79~(82%)	17 (18%)	0	100	100
7	G	93/103~(90%)	81 (87%)	12 (13%)	0	100	100
8	Н	83/92~(90%)	76 (92%)	7 (8%)	0	100	100
9	Ι	87/110 (79%)	79~(91%)	8 (9%)	0	100	100
10	J	82/93~(88%)	77 (94%)	5 (6%)	0	100	100
11	K	93/111 (84%)	83 (89%)	10 (11%)	0	100	100
12	L	95/111 (86%)	90~(95%)	5 (5%)	0	100	100
13	М	84/87~(97%)	77 (92%)	7 (8%)	0	100	100
14	Ν	107/132~(81%)	100 (94%)	7 (6%)	0	100	100
15	Ο	109/117~(93%)	99~(91%)	10 (9%)	0	100	100
16	Р	101/110~(92%)	97~(96%)	4 (4%)	0	100	100
17	Y	1127/1200~(94%)	1071 (95%)	54 (5%)	2 (0%)	47	81
All	All	14471/18456~(78%)	12961 (90%)	1482 (10%)	28 (0%)	50	81

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

All (28) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	А	1823	VAL
2	В	1651	ASN
2	В	1652	PRO
2	В	2557	PRO
2	В	3703	PRO
2	В	4008	PRO
2	В	4432	PRO
3	С	2978	PRO



Mol	Chain	Res	Type
3	С	2979	PRO
3	С	4182	PRO
3	С	4188	PRO
3	С	4546	PRO
17	Y	723	PRO
17	Y	1106	PRO
1	А	1351	ASP
1	А	4084	ILE
2	В	4556	THR
3	С	1322	ASP
2	В	1245	PRO
2	В	3923	PRO
1	А	982	ILE
1	А	3108	ASN
2	В	4557	TYR
1	A	1040	VAL
1	А	3665	PRO
2	В	3922	MET
3	С	4121	VAL
1	А	3593	GLY

5.3.2 Protein sidechains (i)

There are no protein residues with a non-rotameric sidechain to report in this entry.

5.3.3 RNA (i)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates (i)

There are no monosaccharides in this entry.

5.6 Ligand geometry (i)

5 ligands are modelled in this entry.



In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	Tune	Chain	a Pos Link		Chain Dag		Bo	ond leng	ths	B	ond ang	les
	туре	Chain	nes	nes	LIIIK	Counts	RMSZ	# Z >2	Counts	RMSZ	# Z > 2	
20	GTP	Y	1301	-	26,34,34	1.21	2 (7%)	32,54,54	1.65	6 (18%)		
18	ADP	С	4704	-	24,29,29	0.92	1 (4%)	29,45,45	1.49	4 (13%)		
18	ADP	С	4701	-	24,29,29	0.96	1 (4%)	29,45,45	1.49	3 (10%)		
19	ATP	С	4702	-	26,33,33	0.87	1 (3%)	31,52,52	1.68	5 (16%)		
18	ADP	С	4703	-	24,29,29	0.93	1 (4%)	29,45,45	1.54	4 (13%)		

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
20	GTP	Y	1301	-	-	6/18/38/38	0/3/3/3
18	ADP	С	4704	-	-	3/12/32/32	0/3/3/3
18	ADP	С	4701	-	-	1/12/32/32	0/3/3/3
19	ATP	С	4702	-	-	4/18/38/38	0/3/3/3
18	ADP	С	4703	-	-	4/12/32/32	0/3/3/3

All (6) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
20	Y	1301	GTP	C5-C6	-4.38	1.38	1.47
18	С	4704	ADP	C5-C4	2.25	1.46	1.40
18	С	4701	ADP	C5-C4	2.18	1.46	1.40
20	Y	1301	GTP	C2-N3	2.17	1.38	1.33
18	С	4703	ADP	C5-C4	2.13	1.46	1.40
19	С	4702	ATP	C5-C4	2.03	1.46	1.40

All (22) bond angle outliers are listed below:

Mol	Chain	\mathbf{Res}	Type	Atoms		$\mathbf{Observed}(^{o})$	$Ideal(^{o})$
19	\mathbf{C}	4702	ATP	PA-O3A-PB	-5.12	115.25	132.83



Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
18	С	4701	ADP	PA-O3A-PB	-4.56	117.17	132.83
18	С	4704	ADP	PA-O3A-PB	-4.21	118.36	132.83
19	С	4702	ATP	PB-O3B-PG	-4.13	118.64	132.83
18	С	4703	ADP	PA-O3A-PB	-4.13	118.66	132.83
20	Y	1301	GTP	PA-O3A-PB	-4.09	118.78	132.83
20	Y	1301	GTP	PB-O3B-PG	-3.93	119.33	132.83
18	С	4703	ADP	N3-C2-N1	-3.65	122.97	128.68
19	С	4702	ATP	N3-C2-N1	-3.65	122.97	128.68
18	С	4704	ADP	N3-C2-N1	-3.52	123.17	128.68
20	Y	1301	GTP	C5-C6-N1	3.39	119.94	113.95
18	С	4703	ADP	C3'-C2'-C1'	3.17	105.76	100.98
20	Y	1301	GTP	C2-N1-C6	-3.14	119.31	125.10
18	С	4701	ADP	N3-C2-N1	-3.13	123.78	128.68
18	С	4701	ADP	C4-C5-N7	-2.94	106.34	109.40
20	Y	1301	GTP	C8-N7-C5	2.85	108.42	102.99
18	С	4704	ADP	C3'-C2'-C1'	2.79	105.18	100.98
18	С	4704	ADP	C4-C5-N7	-2.54	106.75	109.40
20	Y	1301	GTP	O6-C6-C5	-2.24	120.00	124.37
19	С	4702	ATP	C4-C5-N7	-2.15	107.16	109.40
19	С	4702	ATP	N6-C6-N1	2.15	123.03	118.57
18	С	4703	ADP	C4-C5-N7	-2.09	107.22	109.40

There are no chirality outliers.

All (18) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
18	С	4703	ADP	C5'-O5'-PA-O1A
18	С	4703	ADP	C5'-O5'-PA-O2A
18	С	4704	ADP	C5'-O5'-PA-O2A
19	С	4702	ATP	C5'-O5'-PA-O1A
19	С	4702	ATP	C5'-O5'-PA-O3A
19	С	4702	ATP	C3'-C4'-C5'-O5'
20	Y	1301	GTP	C5'-O5'-PA-O3A
20	Y	1301	GTP	O4'-C4'-C5'-O5'
20	Y	1301	GTP	C3'-C4'-C5'-O5'
19	С	4702	ATP	O4'-C4'-C5'-O5'
18	С	4704	ADP	C5'-O5'-PA-O3A
18	С	4704	ADP	C5'-O5'-PA-O1A
20	Y	1301	GTP	C5'-O5'-PA-O1A
20	Y	1301	GTP	PB-O3A-PA-O5'
18	С	4703	ADP	C5'-O5'-PA-O3A
20	Y	1301	GTP	PG-O3B-PB-O2B



	Jerry Jery Je										
Mol	Chain	Res	Type	Atoms							
18	С	4701	ADP	C5'-O5'-PA-O1A							
18	С	4703	ADP	O4'-C4'-C5'-O5'							

Continued from previous page...

There are no ring outliers.

No monomer is involved in short contacts.

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less then 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and sufficient must be highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.















5.7 Other polymers (i)

There are no such residues in this entry.

5.8 Polymer linkage issues (i)

The following chains have linkage breaks:

Mol	Chain	Number of breaks
1	А	23
2	В	12
5	е	2
4	d	1

All chain breaks are listed below:

Model	Chain	Residue-1	Atom-1	Residue-2	Atom-2	Distance (Å)
1	d	201:GLN	С	235:TRP	N	31.73
1	А	389:ASP	С	390:THR	N	29.62
1	А	486:ASP	С	487:GLN	N	21.39
1	А	1299:VAL	С	1300:GLN	N	17.01
1	А	2300:SER	С	2301:ASP	N	13.90
1	А	2232:GLU	С	2233:PRO	N	13.48
1	В	4440:MET	С	4441:ILE	N	12.83



Model	Chain	Residue-1	Atom-1	Residue-2	Atom-2	Distance (Å)
1	А	1507:PRO	С	1508:GLY	N	12.62
1	В	2495:LYS	С	2496:VAL	N	12.29
1	А	2533:PRO	С	2534:VAL	N	10.43
1	А	4018:CYS	С	4019:ILE	N	10.38
1	В	2583:MET	С	2584:VAL	N	9.43
1	А	2296:ALA	С	2297:GLY	N	9.01
1	А	4109:ASN	С	4110:ALA	N	8.24
1	А	2058:THR	С	2059:LEU	N	8.10
1	А	2897:GLN	С	2898:ARG	N	6.96
1	А	1972:PHE	С	1973:ASP	N	6.76
1	В	1775:VAL	С	1776:ARG	N	6.38
1	е	66:VAL	С	72:LYS	N	6.29
1	е	81:LYS	С	95:GLU	N	6.23
1	А	2132:ALA	С	2133:GLY	N	5.82
1	А	3472:THR	С	3473:ILE	N	5.79
1	А	3921:LYS	С	3922:THR	N	5.38
1	В	2658:SER	С	2659:GLY	N	5.09
1	А	2630:GLU	С	2631:ALA	N	4.86
1	В	2091:ARG	С	2092:GLY	N	4.86
1	В	3793:ASP	С	3794:GLU	N	4.35
1	А	1725:GLY	С	1726:TYR	N	4.16
1	А	2000:LEU	С	2001:MET	N	3.91
1	А	2612:GLU	С	2613:THR	N	3.44
1	В	4123:ASP	С	4124:PRO	N	3.30
1	В	2229:LYS	С	2230:THR	N	3.20
1	В	3552:ASN	С	3553:LEU	N	3.19
1	А	2495:ASP	С	2496:MET	N	3.16
1	В	2702:LYS	С	2703:ALA	N	3.15
1	В	2006:PRO	С	2007:GLY	N	3.09
1	А	1592:ARG	С	1593:SER	N	3.08
1	A	2176:THR	С	2177:ILE	N	3.05

