



Full wwPDB X-ray Structure Validation Report ⓘ

Jun 5, 2023 – 01:29 pm BST

PDB ID : 7ZYT
Title : Crystal structure of the I318T pathogenic variant of the human dihydroliipoamide dehydrogenase
Authors : Nemes-Nikodem, E.; Szabo, E.; Vass, K.R.; Lennartz, F.; Nagy, B.; Torocsik, B.; Weiss, M.S.; Adam-Vizi, V.; Ambrus, A.
Deposited on : 2022-05-25
Resolution : 2.89 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.4, CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.33
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.33


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.89 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	1957 (2.90-2.90)
Clashscore	141614	2172 (2.90-2.90)
Ramachandran outliers	138981	2115 (2.90-2.90)
Sidechain outliers	138945	2117 (2.90-2.90)
RSRZ outliers	127900	1906 (2.90-2.90)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	496	 9% 79% 15% • 5%
1	B	496	 14% 81% 13% • 5%

2 Entry composition i

There are 4 unique types of molecules in this entry. The entry contains 7150 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Dihydrolipoyl dehydrogenase, mitochondrial.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	472	3506	2208	607	672	19	0	0	0
1	B	472	3506	2208	607	672	19	0	0	0

There are 46 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	-21	MET	-	initiating methionine	UNP P09622
A	-20	ALA	-	expression tag	UNP P09622
A	-19	SER	-	expression tag	UNP P09622
A	-18	TRP	-	expression tag	UNP P09622
A	-17	SER	-	expression tag	UNP P09622
A	-16	HIS	-	expression tag	UNP P09622
A	-15	PRO	-	expression tag	UNP P09622
A	-14	GLN	-	expression tag	UNP P09622
A	-13	PHE	-	expression tag	UNP P09622
A	-12	GLU	-	expression tag	UNP P09622
A	-11	LYS	-	expression tag	UNP P09622
A	-10	GLY	-	expression tag	UNP P09622
A	-9	ALA	-	expression tag	UNP P09622
A	-8	LEU	-	expression tag	UNP P09622
A	-7	GLU	-	expression tag	UNP P09622
A	-6	VAL	-	expression tag	UNP P09622
A	-5	LEU	-	expression tag	UNP P09622
A	-4	PHE	-	expression tag	UNP P09622
A	-3	GLN	-	expression tag	UNP P09622
A	-2	GLY	-	expression tag	UNP P09622
A	-1	PRO	-	expression tag	UNP P09622
A	0	GLY	-	expression tag	UNP P09622
A	318	THR	ILE	engineered mutation	UNP P09622
B	-21	MET	-	initiating methionine	UNP P09622
B	-20	ALA	-	expression tag	UNP P09622

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
B	-19	SER	-	expression tag	UNP P09622
B	-18	TRP	-	expression tag	UNP P09622
B	-17	SER	-	expression tag	UNP P09622
B	-16	HIS	-	expression tag	UNP P09622
B	-15	PRO	-	expression tag	UNP P09622
B	-14	GLN	-	expression tag	UNP P09622
B	-13	PHE	-	expression tag	UNP P09622
B	-12	GLU	-	expression tag	UNP P09622
B	-11	LYS	-	expression tag	UNP P09622
B	-10	GLY	-	expression tag	UNP P09622
B	-9	ALA	-	expression tag	UNP P09622
B	-8	LEU	-	expression tag	UNP P09622
B	-7	GLU	-	expression tag	UNP P09622
B	-6	VAL	-	expression tag	UNP P09622
B	-5	LEU	-	expression tag	UNP P09622
B	-4	PHE	-	expression tag	UNP P09622
B	-3	GLN	-	expression tag	UNP P09622
B	-2	GLY	-	expression tag	UNP P09622
B	-1	PRO	-	expression tag	UNP P09622
B	0	GLY	-	expression tag	UNP P09622
B	318	THR	ILE	engineered mutation	UNP P09622

- Molecule 2 is FLAVIN-ADENINE DINUCLEOTIDE (three-letter code: FAD) (formula: C₂₇H₃₃N₉O₁₅P₂) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
			Total	C	N	O	P		
2	A	1	53	27	9	15	2	0	0
2	B	1	53	27	9	15	2	0	0

- Molecule 3 is 2-[BIS-(2-HYDROXY-ETHYL)-AMINO]-2-HYDROXYMETHYL-PROPAN E-1,3-DIOL (three-letter code: BTB) (formula: C₈H₁₉NO₅).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
			Total	C	N	O		
3	A	1	14	8	1	5	0	0
3	B	1	14	8	1	5	0	0

- Molecule 4 is 1,2-ETHANEDIOL (three-letter code: EDO) (formula: C₂H₆O₂).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	B	1	Total	C	O	0	0
			4	2	2		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Dihydrolipoyl dehydrogenase, mitochondrial



- Molecule 1: Dihydrolipoyl dehydrogenase, mitochondrial



4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	188.65Å 59.00Å 83.23Å 90.00° 101.40° 90.00°	Depositor
Resolution (Å)	44.14 – 2.89 47.64 – 2.89	Depositor EDS
% Data completeness (in resolution range)	99.2 (44.14-2.89) 99.6 (47.64-2.89)	Depositor EDS
R_{merge}	0.18	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.01 (at 2.91Å)	Xtrriage
Refinement program	PHENIX 1.14	Depositor
R, R_{free}	0.250 , 0.287 0.250 , 0.286	Depositor DCC
R_{free} test set	1016 reflections (5.00%)	wwPDB-VP
Wilson B-factor (Å ²)	101.9	Xtrriage
Anisotropy	0.438	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 80.0	EDS
L-test for twinning ²	$\langle L \rangle = 0.46$, $\langle L^2 \rangle = 0.29$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	7150	wwPDB-VP
Average B, all atoms (Å ²)	119.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 6.70% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: BTB, FAD, EDO

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.26	0/3561	0.45	0/4809
1	B	0.26	0/3561	0.44	0/4809
All	All	0.26	0/7122	0.45	0/9618

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3506	0	3558	42	0
1	B	3506	0	3558	32	0
2	A	53	0	31	2	0
2	B	53	0	31	3	0
3	A	14	0	19	2	0
3	B	14	0	19	0	0
4	B	4	0	6	0	0
All	All	7150	0	7222	73	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (73) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:289:LEU:HD22	1:A:294:ILE:HD11	1.75	0.67
1:A:188:VAL:HG13	1:A:358:ILE:HG12	1.76	0.66
1:B:164:THR:HB	1:B:254:ILE:HD11	1.78	0.65
1:A:472:ILE:HD11	1:B:24:LYS:HD3	1.79	0.65
1:B:161:ASP:H	1:B:165:ILE:HB	1.61	0.65
1:A:404:VAL:HG22	1:A:420:ILE:HG23	1.79	0.62
1:B:124:LYS:HE2	1:B:312:ILE:HD11	1.84	0.59
1:A:120:LYS:HE2	1:A:286:ASN:HB3	1.85	0.59
1:A:333:ASP:O	1:A:337:ILE:HG12	2.02	0.58
1:B:225:ASN:OD1	1:B:228:ARG:NH1	2.36	0.58
1:B:404:VAL:HG22	1:B:420:ILE:HG23	1.84	0.57
1:B:309:GLN:HG2	1:B:316:TYR:CE2	2.41	0.56
1:A:54:LYS:HB3	1:B:396:THR:HG21	1.88	0.55
1:B:380:GLU:HB3	1:B:410:LYS:HE3	1.90	0.53
1:A:208:GLU:HG3	1:A:210:LEU:H	1.74	0.53
1:A:22:ALA:HA	1:A:32:THR:HG21	1.90	0.52
1:A:54:LYS:HD2	1:A:359:TYR:CG	2.45	0.52
1:B:96:VAL:O	1:B:100:THR:OG1	2.27	0.52
1:A:82:ARG:HG2	1:B:77:GLU:HB2	1.93	0.51
1:A:160:ILE:HA	1:A:165:ILE:HG22	1.92	0.51
1:A:360:THR:O	1:A:363:GLU:HG3	2.11	0.50
1:B:54:LYS:HD2	1:B:359:TYR:HB2	1.92	0.50
1:A:355:PRO:HB3	1:A:367:VAL:HG22	1.94	0.50
1:B:148:THR:HG22	1:B:283:PHE:HD2	1.77	0.49
1:B:131:LYS:HG3	1:B:134:GLY:HA3	1.96	0.48
1:A:44:THR:HG21	1:A:280:ARG:NH2	2.29	0.48
1:B:155:PHE:HB3	1:B:158:ILE:HB	1.95	0.48
3:A:502:BTB:H61	3:A:502:BTB:H71	1.36	0.47
1:A:122:THR:HB	1:A:126:GLN:HG3	1.95	0.47
3:A:502:BTB:H12	3:A:502:BTB:H72	1.53	0.47
1:A:305:ASN:OD1	1:A:309:GLN:HG2	2.15	0.47
1:A:309:GLN:HA	1:A:316:TYR:HA	1.96	0.47
1:B:43:GLY:HA2	2:B:501:FAD:O3B	2.15	0.47
1:B:22:ALA:HA	1:B:32:THR:HG21	1.96	0.46
1:A:368:GLY:HA3	1:A:417:GLY:HA2	1.97	0.46
1:B:265:LYS:HA	1:B:265:LYS:HD2	1.60	0.46
1:B:307:ARG:HB2	1:B:309:GLN:HG3	1.97	0.46
1:A:259:GLU:HG2	1:A:263:GLY:HA2	1.97	0.46
1:B:188:VAL:HG13	1:B:358:ILE:HG12	1.98	0.46
1:A:394:ALA:O	1:A:398:ALA:N	2.49	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:16:PRO:HD2	2:B:501:FAD:O3P	2.16	0.45
1:A:24:LYS:HD3	1:B:472:ILE:HD11	1.98	0.45
1:B:312:ILE:HG23	1:B:315:ILE:HB	1.98	0.45
1:B:414:ARG:HA	1:B:441:SER:HA	1.99	0.45
1:B:22:ALA:HB1	1:B:112:VAL:HG11	1.98	0.45
1:A:310:THR:HG22	1:A:315:ILE:O	2.17	0.44
1:A:337:ILE:HG12	1:A:337:ILE:H	1.56	0.44
1:A:50:CYS:O	1:A:54:LYS:HE2	2.17	0.44
1:A:242:LYS:N	1:A:259:GLU:O	2.43	0.44
1:A:148:THR:O	2:A:501:FAD:H8A	2.18	0.44
1:A:301:ARG:HD2	1:A:323:ALA:HA	1.98	0.44
1:A:410:LYS:HB2	1:A:410:LYS:HE3	1.75	0.44
1:B:312:ILE:HD12	1:B:313:PRO:HD2	1.99	0.44
1:B:33:VAL:HG22	1:B:113:VAL:HB	1.98	0.44
1:A:205:THR:HG21	1:A:238:LYS:HE3	2.00	0.43
1:A:289:LEU:HB3	1:A:294:ILE:HG13	1.99	0.43
1:A:57:LEU:HD11	1:A:192:GLU:HB3	2.00	0.43
1:A:269:ILE:HD12	1:A:269:ILE:HA	1.90	0.43
1:B:452:HIS:HA	1:B:453:PRO:HA	1.82	0.43
1:A:174:LEU:HB2	1:A:197:TRP:CZ2	2.54	0.43
1:A:96:VAL:O	1:A:100:THR:HG23	2.19	0.42
1:B:121:ILE:HB	1:B:292:LEU:HD11	2.00	0.42
1:A:363:GLU:HB3	1:A:425:ALA:HB3	2.01	0.42
1:A:182:VAL:HG23	1:A:271:CYS:HB3	2.00	0.42
1:A:120:LYS:HG2	1:A:286:ASN:O	2.20	0.42
1:B:402:GLY:HA3	1:B:421:LEU:O	2.20	0.42
1:B:251:ASP:OD1	1:B:251:ASP:N	2.52	0.41
1:A:35:ILE:HD11	1:A:139:ILE:HD12	2.03	0.41
1:B:320:ASP:CG	2:B:501:FAD:H5'2	2.41	0.41
1:A:356:SER:O	1:A:365:ALA:HA	2.20	0.40
2:A:501:FAD:H9	2:A:501:FAD:H1'1	1.90	0.40
1:A:452:HIS:HA	1:A:453:PRO:HA	1.84	0.40
1:A:52:PRO:HB2	1:A:172:LEU:HD13	2.03	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	470/496 (95%)	451 (96%)	19 (4%)	0	100	100
1	B	470/496 (95%)	449 (96%)	21 (4%)	0	100	100
All	All	940/992 (95%)	900 (96%)	40 (4%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	372/390 (95%)	352 (95%)	20 (5%)	22	54
1	B	372/390 (95%)	347 (93%)	25 (7%)	16	43
All	All	744/780 (95%)	699 (94%)	45 (6%)	19	49

All (45) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	5	ILE
1	A	19	TYR
1	A	37	LYS
1	A	50	CYS
1	A	54	LYS
1	A	78	MET
1	A	82	ARG
1	A	86	ASP

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	87	LYS
1	A	130	THR
1	A	173	SER
1	A	235	PHE
1	A	299	ARG
1	A	333	ASP
1	A	337	ILE
1	A	356	SER
1	A	382	LYS
1	A	396	THR
1	A	409	GLN
1	A	438	TYR
1	B	19	TYR
1	B	50	CYS
1	B	54	LYS
1	B	69	LYS
1	B	77	GLU
1	B	78	MET
1	B	82	ARG
1	B	92	LYS
1	B	131	LYS
1	B	133	ASP
1	B	137	GLN
1	B	140	ASP
1	B	161	ASP
1	B	235	PHE
1	B	244	THR
1	B	251	ASP
1	B	314	ASN
1	B	318	THR
1	B	333	ASP
1	B	382	LYS
1	B	401	ASP
1	B	409	GLN
1	B	414	ARG
1	B	438	TYR
1	B	449	CYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

5 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	BTB	B	503	-	13,13,13	0.60	0	7,16,16	0.90	0
4	EDO	B	502	-	3,3,3	0.48	0	2,2,2	0.32	0
2	FAD	B	501	-	53,58,58	0.47	0	68,89,89	0.47	1 (1%)
2	FAD	A	501	-	53,58,58	0.43	0	68,89,89	0.46	1 (1%)
3	BTB	A	502	-	13,13,13	0.46	0	7,16,16	0.53	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	BTB	B	503	-	-	4/21/21/21	-
4	EDO	B	502	-	-	0/1/1/1	-
2	FAD	B	501	-	-	7/30/50/50	0/6/6/6
2	FAD	A	501	-	-	12/30/50/50	0/6/6/6

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	BTB	A	502	-	-	10/21/21/21	-

There are no bond length outliers.

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	501	FAD	C5A-C6A-N6A	2.33	123.89	120.35
2	B	501	FAD	C5A-C6A-N6A	2.30	123.84	120.35

There are no chirality outliers.

All (33) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	501	FAD	C5B-O5B-PA-O1A
2	A	501	FAD	C5B-O5B-PA-O2A
2	A	501	FAD	C5'-O5'-P-O1P
2	A	501	FAD	C5'-O5'-P-O2P
2	A	501	FAD	C5'-O5'-P-O3P
2	B	501	FAD	C3B-C4B-C5B-O5B
3	A	502	BTB	C1-C2-N-C5
3	A	502	BTB	C1-C2-N-C7
3	A	502	BTB	C3-C2-N-C5
3	A	502	BTB	C3-C2-N-C7
3	A	502	BTB	C4-C2-N-C5
3	A	502	BTB	C4-C2-N-C7
3	A	502	BTB	C6-C5-N-C7
3	A	502	BTB	N-C5-C6-O6
3	A	502	BTB	N-C7-C8-O8
3	B	503	BTB	C1-C2-C3-O3
3	B	503	BTB	C4-C2-C3-O3
2	A	501	FAD	O4B-C4B-C5B-O5B
2	A	501	FAD	C3B-C4B-C5B-O5B
2	B	501	FAD	O4B-C4B-C5B-O5B
2	B	501	FAD	C3'-C4'-C5'-O5'
3	B	503	BTB	N-C7-C8-O8
2	B	501	FAD	PA-O3P-P-O1P
2	B	501	FAD	C4B-C5B-O5B-PA
2	A	501	FAD	C5B-O5B-PA-O3P
2	A	501	FAD	C3'-C4'-C5'-O5'
3	A	502	BTB	N-C2-C3-O3
3	B	503	BTB	N-C2-C3-O3

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
2	A	501	FAD	C2'-C3'-C4'-O4'
2	B	501	FAD	PA-O3P-P-O2P
2	B	501	FAD	O4'-C4'-C5'-O5'
2	A	501	FAD	C4B-C5B-O5B-PA
2	A	501	FAD	O4'-C4'-C5'-O5'


There are no ring outliers.

3 monomers are involved in 7 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	B	501	FAD	3	0
2	A	501	FAD	2	0
3	A	502	BTB	2	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	472/496 (95%)	0.64	47 (9%) 7 5	87, 113, 141, 165	0
1	B	472/496 (95%)	0.76	68 (14%) 2 2	88, 123, 149, 177	0
All	All	944/992 (95%)	0.70	115 (12%) 4 3	87, 118, 145, 177	0

All (115) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	150	SER	6.8
1	B	134	GLY	6.0
1	A	318	THR	5.3
1	B	318	THR	5.1
1	B	12	ILE	5.1
1	B	148	THR	5.0
1	B	145	LEU	5.0
1	A	146	ILE	4.9
1	B	78	MET	4.7
1	A	321	VAL	4.3
1	A	16	PRO	4.2
1	A	19	TYR	4.2
1	A	248	LYS	4.2
1	A	76	ILE	4.2
1	B	144	ILE	4.1
1	B	76	ILE	4.1
1	A	74	ARG	4.0
1	A	317	ALA	3.9
1	B	302	ILE	3.9
1	B	118	TYR	3.8
1	B	14	SER	3.8
1	B	137	GLN	3.7
1	B	321	VAL	3.7
1	A	35	ILE	3.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	146	ILE	3.6
1	A	62	TYR	3.6
1	B	320	ASP	3.6
1	B	48	VAL	3.5
1	B	308	PHE	3.5
1	B	35	ILE	3.4
1	A	251	ASP	3.4
1	A	468	PHE	3.4
1	A	374	LEU	3.4
1	B	136	THR	3.3
1	A	283	PHE	3.2
1	B	129	ALA	3.2
1	B	172	LEU	3.2
1	A	65	MET	3.1
1	B	282	PRO	3.1
1	A	148	THR	3.1
1	B	121	ILE	3.1
1	A	129	ALA	3.0
1	B	237	PHE	3.0
1	B	283	PHE	3.0
1	B	294	ILE	3.0
1	B	128	THR	3.0
1	B	135	GLY	3.0
1	A	137	GLN	3.0
1	A	302	ILE	2.9
1	B	405	LYS	2.9
1	B	5	ILE	2.8
1	A	156	PRO	2.8
1	A	71	PHE	2.8
1	B	317	ALA	2.8
1	B	252	GLY	2.7
1	A	304	VAL	2.7
1	B	63	TYR	2.7
1	A	9	VAL	2.7
1	A	381	TYR	2.7
1	A	46	LEU	2.7
1	B	274	LEU	2.7
1	A	147	ALA	2.7
1	A	124	LYS	2.6
1	A	75	GLY	2.6
1	B	186	ALA	2.6
1	A	271	CYS	2.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	287	LEU	2.5
1	B	181	MET	2.5
1	A	145	LEU	2.5
1	A	289	LEU	2.5
1	A	17	GLY	2.4
1	A	3	GLN	2.4
1	B	262	SER	2.4
1	B	19	TYR	2.4
1	B	46	LEU	2.4
1	B	243	VAL	2.4
1	A	164	THR	2.4
1	B	197	TRP	2.4
1	B	7	ALA	2.4
1	B	82	ARG	2.4
1	A	11	VAL	2.4
1	A	130	THR	2.3
1	B	289	LEU	2.3
1	A	197	TRP	2.3
1	A	144	ILE	2.3
1	B	117	GLY	2.3
1	B	156	PRO	2.3
1	A	252	GLY	2.3
1	A	320	ASP	2.2
1	B	41	LEU	2.2
1	B	3	GLN	2.2
1	B	6	ASP	2.2
1	B	70	ASP	2.2
1	B	4	PRO	2.2
1	B	406	ILE	2.2
1	A	416	LEU	2.2
1	B	138	VAL	2.2
1	A	66	ALA	2.2
1	A	56	LEU	2.2
1	B	122	THR	2.2
1	A	264	GLY	2.1
1	B	88	MET	2.1
1	B	284	THR	2.1
1	B	124	LYS	2.1
1	A	132	ALA	2.1
1	B	293	GLY	2.1
1	B	62	TYR	2.1
1	B	81	VAL	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	71	PHE	2.0
1	A	12	ILE	2.0
1	B	103	ILE	2.0
1	B	292	LEU	2.0
1	B	17	GLY	2.0
1	B	157	GLY	2.0
1	B	123	GLY	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	BTB	B	503	14/14	0.79	0.33	115,127,135,138	14
3	BTB	A	502	14/14	0.85	0.23	108,115,117,118	14
4	EDO	B	502	4/4	0.88	0.17	113,115,128,132	0
2	FAD	B	501	53/53	0.91	0.30	93,128,146,185	0
2	FAD	A	501	53/53	0.94	0.26	78,109,120,131	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around FAD B 501:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around FAD A 501:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.