

# Integrative Structure Validation Report

September 10, 2024 - 10:30 PM PDT

The following software was used in the production of this report:

*Python-IHM Version 1.3*

*MolProbity Version 4.5.2*

*Integrative Modeling Validation Version 1.2*

PDB ID	9A4V
PDB-Dev ID	PDBDEV_00000252
Structure Title	Integrative model of PT1-ODO2 by crosslinking MS and deep learning
Structure Authors	Kolja Stahl; Oliver Brock; Juri Rappsilber

*This is a PDB-Dev IM Structure Validation Report for a publicly released PDB-Dev entry.*

*We welcome your comments at [pdb-dev@mail.wwpdb.org](mailto:pdb-dev@mail.wwpdb.org)*


*A user guide is available at [https://pdb-dev.wwpdb.org/validation\\_help.html](https://pdb-dev.wwpdb.org/validation_help.html) with specific help available everywhere you see the  symbol.*

*List of references used to build this report is available [here](#).*

## Overall quality

*This validation report contains model quality assessments for all structures, data quality assessment for SAS datasets and fit to model assessments for SAS datasets. Data quality and fit to model assessments for other datasets and model uncertainty are under development. Number of plots is limited to 256.*

Model Quality: MolProbity Analysis



## Ensemble information ?

This entry consists of 0 distinct ensemble(s).

## Summary ?

This entry consists of 1 unique models, with 2 subunits in each model. A total of 1 datasets or restraints were used to build this entry. Each model is represented by 0 rigid bodies and 2 flexible or non-rigid units.

## Entry composition ?

There is 1 unique type of models in this entry. This model is titled None/None.

Model ID	Subunit number	Subunit ID	Subunit name	Chain ID	Chain ID [auth]	Total residues
1	1	1	PT1_BACSU	A	A	570
1	2	2	ODO2_BACSU	B	B	417

## Datasets used for modeling ?

There is 1 unique dataset used to build the models in this entry.

ID	Dataset type	Database name	Data access code
1	Crosslinking-MS data	PRIDE	PXD035508

## Representation ?

This entry has only one representation and includes 0 rigid bodies and 2 flexible units.

Chain ID	Rigid bodies	Non-rigid segments

Chain ID	Rigid bodies	Non-rigid segments
A	-	1-570
B	-	1-417

## Methodology and software ?

This entry is a result of 1 distinct protocol(s).

Step number	Protocol ID	Method name	Method type	Method description	Number of computed models	Multi state modeling	Multi scale modeling
1	1	AlphaLink2	AlphaLink2	None	1	False	False

There is 1 software package reported in this entry.

ID	Software name	Software version	Software classification	Software location
1	<a href="#">AlphaLink2</a>	1.0	model building	<a href="https://github.com/Rappsilber-Laboratory/AlphaLink2">https://github.com/Rappsilber-Laboratory/AlphaLink2</a>

## Data quality ?

### Crosslinking-MS

Validation for this section is under development.

## Model quality ?

For models with atomic structures, molprobit analysis is performed. For models with coarse-grained or multi-scale structures, excluded volume analysis is performed.

### Standard geometry: bond outliers ?

There are 7740 bond outliers in this entry. A summary is provided below, and a detailed list of outliers can be found [here](#).

Bond type	Observed distance (Å)	Ideal distance (Å)	Number of outliers
CB--HB2	1.09	0.97	728

<b>Bond type</b>	<b>Observed distance (Å)</b>	<b>Ideal distance (Å)</b>	<b>Number of outliers</b>
CA--HA	1.09	0.97	924
CG2--HG22	1.09	0.97	196
CB--HB	1.09	0.97	196
CB--HB3	1.09	0.97	728
CG--HG3	1.09	0.97	342
CB--HB1	1.09	0.97	90
CG--HG	1.09	0.97	87
OG1--HG1	0.96	0.84	56
CD1--HD12	1.09	0.97	152
CD2--HD22	1.09	0.97	87
CE--HE1	1.09	0.97	30
CG1--HG12	1.09	0.97	140
CD1--HD13	1.09	0.97	152
NZ--HZ1	1.01	0.89	75
CG2--HG23	1.09	0.97	196
CD--HD3	1.09	0.97	156
NZ--HZ3	1.01	0.89	75
CD1--HD11	1.09	0.97	152
CD2--HD21	1.09	0.97	87
CE--HE3	1.09	0.97	105
CG1--HG11	1.09	0.97	75
CG--HG2	1.09	0.97	342
CG2--HG21	1.09	0.97	196

Bond type	Observed distance (Å)	Ideal distance (Å)	Number of outliers
CE--HE2	1.09	0.97	105
NZ--HZ2	1.01	0.89	75
OG--HG	0.96	0.84	60
OH--HH	0.96	0.84	21
CD2--HD23	1.09	0.97	87
CD--HD2	1.09	0.97	156
CG1--HG13	1.09	0.97	140
CA--HA3	1.09	0.97	63
CA--HA2	1.09	0.97	63
N--H3	1.01	0.89	2
N--H1	1.01	0.89	2
N--H2	1.01	0.89	2
SG--HG	1.33	1.20	1
SG--HG	1.34	1.20	1
NH1--HH11	1.01	0.86	41
N--H	1.01	0.86	945
NH2--HH21	1.01	0.86	41
NE--HE	1.01	0.86	41
NH2--HH22	1.01	0.86	41
CD1--HD1	1.08	0.93	57
CD2--HD2	1.08	0.93	64
NE2--HE22	1.01	0.86	45
CE2--HE2	1.08	0.93	54
ND2--HD21	1.01	0.86	29

Bond type	Observed distance (Å)	Ideal distance (Å)	Number of outliers
NE2--HE21	1.01	0.86	45
ND2--HD22	1.01	0.86	29
CZ--HZ	1.08	0.93	33
NH1--HH12	1.01	0.86	41
CE1--HE1	1.08	0.93	64
CZ2--HZ2	1.08	0.93	3
ND1--HD1	1.01	0.86	7
CZ3--HZ3	1.08	0.93	3
CE3--HE3	1.08	0.93	3
NE2--HE2	1.01	0.86	3
CH2--HH2	1.08	0.93	3
NE1--HE1	1.01	0.86	3

### Standard geometry: angle outliers

There are 74 angle outliers in this entry. A summary is provided below, and a detailed list of outliers can be found [here](#).

Angle type	Observed angle (°)	Ideal angle (°)	Number of outliers
C-N-CA	121.70	135.41	1
C-N-CA	121.70	134.99	1
C-N-CA	121.70	133.54	1
C-N-CA	121.70	133.04	1
C-N-CA	121.70	132.98	1
C-N-CA	121.70	132.83	1
CA-CB-CG	112.60	118.42	1
CA-CB-CG	113.80	119.54	1
O-C-N	123.00	114.04	1

<b>Angle type</b>	<b>Observed angle (°)</b>	<b>Ideal angle (°)</b>	<b>Number of outliers</b>
CA-C-N	116.20	127.32	1
OE1-CD-NE2	122.60	117.29	1
CA-CB-CG	112.60	117.84	1
CA-CB-CG	112.60	117.77	1
C-N-CA	121.70	130.80	1
C-N-CA	121.70	130.75	1
OE1-CD-NE2	122.60	117.65	1
OE1-CD-NE2	122.60	117.75	1
OE1-CD-NE2	122.60	117.83	2
CA-CB-CG	112.60	117.36	1
CA-CB-OG1	109.60	116.69	1
OE1-CD-NE2	122.60	117.90	1
CA-C-N	116.20	125.58	1
OE1-CD-NE2	122.60	117.94	1
N-CA-CB	110.40	103.42	1
NE-CZ-NH1	121.50	126.11	1
O-C-N	123.00	115.64	1
OE1-CD-NE2	122.60	118.03	1
OE1-CD-NE2	122.60	118.04	1
OE1-CD-NE2	122.60	118.07	1
C-CA-CB	110.50	117.28	1
OD1-CG-ND2	122.60	118.08	1
CA-C-N	116.20	125.23	1

<b>Angle type</b>	<b>Observed angle (°)</b>	<b>Ideal angle (°)</b>	<b>Number of outliers</b>
OE1-CD-NE2	122.60	118.10	2
OE1-CD-NE2	122.60	118.11	1
OE1-CD-NE2	122.60	118.15	1
CA-C-N	116.20	125.10	1
NH1-CZ-NH2	119.30	113.53	1
CA-CB-CG	112.60	117.04	1
OE1-CD-NE2	122.60	118.18	1
OE1-CD-NE2	122.60	118.19	1
C-N-CA	121.70	129.61	1
O-C-N	123.00	116.02	1
OE1-CD-NE2	122.60	118.26	2
CA-CB-CG	112.60	116.91	1
CA-C-N	116.90	123.36	1
CB-CG-CD2	131.20	125.64	1
CA-CB-CG	112.60	108.36	1
OE1-CD-NE2	122.60	118.37	1
OE1-CD-NE2	122.60	118.38	1
OE1-CD-NE2	122.60	118.39	1
OE1-CD-NE2	122.60	118.40	2
C-CA-CB	110.10	118.06	1
CB-CG-CD2	131.20	125.79	1
OE1-CD-NE2	122.60	118.44	1
OE1-CD-NE2	122.60	118.46	1
OE1-CD-NE2	122.60	118.51	2



Angle type	Observed angle (°)	Ideal angle (°)	Number of outliers
O-C-N	123.00	116.48	1
CA-CB-CG	112.60	108.57	1
OE1-CD-NE2	122.60	118.59	1
CB-CG-CD2	131.20	126.00	1
HZ1-NZ-HZ3	96.90	109.00	1
HZ1-NZ-HZ2	96.82	109.00	1
C-N-H	111.92	124.30	1
C-N-H	111.68	124.30	1
C-N-H	111.28	124.30	1
C-N-H	110.86	124.30	1
C-N-H	110.68	124.30	1
C-N-H	110.31	124.30	1
C-N-H	109.96	124.30	1

### Too-close contacts

The following all-atom clashscore is based on a MolProbity analysis. All-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The table below contains clashscores for all the models in this entry.

Model ID	Clash score	Number of clashes
1	0.65	10

All 10 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Model ID	Atom-1	Atom-2	Clash overlap (Å)
1	B:107:ALA:HB1	B:108:GLN:HB2	0.608
1	A:253:TRP:CD1	A:535:THR:HG1	0.516
1	B:218:GLU:CD	B:365:ARG:HH22	0.486
1	A:318:LYS:HE2	A:383:TYR:CE1	0.477

Model ID	Atom-1	Atom-2	Clash overlap (Å)
1	B:365:ARG:HH21	B:379:MET:HG3	0.464
1	A:1:MET:HA	A:229:ILE:O	0.463
1	B:107:ALA:HB1	B:108:GLN:CB	0.427
1	A:5:LYS:HE2	A:226:ASP:OD1	0.419
1	A:30:LYS:HE3	A:98:VAL:HG11	0.414
1	A:400:LYS:HE2	A:445:GLU:OE2	0.409

### Torsion angles: Protein backbone

In the following table, Ramachandran outliers are listed. The Analysed column shows the number of residues for which the backbone conformation was analysed.

Model ID	Analyzed	Favored	Allowed	Outliers
1	983	926	49	8

Detailed list of outliers are tabulated below.

### Torsion angles: Protein sidechains

In the following table, sidechain outliers are listed. The Analysed column shows the number of residues for which the sidechain conformation was analysed.

Model ID	Analyzed	Favored	Allowed	Outliers
1	834	798	20	16

Detailed list of outliers are tabulated below.

Model ID	Chain	Residue ID	Residue type
1	A	78	LEU
1	A	150	SER
1	A	190	SER
1	A	335	ASP
1	A	336	ILE
1	A	345	LEU
1	A	440	ASP

Model ID	Chain	Residue ID	Residue type
1	A	526	SER
1	A	556	SER
1	B	61	ASP
1	B	88	THR
1	B	91	THR
1	B	110	VAL
1	B	122	THR
1	B	155	ASP
1	B	272	LEU

### Fit of model to data used for modeling ?

#### Crosslinking-MS

Validation for this section is under development.

### Fit of model to data used for validation ?

Validation for this section is under development.

#### *Acknowledgements*

*Development of integrative model validation metrics, implementation of a model validation pipeline, and creation of a validation report for integrative structures, are funded by NSF ABI awards (DBI-1756248, DBI-2112966, DBI-2112967, DBI-2112968, and DBI-1756250). The [PDB-Dev team](#) and members of [Sali lab](#) contributed model validation metrics and software packages.*

*Implementation of validation methods for SAS data and SAS-based models are funded by [RCSB PDB](#) (grant number DBI-1832184). Dr. Stephen Burley, Dr. John Westbrook, and Dr. Jasmine Young from [RCSB PDB](#), Dr. Jill Trewella, Dr. Dina Schneidman, and members of the [SASBDB](#) repository are acknowledged for their advice and support in implementing SAS validation methods.*

*Members of the [wwPDB Integrative/Hybrid Methods Task Force](#) provided recommendations and*

*community support for the project.*