

Integrative Structure Validation Report

September 10, 2024 - 10:32 PM PDT

The following software was used in the production of this report:

Python-IHM Version 1.3


MolProbity Version 4.5.2

Integrative Modeling Validation Version 1.2

PDB ID	9A4W
PDB-Dev ID	PDBDEV_00000253
Structure Title	Integrative model of RPOA-RPOC by crosslinking MS and deep learning
Structure Authors	Kolja Stahl; Oliver Brock; Juri Rappsilber

This is a PDB-Dev IM Structure Validation Report for a publicly released PDB-Dev entry.

We welcome your comments at pdb-dev@mail.wwpdb.org


A user guide is available at https://pdb-dev.wwpdb.org/validation_help.html with specific help available everywhere you see the  symbol.

List of references used to build this report is available [here](#).

Overall quality

This validation report contains model quality assessments for all structures, data quality assessment for SAS datasets and fit to model assessments for SAS datasets. Data quality and fit to model assessments for other datasets and model uncertainty are under development. Number of plots is limited to 256.

Model Quality: MolProbity Analysis



Ensemble information ?

This entry consists of 0 distinct ensemble(s).

Summary ?

This entry consists of 1 unique models, with 2 subunits in each model. A total of 1 datasets or restraints were used to build this entry. Each model is represented by 0 rigid bodies and 2 flexible or non-rigid units.

Entry composition ?

There is 1 unique type of models in this entry. This model is titled None/None.

Model ID	Subunit number	Subunit ID	Subunit name	Chain ID	Chain ID [auth]	Total residues
1	1	1	RPOA_BACSU	A	A	314
1	2	2	RPOC_BACSU	B	B	1199

Datasets used for modeling ?

There is 1 unique dataset used to build the models in this entry.

ID	Dataset type	Database name	Data access code
1	Crosslinking-MS data	PRIDE	PXD035508

Representation ?

This entry has only one representation and includes 0 rigid bodies and 2 flexible units.

Chain ID	Rigid bodies	Non-rigid segments

Chain ID	Rigid bodies	Non-rigid segments
A	-	1-314
B	-	1-1199

Methodology and software ?

This entry is a result of 1 distinct protocol(s).

Step number	Protocol ID	Method name	Method type	Method description	Number of computed models	Multi state modeling	Multi scale modeling
1	1	AlphaLink2	AlphaLink2	None	1	False	False

There is 1 software package reported in this entry.

ID	Software name	Software version	Software classification	Software location
1	AlphaLink2	1.0	model building	https://github.com/Rappsilber-Laboratory/AlphaLink2

Data quality ?

Crosslinking-MS

Validation for this section is under development.

Model quality ?

For models with atomic structures, molprobit analysis is performed. For models with coarse-grained or multi-scale structures, excluded volume analysis is performed.

Standard geometry: bond outliers ?

There are 12155 bond outliers in this entry. A summary is provided below, and a detailed list of outliers can be found [here](#).

Bond type	Observed distance (Å)	Ideal distance (Å)	Number of outliers
CA--HA	1.09	0.97	1401

Bond type	Observed distance (Å)	Ideal distance (Å)	Number of outliers
CG--HG	1.09	0.97	149
CD1--HD12	1.09	0.97	249
CB--HB2	1.09	0.97	1081
CD--HD3	1.09	0.97	272
OG--HG	0.96	0.84	68
CE--HE3	1.09	0.97	150
CD--HD2	1.09	0.97	272
CG2--HG21	1.09	0.97	320
CB--HB3	1.09	0.97	1081
CG--HG3	1.09	0.97	496
NZ--HZ2	1.01	0.89	111
CE--HE2	1.09	0.97	150
CG2--HG23	1.09	0.97	320
CG2--HG22	1.09	0.97	320
CB--HB1	1.09	0.97	101
CD1--HD13	1.09	0.97	249
CG1--HG12	1.09	0.97	228
CA--HA2	1.09	0.97	112
CD1--HD11	1.09	0.97	249
CD2--HD22	1.09	0.97	149
CD2--HD21	1.09	0.97	149
CG--HG2	1.09	0.97	496
CG1--HG13	1.09	0.97	228

Bond type	Observed distance (Å)	Ideal distance (Å)	Number of outliers
CB--HB	1.09	0.97	320
OH--HH	0.96	0.84	37
CD2--HD23	1.09	0.97	149
CA--HA3	1.09	0.97	112
OG1--HG1	0.96	0.84	92
CG1--HG11	1.09	0.97	128
NZ--HZ3	1.01	0.89	111
NZ--HZ1	1.01	0.89	111
CE--HE1	1.09	0.97	39
N--H3	1.01	0.89	2
N--H1	1.01	0.89	2
N--H2	1.01	0.89	2
SG--HG	1.33	1.20	3
SG--HG	1.34	1.20	9
NH2--HH21	1.01	0.86	98
NE--HE	1.01	0.86	98
CE1--HE1	1.08	0.93	104
N--H	1.01	0.86	1448
CE2--HE2	1.08	0.93	77
CD1--HD1	1.08	0.93	85
NH1--HH11	1.01	0.86	98
ND2--HD22	1.01	0.86	58
NH1--HH12	1.01	0.86	98
ND1--HD1	1.01	0.86	23

Bond type	Observed distance (Å)	Ideal distance (Å)	Number of outliers
CD2--HD2	1.08	0.93	104
ND2--HD21	1.01	0.86	58
NH2--HH22	1.01	0.86	98
NE2--HE22	1.01	0.86	53
NE2--HE21	1.01	0.86	53
CZ--HZ	1.08	0.93	40
CZ2--HZ2	1.08	0.93	8
NE2--HE2	1.01	0.86	4
NE1--HE1	1.01	0.86	8
CZ3--HZ3	1.08	0.93	8
CE3--HE3	1.08	0.93	8
CH2--HH2	1.08	0.93	8

Standard geometry: angle outliers

There are 54 angle outliers in this entry. A summary is provided below, and a detailed list of outliers can be found [here](#).

Angle type	Observed angle (°)	Ideal angle (°)	Number of outliers
CA-CB-CG	112.60	118.75	1
NE-CZ-NH2	119.20	124.07	1
CB-CG-CD2	131.20	124.43	1
OE1-CD-NE2	122.60	117.66	1
OE1-CD-NE2	122.60	117.67	1
OE1-CD-NE2	122.60	117.68	1
CA-CB-CG	112.60	117.52	1
CA-CB-CG	112.60	117.50	1
OE1-CD-NE2	122.60	117.70	1

Angle type	Observed angle (°)	Ideal angle (°)	Number of outliers
OD1-CG-ND2	122.60	117.77	1
OE1-CD-NE2	122.60	117.77	1
OE1-CD-NE2	122.60	117.79	1
OE1-CD-NE2	122.60	117.82	1
OE1-CD-NE2	122.60	117.87	1
OE1-CD-NE2	122.60	117.89	2
OE1-CD-NE2	122.60	117.90	2
OE1-CD-NE2	122.60	117.91	1
OE1-CD-NE-CZ-NH2	119.20	123.35	1
OD1-CG-ND2	122.60	118.01	1
OE1-CD-CB-CG-CD2	131.20	125.32	1
OE1-CD-CA-CB-CG	112.60	117.06	1
OE1-CD-NE2	122.60	118.16	1
OE1-CD-NE2	122.60	118.18	1
CA-CB-OE1-CD-NE2	122.60	118.20	1
NE-CZ-NH2	119.20	123.12	1
OE1-CD-NE2	122.60	118.25	1
OE1-CD-NE-CZ-NH1	121.50	125.80	1
OD1-CG-ND2	122.60	118.34	1
OE1-CD-NE2	122.60	118.34	1
OE1-CD-NE2	122.60	118.36	2
OE1-CD-NE2	122.60	118.39	1
OE1-CD-NE2	122.60	118.40	1

Angle type	Observed angle (°)	Ideal angle (°)	Number of outliers
OE1-CD-NE2	122.60	118.41	1
OD1-CG-ND2	122.60	118.42	1
OD1-CG-ND2	122.60	118.44	1
OE1-CD-NE2	122.60	118.45	1
CA-CB-CG	112.60	116.75	1
CA-CB-CG	112.60	116.74	1
OE1-CD-NE2	122.60	118.48	2
OE1-CD-CA-CB-CG	112.60	116.72	1
OE1-CD-NE2	122.60	118.49	1
OD1-CG-ND2	122.60	118.50	1
NH1-CZ-NH2	119.30	113.98	1
CB-CG-CD2	131.20	125.93	1
OE1-CD-NE2	122.60	118.54	1
CB-CG-OE1-CD-NE2	122.60	118.55	1
CA-CB-CG	112.60	116.65	1
CA-CB-CG	112.60	116.62	1
OD1-CG-ND2	122.60	118.59	1
HZ1-NZ-HZ2	96.33	109.00	1

Too-close contacts

The following all-atom clashscore is based on a MolProbity analysis. All-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The table below contains clashscores for all the models in this entry.

Model ID	Clash score	Number of clashes
1	1.83	44

All 44 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Model ID	Atom-1	Atom-2	Clash overlap (Å)
1	B:808:ALA:HB2	B:316:LEU:HD21	0.679
1	B:808:ALA:CB	B:741:PHE:CE1	0.660
1	B:930:PRO:HB3	B:383:ILE:HG23	0.637
1	B:234:ILE:HD11	B:149:LEU:HD11	0.614
1	B:720:LEU:HD11	B:495:MET:HE1	0.607
1	B:371:MET:CE	B:741:PHE:CE2	0.599
1	B:124:ALA:HB1	B:321:LYS:HE2	0.581
1	B:441:LEU:HD21	B:321:LYS:CE	0.571
1	B:726:ILE:HG21	B:87:VAL:HG22	0.556
1	B:978:VAL:CG2	B:615:PHE:CD2	0.556
1	B:317:SER:HB3	B:235:PRO:HD2	0.552
1	B:317:SER:HB3	B:316:LEU:CD2	0.520
1	B:84:ARG:O	A:136:PHE:HB2	0.513
1	B:503:THR:HG21	B:723:LEU:HD22	0.512
1	B:234:ILE:HG22	B:741:PHE:CD2	0.502
1	B:978:VAL:HG22	B:749:GLY:HA2	0.497
1	B:214:GLU:OE2	B:644:LYS:HA	0.495
1	B:234:ILE:HD11	B:762:PRO:HG3	0.458
1	A:130:LEU:HD21	B:565:LEU:HB3	0.455
1	B:506:ARG:HH21	A:68:ILE:HD11	0.450
1	B:726:ILE:HG21	B:565:LEU:HD11	0.445
1	B:895:PRO:HA	B:723:LEU:CD2	0.443
1	B:747:MET:HE2	B:764:LYS:HE2	0.438

Model ID	Atom-1	Atom-2	Clash overlap (Å)
1	B:495:MET:HE3	B:495:MET:HE1	0.419
1	B:705:TRP:CD2	A:197:ASP:OD1	0.415
1	B:519:THR:HG23	B:450:PHE:CZ	0.411
1	A:58:ILE:HG21	A:138:VAL:HG21	0.404
1	B:915:VAL:HG12	B:146:LYS:HE3	0.403
1	B:539:VAL:HG21	B:212:VAL:CG2	0.400

Torsion angles: Protein backbone?

In the following table, Ramachandran outliers are listed. The Analysed column shows the number of residues for which the backbone conformation was analysed.

Model ID	Analysed	Favored	Allowed	Outliers
1	1509	1471	37	1

Detailed list of outliers are tabulated below.

Torsion angles: Protein sidechains ?

In the following table, sidechain outliers are listed. The Analysed column shows the number of residues for which the sidechain conformation was analysed.

Model ID	Analysed	Favored	Allowed	Outliers
1	1300	1160	82	58

Detailed list of outliers are tabulated below.

Model ID	Chain	Residue ID	Residue type
1	A	43	ILE
1	A	106	THR
1	A	113	THR
1	A	124	ASP
1	A	196	LEU
1	A	257	ASP
1	A	286	MET

Model ID	Chain	Residue ID	Residue type
1	A	291	LEU
1	A	296	LEU
1	B	2	LEU
1	B	55	THR
1	B	76	ASP
1	B	107	PHE
1	B	125	LEU
1	B	159	LEU
1	B	190	MET
1	B	195	LEU
1	B	204	THR
1	B	234	ILE
1	B	260	ARG
1	B	287	MET
1	B	327	PHE
1	B	345	VAL
1	B	357	LEU
1	B	373	GLU
1	B	381	HIS
1	B	393	VAL
1	B	431	VAL
1	B	438	LEU
1	B	444	THR
1	B	449	ASP

Model ID	Chain	Residue ID	Residue type
1	B	453	ASP
1	B	474	LEU
1	B	488	VAL
1	B	497	LEU
1	B	504	LEU
1	B	634	THR
1	B	646	LEU
1	B	666	LEU
1	B	692	ILE
1	B	716	LEU
1	B	761	LEU
1	B	774	LEU
1	B	780	THR
1	B	809	GLN
1	B	813	ILE
1	B	816	THR
1	B	912	ASP
1	B	949	ILE
1	B	953	LEU
1	B	974	ILE
1	B	977	THR
1	B	999	THR
1	B	1003	THR

Model ID	Chain	Residue ID	Residue type
1	B	1018	ILE
1	B	1041	THR
1	B	1042	THR
1	B	1171	VAL

Fit of model to data used for modeling ?

Crosslinking-MS

Validation for this section is under development.

Fit of model to data used for validation ?

Validation for this section is under development.

Acknowledgements

Development of integrative model validation metrics, implementation of a model validation pipeline, and creation of a validation report for integrative structures, are funded by NSF ABI awards (DBI-1756248, DBI-2112966, DBI-2112967, DBI-2112968, and DBI-1756250). The [PDB-Dev team](#) and members of [Sali lab](#) contributed model validation metrics and software packages.

Implementation of validation methods for SAS data and SAS-based models are funded by [RCSB PDB](#) (grant number DBI-1832184). Dr. Stephen Burley, Dr. John Westbrook, and Dr. Jasmine Young from [RCSB PDB](#), Dr. Jill Trehella, Dr. Dina Schneidman, and members of the [SASBDB](#) repository are acknowledged for their advice and support in implementing SAS validation methods.

Members of the [wwPDB Integrative/Hybrid Methods Task Force](#) provided recommendations and community support for the project.