Full wwPDB X-ray Structure Validation Report (i)

Oct 24, 2026 – 12:54 PM EDT

PDB ID	:	14CN / pdb_000014cn
Title	:	Structure of liver pyruvate kinase in complex with allosteric site fragment S4
Authors	:	Lulla, A.; Rodriguez Rivero, A.; Grotli, M.; Hyvonen, M.
Deposited on	:	2026-04-28
Resolution	:	1.93 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at *validation@mail.wwpdb.org*
A user guide is available at
https://www.wwpdb.org/validation/2017/XrayValidationReportHelp
with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at
http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (i)) were used in the production of this report:


MolProbity	:	4-5-2 with Phenix2.2
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.2
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.015 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.51

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure:
X-RAY DIFFRACTION

The reported resolution of this entry is 1.93 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.






Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1188 (1.92-1.92)
Clashscore	190562	1209 (1.92-1.92)
Ramachandran outliers	187476	1195 (1.92-1.92)
Sidechain outliers	187428	1195 (1.92-1.92)
RSRZ outliers	180081	1188 (1.92-1.92)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	447	13% 86% 8% 6%
1	B	447	31% 91% 6% •
1	C	447	6% 89% 5% 6%
1	D	447	3% 87% 7% • 5%
1	E	447	17% 88% 5% • 6%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	F	447	
1	G	447	
1	H	447	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	OXL	A	602	-	X	-	-
3	OXL	B	602	-	X	-	-
3	OXL	C	603	-	X	-	-
3	OXL	D	602	-	X	-	-
3	OXL	E	602	-	X	-	-
3	OXL	G	603	-	X	-	-
3	OXL	H	602	-	X	-	-

2 Entry composition (i)

There are 7 unique types of molecules in this entry. The entry contains 28161 atoms, of which 88 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Isoform L-type of Pyruvate kinase PKLR.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	420	Total	C	N	O	S	0	13	0
			3249	2040	583	606	20			
1	B	436	Total	C	N	O	S	3	8	0
			3350	2104	604	622	20			
1	C	420	Total	C	N	O	S	0	8	0
			3237	2039	580	599	19			
1	D	423	Total	C	N	O	S	0	7	0
			3247	2040	588	600	19			
1	E	419	Total	C	N	O	S	0	12	0
			3254	2047	584	603	20			
1	F	432	Total	C	N	O	S	0	7	0
			3322	2090	597	616	19			
1	G	420	Total	C	N	O	S	0	8	0
			3235	2036	580	600	19			
1	H	425	Total	C	N	O	S	0	9	0
			3277	2057	597	604	19			

There are 48 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	-1	GLY	-	expression tag	UNP P30613
A	0	SER	-	expression tag	UNP P30613
A	12	ASP	SER	conflict	UNP P30613
A	130	GLY	-	linker	UNP P30613
A	131	SER	-	linker	UNP P30613
A	132	GLY	-	linker	UNP P30613
B	-1	GLY	-	expression tag	UNP P30613
B	0	SER	-	expression tag	UNP P30613
B	12	ASP	SER	conflict	UNP P30613
B	130	GLY	-	linker	UNP P30613
B	131	SER	-	linker	UNP P30613
B	132	GLY	-	linker	UNP P30613
C	-1	GLY	-	expression tag	UNP P30613

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
C	0	SER	-	expression tag	UNP P30613
C	12	ASP	SER	conflict	UNP P30613
C	130	GLY	-	linker	UNP P30613
C	131	SER	-	linker	UNP P30613
C	132	GLY	-	linker	UNP P30613
D	-1	GLY	-	expression tag	UNP P30613
D	0	SER	-	expression tag	UNP P30613
D	12	ASP	SER	conflict	UNP P30613
D	130	GLY	-	linker	UNP P30613
D	131	SER	-	linker	UNP P30613
D	132	GLY	-	linker	UNP P30613
E	-1	GLY	-	expression tag	UNP P30613
E	0	SER	-	expression tag	UNP P30613
E	12	ASP	SER	conflict	UNP P30613
E	130	GLY	-	linker	UNP P30613
E	131	SER	-	linker	UNP P30613
E	132	GLY	-	linker	UNP P30613
F	-1	GLY	-	expression tag	UNP P30613
F	0	SER	-	expression tag	UNP P30613
F	12	ASP	SER	conflict	UNP P30613
F	130	GLY	-	linker	UNP P30613
F	131	SER	-	linker	UNP P30613
F	132	GLY	-	linker	UNP P30613
G	-1	GLY	-	expression tag	UNP P30613
G	0	SER	-	expression tag	UNP P30613
G	12	ASP	SER	conflict	UNP P30613
G	130	GLY	-	linker	UNP P30613
G	131	SER	-	linker	UNP P30613
G	132	GLY	-	linker	UNP P30613
H	-1	GLY	-	expression tag	UNP P30613
H	0	SER	-	expression tag	UNP P30613
H	12	ASP	SER	conflict	UNP P30613
H	130	GLY	-	linker	UNP P30613
H	131	SER	-	linker	UNP P30613
H	132	GLY	-	linker	UNP P30613

- Molecule 2 is 1,6-di-O-phosphono-beta-D-fructofuranose (CCD ID: FBP) (formula: $C_6H_{14}O_{12}P_2$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	A	1	Total	C	O	P	0	0
			20	6	12	2		
2	B	1	Total	C	O	P	0	0
			20	6	12	2		
2	C	1	Total	C	O	P	0	0
			20	6	12	2		
2	D	1	Total	C	O	P	0	0
			20	6	12	2		
2	E	1	Total	C	O	P	0	0
			20	6	12	2		
2	F	1	Total	C	O	P	0	0
			20	6	12	2		
2	G	1	Total	C	O	P	0	0
			20	6	12	2		
2	H	1	Total	C	O	P	0	0
			20	6	12	2		

- Molecule 3 is OXALATE ION (CCD ID: OXL) (formula: C_2O_4).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	1	Total C O 6 2 4	0	0
3	B	1	Total C O 6 2 4	0	0
3	C	1	Total C O 6 2 4	0	0
3	D	1	Total C O 6 2 4	0	0
3	E	1	Total C O 6 2 4	0	0
3	F	1	Total C O 6 2 4	0	0
3	G	1	Total C O 6 2 4	0	0
3	H	1	Total C O 6 2 4	0	0

- Molecule 4 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	1	Total Mg 1 1	0	0
4	B	1	Total Mg 1 1	0	0
4	C	1	Total Mg 1 1	0	0
4	D	1	Total Mg 1 1	0	0

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	E	1	Total Mg 1 1	0	0
4	F	1	Total Mg 1 1	0	0
4	G	1	Total Mg 1 1	0	0
4	H	1	Total Mg 1 1	0	0

- Molecule 5 is POTASSIUM ION (CCD ID: K) (formula: K).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	1	Total K 1 1	0	0
5	B	1	Total K 1 1	0	0
5	C	1	Total K 1 1	0	0
5	D	1	Total K 1 1	0	0
5	E	1	Total K 1 1	0	0
5	F	1	Total K 1 1	0	0
5	G	1	Total K 1 1	0	0
5	H	1	Total K 1 1	0	0

- Molecule 6 is 4-(4-aminobenzene-1-sulfonyl)benzene-1,2-diol (CCD ID: WVB) (formula: $C_{12}H_{11}NO_4S$) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms						ZeroOcc	AltConf
6	B	1	Total	C	H	N	O	S	22	1
			58	24	22	2	8	2		
6	C	1	Total	C	H	N	O	S	22	1
			58	24	22	2	8	2		
6	F	1	Total	C	H	N	O	S	22	1
			58	24	22	2	8	2		
6	G	1	Total	C	H	N	O	S	22	1
			58	24	22	2	8	2		

- Molecule 7 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	A	109	Total	O	0	0
			109	109		
7	B	96	Total	O	0	0
			96	96		
7	C	217	Total	O	0	0
			217	217		
7	D	254	Total	O	0	0
			254	254		
7	E	128	Total	O	0	0
			128	128		
7	F	180	Total	O	0	0
			180	180		
7	G	238	Total	O	0	0
			238	238		
7	H	312	Total	O	0	0
			312	312		


3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Isoform L-type of Pyruvate kinase PKLR


Chain A:






• Molecule 1: Isoform L-type of Pyruvate kinase PKLR


Chain B:






• Molecule 1: Isoform L-type of Pyruvate kinase PKLR

Chain C:






• Molecule 1: Isoform L-type of Pyruvate kinase PKLR

Chain D:






• Molecule 1: Isoform L-type of Pyruvate kinase PKLR

Chain E:






• Molecule 1: Isoform L-type of Pyruvate kinase PKLR

Chain F:







• Molecule 1: Isoform L-type of Pyruvate kinase PKLR


Chain G:





• Molecule 1: Isoform L-type of Pyruvate kinase PKLR





4 Data and refinement statistics (i)

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α, β, γ	208.51Å 113.08Å 188.65Å 90.00° 91.40° 90.00°	Depositor
Resolution (Å)	188.59 – 1.93 188.59 – 1.93	Depositor EDS
% Data completeness (in resolution range)	69.9 (188.59-1.93) 69.8 (188.59-1.93)	Depositor EDS
R_{merge}	0.08	Depositor
R_{sym}	(Not available)	Depositor
$< I/\sigma(I) >$ [1]	1.35 (at 1.92Å)	Xtriage
Refinement program	BUSTER 2.10.4	Depositor
R, R_{free}	0.209 , 0.229 0.198 , 0.218	Depositor DCC
R_{free} test set	11619 reflections (3.52%)	wwPDB-VP
Wilson B-factor (Å^2)	36.7	Xtriage
Anisotropy	0.030	Xtriage
Bulk solvent k_{sol}(e/Å^3), B_{sol}(Å^2)	0.36 , 43.2	EDS
L-test for twinning[2]	$< \|L\| > = 0.51$, $< L^2 > = 0.34$	Xtriage
Estimated twinning fraction	0.000 for -h,-k,l	Xtriage
F_o,F_c correlation	0.96	EDS
Total number of atoms	28161	wwPDB-VP
Average B, all atoms (Å^2)	44.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 38.17 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 3.8402e-04. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

[1] Intensities estimated from amplitudes.

[2] Theoretical values of $< |L| >$, $< L^2 >$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: WVB, OXL, MG, FBP, K

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	#$\|Z\|$ >5	RMSZ	#$\|Z\|$ >5
1	A	0.71	0/3341	1.00	3/4517 (0.1%)
1	B	0.72	2/3429 (0.1%)	1.01	1/4636 (0.0%)
1	C	0.79	1/3315 (0.0%)	1.03	5/4481 (0.1%)
1	D	0.81	1/3324 (0.0%)	1.04	3/4494 (0.1%)
1	E	0.68	1/3344 (0.0%)	1.00	4/4519 (0.1%)
1	F	0.76	0/3397	1.03	3/4593 (0.1%)
1	G	0.83	2/3313 (0.1%)	1.03	1/4478 (0.0%)
1	H	0.83	1/3357 (0.0%)	1.02	2/4537 (0.0%)
All	All	0.77	8/26820 (0.0%)	1.02	22/36255 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand.A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	H	0	1

All (8) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	G	491	PRO	CA-C	6.53	1.55	1.51
1	B	376[A]	SER	CA-C	6.43	1.55	1.52
1	B	376[B]	SER	CA-C	6.43	1.55	1.52
1	D	539	MET	CA-C	6.08	1.59	1.52
1	C	376	SER	CA-C	5.59	1.55	1.52
1	H	305	MET	SD-CE	-5.59	1.65	1.79
1	E	376	SER	CA-C	5.23	1.55	1.52
1	G	305	MET	SD-CE	-5.07	1.66	1.79

All (22) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(^{o})	Ideal(^{o})
1	F	46	ASP	CA-CB-CG	6.16	118.76	112.60
1	A	46	ASP	CA-CB-CG	5.95	118.55	112.60
1	D	455	LEU	CA-C-N	5.67	127.88	120.28
1	D	455	LEU	C-N-CA	5.67	127.88	120.28
1	C	516	PHE	CA-CB-CG	5.63	119.43	113.80
1	D	530	ARG	CB-CG-CD	-5.56	98.52	111.30
1	E	541	VAL	N-CA-CB	5.53	117.68	111.21
1	B	46	ASP	CA-CB-CG	5.51	118.11	112.60
1	H	516	PHE	CA-CB-CG	5.33	119.13	113.80
1	C	542[A]	LEU	N-CA-C	5.28	119.70	112.68
1	C	542[B]	LEU	N-CA-C	5.28	119.70	112.68
1	C	341	ALA	CA-C-N	5.27	131.61	121.54
1	C	341	ALA	C-N-CA	5.27	131.61	121.54
1	A	544	ILE	CA-C-N	5.25	131.15	121.70
1	A	544	ILE	C-N-CA	5.25	131.15	121.70
1	E	455	LEU	CA-C-N	5.19	127.24	120.28
1	E	455	LEU	C-N-CA	5.19	127.24	120.28
1	H	46	ASP	CA-CB-CG	5.18	117.78	112.60
1	G	516	PHE	CA-CB-CG	5.17	118.97	113.80
1	E	46	ASP	CA-CB-CG	5.12	117.72	112.60
1	F	341	ALA	CA-C-N	5.02	131.12	121.54
1	F	341	ALA	C-N-CA	5.02	131.12	121.54

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	H	233	PRO	Peptide

5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3249	0	3324	17	0
1	B	3350	0	3417	13	0
1	C	3237	0	3304	13	0
1	D	3247	0	3306	19	0
1	E	3254	0	3319	15	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	F	3322	0	3391	21	0
1	G	3235	0	3298	17	0
1	H	3277	0	3341	19	0
2	A	20	0	10	0	0
2	B	20	0	10	0	0
2	C	20	0	10	0	0
2	D	20	0	10	0	0
2	E	20	0	10	0	0
2	F	20	0	10	0	0
2	G	20	0	10	0	0
2	H	20	0	10	0	0
3	A	6	0	0	0	0
3	B	6	0	0	0	0
3	C	6	0	0	0	0
3	D	6	0	0	0	0
3	E	6	0	0	0	0
3	F	6	0	0	0	0
3	G	6	0	0	0	0
3	H	6	0	0	0	0
4	A	1	0	0	0	0
4	B	1	0	0	0	0
4	C	1	0	0	0	0
4	D	1	0	0	0	0
4	E	1	0	0	0	0
4	F	1	0	0	0	0
4	G	1	0	0	0	0
4	H	1	0	0	0	0
5	A	1	0	0	0	0
5	B	1	0	0	0	0
5	C	1	0	0	0	0
5	D	1	0	0	0	0
5	E	1	0	0	0	0
5	F	1	0	0	0	0
5	G	1	0	0	0	0
5	H	1	0	0	0	0
6	B	36	22	0	1	0
6	C	36	22	0	2	0
6	F	36	22	0	2	0
6	G	36	22	0	2	0
7	A	109	0	0	0	0
7	B	96	0	0	0	0
7	C	217	0	0	1	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
7	D	254	0	0	1	0
7	E	128	0	0	0	0
7	F	180	0	0	0	0
7	G	238	0	0	0	1
7	H	312	0	0	1	1
All	All	28073	88	26780	115	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 2.

All (115) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:413:ARG:HG3	1:B:428:ILE:HD11	1.63	0.80
1:C:413:ARG:HG3	1:C:428:ILE:HD11	1.64	0.79
1:D:413:ARG:HG3	1:D:428:ILE:HD11	1.72	0.71
1:E:420[B]:ARG:HG3	1:F:16:LEU:HD11	1.71	0.70
1:A:538:ILE:HG12	1:B:540:ARG:HG2	1.74	0.69
1:C:424[A]:GLU:HG3	1:C:454:LEU:HD13	1.76	0.67
1:H:68:ARG:NH2	1:H:98:GLU:HB2	2.10	0.66
1:G:540:ARG:HG2	1:H:538:ILE:HG12	1.78	0.66
1:C:540:ARG:HD3	7:C:765:HOH:O	1.97	0.64
1:A:420[B]:ARG:HG3	1:B:16:LEU:HD11	1.80	0.63
1:G:539:MET:HE3	1:H:539:MET:HG2	1.81	0.63
1:A:409:PHE:CE2	1:A:413:ARG:NH1	2.67	0.63
1:H:413:ARG:HG2	1:H:428:ILE:HD11	1.80	0.61
1:A:260:ARG:HG2	1:A:264:ASP:OD2	2.00	0.61
1:A:413:ARG:NH2	1:B:413:ARG:NH2	2.49	0.60
1:G:56:SER:HB2	1:G:482:GLY:HA2	1.83	0.60
1:G:413:ARG:HG3	1:G:428:ILE:HD11	1.81	0.60
1:C:56:SER:HB2	1:C:482:GLY:HA2	1.84	0.60
1:F:30:LEU:O	1:F:34:MET:HG2	2.02	0.60
1:E:540:ARG:HG2	1:F:538:ILE:HG12	1.84	0.59
1:C:540:ARG:HG2	1:D:538:ILE:HG12	1.83	0.59
1:A:519:VAL:HG13	1:A:545:SER:HB3	1.85	0.58
1:B:56:SER:HB2	1:B:482:GLY:HA2	1.86	0.58
1:D:68:ARG:NH2	1:D:98:GLU:HB2	2.19	0.57
1:F:409:PHE:CE2	1:F:413:ARG:NH1	2.73	0.57
1:F:56:SER:HB2	1:F:482:GLY:HA2	1.87	0.57
1:D:56:SER:HB2	1:D:482:GLY:HA2	1.87	0.57
1:H:68:ARG:HH22	1:H:98:GLU:HB2	1.70	0.56

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:H:56:SER:HB2	1:H:482:GLY:HA2	1.87	0.55
1:D:530:ARG:HD2	1:D:531:PRO:O	2.07	0.55
1:E:420[A]:ARG:HD3	1:F:16:LEU:HD11	1.90	0.54
1:D:69:SER:OG	1:D:71[B]:GLU:HG2	2.07	0.54
1:E:56:SER:HB2	1:E:482:GLY:HA2	1.90	0.53
1:A:56:SER:HB2	1:A:482:GLY:HA2	1.91	0.53
1:E:538:ILE:HG12	1:F:540:ARG:HG2	1.91	0.52
1:G:432[B]:GLU:OE2	1:H:432[B]:GLU:OE1	2.28	0.51
1:A:488:TYR:CZ	1:A:490[B]:GLU:HB2	2.45	0.51
1:F:413:ARG:HG3	1:F:428:ILE:HD11	1.93	0.51
1:D:274:PRO:HA	1:D:277[A]:HIS:CE1	2.47	0.50
1:E:68:ARG:NH2	1:E:98:GLU:HB3	2.27	0.49
1:E:539[A]:MET:HG2	1:F:539:MET:HE3	1.94	0.49
1:B:68:ARG:NH2	1:B:98:GLU:HB3	2.28	0.48
1:A:67:SER:HA	1:A:72:ARG:HG2	1.95	0.48
1:A:432:GLU:OE2	1:B:432[B]:GLU:OE1	2.31	0.48
1:F:68:ARG:NH2	1:F:98:GLU:HB3	2.28	0.48
1:H:421:ASP:OD2	1:H:450:ARG:NH2	2.47	0.48
1:G:56:SER:HB2	1:G:482:GLY:CA	2.43	0.47
1:C:432[B]:GLU:OE2	1:D:432[B]:GLU:OE1	2.32	0.47
1:G:488:TYR:CZ	1:G:490:GLU:HB2	2.49	0.47
1:A:409:PHE:HE2	1:A:413:ARG:HH12	1.61	0.47
1:C:56:SER:HB2	1:C:482:GLY:CA	2.44	0.47
1:A:407:GLN:HB3	6:C:601[B]:WVB:O2	2.15	0.46
1:D:269:ARG:HD2	7:D:901:HOH:O	2.14	0.46
1:G:539:MET:HG3	1:H:539:MET:HG3	1.98	0.46
1:B:56:SER:HB2	1:B:482:GLY:CA	2.45	0.46
1:D:421:ASP:OD2	1:D:450:ARG:NH2	2.49	0.46
1:G:425:VAL:HG21	1:H:437:CYS:HB3	1.98	0.46
1:H:56:SER:HB2	1:H:482:GLY:CA	2.46	0.46
1:E:274:PRO:HA	1:E:277[A]:HIS:CE1	2.50	0.46
6:F:603[A]:WVB:O2	1:H:407:GLN:HB3	2.16	0.46
1:G:421:ASP:OD2	1:G:450:ARG:NH2	2.48	0.45
1:F:56:SER:HB2	1:F:482:GLY:CA	2.46	0.45
1:A:274:PRO:HA	1:A:277:HIS:NE2	2.31	0.45
1:E:237:GLU:O	1:E:241:ARG:HD3	2.16	0.45
1:F:423:THR:HG22	1:F:454:LEU:HD12	1.99	0.45
1:G:407:GLN:HB3	6:G:601[A]:WVB:O2	2.17	0.45
1:G:437:CYS:HB2	1:G:522:LEU:HD12	1.98	0.45
1:E:413:ARG:HG3	1:E:428:ILE:HD11	1.97	0.45
1:F:405:HIS:CE1	1:F:461:ARG:HH11	2.34	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:302:ASP:O	1:B:337:PRO:HD2	2.17	0.45
1:F:407:GLN:HB3	6:F:603[B]:WVB:O2	2.17	0.45
1:C:407:GLN:HB3	6:C:601[A]:WVB:O2	2.16	0.44
1:D:71[B]:GLU:H	1:D:71[B]:GLU:CD	2.22	0.44
1:D:302:ASP:O	1:D:337:PRO:HD2	2.17	0.44
1:D:437:CYS:HB2	1:D:522:LEU:HD12	1.99	0.44
1:E:437:CYS:HB3	1:F:425:VAL:HG21	1.99	0.44
1:D:56:SER:HB2	1:D:482:GLY:CA	2.47	0.44
1:D:68:ARG:HH22	1:D:98:GLU:HB2	1.83	0.43
1:F:67:SER:HA	1:F:72:ARG:HG2	2.00	0.43
1:E:115:LEU:HD21	1:E:509[B]:GLU:HB3	2.00	0.43
1:H:240:VAL:O	1:H:244[B]:ARG:HG3	2.19	0.43
1:H:274:PRO:HA	1:H:277[A]:HIS:CE1	2.53	0.43
1:B:384:PHE:HB3	1:B:387:GLU:HB2	2.00	0.43
1:C:409:PHE:CE2	1:C:413:ARG:NH1	2.87	0.43
1:G:423:THR:HG22	1:G:454:LEU:HD12	2.01	0.43
1:G:68:ARG:NH2	1:G:98[A]:GLU:HB2	2.33	0.43
1:B:423:THR:HG22	1:B:454:LEU:HD12	2.01	0.43
1:H:537:ASN:OD1	1:H:538:ILE:HG13	2.18	0.43
1:A:423:THR:HG22	1:A:454:LEU:HD12	2.01	0.42
1:B:409:PHE:CD2	1:B:413:ARG:NH1	2.87	0.42
1:C:409:PHE:CD2	1:C:413:ARG:NH1	2.87	0.42
1:A:384:PHE:HB3	1:A:387:GLU:HB2	2.01	0.42
1:E:56:SER:HB2	1:E:482:GLY:CA	2.48	0.42
1:C:423:THR:HG22	1:C:454:LEU:HD12	2.00	0.42
6:B:603[B]:WVB:O2	1:D:407:GLN:HB3	2.20	0.42
1:F:302:ASP:O	1:F:337:PRO:HD2	2.19	0.42
1:A:302:ASP:O	1:A:337:PRO:HD2	2.20	0.41
1:B:28:GLN:HG3	1:B:30:LEU:HG	2.03	0.41
1:A:56:SER:HB2	1:A:482:GLY:CA	2.49	0.41
1:C:68:ARG:NH2	1:C:98[A]:GLU:HB2	2.35	0.41
1:H:525:VAL:HB	1:H:540[B]:ARG:HG2	2.01	0.41
1:E:520:GLY:O	1:F:420:ARG:NH2	2.54	0.41
1:D:28:GLN:HG3	1:D:30:LEU:HG	2.03	0.41
1:D:537:ASN:OD1	1:D:538:ILE:HG13	2.21	0.41
1:E:407:GLN:HB3	6:G:601[B]:WVB:O2	2.20	0.41
1:F:110:PHE:CD1	1:F:118:ARG:NH2	2.88	0.41
1:F:405:HIS:CE1	1:F:461:ARG:HD2	2.56	0.41
1:G:384:PHE:HB3	1:G:387:GLU:HB2	2.01	0.41
1:H:339:VAL:HG22	1:H:372:CYS:HB2	2.03	0.41
1:H:423:THR:HG22	1:H:454:LEU:HD12	2.02	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:H:518:ARG:HD3	7:H:939:HOH:O	2.21	0.41
1:G:68:ARG:NH2	1:G:98[B]:GLU:HB3	2.37	0.40
1:C:425:VAL:HG21	1:D:437:CYS:HB3	2.02	0.40
1:G:273:GLY:O	1:G:277:HIS:CE1	2.74	0.40
1:F:28:GLN:HG3	1:F:30:LEU:HG	2.02	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
7:G:895:HOH:O	7:H:776:HOH:O[4_546]	2.07	0.13

5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	431/447 (96%)	425 (99%)	5 (1%)	1 (0%)	43	34
1	B	442/447 (99%)	435 (98%)	6 (1%)	1 (0%)	43	34
1	C	424/447 (95%)	417 (98%)	6 (1%)	1 (0%)	43	34
1	D	428/447 (96%)	421 (98%)	6 (1%)	1 (0%)	43	34
1	E	427/447 (96%)	422 (99%)	4 (1%)	1 (0%)	43	34
1	F	435/447 (97%)	430 (99%)	4 (1%)	1 (0%)	43	34
1	G	424/447 (95%)	419 (99%)	4 (1%)	1 (0%)	43	34
1	H	432/447 (97%)	427 (99%)	4 (1%)	1 (0%)	43	34
All	All	3443/3576 (96%)	3396 (99%)	39 (1%)	8 (0%)	43	34

All (8) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	342	THR
1	B	342	THR
1	C	342	THR
1	D	342	THR
1	E	342	THR
1	F	342	THR
1	G	342	THR
1	H	342	THR

5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	346/352 (98%)	336 (97%)	10 (3%)	37	21
1	B	353/352 (100%)	341 (97%)	12 (3%)	32	16
1	C	342/352 (97%)	332 (97%)	10 (3%)	37	21
1	D	342/352 (97%)	331 (97%)	11 (3%)	34	18
1	E	345/352 (98%)	338 (98%)	7 (2%)	48	35
1	F	350/352 (99%)	343 (98%)	7 (2%)	48	35
1	G	342/352 (97%)	335 (98%)	7 (2%)	48	35
1	H	345/352 (98%)	335 (97%)	10 (3%)	37	21
All	All	2765/2816 (98%)	2691 (97%)	74 (3%)	43	24

All (74) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	34	MET
1	A	52	VAL
1	A	260	ARG
1	A	360	SER
1	A	414	ARG
1	A	477	VAL
1	A	502	ARG
1	A	539[A]	MET

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	539[B]	MET
1	A	542	LEU
1	B	10	ARG
1	B	16	LEU
1	B	26	GLN
1	B	68	ARG
1	B	71	GLU
1	B	265	VAL
1	B	360	SER
1	B	381	LYS
1	B	414	ARG
1	B	513	LEU
1	B	539[A]	MET
1	B	539[B]	MET
1	C	68	ARG
1	C	261	LYS
1	C	272[A]	LEU
1	C	272[B]	LEU
1	C	360	SER
1	C	489	ARG
1	C	542[A]	LEU
1	C	542[B]	LEU
1	C	543[A]	SER
1	C	543[B]	SER
1	D	52	VAL
1	D	68	ARG
1	D	69	SER
1	D	118	ARG
1	D	244[A]	ARG
1	D	244[B]	ARG
1	D	360	SER
1	D	513	LEU
1	D	530	ARG
1	D	539	MET
1	D	543	SER
1	E	34	MET
1	E	68	ARG
1	E	275	GLU
1	E	513	LEU
1	E	539[A]	MET
1	E	539[B]	MET
1	E	541	VAL

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	F	16	LEU
1	F	68	ARG
1	F	94	GLU
1	F	360	SER
1	F	461	ARG
1	F	518	ARG
1	F	519	VAL
1	G	26	GLN
1	G	34	MET
1	G	52	VAL
1	G	68	ARG
1	G	424[A]	GLU
1	G	424[B]	GLU
1	G	477	VAL
1	H	52	VAL
1	H	68	ARG
1	H	69	SER
1	H	244[A]	ARG
1	H	244[B]	ARG
1	H	275	GLU
1	H	360	SER
1	H	413	ARG
1	H	539	MET
1	H	543	SER

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (6) such sidechains are listed below:

Mol	Chain	Res	Type
1	C	26	GLN
1	C	277	HIS
1	F	405	HIS
1	F	407	GLN
1	G	277	HIS
1	H	407	GLN

5.3.3 RNA (i)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates (i)

There are no oligosaccharides in this entry.

5.6 Ligand geometry (i)

Of 40 ligands modelled in this entry, 16 are monoatomic - leaving 24 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\#\|Z\| > 2$	Counts	RMSZ	$\#\|Z\| > 2$
6	WVB	F	603[B]	-	19,19,19	0.19	0	27,28,28	0.27	0
2	FBP	C	602	-	18,20,20	0.65	0	21,32,32	0.52	0
2	FBP	B	601	-	18,20,20	0.51	0	21,32,32	0.74	1 (4%)
2	FBP	D	601	-	18,20,20	0.49	0	21,32,32	0.90	1 (4%)
6	WVB	B	603[B]	-	19,19,19	0.26	0	27,28,28	0.33	0
3	OXL	B	602	4	5,5,5	2.27	2 (40%)	6,6,6	1.28	1 (16%)
6	WVB	G	601[B]	-	19,19,19	0.24	0	27,28,28	0.31	0
2	FBP	G	602	-	18,20,20	0.52	0	21,32,32	0.71	1 (4%)
3	OXL	C	603	4	5,5,5	1.95	2 (40%)	6,6,6	2.06	2 (33%)
3	OXL	H	602	4	5,5,5	1.92	2 (40%)	6,6,6	1.75	1 (16%)
3	OXL	E	602	4	5,5,5	2.11	2 (40%)	6,6,6	2.10	2 (33%)
2	FBP	E	601	-	18,20,20	0.47	0	21,32,32	0.60	0
3	OXL	G	603	4	5,5,5	2.08	2 (40%)	6,6,6	1.22	1 (16%)
6	WVB	C	601[A]	-	19,19,19	0.23	0	27,28,28	0.33	0
6	WVB	F	603[A]	-	19,19,19	0.26	0	27,28,28	0.35	0
2	FBP	A	601	-	18,20,20	0.64	0	21,32,32	0.67	0
3	OXL	D	602	4	5,5,5	2.00	2 (40%)	6,6,6	2.27	2 (33%)
6	WVB	B	603[A]	-	19,19,19	0.23	0	27,28,28	0.29	0
3	OXL	A	602	4	5,5,5	1.86	2 (40%)	6,6,6	2.24	3 (50%)
6	WVB	G	601[A]	-	19,19,19	0.22	0	27,28,28	0.37	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\#\|Z\|>2$	Counts	RMSZ	$\#\|Z\|>2$
2	FBP	F	601	-	18,20,20	0.62	0	21,32,32	0.61	0
3	OXL	F	602	4	5,5,5	1.82	2 (40%)	6,6,6	2.43	3 (50%)
2	FBP	H	601	-	18,20,20	0.90	2 (11%)	21,32,32	0.63	0
6	WVB	C	601[B]	-	19,19,19	0.18	0	27,28,28	0.28	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
6	WVB	F	603[B]	-	-	0/12/12/12	0/2/2/2
2	FBP	C	602	-	-	2/13/32/32	0/1/1/1
2	FBP	B	601	-	-	2/13/32/32	0/1/1/1
2	FBP	D	601	-	-	2/13/32/32	0/1/1/1
6	WVB	B	603[B]	-	-	0/12/12/12	0/2/2/2
3	OXL	B	602	4	-	4/4/4/4	-
6	WVB	G	601[B]	-	-	0/12/12/12	0/2/2/2
2	FBP	G	602	-	-	2/13/32/32	0/1/1/1
3	OXL	C	603	4	-	4/4/4/4	-
3	OXL	H	602	4	-	4/4/4/4	-
3	OXL	E	602	4	-	4/4/4/4	-
2	FBP	E	601	-	-	2/13/32/32	0/1/1/1
3	OXL	G	603	4	-	4/4/4/4	-
6	WVB	C	601[A]	-	-	0/12/12/12	0/2/2/2
6	WVB	F	603[A]	-	-	0/12/12/12	0/2/2/2
2	FBP	A	601	-	-	2/13/32/32	0/1/1/1
3	OXL	D	602	4	-	4/4/4/4	-
6	WVB	B	603[A]	-	-	0/12/12/12	0/2/2/2
3	OXL	A	602	4	-	4/4/4/4	-
6	WVB	G	601[A]	-	-	0/12/12/12	0/2/2/2
2	FBP	F	601	-	-	2/13/32/32	0/1/1/1
3	OXL	F	602	4	-	0/4/4/4	-
2	FBP	H	601	-	-	2/13/32/32	0/1/1/1
6	WVB	C	601[B]	-	-	0/12/12/12	0/2/2/2

All (18) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	G	603	OXL	O2-C2	4.06	1.32	1.22
3	B	602	OXL	O2-C2	3.92	1.32	1.22
3	C	603	OXL	O2-C2	3.66	1.31	1.22
3	A	602	OXL	O2-C2	3.40	1.31	1.22
3	E	602	OXL	O4-C2	-3.31	1.21	1.30
3	H	602	OXL	O2-C2	3.27	1.30	1.22
3	D	602	OXL	O2-C2	3.24	1.30	1.22
3	B	602	OXL	O4-C2	-3.13	1.22	1.30
3	E	602	OXL	O2-C2	3.04	1.30	1.22
3	F	602	OXL	O2-C2	2.98	1.29	1.22
3	D	602	OXL	O4-C2	-2.98	1.22	1.30
3	H	602	OXL	O4-C2	-2.60	1.23	1.30
3	F	602	OXL	O4-C2	-2.49	1.23	1.30
2	H	601	FBP	P1-O3P	-2.37	1.46	1.54
3	A	602	OXL	O4-C2	-2.30	1.24	1.30
3	G	603	OXL	O4-C2	-2.23	1.24	1.30
3	C	603	OXL	O4-C2	-2.19	1.24	1.30
2	H	601	FBP	P2-O6P	-2.09	1.47	1.54

All (18) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(^{o})	Ideal(^{o})
3	F	602	OXL	O4-C2-C1	4.33	121.23	112.83
3	A	602	OXL	O4-C2-C1	4.17	120.92	112.83
3	C	603	OXL	O4-C2-C1	3.94	120.47	112.83
3	D	602	OXL	O4-C2-C1	3.74	120.09	112.83
3	E	602	OXL	O4-C2-C1	3.68	119.96	112.83
3	H	602	OXL	O4-C2-C1	3.51	119.63	112.83
2	D	601	FBP	O6-P2-O4P	3.36	115.51	106.44
3	D	602	OXL	O3-C1-C2	3.14	118.92	112.83
3	F	602	OXL	O3-C1-C2	3.14	118.91	112.83
3	E	602	OXL	O3-C1-C2	2.89	118.44	112.83
3	A	602	OXL	O2-C2-C1	-2.62	115.18	120.63
3	C	603	OXL	O2-C2-C1	-2.47	115.49	120.63
3	A	602	OXL	O3-C1-C2	2.33	117.35	112.83
2	B	601	FBP	O6-P2-O4P	2.31	112.69	106.44
3	B	602	OXL	O3-C1-C2	2.31	117.31	112.83
3	F	602	OXL	O2-C2-C1	-2.31	115.83	120.63
3	G	603	OXL	O4-C2-C1	2.29	117.28	112.83
2	G	602	FBP	O6-P2-O4P	2.06	112.00	106.44

There are no chirality outliers.

All (44) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	B	601	FBP	C4-C5-C6-O6
2	D	601	FBP	C4-C5-C6-O6
2	A	601	FBP	C4-C5-C6-O6
2	C	602	FBP	C4-C5-C6-O6
2	E	601	FBP	C4-C5-C6-O6
2	F	601	FBP	C4-C5-C6-O6
2	G	602	FBP	C4-C5-C6-O6
2	H	601	FBP	C4-C5-C6-O6
2	A	601	FBP	O5-C5-C6-O6
2	B	601	FBP	O5-C5-C6-O6
2	C	602	FBP	O5-C5-C6-O6
2	D	601	FBP	O5-C5-C6-O6
2	E	601	FBP	O5-C5-C6-O6
2	F	601	FBP	O5-C5-C6-O6
2	H	601	FBP	O5-C5-C6-O6
2	G	602	FBP	O5-C5-C6-O6
3	C	603	OXL	O3-C1-C2-O4
3	C	603	OXL	O1-C1-C2-O2
3	A	602	OXL	O3-C1-C2-O4
3	B	602	OXL	O3-C1-C2-O4
3	D	602	OXL	O3-C1-C2-O4
3	E	602	OXL	O3-C1-C2-O4
3	G	603	OXL	O3-C1-C2-O4
3	H	602	OXL	O3-C1-C2-O4
3	A	602	OXL	O1-C1-C2-O2
3	D	602	OXL	O1-C1-C2-O2
3	E	602	OXL	O1-C1-C2-O2
3	G	603	OXL	O1-C1-C2-O2
3	B	602	OXL	O1-C1-C2-O2
3	H	602	OXL	O1-C1-C2-O2
3	C	603	OXL	O1-C1-C2-O4
3	C	603	OXL	O3-C1-C2-O2
3	D	602	OXL	O3-C1-C2-O2
3	E	602	OXL	O3-C1-C2-O2
3	G	603	OXL	O1-C1-C2-O4
3	A	602	OXL	O1-C1-C2-O4
3	G	603	OXL	O3-C1-C2-O2
3	H	602	OXL	O1-C1-C2-O4
3	A	602	OXL	O3-C1-C2-O2
3	B	602	OXL	O1-C1-C2-O4
3	B	602	OXL	O3-C1-C2-O2
3	D	602	OXL	O1-C1-C2-O4
3	E	602	OXL	O1-C1-C2-O4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
3	H	602	OXL	O3-C1-C2-O2


There are no ring outliers.

7 monomers are involved in 7 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
6	F	603[B]	WVB	1	0
6	B	603[B]	WVB	1	0
6	G	601[B]	WVB	1	0
6	C	601[A]	WVB	1	0
6	F	603[A]	WVB	1	0
6	G	601[A]	WVB	1	0
6	C	601[B]	WVB	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less then 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.


Ligand WVB F 603 (B)




Bond lengths



Bond angles




Torsions




Rings


Ligand FBP C 602




Bond lengths



Bond angles




Torsions




Rings


Ligand FBP B 601




Bond lengths



Bond angles




Torsions




Rings


Ligand FBP D 601




Bond lengths



Bond angles




Torsions




Rings


Ligand WVB B 603 (B)




Bond lengths



Bond angles




Torsions




Rings


Ligand WVB G 601 (B)




Bond lengths



Bond angles




Torsions




Rings


Ligand FBP G 602




Bond lengths



Bond angles




Torsions




Rings


Ligand FBP E 601




Bond lengths



Bond angles




Torsions




Rings


Ligand WVB C 601 (A)




Bond lengths



Bond angles




Torsions




Rings


Ligand WVB F 603 (A)




Bond lengths



Bond angles




Torsions




Rings


Ligand FBP A 601




Bond lengths



Bond angles




Torsions




Rings


Ligand WVB B 603 (A)




Bond lengths



Bond angles




Torsions




Rings


Ligand WVB G 601 (A)




Bond lengths



Bond angles




Torsions




Rings


Ligand FBP F 601




Bond lengths



Bond angles




Torsions




Rings


Ligand FBP H 601




Bond lengths



Bond angles




Torsions



Rings

Ligand WVB C 601 (B)



5.7 Other polymers (i)

There are no such residues in this entry.

5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled '#RSRZ> 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95^{th} percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å^2)	Q<0.9
1	A	420/447 (93%)	1.03	58 (13%) 6 9	25, 48, 73, 92	13 (3%)
1	B	436/447 (97%)	1.51	140 (32%) 1 1	24, 50, 81, 93	8 (1%)
1	C	420/447 (93%)	0.43	25 (5%) 27 32	21, 37, 61, 79	8 (1%)
1	D	423/447 (94%)	0.20	15 (3%) 47 52	17, 33, 58, 98	7 (1%)
1	E	419/447 (93%)	1.12	76 (18%) 3 5	27, 49, 76, 95	12 (2%)
1	F	432/447 (96%)	0.73	49 (11%) 10 12	22, 41, 67, 83	7 (1%)
1	G	420/447 (93%)	0.20	14 (3%) 49 54	18, 34, 53, 83	9 (2%)
1	H	425/447 (95%)	0.01	14 (3%) 49 54	14, 30, 54, 97	9 (2%)
All	All	3395/3576 (94%)	0.66	391 (11%) 9 12	14, 41, 71, 98	73 (2%)

All (391) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	115	LEU	10.6
1	D	25	PHE	7.4
1	G	273	GLY	7.1
1	E	277[A]	HIS	6.6
1	B	114	PRO	6.0
1	D	24	PHE	6.0
1	C	273	GLY	6.0
1	H	21	GLY	5.9
1	F	233	PRO	5.7
1	B	269[A]	ARG	5.7
1	G	233	PRO	5.5
1	E	25	PHE	5.5
1	B	116	SER	5.2
1	B	513	LEU	5.1
1	B	529	TRP	5.1
1	C	233	PRO	5.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	486	LEU	5.0
1	E	234	GLY	5.0
1	G	25	PHE	4.9
1	E	129	PRO	4.9
1	H	233	PRO	4.8
1	C	25	PHE	4.7
1	H	25	PHE	4.7
1	C	234	GLY	4.7
1	A	30	LEU	4.6
1	H	24	PHE	4.6
1	C	117	TYR	4.5
1	E	24	PHE	4.5
1	B	381	LYS	4.4
1	A	529	TRP	4.3
1	A	240	VAL	4.3
1	D	23	ALA	4.2
1	G	24	PHE	4.2
1	H	22	THR	4.2
1	B	117	TYR	4.2
1	B	492	PRO	4.1
1	F	269[A]	ARG	4.1
1	B	240	VAL	4.0
1	B	233	PRO	4.0
1	G	274	PRO	4.0
1	A	235	LEU	4.0
1	A	33	ALA	4.0
1	E	33	ALA	4.0
1	H	23	ALA	4.0
1	A	233	PRO	4.0
1	B	487	LEU	4.0
1	F	11	ALA	3.9
1	C	24	PHE	3.9
1	A	545	SER	3.9
1	A	380	ALA	3.9
1	C	115	LEU	3.8
1	E	492	PRO	3.8
1	B	350	THR	3.8
1	F	514	ARG	3.8
1	G	23	ALA	3.8
1	A	502	ARG	3.8
1	B	61	ALA	3.7
1	A	234	GLY	3.7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	132	GLY	3.7
1	D	30	LEU	3.7
1	A	497	ALA	3.7
1	F	486	LEU	3.7
1	B	251	VAL	3.7
1	F	413	ARG	3.7
1	B	243	LEU	3.6
1	B	253	ILE	3.6
1	F	272	LEU	3.6
1	B	509	GLU	3.6
1	E	114	PRO	3.6
1	E	23	ALA	3.6
1	E	271	ALA	3.6
1	E	115	LEU	3.6
1	C	116	SER	3.5
1	C	114	PRO	3.5
1	B	349	ILE	3.5
1	E	495	ILE	3.5
1	F	13	VAL	3.5
1	B	495	ILE	3.4
1	F	495	ILE	3.4
1	B	84	ALA	3.4
1	B	70	VAL	3.4
1	E	497	ALA	3.4
1	F	492	PRO	3.4
1	F	494	ALA	3.3
1	B	272	LEU	3.3
1	C	542[A]	LEU	3.3
1	E	30	LEU	3.3
1	B	384	PHE	3.3
1	B	100	ILE	3.3
1	B	13	VAL	3.3
1	F	506	PHE	3.3
1	B	262	ALA	3.3
1	B	494	ALA	3.3
1	A	26	GLN	3.3
1	E	251	VAL	3.2
1	B	73	LEU	3.2
1	C	413	ARG	3.2
1	B	102	ASN	3.2
1	H	244[A]	ARG	3.2
1	F	513	LEU	3.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	508	ILE	3.2
1	F	271	ALA	3.2
1	F	491	PRO	3.2
1	D	277[A]	HIS	3.2
1	F	235	LEU	3.1
1	C	23	ALA	3.1
1	B	491	PRO	3.1
1	B	413	ARG	3.1
1	F	234	GLY	3.1
1	A	490[A]	GLU	3.1
1	D	275	GLU	3.1
1	B	119	PRO	3.1
1	B	270	ALA	3.1
1	B	128	GLY	3.1
1	B	247	VAL	3.1
1	E	52	VAL	3.1
1	B	66	ALA	3.1
1	B	380	ALA	3.1
1	C	111	ALA	3.1
1	B	544	ILE	3.0
1	A	243	LEU	3.0
1	F	115	LEU	3.0
1	B	88	PHE	3.0
1	B	245	PHE	3.0
1	H	132	GLY	3.0
1	B	279	ILE	3.0
1	B	118	ARG	3.0
1	B	418	LEU	3.0
1	B	90	HIS	3.0
1	A	28	GLN	3.0
1	F	529	TRP	3.0
1	A	34	MET	3.0
1	B	266	ALA	3.0
1	E	235	LEU	2.9
1	E	120	VAL	2.9
1	D	132	GLY	2.9
1	A	516	PHE	2.9
1	E	529	TRP	2.9
1	B	281	ILE	2.9
1	B	376[A]	SER	2.9
1	F	518	ARG	2.9
1	E	246	GLY	2.9

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	H	234	GLY	2.9
1	A	88	PHE	2.9
1	B	101	ALA	2.9
1	B	514	ARG	2.9
1	B	517	LEU	2.9
1	B	258	PHE	2.9
1	H	518	ARG	2.9
1	B	103	VAL	2.8
1	B	519	VAL	2.8
1	B	385	PRO	2.8
1	C	274	PRO	2.8
1	A	90	HIS	2.8
1	B	506	PHE	2.8
1	A	73	LEU	2.8
1	B	312	GLY	2.8
1	B	11	ALA	2.8
1	F	270	ALA	2.8
1	A	413	ARG	2.8
1	B	379	THR	2.8
1	F	129	PRO	2.8
1	A	265	VAL	2.8
1	H	52	VAL	2.8
1	B	234	GLY	2.8
1	B	86	LEU	2.8
1	E	513	LEU	2.8
1	G	30	LEU	2.8
1	A	313	ILE	2.8
1	E	34	MET	2.8
1	F	34	MET	2.8
1	A	70	VAL	2.8
1	B	67	SER	2.7
1	B	95	TYR	2.7
1	B	497	ALA	2.7
1	B	110	PHE	2.7
1	B	108	GLU	2.7
1	B	277	HIS	2.7
1	E	128	GLY	2.7
1	E	236	SER	2.7
1	B	107	VAL	2.7
1	A	111	ALA	2.7
1	B	97	ALA	2.7
1	B	111	ALA	2.7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	110	PHE	2.7
1	E	245	PHE	2.7
1	B	274	PRO	2.7
1	A	353	ARG	2.7
1	B	504	VAL	2.7
1	B	106	ALA	2.7
1	E	270	ALA	2.7
1	B	485	PRO	2.7
1	E	333	LEU	2.7
1	A	544	ILE	2.7
1	E	265	VAL	2.7
1	F	12	ASP	2.6
1	H	275	GLU	2.6
1	F	240	VAL	2.6
1	G	52	VAL	2.6
1	E	111	ALA	2.6
1	G	33	ALA	2.6
1	A	517	LEU	2.6
1	A	63	ILE	2.6
1	E	420[A]	ARG	2.6
1	B	498	ASP	2.6
1	A	251	VAL	2.6
1	B	62	THR	2.6
1	F	277	HIS	2.6
1	E	28	GLN	2.6
1	D	130	GLY	2.6
1	D	234	GLY	2.6
1	A	259	VAL	2.6
1	B	254	VAL	2.6
1	B	389	VAL	2.6
1	C	66	ALA	2.6
1	B	10	ARG	2.5
1	E	489	ARG	2.5
1	E	491	PRO	2.5
1	F	489	ARG	2.5
1	E	258	PHE	2.5
1	B	63	ILE	2.5
1	B	122	ILE	2.5
1	E	273	GLY	2.5
1	A	75[A]	GLU	2.5
1	A	132	GLY	2.5
1	B	130	GLY	2.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	246	GLY	2.5
1	C	543[A]	SER	2.5
1	F	523	VAL	2.5
1	D	233	PRO	2.5
1	E	88	PHE	2.5
1	E	272	LEU	2.5
1	E	506	PHE	2.5
1	E	516	PHE	2.5
1	B	489	ARG	2.5
1	H	277[A]	HIS	2.5
1	B	267	ALA	2.5
1	C	33	ALA	2.5
1	G	234	GLY	2.4
1	B	488	TYR	2.4
1	B	96	HIS	2.4
1	B	235	LEU	2.4
1	B	435	PHE	2.4
1	B	76[A]	MET	2.4
1	A	379	THR	2.4
1	E	97	ALA	2.4
1	B	120	VAL	2.4
1	F	410	GLU	2.4
1	A	115	LEU	2.4
1	E	95	TYR	2.4
1	E	487	LEU	2.4
1	A	110	PHE	2.4
1	E	266	ALA	2.4
1	B	68	ARG	2.4
1	A	31	PRO	2.4
1	E	274	PRO	2.4
1	B	500	VAL	2.4
1	A	91	GLY	2.4
1	E	276	GLY	2.4
1	B	470	SER	2.4
1	E	543[A]	SER	2.4
1	B	522	LEU	2.4
1	A	420[A]	ARG	2.4
1	E	244	ARG	2.4
1	E	353	ARG	2.4
1	A	32	ALA	2.4
1	B	271	ALA	2.4
1	F	33	ALA	2.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	277	HIS	2.4
1	B	265	VAL	2.4
1	E	240	VAL	2.4
1	B	496	TRP	2.4
1	F	498	ASP	2.3
1	B	244	ARG	2.3
1	F	118	ARG	2.3
1	B	14	ALA	2.3
1	E	544	ILE	2.3
1	F	97	ALA	2.3
1	F	416	ALA	2.3
1	B	91	GLY	2.3
1	G	413	ARG	2.3
1	E	243	LEU	2.3
1	F	418	LEU	2.3
1	G	26	GLN	2.3
1	F	90	HIS	2.3
1	A	114	PRO	2.3
1	B	273	GLY	2.3
1	B	12	ASP	2.3
1	B	268	VAL	2.3
1	A	496	TRP	2.3
1	C	235	LEU	2.3
1	B	241	ARG	2.3
1	E	122	ILE	2.3
1	E	279	ILE	2.3
1	F	276	GLY	2.3
1	B	113	SER	2.3
1	B	263	SER	2.3
1	B	386	VAL	2.3
1	A	333[A]	LEU	2.3
1	E	86	LEU	2.3
1	E	124	LEU	2.3
1	E	542	LEU	2.3
1	F	414	ARG	2.2
1	B	123	ALA	2.2
1	B	382	GLY	2.2
1	E	110	PHE	2.2
1	E	123	ALA	2.2
1	E	494	ALA	2.2
1	A	109	SER	2.2
1	C	27	GLN	2.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	E	26	GLN	2.2
1	A	247	VAL	2.2
1	G	333	LEU	2.2
1	B	131	SER	2.2
1	C	113	SER	2.2
1	F	273	GLY	2.2
1	B	239	ASP	2.2
1	D	33	ALA	2.2
1	A	95	TYR	2.2
1	B	255	PHE	2.2
1	B	313	ILE	2.2
1	B	383	ASN	2.2
1	E	512	LYS	2.2
1	D	461	ARG	2.2
1	F	353	ARG	2.2
1	D	513	LEU	2.2
1	B	112	GLY	2.2
1	A	129	PRO	2.2
1	B	33	ALA	2.2
1	E	103	VAL	2.2
1	B	21	GLY	2.2
1	B	64	GLY	2.2
1	B	124	LEU	2.2
1	E	517	LEU	2.2
1	E	405	HIS	2.1
1	B	77	ILE	2.1
1	B	477	VAL	2.1
1	B	515	GLY	2.1
1	A	272	LEU	2.1
1	B	542[A]	LEU	2.1
1	C	418	LEU	2.1
1	H	26	GLN	2.1
1	E	117	TYR	2.1
1	B	109	SER	2.1
1	A	118	ARG	2.1
1	B	278	GLY	2.1
1	E	70	VAL	2.1
1	F	94	GLU	2.1
1	B	93	HIS	2.1
1	D	32	ALA	2.1
1	F	516	PHE	2.1
1	D	313	ILE	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	F	501	ASP	2.1
1	A	414	ARG	2.1
1	C	518	ARG	2.1
1	E	89	SER	2.1
1	A	108	GLU	2.1
1	F	493	GLU	2.1
1	E	90	HIS	2.1
1	A	254	VAL	2.1
1	A	300	VAL	2.1
1	B	52	VAL	2.1
1	B	259	VAL	2.1
1	E	496	TRP	2.1
1	F	268	VAL	2.1
1	F	500	VAL	2.1
1	C	86	LEU	2.1
1	B	466	ALA	2.1
1	E	101	ALA	2.1
1	A	384	PHE	2.0
1	E	508	ILE	2.0
1	E	538	ILE	2.0
1	F	509	GLU	2.0
1	B	34	MET	2.0
1	A	246	GLY	2.0
1	B	377	GLY	2.0
1	E	250	GLY	2.0
1	A	120	VAL	2.0
1	B	16	LEU	2.0
1	B	264	ASP	2.0
1	C	514	ARG	2.0
1	E	275	GLU	2.0
1	F	381	LYS	2.0
1	G	34	MET	2.0
1	B	25	PHE	2.0
1	B	83	ILE	2.0
1	E	100	ILE	2.0
1	E	515	GLY	2.0
1	B	129	PRO	2.0
1	A	477	VAL	2.0
1	F	519	VAL	2.0

6.2 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates (i)

There are no oligosaccharides in this entry.

6.4 Ligands (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95^{th} percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å^2)	Q<0.9
5	K	E	604	1/1	0.83	0.23	89,89,89,89	0
6	WVB	F	603[A]	18/18	0.83	0.26	43,45,46,46	29
6	WVB	F	603[B]	18/18	0.83	0.26	38,39,41,41	29
3	OXL	E	602	6/6	0.84	0.13	61,61,62,62	0
6	WVB	B	603[A]	18/18	0.85	0.26	41,41,42,42	29
6	WVB	B	603[B]	18/18	0.85	0.26	41,43,44,44	29
6	WVB	C	601[A]	18/18	0.86	0.22	41,42,44,44	29
6	WVB	C	601[B]	18/18	0.86	0.22	45,48,49,49	29
4	MG	E	603	1/1	0.87	0.13	58,58,58,58	0
3	OXL	B	602	6/6	0.88	0.12	50,51,54,54	0
4	MG	A	603	1/1	0.88	0.12	54,54,54,54	0
6	WVB	G	601[A]	18/18	0.89	0.21	43,45,48,48	29
6	WVB	G	601[B]	18/18	0.89	0.21	44,46,46,46	29
3	OXL	A	602	6/6	0.90	0.10	51,52,52,53	0
5	K	F	605	1/1	0.91	0.12	78,78,78,78	0
5	K	A	604	1/1	0.93	0.16	75,75,75,75	0
3	OXL	C	603	6/6	0.94	0.08	44,44,44,45	0
5	K	C	605	1/1	0.94	0.16	60,60,60,60	0
2	FBP	E	601	20/20	0.94	0.07	44,45,46,46	0
2	FBP	F	601	20/20	0.95	0.07	40,45,48,49	0
3	OXL	F	602	6/6	0.95	0.07	43,44,45,45	0
2	FBP	B	601	20/20	0.95	0.08	44,46,50,51	0
3	OXL	D	602	6/6	0.95	0.09	36,36,37,38	0
3	OXL	H	602	6/6	0.96	0.08	30,31,32,34	0
2	FBP	A	601	20/20	0.96	0.06	40,40,41,41	0
4	MG	B	604	1/1	0.96	0.11	54,54,54,54	0
3	OXL	G	603	6/6	0.96	0.06	37,37,38,38	0

Continued on next page...


Continued from previous page...


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å^2)	Q<0.9
5	K	B	605	1/1	0.97	0.08	78,78,78,78	0
5	K	G	605	1/1	0.97	0.16	56,56,56,56	0
4	MG	H	603	1/1	0.98	0.04	32,32,32,32	0
2	FBP	H	601	20/20	0.98	0.04	22,24,26,27	0
2	FBP	C	602	20/20	0.98	0.04	26,27,30,32	0
5	K	H	604	1/1	0.98	0.08	51,51,51,51	0
2	FBP	G	602	20/20	0.98	0.04	25,25,27,28	0
5	K	D	604	1/1	0.98	0.08	48,48,48,48	0
4	MG	F	604	1/1	0.99	0.02	36,36,36,36	0
4	MG	D	603	1/1	0.99	0.04	32,32,32,32	0
2	FBP	D	601	20/20	0.99	0.04	25,27,30,30	0
4	MG	G	604	1/1	1.00	0.06	36,36,36,36	0
4	MG	C	604	1/1	1.00	0.04	38,38,38,38	0


The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around WVB F 603 (A):

$2mF_o$-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative) and green (positive)










Electron density around WVB F 603 (B):

$2mF_o$-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative) and green (positive)










Electron density around WVB B 603 (A):

$2mF_o$-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative) and green (positive)









Electron density around WVB B 603 (B):

$2mF_o$-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative) and green (positive)




Electron density around WVB C 601 (A):


$2mF_o$-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative) and green (positive)




Electron density around WVB C 601 (B):

$2mF_o$-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative) and green (positive)










Electron density around WVB G 601 (A):

$2mF_o$-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative) and green (positive)









Electron density around WVB G 601 (B):

$2mF_o$-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative) and green (positive)




Electron density around FBP E 601:


$2mF_o$-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative) and green (positive)




Electron density around FBP F 601:

$2mF_o$-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative) and green (positive)










Electron density around FBP B 601:

$2mF_o$-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative) and green (positive)










Electron density around FBP A 601:

$2mF_o$-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative) and green (positive)









Electron density around FBP H 601:

$2mF_o$-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative) and green (positive)




Electron density around FBP C 602:

$2mF_o$-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative) and green (positive)




Electron density around FBP G 602:

$2mF_o$-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative) and green (positive)



Electron density around FBP D 601:

$2mF_o$-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative) and green (positive)



6.5 Other polymers (i)

There are no such residues in this entry.