



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 08:59 PM UTC

PDB ID : 1HCJ / pdb_00001hcj
Title : Photoproduct of the wild-type Aequorea victoria Green Fluorescent Protein
Authors : Van Thor, J.J.; Gensch, T.; Hellingwerf, K.J.; Johnson, L.
Deposited on : 2001-05-04
Resolution : 1.80 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	7662 (1.80-1.80)
Clashscore	190562	8479 (1.80-1.80)
Ramachandran outliers	187476	8391 (1.80-1.80)
Sidechain outliers	187428	8390 (1.80-1.80)
RSRZ outliers	180081	7663 (1.80-1.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	236	<div> <div>3%</div> <div>59%</div> <div>28%</div> <div>7%</div> <div>.</div> </div>
1	B	236	<div> <div>4%</div> <div>62%</div> <div>28%</div> <div>6%</div> <div>.</div> </div>
1	C	236	<div> <div>6%</div> <div>61%</div> <div>30%</div> <div>5%</div> <div>.</div> </div>
1	D	236	<div> <div>12%</div> <div>71%</div> <div>19%</div> <div>6%</div> <div>.</div> </div>

2 Entry composition

There are 2 unique types of molecules in this entry. The entry contains 7879 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called GREEN FLUORESCENT PROTEIN.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	227	Total	C	N	O	S	0	0	0
			1817	1158	310	343	6			
1	B	227	Total	C	N	O	S	0	0	0
			1813	1157	308	342	6			
1	C	228	Total	C	N	O	S	0	0	0
			1818	1158	307	347	6			
1	D	227	Total	C	N	O	S	0	0	0
			1798	1149	305	338	6			

There are 16 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	2	SER	GLY	conflict	UNP P42212
B	2	SER	GLY	conflict	UNP P42212
C	2	SER	GLY	conflict	UNP P42212
D	2	SER	GLY	conflict	UNP P42212
A	66	GYS	SER	chromophore	UNP P42212
A	66	GYS	TYR	chromophore	UNP P42212
A	66	GYS	GLY	chromophore	UNP P42212
B	66	GYS	SER	chromophore	UNP P42212
B	66	GYS	TYR	chromophore	UNP P42212
B	66	GYS	GLY	chromophore	UNP P42212
C	66	GYS	SER	chromophore	UNP P42212
C	66	GYS	TYR	chromophore	UNP P42212
C	66	GYS	GLY	chromophore	UNP P42212
D	66	GYS	SER	chromophore	UNP P42212
D	66	GYS	TYR	chromophore	UNP P42212
D	66	GYS	GLY	chromophore	UNP P42212


- Molecule 2 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	202	Total 202	O 202	0	0
2	B	153	Total 153	O 153	0	0
2	C	147	Total 147	O 147	0	0
2	D	131	Total 131	O 131	0	0


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: GREEN FLUORESCENT PROTEIN




• Molecule 1: GREEN FLUORESCENT PROTEIN






• Molecule 1: GREEN FLUORESCENT PROTEIN





● Molecule 1: GREEN FLUORESCENT PROTEIN



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	71.77Å 65.67Å 110.50Å 90.00° 103.88° 90.00°	Depositor
Resolution (Å)	33.15 – 1.80 33.15 – 1.80	Depositor EDS
% Data completeness (in resolution range)	97.6 (33.15-1.80) 96.2 (33.15-1.80)	Depositor EDS
R_{merge}	0.06	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.09 (at 1.80Å)	Xtriage
Refinement program	REFMAC	Depositor
R, R_{free}	0.209 , 0.267 0.206 , 0.257	Depositor DCC
R_{free} test set	4506 reflections (5.05%)	wwPDB-VP
Wilson B-factor (Å ²)	20.6	Xtriage
Anisotropy	0.478	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.40 , 46.7	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	7879	wwPDB-VP
Average B, all atoms (Å ²)	32.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.56% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: ABA, GYS

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	1.23	3/1831 (0.2%)	2.13	73/2472 (3.0%)
1	B	1.15	2/1827 (0.1%)	2.19	64/2467 (2.6%)
1	C	1.09	1/1832 (0.1%)	2.01	51/2476 (2.1%)
1	D	0.98	0/1812	1.92	31/2450 (1.3%)
All	All	1.11	6/7302 (0.1%)	2.06	219/9865 (2.2%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	2
1	B	0	2
1	C	0	2
1	D	0	2
All	All	0	8

All (6) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	181	HIS	CE1-NE2	5.58	1.38	1.32
1	C	163	VAL	C-O	5.43	1.29	1.24
1	B	181	HIS	CG-CD2	5.36	1.41	1.35
1	B	181	HIS	ND1-CE1	5.17	1.37	1.32
1	A	57	TRP	CA-CB	5.08	1.59	1.53
1	A	61	VAL	CA-CB	5.08	1.60	1.54

All (219) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	D	88	MET	CA-C-O	-19.63	101.93	120.19
1	B	88	MET	CA-C-O	-19.18	103.93	119.66
1	B	168	ARG	CD-NE-CZ	16.41	147.38	124.40
1	A	88	MET	CA-C-O	-16.06	106.49	119.66
1	C	88	MET	CA-C-O	-13.69	108.69	120.19
1	B	189	GLY	CA-C-N	11.62	136.79	120.29
1	B	189	GLY	C-N-CA	11.62	136.79	120.29
1	D	164	ASN	CA-CB-CG	11.48	124.08	112.60
1	A	19	ASP	CA-CB-CG	-10.96	101.64	112.60
1	A	118	THR	CA-CB-OG1	10.86	125.89	109.60
1	A	88	MET	CA-C-N	10.72	133.24	119.84
1	A	88	MET	C-N-CA	10.72	133.24	119.84
1	C	102	ASP	CA-CB-CG	10.70	123.30	112.60
1	B	231	HIS	CA-C-O	-10.54	102.89	120.80
1	C	215	ARG	CD-NE-CZ	10.00	138.41	124.40
1	A	231	HIS	CA-C-O	-9.44	104.75	120.80
1	C	80	ARG	NE-CZ-NH1	9.33	130.83	121.50
1	B	109	ARG	NE-CZ-NH2	-9.24	110.88	119.20
1	D	5	GLU	CA-CB-CG	9.18	132.46	114.10
1	C	144	ASN	OD1-CG-ND2	-9.17	113.43	122.60
1	C	89	PRO	N-CA-CB	9.06	112.56	102.60
1	D	88	MET	CA-C-N	8.80	130.84	119.84
1	D	88	MET	C-N-CA	8.80	130.84	119.84
1	B	88	MET	CA-C-N	8.70	130.72	119.84
1	B	88	MET	C-N-CA	8.70	130.72	119.84
1	D	89	PRO	N-CA-CB	8.54	112.22	103.25
1	B	64	PHE	CA-C-O	8.53	135.31	120.80
1	C	80	ARG	NE-CZ-NH2	-8.47	111.57	119.20
1	B	23	ASN	CA-CB-CG	8.46	121.06	112.60
1	B	183	GLN	OE1-CD-NE2	8.35	130.95	122.60
1	A	217	HIS	O-C-N	8.30	131.98	123.26
1	D	231	HIS	CA-C-O	-8.08	107.07	120.80
1	B	89	PRO	N-CA-CB	8.05	111.70	103.25
1	B	219	VAL	O-C-N	7.91	131.49	123.18
1	D	180	ASP	CA-CB-CG	7.89	120.50	112.60
1	A	184	GLN	CA-CB-CG	7.82	129.73	114.10
1	B	5	GLU	CA-C-O	7.80	129.06	120.63
1	B	164	ASN	OD1-CG-ND2	7.67	130.27	122.60
1	B	88	MET	N-CA-C	7.65	119.29	109.72
1	C	93	VAL	CA-C-O	-7.61	112.43	120.57
1	C	159	ASN	CA-C-N	-7.57	116.33	122.16
1	C	159	ASN	C-N-CA	-7.57	116.33	122.16
1	D	47	ILE	CA-C-O	-7.54	112.36	120.36

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	D	88	MET	N-CA-C	7.52	120.69	110.31
1	A	81	HIS	CA-CB-CG	-7.49	106.31	113.80
1	B	89	PRO	CA-N-CD	-7.48	101.53	112.00
1	C	224	VAL	O-C-N	-7.47	115.00	123.07
1	C	28	SER	CA-C-N	-7.47	111.53	122.58
1	C	28	SER	C-N-CA	-7.47	111.53	122.58
1	A	227	ALA	O-C-N	7.43	131.62	122.92
1	D	91	GLY	N-CA-C	7.41	122.55	112.17
1	A	34	GLU	CA-C-N	-7.40	114.43	121.46
1	A	34	GLU	C-N-CA	-7.40	114.43	121.46
1	A	89	PRO	N-CA-CB	7.39	111.01	103.25
1	B	30	SER	CA-C-N	-7.32	113.81	121.35
1	B	30	SER	C-N-CA	-7.32	113.81	121.35
1	C	73	ARG	NE-CZ-NH2	-7.30	112.63	119.20
1	C	29	VAL	CA-CB-CG1	7.27	122.76	110.40
1	C	107	LYS	CA-CB-CG	-7.24	99.63	114.10
1	D	164	ASN	OD1-CG-ND2	-7.24	115.36	122.60
1	B	119	LEU	CD1-CG-CD2	7.22	126.69	110.80
1	A	219	VAL	CA-C-O	-7.21	112.85	120.57
1	C	215	ARG	NE-CZ-NH1	7.21	128.71	121.50
1	B	135	ASN	CA-C-O	-7.20	111.69	119.97
1	B	109	ARG	CG-CD-NE	-7.12	96.34	112.00
1	B	150	VAL	CA-C-O	-7.12	112.83	120.59
1	A	46	PHE	CA-CB-CG	-7.11	106.69	113.80
1	A	89	PRO	CA-N-CD	-7.09	102.07	112.00
1	D	25	HIS	CA-CB-CG	7.08	120.88	113.80
1	A	36	ASP	CA-CB-CG	7.07	119.67	112.60
1	B	29	VAL	N-CA-CB	7.05	123.00	111.44
1	B	214	LYS	CA-C-O	-7.01	111.07	119.27
1	A	64	PHE	CB-CA-C	-6.97	96.86	110.10
1	B	80	ARG	CD-NE-CZ	6.94	134.12	124.40
1	A	120	VAL	CA-CB-CG2	6.93	122.19	110.40
1	A	95	GLU	CA-C-O	-6.91	113.24	120.70
1	C	118	THR	CA-CB-OG1	6.91	119.96	109.60
1	B	121	ASN	OD1-CG-ND2	-6.86	115.74	122.60
1	A	88	MET	N-CA-C	6.79	118.21	109.72
1	D	45	LYS	CA-C-O	-6.75	112.82	120.32
1	A	95	GLU	CB-CG-CD	6.74	124.07	112.60
1	C	124	GLU	CB-CG-CD	6.70	123.99	112.60
1	C	109	ARG	NE-CZ-NH1	-6.66	114.84	121.50
1	D	227	ALA	CA-C-N	-6.62	114.15	123.08
1	D	227	ALA	C-N-CA	-6.62	114.15	123.08

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	227	ALA	CA-C-O	-6.60	114.36	121.36
1	C	89	PRO	N-CD-CG	6.58	111.69	103.80
1	A	29	VAL	N-CA-CB	6.53	122.15	111.45
1	C	45	LYS	CA-C-O	-6.50	113.34	120.36
1	D	204	GLN	CB-CG-CD	6.49	123.63	112.60
1	B	217	HIS	O-C-N	6.48	129.93	122.99
1	C	47	ILE	CA-C-O	-6.46	113.51	120.36
1	B	68	VAL	CB-CA-C	6.45	123.66	111.40
1	C	204	GLN	CB-CG-CD	6.44	123.55	112.60
1	A	164	ASN	OD1-CG-ND2	6.40	129.00	122.60
1	D	89	PRO	CA-N-CD	-6.36	103.09	112.00
1	B	135	ASN	O-C-N	6.36	130.09	122.27
1	A	217	HIS	CA-C-O	-6.33	114.67	121.38
1	D	46	PHE	CA-CB-CG	-6.31	107.49	113.80
1	A	34	GLU	O-C-N	6.29	130.15	123.42
1	A	97	THR	N-CA-CB	6.26	120.41	110.57
1	C	89	PRO	CA-N-CD	-6.25	102.75	111.50
1	D	71	PHE	CA-CB-CG	-6.19	107.61	113.80
1	A	16	VAL	O-C-N	-6.18	116.50	123.18
1	C	231	HIS	CA-C-O	-6.16	110.34	120.80
1	C	69	GLN	OE1-CD-NE2	-6.13	116.47	122.60
1	A	204	GLN	OE1-CD-NE2	6.12	128.72	122.60
1	A	181	HIS	CB-CG-CD2	-6.10	123.27	131.20
1	C	3	LYS	N-CA-C	6.05	120.76	112.04
1	D	36	ASP	CA-CB-CG	6.05	118.65	112.60
1	A	147	SER	CA-CB-OG	-6.04	99.02	111.10
1	B	122	ARG	NE-CZ-NH2	-6.02	113.78	119.20
1	B	199	HIS	CA-CB-CG	6.00	119.80	113.80
1	A	100	PHE	CA-C-O	-5.99	113.54	120.49
1	A	122	ARG	CD-NE-CZ	-5.98	116.03	124.40
1	B	218	MET	O-C-N	-5.96	116.12	123.33
1	C	119	LEU	CD1-CG-CD2	5.95	123.88	110.80
1	C	36	ASP	CA-CB-CG	5.94	118.54	112.60
1	B	157	GLN	OE1-CD-NE2	-5.94	116.66	122.60
1	C	215	ARG	NE-CZ-NH2	-5.94	113.86	119.20
1	D	181	HIS	CB-CG-CD2	-5.92	123.50	131.20
1	B	64	PHE	CB-CA-C	-5.91	98.87	110.10
1	A	47	ILE	CA-C-O	-5.83	113.85	120.67
1	B	5	GLU	O-C-N	-5.81	115.97	122.12
1	A	88	MET	O-C-N	5.80	129.95	121.54
1	A	100	PHE	CA-CB-CG	-5.77	108.03	113.80
1	B	197	ASP	CA-C-O	-5.76	115.01	121.81

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	206	ALA	CA-C-O	-5.74	114.13	120.38
1	D	129	ASP	N-CA-C	5.72	119.56	112.58
1	C	93	VAL	O-C-N	5.70	129.35	123.03
1	B	149	ASN	OD1-CG-ND2	-5.69	116.91	122.60
1	B	208	SER	O-C-N	5.67	129.06	122.99
1	A	109	ARG	NE-CZ-NH1	-5.61	115.89	121.50
1	B	186	THR	CA-C-N	5.60	125.36	119.76
1	B	186	THR	C-N-CA	5.60	125.36	119.76
1	A	169	HIS	CB-CG-CD2	-5.57	123.96	131.20
1	A	28	SER	CA-C-O	-5.54	113.95	120.60
1	D	150	VAL	N-CA-CB	-5.51	104.51	111.46
1	A	123	ILE	N-CA-C	5.51	117.34	108.85
1	C	97	THR	N-CA-CB	5.51	119.42	110.77
1	A	117	ASP	CA-CB-CG	5.50	118.10	112.60
1	D	164	ASN	CB-CG-OD1	5.48	131.76	120.80
1	D	97	THR	N-CA-CB	5.48	120.28	110.80
1	B	181	HIS	N-CA-C	5.46	117.43	108.52
1	B	48	CYS	CA-C-O	-5.44	114.45	120.60
1	A	23	ASN	CA-CB-CG	5.43	118.03	112.60
1	A	68	VAL	CB-CA-C	5.41	121.68	111.40
1	B	144	ASN	CB-CG-ND2	5.40	124.51	116.40
1	B	117	ASP	CA-CB-CG	5.39	117.99	112.60
1	C	198	ASN	OD1-CG-ND2	5.38	127.97	122.60
1	B	224	VAL	CA-C-O	-5.37	114.67	120.36
1	A	12	VAL	O-C-N	-5.37	116.13	121.12
1	A	212	ASN	CA-C-N	5.37	129.54	122.30
1	A	212	ASN	C-N-CA	5.37	129.54	122.30
1	D	223	PHE	N-CA-CB	5.35	119.60	110.50
1	C	150	VAL	N-CA-CB	-5.34	104.73	111.46
1	B	199	HIS	O-C-N	5.34	128.59	123.04
1	B	123	ILE	CB-CA-C	-5.33	103.22	110.90
1	C	183	GLN	OE1-CD-NE2	5.33	127.93	122.60
1	B	109	ARG	NH1-CZ-NH2	5.33	126.22	119.30
1	B	168	ARG	CG-CD-NE	-5.32	100.29	112.00
1	C	150	VAL	O-C-N	-5.32	116.87	123.10
1	B	5	GLU	CA-C-N	5.31	127.93	120.28
1	B	5	GLU	C-N-CA	5.31	127.93	120.28
1	A	213	GLU	N-CA-C	5.31	117.40	108.96
1	A	18	LEU	CA-CB-CG	5.29	134.81	116.30
1	A	204	GLN	CA-C-O	-5.28	114.26	120.60
1	B	29	VAL	CA-CB-CG1	5.28	119.37	110.40
1	C	82	ASP	O-C-N	5.27	128.50	122.55

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	216	ASP	N-CA-C	-5.25	102.08	109.96
1	C	73	ARG	CD-NE-CZ	-5.24	117.06	124.40
1	C	224	VAL	CA-C-O	5.24	126.14	120.43
1	A	41	LYS	CA-C-O	-5.23	115.20	121.11
1	A	212	ASN	OD1-CG-ND2	-5.23	117.37	122.60
1	A	68	VAL	N-CA-CB	-5.22	102.62	111.50
1	D	118	THR	N-CA-CB	5.22	119.13	110.52
1	A	127	GLY	CA-C-N	-5.21	115.29	122.69
1	A	127	GLY	C-N-CA	-5.21	115.29	122.69
1	A	130	PHE	O-C-N	5.21	128.90	123.06
1	C	109	ARG	NH1-CZ-NH2	5.21	126.07	119.30
1	A	113	LYS	CA-C-N	-5.21	114.39	122.09
1	A	113	LYS	C-N-CA	-5.21	114.39	122.09
1	C	69	GLN	CA-CB-CG	-5.21	103.69	114.10
1	A	97	THR	CA-CB-OG1	-5.20	101.80	109.60
1	B	199	HIS	CA-C-O	-5.20	115.58	121.25
1	A	164	ASN	CA-CB-CG	-5.19	107.41	112.60
1	A	133	ASP	CA-CB-CG	-5.18	107.42	112.60
1	B	130	PHE	CA-CB-CG	-5.17	108.64	113.80
1	A	32	GLU	CA-C-O	-5.16	115.71	121.23
1	B	210	ASP	N-CA-C	-5.15	102.08	109.24
1	B	97	THR	N-CA-CB	5.15	119.33	110.68
1	A	223	PHE	CA-C-O	-5.15	112.05	120.80
1	B	89	PRO	N-CD-CG	5.15	110.92	103.20
1	B	132	GLU	CB-CG-CD	5.15	121.35	112.60
1	B	216	ASP	CA-C-O	-5.14	114.90	120.81
1	B	193	VAL	CA-C-O	-5.14	116.43	121.67
1	C	129	ASP	N-CA-C	5.14	119.13	112.86
1	B	108	THR	CA-C-O	-5.13	115.10	121.11
1	A	64	PHE	CA-C-O	5.13	129.52	120.80
1	B	30	SER	CA-C-O	-5.13	115.32	121.11
1	C	88	MET	N-CA-C	5.10	116.50	110.07
1	D	215	ARG	CA-C-O	-5.09	115.97	121.87
1	D	76	ASP	CA-CB-CG	-5.09	107.51	112.60
1	C	108	THR	O-C-N	-5.08	116.99	123.24
1	A	159	ASN	OD1-CG-ND2	-5.07	117.53	122.60
1	A	108	THR	O-C-N	-5.07	117.09	123.27
1	A	170	ASN	CA-CB-CG	5.07	117.67	112.60
1	C	180	ASP	CA-CB-CG	5.06	117.66	112.60
1	D	29	VAL	CA-CB-CG1	5.05	118.99	110.40
1	C	115	GLU	CB-CG-CD	5.04	121.18	112.60
1	C	217	HIS	O-C-N	5.04	128.56	123.26

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	88	MET	O-C-N	5.04	128.85	121.54
1	A	39	TYR	CA-C-O	5.03	125.30	119.32
1	A	142	GLU	CA-CB-CG	-5.03	104.05	114.10
1	A	14	ILE	N-CA-C	5.02	115.71	108.48
1	C	124	GLU	CA-C-O	-5.02	114.94	120.36
1	C	217	HIS	CA-C-O	-5.01	116.07	121.38
1	A	50	THR	CA-C-N	-5.01	117.47	122.63
1	A	50	THR	C-N-CA	-5.01	117.47	122.63

There are no chirality outliers.

All (8) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	88	MET	Peptide,Mainchain
1	B	88	MET	Peptide,Mainchain
1	C	88	MET	Peptide,Mainchain
1	D	88	MET	Peptide,Mainchain

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1817	0	1760	51	0
1	B	1813	0	1752	33	0
1	C	1818	0	1739	46	0
1	D	1798	0	1720	30	0
2	A	202	0	0	12	0
2	B	153	0	0	6	0
2	C	147	0	0	8	0
2	D	131	0	0	1	0
All	All	7879	0	6971	158	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 11.

All (158) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:171:ILE:HD11	1:C:177:GLN:HB2	1.45	0.99
1:C:183:GLN:HE21	1:C:185:ASN:HD21	1.16	0.93
1:B:183:GLN:HE21	1:B:185:ASN:HD21	1.18	0.89
1:A:70:CYS:SG	1:A:119:LEU:HD11	2.15	0.86
1:A:183:GLN:HE21	1:A:185:ASN:HD21	1.24	0.83
1:D:156:LYS:HG3	1:D:195:LEU:HD13	1.60	0.81
1:B:23:ASN:HD21	1:B:130:PHE:H	1.28	0.80
1:D:81:HIS:HD2	1:D:197:ASP:H	1.32	0.77
1:A:130:PHE:HB3	1:A:137:LEU:CD2	2.15	0.77
1:A:118:THR:HG21	2:A:2113:HOH:O	1.83	0.76
1:D:76:ASP:HA	1:D:79:LYS:HD2	1.66	0.76
1:C:115:GLU:OE2	1:C:120:VAL:HG21	1.85	0.75
1:C:81:HIS:HD2	1:C:197:ASP:H	1.34	0.75
1:A:130:PHE:HB3	1:A:137:LEU:HD21	1.67	0.75
1:A:130:PHE:CB	1:A:137:LEU:HD21	2.18	0.74
1:B:81:HIS:HD2	1:B:197:ASP:H	1.37	0.73
1:C:71:PHE:HE2	1:C:119:LEU:HD22	1.52	0.73
1:D:171:ILE:HD11	1:D:177:GLN:HB2	1.69	0.72
1:B:130:PHE:HB3	1:B:137:LEU:HD23	1.69	0.72
1:C:171:ILE:HD11	1:C:177:GLN:CB	2.20	0.72
1:D:183:GLN:HE21	1:D:185:ASN:HD21	1.38	0.71
1:B:107:LYS:HE3	2:B:2076:HOH:O	1.91	0.70
1:C:120:VAL:HG23	2:C:2088:HOH:O	1.93	0.68
1:B:141:LEU:HD13	1:B:169:HIS:HB3	1.75	0.68
1:B:81:HIS:CD2	1:B:197:ASP:H	2.13	0.67
1:C:105:ASN:HD21	1:C:128:ILE:HD11	1.59	0.66
1:B:135:ASN:HD22	1:B:140:LYS:HD2	1.60	0.66
1:A:23:ASN:HD21	1:A:130:PHE:H	1.42	0.65
1:C:81:HIS:CD2	1:C:197:ASP:H	2.15	0.65
1:C:23:ASN:HD21	1:C:130:PHE:H	1.45	0.65
1:A:137:LEU:HD22	1:A:137:LEU:H	1.62	0.64
1:C:130:PHE:HB3	1:C:137:LEU:HD23	1.79	0.64
1:A:41:LYS:HD2	1:A:221:LEU:HD11	1.80	0.64
1:B:76:ASP:HA	1:B:79:LYS:HD2	1.80	0.63
1:B:115:GLU:OE2	1:B:120:VAL:HG21	1.98	0.62
1:A:107:LYS:N	1:A:107:LYS:HE2	2.15	0.61
1:A:117:ASP:OD1	1:A:118:THR:HG22	1.99	0.61
1:D:81:HIS:CD2	1:D:197:ASP:H	2.15	0.61
1:A:81:HIS:CD2	1:A:197:ASP:H	2.18	0.61
1:A:81:HIS:HD2	1:A:197:ASP:H	1.49	0.61
1:A:183:GLN:HE21	1:A:185:ASN:ND2	1.95	0.61
1:C:71:PHE:CE2	1:C:119:LEU:HD22	2.35	0.61

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:130:PHE:HB3	1:D:137:LEU:HD23	1.81	0.60
1:B:120:VAL:HG23	2:B:2082:HOH:O	2.01	0.60
1:D:171:ILE:HD11	1:D:177:GLN:CB	2.32	0.60
1:A:139:HIS:HD2	2:A:2025:HOH:O	1.84	0.60
1:D:23:ASN:HD21	1:D:130:PHE:H	1.50	0.59
1:A:186:THR:HG23	2:A:2097:HOH:O	2.02	0.59
1:B:133:ASP:HB3	1:D:80:ARG:HH12	1.68	0.58
1:A:52:LYS:HB2	1:A:52:LYS:HZ2	1.68	0.58
1:D:115:GLU:OE2	1:D:120:VAL:HG21	2.03	0.58
1:C:107:LYS:NZ	1:C:128:ILE:HG13	2.18	0.57
1:A:66:GYS:N2	1:A:66:GYS:HD1	2.21	0.56
1:A:141:LEU:HD22	1:A:171:ILE:CD1	2.36	0.56
1:C:183:GLN:HE21	1:C:185:ASN:ND2	1.94	0.56
1:D:66:GYS:N2	1:D:66:GYS:HD1	2.21	0.55
1:C:81:HIS:HE1	2:C:2062:HOH:O	1.89	0.55
1:A:171:ILE:HD11	1:A:177:GLN:CB	2.37	0.55
1:B:81:HIS:HE1	2:B:2151:HOH:O	1.90	0.55
1:B:139:HIS:HD2	2:B:2014:HOH:O	1.90	0.54
1:A:197:ASP:HB3	2:A:2169:HOH:O	2.07	0.54
1:D:141:LEU:HD13	1:D:169:HIS:HB3	1.90	0.54
1:C:115:GLU:CD	1:C:120:VAL:HG21	2.30	0.54
1:C:66:GYS:N2	1:C:66:GYS:HD1	2.24	0.53
1:C:118:THR:HG21	2:C:2092:HOH:O	2.08	0.53
1:C:107:LYS:HE2	1:C:126:LYS:O	2.08	0.53
1:D:130:PHE:HB3	1:D:137:LEU:CD2	2.39	0.52
1:C:105:ASN:O	1:C:127:GLY:HA2	2.09	0.52
1:C:18:LEU:HD22	1:C:19:ASP:N	2.25	0.52
1:B:183:GLN:HE21	1:B:185:ASN:ND2	1.98	0.52
1:A:96:ARG:HG2	1:A:183:GLN:HB2	1.90	0.51
1:B:66:GYS:N2	1:B:66:GYS:HD1	2.25	0.51
1:A:171:ILE:HD11	1:A:177:GLN:HB3	1.92	0.51
1:C:113:LYS:O	1:C:120:VAL:HG22	2.11	0.50
1:A:135:ASN:HD22	1:A:140:LYS:HD2	1.75	0.50
1:A:78:MET:HE3	1:A:229:ILE:HD12	1.92	0.50
1:C:107:LYS:HE3	2:C:2084:HOH:O	2.11	0.50
1:A:81:HIS:HE1	2:A:2202:HOH:O	1.94	0.50
1:A:137:LEU:HD22	1:A:137:LEU:N	2.25	0.50
1:A:126:LYS:HE3	1:A:128:ILE:CG2	2.42	0.50
1:B:171:ILE:HD11	1:B:177:GLN:HB2	1.93	0.49
1:B:221:LEU:C	1:B:221:LEU:HD23	2.37	0.49
1:A:71:PHE:CE2	1:A:119:LEU:HD13	2.47	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:96:ARG:HG2	1:B:183:GLN:HB2	1.94	0.49
1:C:5:GLU:OE1	1:C:79:LYS:HD3	2.11	0.49
1:D:45:LYS:HE2	1:D:47:ILE:HD11	1.94	0.49
1:C:117:ASP:OD1	1:C:118:THR:HG22	2.13	0.48
1:A:130:PHE:HB2	1:A:137:LEU:HD21	1.96	0.48
1:B:141:LEU:HB3	2:B:2092:HOH:O	2.12	0.48
1:D:139:HIS:HD2	2:D:2017:HOH:O	1.97	0.48
1:C:155:ASP:OD1	1:C:157:GLN:NE2	2.47	0.48
1:C:90:GLU:OE1	1:C:189:GLY:HA3	2.14	0.47
1:D:53:LEU:HD13	1:D:55:VAL:O	2.14	0.47
1:C:76:ASP:OD1	1:C:79:LYS:HE2	2.13	0.47
1:D:183:GLN:HE21	1:D:185:ASN:ND2	2.09	0.47
1:A:169:HIS:HD2	2:A:2134:HOH:O	1.98	0.46
1:A:76:ASP:OD1	1:A:79:LYS:HE2	2.15	0.46
1:A:183:GLN:NE2	1:A:185:ASN:HD21	2.03	0.46
1:C:139:HIS:HD2	2:C:2018:HOH:O	1.98	0.46
1:A:52:LYS:HB2	1:A:52:LYS:NZ	2.29	0.45
1:A:143:TYR:CZ	1:A:209:LYS:HE2	2.52	0.45
1:A:126:LYS:HE3	1:A:128:ILE:HG22	1.99	0.45
1:B:138:GLY:HA3	1:B:140:LYS:NZ	2.31	0.45
1:B:105:ASN:OD1	1:B:107:LYS:CD	2.64	0.45
1:D:90:GLU:OE2	1:D:189:GLY:HA3	2.16	0.45
1:B:130:PHE:CB	1:B:137:LEU:HD23	2.44	0.45
1:B:169:HIS:HD2	2:B:2096:HOH:O	1.99	0.45
1:D:18:LEU:HD23	1:D:123:ILE:CG2	2.47	0.45
1:D:71:PHE:CE2	1:D:119:LEU:HD22	2.52	0.45
1:A:158:LYS:HD2	1:A:184:GLN:HE21	1.81	0.44
1:C:169:HIS:HD2	2:C:2103:HOH:O	2.00	0.44
1:D:53:LEU:HD22	1:D:54:PRO:HD2	2.00	0.44
1:C:105:ASN:HD21	1:C:128:ILE:CD1	2.28	0.44
1:C:135:ASN:HD22	1:C:140:LYS:HD2	1.82	0.44
1:A:42:LEU:HD12	1:A:42:LEU:C	2.43	0.44
1:D:147:SER:HB3	1:D:204:GLN:HG2	1.98	0.44
1:A:158:LYS:HD2	1:A:184:GLN:NE2	2.33	0.44
1:A:159:ASN:ND2	2:A:2146:HOH:O	2.50	0.44
1:A:107:LYS:HE2	1:A:107:LYS:H	1.82	0.44
1:C:107:LYS:HZ1	1:C:128:ILE:HG13	1.83	0.44
1:D:141:LEU:HD22	1:D:171:ILE:CD1	2.48	0.44
1:C:18:LEU:HD23	1:C:123:ILE:HB	1.99	0.43
1:C:80:ARG:NE	2:C:2063:HOH:O	2.52	0.43
1:D:150:VAL:HA	1:D:165:PHE:HB3	2.01	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:163:VAL:HB	1:D:183:GLN:HB3	2.01	0.43
1:B:136:ILE:HD12	1:B:136:ILE:N	2.34	0.43
1:C:42:LEU:C	1:C:42:LEU:HD12	2.44	0.43
1:A:169:HIS:HE1	2:A:2057:HOH:O	2.02	0.43
1:D:18:LEU:C	1:D:18:LEU:HD13	2.43	0.43
1:B:141:LEU:HD22	1:B:171:ILE:CD1	2.48	0.42
1:C:156:LYS:HD2	1:C:195:LEU:HD13	2.01	0.42
1:C:213:GLU:OE2	1:C:215:ARG:HB2	2.18	0.42
1:A:107:LYS:NZ	1:A:128:ILE:HG12	2.34	0.42
1:A:166:LYS:HD2	2:A:2158:HOH:O	2.18	0.42
1:B:133:ASP:CB	1:D:80:ARG:HH12	2.31	0.42
1:B:221:LEU:HD23	1:B:222:ABA:N	2.34	0.42
1:B:22:VAL:HG23	1:B:27:PHE:HE1	1.84	0.42
1:C:136:ILE:HG22	1:C:137:LEU:HD22	2.01	0.42
1:B:120:VAL:HG23	1:B:120:VAL:O	2.19	0.42
1:B:156:LYS:HD3	1:B:195:LEU:HD13	2.02	0.42
1:C:90:GLU:HG3	2:C:2073:HOH:O	2.19	0.42
1:A:15:LEU:HD23	2:A:2017:HOH:O	2.20	0.42
1:C:120:VAL:HG23	1:C:120:VAL:O	2.19	0.42
1:B:71:PHE:HE2	1:B:119:LEU:HD22	1.85	0.41
1:A:119:LEU:HD23	1:A:119:LEU:C	2.45	0.41
1:B:107:LYS:HE2	1:B:107:LYS:HB2	1.60	0.41
1:C:18:LEU:HD23	1:C:123:ILE:CG2	2.51	0.41
1:A:15:LEU:O	1:A:120:VAL:HA	2.21	0.41
1:C:141:LEU:CD2	1:C:171:ILE:HD13	2.51	0.41
1:D:137:LEU:N	1:D:137:LEU:HD22	2.35	0.41
1:C:107:LYS:HE2	1:C:107:LYS:N	2.35	0.41
1:A:171:ILE:HD11	1:A:177:GLN:HB2	2.02	0.41
1:C:46:PHE:CZ	1:C:64:PHE:HB3	2.56	0.41
1:D:141:LEU:HD22	1:D:171:ILE:HD13	2.02	0.41
1:A:15:LEU:HD13	2:A:2029:HOH:O	2.21	0.41
1:C:150:VAL:HA	1:C:165:PHE:HB3	2.03	0.40
1:A:141:LEU:HD13	1:A:169:HIS:HB3	2.02	0.40
1:A:3:LYS:HB3	2:A:2090:HOH:O	2.20	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	221/236 (94%)	217 (98%)	3 (1%)	1 (0%)	24	14
1	B	221/236 (94%)	215 (97%)	5 (2%)	1 (0%)	24	14
1	C	222/236 (94%)	219 (99%)	2 (1%)	1 (0%)	24	14
1	D	221/236 (94%)	218 (99%)	2 (1%)	1 (0%)	24	14
All	All	885/944 (94%)	869 (98%)	12 (1%)	4 (0%)	24	14

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	89	PRO
1	B	89	PRO
1	D	89	PRO
1	C	89	PRO

5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	196/205 (96%)	184 (94%)	12 (6%)	17	6
1	B	194/205 (95%)	180 (93%)	14 (7%)	13	4
1	C	194/205 (95%)	181 (93%)	13 (7%)	15	5
1	D	189/205 (92%)	178 (94%)	11 (6%)	18	7
All	All	773/820 (94%)	723 (94%)	50 (6%)	15	5

All (50) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	3	LYS
1	A	15	LEU
1	A	18	LEU
1	A	29	VAL
1	A	41	LYS
1	A	52	LYS
1	A	107	LYS
1	A	118	THR
1	A	120	VAL
1	A	147	SER
1	A	178	LEU
1	A	184	GLN
1	B	15	LEU
1	B	18	LEU
1	B	29	VAL
1	B	52	LYS
1	B	53	LEU
1	B	107	LYS
1	B	118	THR
1	B	136	ILE
1	B	147	SER
1	B	156	LYS
1	B	158	LYS
1	B	162	LYS
1	B	178	LEU
1	B	190	ASP
1	C	15	LEU
1	C	18	LEU
1	C	29	VAL
1	C	43	THR
1	C	52	LYS
1	C	53	LEU
1	C	107	LYS
1	C	118	THR
1	C	156	LYS
1	C	162	LYS
1	C	178	LEU
1	C	215	ARG
1	C	221	LEU
1	D	5	GLU
1	D	15	LEU
1	D	17	GLU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	D	23	ASN
1	D	29	VAL
1	D	41	LYS
1	D	53	LEU
1	D	118	THR
1	D	178	LEU
1	D	185	ASN
1	D	190	ASP

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (48) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	23	ASN
1	A	81	HIS
1	A	121	ASN
1	A	135	ASN
1	A	139	HIS
1	A	146	ASN
1	A	149	ASN
1	A	157	GLN
1	A	159	ASN
1	A	169	HIS
1	A	170	ASN
1	A	177	GLN
1	A	184	GLN
1	A	185	ASN
1	A	212	ASN
1	B	23	ASN
1	B	81	HIS
1	B	135	ASN
1	B	139	HIS
1	B	149	ASN
1	B	169	HIS
1	B	170	ASN
1	B	177	GLN
1	B	185	ASN
1	C	23	ASN
1	C	81	HIS
1	C	105	ASN
1	C	121	ASN
1	C	135	ASN
1	C	139	HIS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	149	ASN
1	C	169	HIS
1	C	177	GLN
1	C	185	ASN
1	C	198	ASN
1	C	204	GLN
1	D	23	ASN
1	D	81	HIS
1	D	121	ASN
1	D	135	ASN
1	D	139	HIS
1	D	149	ASN
1	D	157	GLN
1	D	164	ASN
1	D	169	HIS
1	D	177	GLN
1	D	185	ASN
1	D	204	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

8 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
1	ABA	C	222	1	4,5,6	1.60	1 (25%)	1,5,7	0.37	0
1	GYS	A	66	1	20,22,23	3.50	10 (50%)	25,30,32	3.01	8 (32%)
1	GYS	B	66	1	20,22,23	3.96	11 (55%)	25,30,32	3.50	6 (24%)
1	GYS	D	66	1	20,22,23	3.89	12 (60%)	25,30,32	2.88	9 (36%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
1	GYS	C	66	1	20,22,23	3.92	11 (55%)	25,30,32	2.58	6 (24%)
1	ABA	A	222	1	4,5,6	0.42	0	1,5,7	0.45	0
1	ABA	D	222	1	4,5,6	0.84	0	1,5,7	0.21	0
1	ABA	B	222	1	4,5,6	0.85	0	1,5,7	0.49	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	ABA	C	222	1	-	1/3/4/6	-
1	GYS	A	66	1	-	1/10/29/30	0/2/2/2
1	GYS	B	66	1	-	1/10/29/30	0/2/2/2
1	GYS	D	66	1	-	3/10/29/30	0/2/2/2
1	GYS	C	66	1	-	3/10/29/30	0/2/2/2
1	ABA	A	222	1	-	0/3/4/6	-
1	ABA	D	222	1	-	0/3/4/6	-
1	ABA	B	222	1	-	0/3/4/6	-

All (45) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	C	66	GYS	CA2-C2	-11.40	1.36	1.48
1	B	66	GYS	CA2-C2	-10.49	1.37	1.48
1	A	66	GYS	CA2-C2	-10.38	1.37	1.48
1	D	66	GYS	CA2-C2	-9.62	1.38	1.48
1	B	66	GYS	CB2-CA2	-7.54	1.27	1.35
1	D	66	GYS	CA3-N3	-6.90	1.34	1.47
1	B	66	GYS	OH-CZ	6.73	1.52	1.37
1	A	66	GYS	OH-CZ	6.71	1.52	1.37
1	D	66	GYS	OH-CZ	6.70	1.52	1.37
1	C	66	GYS	OH-CZ	6.68	1.52	1.37
1	C	66	GYS	CA3-N3	-6.30	1.35	1.47
1	D	66	GYS	CG2-CB2	-5.66	1.36	1.46
1	D	66	GYS	O3-C3	4.67	1.46	1.20
1	A	66	GYS	C1-N3	-4.59	1.29	1.37
1	B	66	GYS	C1-N3	-4.30	1.30	1.37
1	B	66	GYS	O3-C3	4.05	1.43	1.20
1	C	66	GYS	C1-N3	-4.01	1.30	1.37
1	C	66	GYS	O3-C3	3.86	1.41	1.20
1	A	66	GYS	O3-C3	3.76	1.41	1.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	C	66	GYS	CA2-N2	3.50	1.46	1.38
1	B	66	GYS	C2-N3	-3.31	1.32	1.40
1	D	66	GYS	CE1-CD1	3.30	1.44	1.38
1	D	66	GYS	CB2-CA2	-3.26	1.32	1.35
1	B	66	GYS	CE1-CD1	3.26	1.44	1.38
1	A	66	GYS	CE1-CD1	3.25	1.44	1.38
1	C	66	GYS	CE1-CD1	3.22	1.44	1.38
1	B	66	GYS	C1-N2	-3.21	1.27	1.32
1	C	66	GYS	CG2-CB2	-3.10	1.41	1.46
1	B	66	GYS	CG2-CB2	-3.09	1.41	1.46
1	D	66	GYS	C1-N2	-3.08	1.27	1.32
1	A	66	GYS	CG2-CB2	-3.07	1.41	1.46
1	A	66	GYS	CA3-N3	-2.95	1.41	1.47
1	B	66	GYS	CA3-N3	-2.84	1.42	1.47
1	D	66	GYS	C2-N3	-2.76	1.33	1.40
1	D	66	GYS	C1-N3	-2.71	1.32	1.37
1	A	66	GYS	CB2-CA2	-2.51	1.32	1.35
1	D	66	GYS	CA2-N2	2.45	1.43	1.38
1	C	66	GYS	C1-N2	-2.44	1.28	1.32
1	A	66	GYS	C2-N3	-2.36	1.34	1.40
1	C	222	ABA	CA-N	-2.36	1.41	1.48
1	C	66	GYS	C2-N3	-2.33	1.34	1.40
1	D	66	GYS	CE1-CZ	2.25	1.43	1.39
1	A	66	GYS	CE1-CZ	2.23	1.43	1.39
1	C	66	GYS	CE1-CZ	2.23	1.43	1.39
1	B	66	GYS	CE1-CZ	2.18	1.43	1.39

All (29) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	66	GYS	O2-C2-CA2	-12.19	123.24	131.02
1	A	66	GYS	O2-C2-CA2	-10.62	124.24	131.02
1	B	66	GYS	C2-CA2-N2	-8.34	102.97	108.95
1	D	66	GYS	C2-CA2-N2	-7.71	103.42	108.95
1	C	66	GYS	CA3-N3-C2	-6.77	108.80	123.67
1	B	66	GYS	CA2-C2-N3	6.62	109.06	103.50
1	C	66	GYS	C2-CA2-N2	-6.31	104.43	108.95
1	D	66	GYS	CA2-C2-N3	6.21	108.72	103.50
1	D	66	GYS	CA3-N3-C2	-5.64	111.29	123.67
1	C	66	GYS	CA2-C2-N3	5.59	108.19	103.50
1	A	66	GYS	CA2-C2-N3	5.23	107.89	103.50
1	A	66	GYS	C2-CA2-N2	-4.65	105.62	108.95

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	66	GYS	CB2-CA2-C2	3.69	126.83	122.36
1	A	66	GYS	CA3-N3-C2	-3.68	115.58	123.67
1	D	66	GYS	C3-CA3-N3	3.64	120.72	112.43
1	D	66	GYS	CG2-CB2-CA2	-3.55	125.64	129.87
1	C	66	GYS	CB2-CA2-C2	3.55	126.65	122.36
1	A	66	GYS	CB2-CA2-C2	3.52	126.63	122.36
1	D	66	GYS	O2-C2-CA2	-3.44	128.82	131.02
1	C	66	GYS	O3-C3-CA3	-3.41	110.13	125.47
1	D	66	GYS	O3-C3-CA3	-3.25	110.85	125.47
1	A	66	GYS	O3-C3-CA3	-3.21	111.01	125.47
1	B	66	GYS	O3-C3-CA3	-3.16	111.24	125.47
1	D	66	GYS	CB2-CA2-N2	3.10	132.97	128.76
1	D	66	GYS	CA2-N2-C1	2.99	108.14	105.80
1	B	66	GYS	CA2-N2-C1	2.86	108.03	105.80
1	A	66	GYS	N3-C1-N2	2.79	113.68	111.48
1	A	66	GYS	CA1-C1-N2	-2.22	119.24	123.57
1	C	66	GYS	O2-C2-N3	-2.14	119.85	124.31

There are no chirality outliers.

All (9) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
1	C	66	GYS	C3-CA3-N3-C2
1	C	222	ABA	O-C-CA-CB
1	D	66	GYS	C3-CA3-N3-C2
1	D	66	GYS	C3-CA3-N3-C1
1	C	66	GYS	C3-CA3-N3-C1
1	A	66	GYS	N1-CA1-CB1-OG1
1	B	66	GYS	N1-CA1-CB1-OG1
1	C	66	GYS	N1-CA1-CB1-OG1
1	D	66	GYS	N1-CA1-CB1-OG1

There are no ring outliers.

5 monomers are involved in 5 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
1	A	66	GYS	1	0
1	B	66	GYS	1	0
1	D	66	GYS	1	0
1	C	66	GYS	1	0
1	B	222	ABA	1	0

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	225/236 (95%)	0.40	7 (3%) 51 51	20, 28, 41, 58	0
1	B	225/236 (95%)	0.50	10 (4%) 39 38	21, 29, 44, 57	0
1	C	226/236 (95%)	0.62	15 (6%) 24 23	23, 31, 49, 60	0
1	D	225/236 (95%)	0.85	28 (12%) 8 6	25, 35, 52, 62	0
All	All	901/944 (95%)	0.60	60 (6%) 24 22	20, 31, 49, 62	0

All (60) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	190	ASP	4.0
1	D	174	GLY	3.3
1	D	132	GLU	3.3
1	C	132	GLU	3.2
1	A	157	GLN	3.1
1	C	2	SER	3.1
1	C	133	ASP	3.1
1	C	156	LYS	3.1
1	C	171	ILE	3.0
1	C	190	ASP	3.0
1	D	128	ILE	3.0
1	D	25	HIS	2.9
1	C	157	GLN	2.8
1	B	156	LYS	2.8
1	D	156	LYS	2.8
1	C	212	ASN	2.7
1	D	24	GLY	2.7
1	B	133	ASP	2.7
1	C	174	GLY	2.6
1	B	128	ILE	2.6
1	A	156	LYS	2.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	80	ARG	2.5
1	A	133	ASP	2.5
1	D	137	LEU	2.5
1	D	171	ILE	2.5
1	D	159	ASN	2.5
1	B	157	GLN	2.5
1	B	132	GLU	2.4
1	D	3	LYS	2.4
1	D	190	ASP	2.4
1	D	118	THR	2.4
1	D	186	THR	2.4
1	D	120	VAL	2.4
1	D	9	THR	2.3
1	D	157	GLN	2.3
1	C	164	ASN	2.3
1	D	191	GLY	2.3
1	C	175	SER	2.3
1	D	80	ARG	2.3
1	D	193	VAL	2.2
1	A	80	ARG	2.2
1	A	19	ASP	2.2
1	D	173	ASP	2.2
1	D	212	ASN	2.1
1	C	172	GLU	2.1
1	D	19	ASP	2.1
1	D	4	GLY	2.1
1	D	8	PHE	2.1
1	B	159	ASN	2.1
1	D	18	LEU	2.1
1	D	178	LEU	2.1
1	A	173	ASP	2.1
1	B	118	THR	2.1
1	C	52	LYS	2.1
1	C	191	GLY	2.1
1	C	25	HIS	2.1
1	A	155	ASP	2.1
1	D	47	ILE	2.0
1	B	192	PRO	2.0
1	D	195	LEU	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
1	GYS	C	66	21/22	0.93	0.09	22,24,28,29	0
1	GYS	D	66	21/22	0.93	0.10	24,27,30,31	0
1	GYS	A	66	21/22	0.95	0.08	20,22,24,25	0
1	ABA	C	222	6/7	0.95	0.08	23,24,24,25	0
1	GYS	B	66	21/22	0.95	0.08	20,23,25,26	0
1	ABA	D	222	6/7	0.95	0.08	23,24,25,26	0
1	ABA	A	222	6/7	0.97	0.08	20,22,23,24	0
1	ABA	B	222	6/7	0.97	0.06	22,22,23,24	0

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.